

Table 1: Statistical Sampling Results based on the Hypergeometric Distribution (N = 100) — Upper Limits at 10 Percent Risk of Overreliance

					reiceiii						
							tatements Fou				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	12	19	26	32	38	43	48	53	58	63	68
25	9	15	21	26	30	35	39	44	48	52	56
30	8	13	17	21	25	29	33	36	40	44	47
35	6	11	14	18	21	25	28	31	34	37	40
40	5	9	12	15	19	21	24	27	30	33	35
45	4	8	11	13	16	19	21	24	26	29	31
50	4	7	9	12	14	17	19	21	24	26	28
55	3	6	8	11	13	15	17	19	21	23	25
60	3	5	7	9	11	13	15	17	19	21	23
65	2	4	6	8	10	12	14	16	17	19	21
70	2	4	6	8	9	11	12	14	16	17	19
75	2	3	5	7	8	10	11	13	14	16	17
80	1	3	5	6	7	9	10	12	13	14	16
85	1	3	4	5	7	8	9	11	12	13	14
90	1	2	3	5	6	7	8	10	11	12	13
95	0	2	3	4	5	6	7	9	10	11	12
100											
125											
150											
200											
300											
400											
500											



Table 2: Statistical Sampling Results based on the Hypergeometric Distribution (N = 500) — Upper Limits at 10 Percent Risk of Overreliance

				i Liiiilo at	10 1 01001						
					Actual Nu	ımber of Missta	atements Foun	d			
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	13.6	21.2	27.8	34	39.6	45	50.4	55.4	60.2	64.8	69.4
25	11	17.2	22.6	27.6	32.4	37	41.4	45.8	49.8	53.8	57.8
30	9.2	14.4	19	23.4	27.4	31.4	35.2	38.8	42.4	46	49.4
35	7.8	12.4	16.4	20.2	23.8	27.2	30.4	33.8	36.8	40	43
40	6.8	10.8	14.4	17.8	20.8	24	26.8	29.8	32.6	35.4	38
45	6	9.6	12.8	15.8	18.6	21.4	24	26.6	29.2	31.6	34.2
50	5.4	8.6	11.6	14.2	16.8	19.2	21.8	24	26.4	28.6	30.8
55	5	7.8	10.6	13	15.4	17.6	19.8	22	24	26.2	28.2
60	4.4	7.2	9.6	11.8	14	16.2	18.2	20.2	22.2	24	26
65	4.2	6.6	8.8	11	13	14.8	16.8	18.6	20.4	22.2	24
70	3.8	6.2	8.2	10.2	12	13.8	15.6	17.4	19	20.6	22.4
75	3.6	5.8	7.6	9.4	11.2	12.8	14.6	16.2	17.8	19.4	20.8
80	3.2	5.4	7.2	8.8	10.4	12	13.6	15.2	16.6	18.2	19.6
85	3	5	6.8	8.4	9.8	11.4	12.8	14.2	15.6	17	18.4
90	2.8	4.6	6.4	7.8	9.2	10.6	12	13.4	14.8	16	17.4
95	2.8	4.4	6	7.4	8.8	10.2	11.4	12.8	14	15.2	16.4
100	2.6	4.2	5.6	7	8.4	9.6	10.8	12	13.2	14.4	15.6
125	2	3.2	4.4	5.6	6.6	7.6	8.6	9.6	10.6	11.4	12.4
150	1.6	2.6	3.6	4.4	5.4	6.2	7	7.8	8.6	9.4	10.2
200	1	1.8	2.6	3.2	3.8	4.4	5.2	5.8	6.4	7	7.6
300	0.6	1	1.4	2	2.4	2.8	3.2	3.6	4	4.4	4.6
400	0.2	0.6	1	1.2	1.6	1.8	2	2.4	2.6	3	3.2
500											

500



Table 3: Statistical Sampling Results based on the Hypergeometric Distribution (N = 1000) — Upper Limits at 10 Percent Risk of Overreliance

					Actual Number of Misstatements Found						
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	13.7	21.4	28.0	34.1	39.9	45.3	50.5	55.6	60.4	65.1	69.6
25	11.1	17.4	22.9	27.9	32.7	37.3	41.7	46.0	50.1	54.1	58.1
30	9.3	14.6	19.3	23.6	27.7	31.6	35.4	39.1	42.7	46.2	49.7
35	8.0	12.6	16.7	20.4	24.0	27.4	30.8	34.0	37.2	40.3	43.3
40	7.0	11.1	14.7	18.0	21.2	24.2	27.2	30.1	32.9	35.7	38.4
45	6.2	9.9	13.1	16.1	18.9	21.7	24.3	26.9	29.5	32.0	34.5
50	5.6	8.9	11.8	14.5	17.1	19.6	22.0	24.4	26.7	29.0	31.2
55	5.1	8.1	10.8	13.2	15.6	17.9	20.1	22.3	24.4	26.5	28.6
60	4.7	7.4	9.9	12.1	14.3	16.4	18.5	20.5	22.4	24.4	26.3
65	4.3	6.9	9.1	11.2	13.2	15.2	17.1	19.0	20.8	22.6	24.4
70	4.0	6.4	8.5	10.4	12.3	14.1	15.9	17.6	19.3	21.0	22.7
75	3.7	5.9	7.9	9.7	11.5	13.2	14.9	16.5	18.1	19.7	21.2
80	3.5	5.6	7.4	9.1	10.8	12.4	13.9	15.5	17.0	18.5	19.9
85	3.3	5.2	7.0	8.6	10.2	11.7	13.1	14.6	16.0	17.4	18.8
90	3.1	4.9	6.6	8.1	9.6	11.0	12.4	13.8	15.1	16.4	17.8
95	2.9	4.7	6.2	7.7	9.1	10.4	11.8	13.1	14.3	15.6	16.8
100	2.8	4.4	5.9	7.3	8.6	9.9	11.2	12.4	13.6	14.8	16.0
125	2.2	3.5	4.7	5.8	6.9	7.9	8.9	9.9	10.9	11.9	12.8
150	1.8	2.9	3.9	4.8	5.7	6.6	7.4	8.2	9.1	9.9	10.7
200	1.3	2.1	2.8	3.5	4.2	4.9	5.5	6.1	6.7	7.3	7.9
300	0.8	1.3	1.8	2.3	2.7	3.1	3.6	4.0	4.4	4.8	5.2
400	0.5	0.9	1.3	1.6	1.9	2.3	2.6	2.9	3.2	3.5	3.8
500	0.4	0.7	1.0	1.2	1.5	1.7	2.0	2.2	2.5	2.7	2.9



Table 4: Statistical Sampling Results based on the Hypergeometric Distribution (N = 100) — Upper Limits at 5 Percent Risk of Overreliance

							tatements Fou				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	12	19	26	32	38	43	48	53	58	63	68
25	9	15	21	26	30	35	39	44	48	52	56
30	8	13	17	21	25	29	33	36	40	44	47
35	6	11	14	18	21	25	28	31	34	37	40
40	5	9	12	15	19	21	24	27	30	33	35
45	4	8	11	13	16	19	21	24	26	29	31
50	4	7	9	12	14	17	19	21	24	26	28
55	3	6	8	11	13	15	17	19	21	23	25
60	3	5	7	9	11	13	15	17	19	21	23
65	2	4	6	8	10	12	14	16	17	19	21
70	2	4	6	8	9	11	12	14	16	17	19
75	2	3	5	7	8	10	11	13	14	16	17
80	1	3	5	6	7	9	10	12	13	14	16
85	1	3	4	5	7	8	9	11	12	13	14
90	1	2	3	5	6	7	8	10	11	12	13
95	0	2	3	4	5	6	7	9	10	11	12
100											
125											
150											
200											
300											
400											
500											



Table 5: Statistical Sampling Results based on the Hypergeometric Distribution (N = 500) — Upper Limits at 5 Percent Risk of Overreliance

				or Ellinito di							
					Actual Nu	ımber of Missta	atements Foun	d			
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	13.6	21.2	27.8	34	39.6	45	50.4	55.4	60.2	64.8	69.4
25	11	17.2	22.6	27.6	32.4	37	41.4	45.8	49.8	53.8	57.8
30	9.2	14.4	19	23.4	27.4	31.4	35.2	38.8	42.4	46	49.4
35	7.8	12.4	16.4	20.2	23.8	27.2	30.4	33.8	36.8	40	43
40	6.8	10.8	14.4	17.8	20.8	24	26.8	29.8	32.6	35.4	38
45	6	9.6	12.8	15.8	18.6	21.4	24	26.6	29.2	31.6	34.2
50	5.4	8.6	11.6	14.2	16.8	19.2	21.8	24	26.4	28.6	30.8
55	5	7.8	10.6	13	15.4	17.6	19.8	22	24	26.2	28.2
60	4.4	7.2	9.6	11.8	14	16.2	18.2	20.2	22.2	24	26
65	4.2	6.6	8.8	11	13	14.8	16.8	18.6	20.4	22.2	24
70	3.8	6.2	8.2	10.2	12	13.8	15.6	17.4	19	20.6	22.4
75	3.6	5.8	7.6	9.4	11.2	12.8	14.6	16.2	17.8	19.4	20.8
80	3.2	5.4	7.2	8.8	10.4	12	13.6	15.2	16.6	18.2	19.6
85	3	5	6.8	8.4	9.8	11.4	12.8	14.2	15.6	17	18.4
90	2.8	4.6	6.4	7.8	9.2	10.6	12	13.4	14.8	16	17.4
95	2.8	4.4	6	7.4	8.8	10.2	11.4	12.8	14	15.2	16.4
100	2.6	4.2	5.6	7	8.4	9.6	10.8	12	13.2	14.4	15.6
125	2	3.2	4.4	5.6	6.6	7.6	8.6	9.6	10.6	11.4	12.4
150	1.6	2.6	3.6	4.4	5.4	6.2	7	7.8	8.6	9.4	10.2
200	1	1.8	2.6	3.2	3.8	4.4	5.2	5.8	6.4	7	7.6
300	0.6	1	1.4	2	2.4	2.8	3.2	3.6	4	4.4	4.6
400	0.2	0.6	1	1.2	1.6	1.8	2	2.4	2.6	3	3.2
500											



Table 6: Statistical Sampling Results based on the Hypergeometric Distribution (N = 1000) — Upper Limits at 5 Percent Risk of Overreliance

		Actual Number of Misstatements Found										
Sample Size	0	1	2	3	4	5	6	7	8	9	10	
20	13.7	21.4	28.0	34.1	39.9	45.3	50.5	55.6	60.4	65.1	69.6	
25	11.1	17.4	22.9	27.9	32.7	37.3	41.7	46.0	50.1	54.1	58.1	
30	9.3	14.6	19.3	23.6	27.7	31.6	35.4	39.1	42.7	46.2	49.7	
35	8.0	12.6	16.7	20.4	24.0	27.4	30.8	34.0	37.2	40.3	43.3	
40	7.0	11.1	14.7	18.0	21.2	24.2	27.2	30.1	32.9	35.7	38.4	
45	6.2	9.9	13.1	16.1	18.9	21.7	24.3	26.9	29.5	32.0	34.5	
50	5.6	8.9	11.8	14.5	17.1	19.6	22.0	24.4	26.7	29.0	31.2	
55	5.1	8.1	10.8	13.2	15.6	17.9	20.1	22.3	24.4	26.5	28.6	
60	4.7	7.4	9.9	12.1	14.3	16.4	18.5	20.5	22.4	24.4	26.3	
65	4.3	6.9	9.1	11.2	13.2	15.2	17.1	19.0	20.8	22.6	24.4	
70	4.0	6.4	8.5	10.4	12.3	14.1	15.9	17.6	19.3	21.0	22.7	
75	3.7	5.9	7.9	9.7	11.5	13.2	14.9	16.5	18.1	19.7	21.2	
80	3.5	5.6	7.4	9.1	10.8	12.4	13.9	15.5	17.0	18.5	19.9	
85	3.3	5.2	7.0	8.6	10.2	11.7	13.1	14.6	16.0	17.4	18.8	
90	3.1	4.9	6.6	8.1	9.6	11.0	12.4	13.8	15.1	16.4	17.8	
95	2.9	4.7	6.2	7.7	9.1	10.4	11.8	13.1	14.3	15.6	16.8	
100	2.8	4.4	5.9	7.3	8.6	9.9	11.2	12.4	13.6	14.8	16.0	
125	2.2	3.5	4.7	5.8	6.9	7.9	8.9	9.9	10.9	11.9	12.8	
150	1.8	2.9	3.9	4.8	5.7	6.6	7.4	8.2	9.1	9.9	10.7	
200	1.3	2.1	2.8	3.5	4.2	4.9	5.5	6.1	6.7	7.3	7.9	
300	0.8	1.3	1.8	2.3	2.7	3.1	3.6	4.0	4.4	4.8	5.2	
400	0.5	0.9	1.3	1.6	1.9	2.3	2.6	2.9	3.2	3.5	3.8	
500	0.4	0.7	1.0	1.2	1.5	1.7	2.0	2.2	2.5	2.7	2.9	



Table 7: Statistical Sampling Results based on the Hypergeometric Distribution (N = 100) — Upper Limits at 2.5 Percent Risk of Overreliance

				IIIIIIS at Z.							
							tatements Fou				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	12	19	26	32	38	43	48	53	58	63	68
25	9	15	21	26	30	35	39	44	48	52	56
30	8	13	17	21	25	29	33	36	40	44	47
35	6	11	14	18	21	25	28	31	34	37	40
40	5	9	12	15	19	21	24	27	30	33	35
45	4	8	11	13	16	19	21	24	26	29	31
50	4	7	9	12	14	17	19	21	24	26	28
55	3	6	8	11	13	15	17	19	21	23	25
60	3	5	7	9	11	13	15	17	19	21	23
65	2	4	6	8	10	12	14	16	17	19	21
70	2	4	6	8	9	11	12	14	16	17	19
75	2	3	5	7	8	10	11	13	14	16	17
80	1	3	5	6	7	9	10	12	13	14	16
85	1	3	4	5	7	8	9	11	12	13	14
90	1	2	3	5	6	7	8	10	11	12	13
95	0	2	3	4	5	6	7	9	10	11	12
100											
125											
150											
200											
300											
400											
500											



Table 8: Statistical Sampling Results based on the Hypergeometric Distribution (N = 500) — Upper Limits at 2.5 Percent Risk of Overreliance

			• • •								
					Actual No	umber of Missta	atements Foun	ıd			
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	13.6	21.2	27.8	34	39.6	45	50.4	55.4	60.2	64.8	69.4
25	11	17.2	22.6	27.6	32.4	37	41.4	45.8	49.8	53.8	57.8
30	9.2	14.4	19	23.4	27.4	31.4	35.2	38.8	42.4	46	49.4
35	7.8	12.4	16.4	20.2	23.8	27.2	30.4	33.8	36.8	40	43
40	6.8	10.8	14.4	17.8	20.8	24	26.8	29.8	32.6	35.4	38
45	6	9.6	12.8	15.8	18.6	21.4	24	26.6	29.2	31.6	34.2
50	5.4	8.6	11.6	14.2	16.8	19.2	21.8	24	26.4	28.6	30.8
55	5	7.8	10.6	13	15.4	17.6	19.8	22	24	26.2	28.2
60	4.4	7.2	9.6	11.8	14	16.2	18.2	20.2	22.2	24	26
65	4.2	6.6	8.8	11	13	14.8	16.8	18.6	20.4	22.2	24
70	3.8	6.2	8.2	10.2	12	13.8	15.6	17.4	19	20.6	22.4
75	3.6	5.8	7.6	9.4	11.2	12.8	14.6	16.2	17.8	19.4	20.8
80	3.2	5.4	7.2	8.8	10.4	12	13.6	15.2	16.6	18.2	19.6
85	3	5	6.8	8.4	9.8	11.4	12.8	14.2	15.6	17	18.4
90	2.8	4.6	6.4	7.8	9.2	10.6	12	13.4	14.8	16	17.4
95	2.8	4.4	6	7.4	8.8	10.2	11.4	12.8	14	15.2	16.4
100	2.6	4.2	5.6	7	8.4	9.6	10.8	12	13.2	14.4	15.6
125	2	3.2	4.4	5.6	6.6	7.6	8.6	9.6	10.6	11.4	12.4
150	1.6	2.6	3.6	4.4	5.4	6.2	7	7.8	8.6	9.4	10.2
200	1	1.8	2.6	3.2	3.8	4.4	5.2	5.8	6.4	7	7.6
300	0.6	1	1.4	2	2.4	2.8	3.2	3.6	4	4.4	4.6
400	0.2	0.6	1	1.2	1.6	1.8	2	2.4	2.6	3	3.2
500											

Note



Table 9: Statistical Sampling Results based on the Hypergeometric Distribution (N = 1000) — Upper Limits at 2.5 Percent Risk of Overreliance

				Actual Number of Misstatements Found							
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	13.7	21.4	28.0	34.1	39.9	45.3	50.5	55.6	60.4	65.1	69.6
25	11.1	17.4	22.9	27.9	32.7	37.3	41.7	46.0	50.1	54.1	58.1
30	9.3	14.6	19.3	23.6	27.7	31.6	35.4	39.1	42.7	46.2	49.7
35	8.0	12.6	16.7	20.4	24.0	27.4	30.8	34.0	37.2	40.3	43.3
40	7.0	11.1	14.7	18.0	21.2	24.2	27.2	30.1	32.9	35.7	38.4
45	6.2	9.9	13.1	16.1	18.9	21.7	24.3	26.9	29.5	32.0	34.5
50	5.6	8.9	11.8	14.5	17.1	19.6	22.0	24.4	26.7	29.0	31.2
55	5.1	8.1	10.8	13.2	15.6	17.9	20.1	22.3	24.4	26.5	28.6
60	4.7	7.4	9.9	12.1	14.3	16.4	18.5	20.5	22.4	24.4	26.3
65	4.3	6.9	9.1	11.2	13.2	15.2	17.1	19.0	20.8	22.6	24.4
70	4.0	6.4	8.5	10.4	12.3	14.1	15.9	17.6	19.3	21.0	22.7
75	3.7	5.9	7.9	9.7	11.5	13.2	14.9	16.5	18.1	19.7	21.2
80	3.5	5.6	7.4	9.1	10.8	12.4	13.9	15.5	17.0	18.5	19.9
85	3.3	5.2	7.0	8.6	10.2	11.7	13.1	14.6	16.0	17.4	18.8
90	3.1	4.9	6.6	8.1	9.6	11.0	12.4	13.8	15.1	16.4	17.8
95	2.9	4.7	6.2	7.7	9.1	10.4	11.8	13.1	14.3	15.6	16.8
100	2.8	4.4	5.9	7.3	8.6	9.9	11.2	12.4	13.6	14.8	16.0
125	2.2	3.5	4.7	5.8	6.9	7.9	8.9	9.9	10.9	11.9	12.8
150	1.8	2.9	3.9	4.8	5.7	6.6	7.4	8.2	9.1	9.9	10.7
200	1.3	2.1	2.8	3.5	4.2	4.9	5.5	6.1	6.7	7.3	7.9
300	0.8	1.3	1.8	2.3	2.7	3.1	3.6	4.0	4.4	4.8	5.2
400	0.5	0.9	1.3	1.6	1.9	2.3	2.6	2.9	3.2	3.5	3.8
500	0.4	0.7	1.0	1.2	1.5	1.7	2.0	2.2	2.5	2.7	2.9



Table 10: Statistical Sampling Results based on the Hypergeometric Distribution (N = 100) — Upper Limits at 1 Percent Risk of Overreliance

				LIIIIIIS at 1							
							tatements Fou				
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	12	19	26	32	38	43	48	53	58	63	68
25	9	15	21	26	30	35	39	44	48	52	56
30	8	13	17	21	25	29	33	36	40	44	47
35	6	11	14	18	21	25	28	31	34	37	40
40	5	9	12	15	19	21	24	27	30	33	35
45	4	8	11	13	16	19	21	24	26	29	31
50	4	7	9	12	14	17	19	21	24	26	28
55	3	6	8	11	13	15	17	19	21	23	25
60	3	5	7	9	11	13	15	17	19	21	23
65	2	4	6	8	10	12	14	16	17	19	21
70	2	4	6	8	9	11	12	14	16	17	19
75	2	3	5	7	8	10	11	13	14	16	17
80	1	3	5	6	7	9	10	12	13	14	16
85	1	3	4	5	7	8	9	11	12	13	14
90	1	2	3	5	6	7	8	10	11	12	13
95	0	2	3	4	5	6	7	9	10	11	12
100											
125											
150											
200											
300											
400											
500											



Table 11: Statistical Sampling Results based on the Hypergeometric Distribution (N = 500) — Upper Limits at 1 Percent Risk of Overreliance

	Actual Number of Misstatements Found										
Sample Size	0	1	2	3	4	5	6	7	8	9	10
20	13.6	21.2	27.8	34	39.6	45	50.4	55.4	60.2	64.8	69.4
25	11	17.2	22.6	27.6	32.4	37	41.4	45.8	49.8	53.8	57.8
30	9.2	14.4	19	23.4	27.4	31.4	35.2	38.8	42.4	46	49.4
35	7.8	12.4	16.4	20.2	23.8	27.2	30.4	33.8	36.8	40	43
40	6.8	10.8	14.4	17.8	20.8	24	26.8	29.8	32.6	35.4	38
45	6	9.6	12.8	15.8	18.6	21.4	24	26.6	29.2	31.6	34.2
50	5.4	8.6	11.6	14.2	16.8	19.2	21.8	24	26.4	28.6	30.8
55	5	7.8	10.6	13	15.4	17.6	19.8	22	24	26.2	28.2
60	4.4	7.2	9.6	11.8	14	16.2	18.2	20.2	22.2	24	26
65	4.2	6.6	8.8	11	13	14.8	16.8	18.6	20.4	22.2	24
70	3.8	6.2	8.2	10.2	12	13.8	15.6	17.4	19	20.6	22.4
75	3.6	5.8	7.6	9.4	11.2	12.8	14.6	16.2	17.8	19.4	20.8
80	3.2	5.4	7.2	8.8	10.4	12	13.6	15.2	16.6	18.2	19.6
85	3	5	6.8	8.4	9.8	11.4	12.8	14.2	15.6	17	18.4
90	2.8	4.6	6.4	7.8	9.2	10.6	12	13.4	14.8	16	17.4
95	2.8	4.4	6	7.4	8.8	10.2	11.4	12.8	14	15.2	16.4
100	2.6	4.2	5.6	7	8.4	9.6	10.8	12	13.2	14.4	15.6
125	2	3.2	4.4	5.6	6.6	7.6	8.6	9.6	10.6	11.4	12.4
150	1.6	2.6	3.6	4.4	5.4	6.2	7	7.8	8.6	9.4	10.2
200	1	1.8	2.6	3.2	3.8	4.4	5.2	5.8	6.4	7	7.6
300	0.6	1	1.4	2	2.4	2.8	3.2	3.6	4	4.4	4.6
400	0.2	0.6	1	1.2	1.6	1.8	2	2.4	2.6	3	3.2
500											

Note



Table 10: Statistical Sampling Results based on the Hypergeometric Distribution (N = 1000) — Upper Limits at 1 Percent Risk of Overreliance

					Actual Number of Misstatements Found							
Sample Size	0	1	2	3	4	5	6	7	8	9	10	
20	13.7	21.4	28.0	34.1	39.9	45.3	50.5	55.6	60.4	65.1	69.6	
25	11.1	17.4	22.9	27.9	32.7	37.3	41.7	46.0	50.1	54.1	58.1	
30	9.3	14.6	19.3	23.6	27.7	31.6	35.4	39.1	42.7	46.2	49.7	
35	8.0	12.6	16.7	20.4	24.0	27.4	30.8	34.0	37.2	40.3	43.3	
40	7.0	11.1	14.7	18.0	21.2	24.2	27.2	30.1	32.9	35.7	38.4	
45	6.2	9.9	13.1	16.1	18.9	21.7	24.3	26.9	29.5	32.0	34.5	
50	5.6	8.9	11.8	14.5	17.1	19.6	22.0	24.4	26.7	29.0	31.2	
55	5.1	8.1	10.8	13.2	15.6	17.9	20.1	22.3	24.4	26.5	28.6	
60	4.7	7.4	9.9	12.1	14.3	16.4	18.5	20.5	22.4	24.4	26.3	
65	4.3	6.9	9.1	11.2	13.2	15.2	17.1	19.0	20.8	22.6	24.4	
70	4.0	6.4	8.5	10.4	12.3	14.1	15.9	17.6	19.3	21.0	22.7	
75	3.7	5.9	7.9	9.7	11.5	13.2	14.9	16.5	18.1	19.7	21.2	
80	3.5	5.6	7.4	9.1	10.8	12.4	13.9	15.5	17.0	18.5	19.9	
85	3.3	5.2	7.0	8.6	10.2	11.7	13.1	14.6	16.0	17.4	18.8	
90	3.1	4.9	6.6	8.1	9.6	11.0	12.4	13.8	15.1	16.4	17.8	
95	2.9	4.7	6.2	7.7	9.1	10.4	11.8	13.1	14.3	15.6	16.8	
100	2.8	4.4	5.9	7.3	8.6	9.9	11.2	12.4	13.6	14.8	16.0	
125	2.2	3.5	4.7	5.8	6.9	7.9	8.9	9.9	10.9	11.9	12.8	
150	1.8	2.9	3.9	4.8	5.7	6.6	7.4	8.2	9.1	9.9	10.7	
200	1.3	2.1	2.8	3.5	4.2	4.9	5.5	6.1	6.7	7.3	7.9	
300	0.8	1.3	1.8	2.3	2.7	3.1	3.6	4.0	4.4	4.8	5.2	
400	0.5	0.9	1.3	1.6	1.9	2.3	2.6	2.9	3.2	3.5	3.8	
500	0.4	0.7	1.0	1.2	1.5	1.7	2.0	2.2	2.5	2.7	2.9	