title: Git FUN!damentals subtitle: Tracking Files

minutes:

Okay, we have git ready to go, now let's try using it!

Making a repository

Let's start by making a new directory called 'fruits' and navigating to it

```
$ mkdir fruits
$ cd
```

Now, we're going to tell git to start tracking what we're up to

```
$ git init
```

If you look in your directory now, you'll see that there is something called .git

```
. .. .git
```

Adding files

Cool! but this still isn't going anything for us because this directory is empty. So let's create a file in our new directory

```
$ touch fruit_list.txt
$ nano fruit_list.txt
```

Let's add some fruits:

```
banana
apple
peach
```

Remember CTRL + 0 to write, and CTRL + X to exit.

Now let's see what git is up to with git status

```
On branch master
Initial commit
Untracked files:
   (use "git add <file>..." to include in what will be committed)
    fruit_list.txt
nothing added to commit but untracked files present (use "git add" to track)
```

Here, git is telling you that there are local files that you haven't told git to look at

```
$ git add fruit_list.txt
```

Now, when we run status, git tells us that we've told it to keep track of a new file

```
On branch master

Initial commit

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)

new file: fruit_list.txt
```

If this was a mistake, we could correct it with git rm

Committing changes

Now we're ready to commit this file. Committing changes means making a permanent record of the current state of your repository.

```
$ git commit
```

You'll see something like this:

```
# Please enter the commit message for your changes. Lines starting
# with '#' will be ignored, and an empty message aborts the commit.
# On branch master
#
# Initial commit
#
# Changes to be committed:
# new file: fruit_list.txt
#
```

Every commit needs a message to accompany it. It should be as brief as possible while still describing what changes you made.

Making a whole bunch of changes and committing them all at once is *BAD*. If you make many commit for many small changes, and one of those changes breaks your code, you can *selectively undo* that change and fix the bug. If you make only one commit, you'll have to re-do everything from scratch which is *WET* which is *BAD*

It takes a while to get a hang of this, and it helps to read other people's commits to know what to say

This time, we'll add "fruit_list added" and then type ^x to write and quit


```
[master (root-commit) 07f5ba5] README added
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 fruit_list.txt
```

If you don't want to open nano every time you make a commit, you can use flag m

```
$ git commit -m "fruit_list added"
```

In a repository, a file can exist in one of four states:

- 1. Untracked
- 2. Unmodified
- 3. Modified
- 4. Staged



To see how this works, let's change that readme file to say something else, and then run git status again

```
$ nano fruit_list.txt
```

Let's change apple to kiwi:

```
banana
kiwi
peach
```

```
On branch master
Changes not staged for commit:
   (use "git add <file>..." to update what will be committed)
   (use "git checkout -- <file>..." to discard changes in working directory)
   modified: fruit_list.txt
no changes added to commit (use "git add" and/or "git commit -a")
```

If you want to see what changed, you can use git diff fruit_list.txt

```
diff --git a/fruit_list.txt b/fruit_list.txt
index b3231cb..2c3ec01 100644
--- a/fruit_list.txt
+++ b/fruit_list.txt
@@ -1,3 +1,3 @@
banana
-apple
+kiwi
peach
```

We can stage and commit this in one step with:

```
$ git commit -am "fruit_list updated"
```

Ignoring files

What if you have just put a bunch of files in your repo, that you want to add all at once?

```
$ touch LICENSE CITATION grapher.R sorter.py passwords.log
```

You could write them all out in your add command, or you can use git add -A

However, this will add ALL THE THINGS in your repo, which is probably something you don't want

You don't want to clutter your tracked files with a bunch of temp files or OS garbage

You ESPECIALLY don't want to accidentally share any keys or credentials files!

Right now, if you type git status, you'll see passwords.log show up as needing to be added. But you don't want that being shared on the repo, or on Github!

Luckily, git has a workaround for this called .gitignore

```
$ touch .gitignore
$ nano .gitignore
```

Let's make sure Git doesn't track any log files:

```
# Files to ignore
*.log
```

Now if we type git status, our passwords.log file is no longer displayed. It won't be added if we add all, and subsequently will not be committed.

We can check this by typing:

```
$ git status --ignored
```

Which shows:

```
On branch master

Ignored files:
  (use "git add -f <file>..." to include in what will be committed)

passwords.log

nothing to commit, working directory clean
```

Thus we can safely proceed to add and commit all files:

```
$ git add -A && git commit -m "adding new files"
```

Acknowledgments

This learning module borrows and adapts materials from the following organizations and individuals. Thank you!

Software Carpentry (https://github.com/swcarpentry/git-novice)