POLYNOMIAL IDENTITIES AUXILIARY

PETRO KOLOSOV

Abstract. Polynomial identities auxiliary

Contents

| 1. | Polynomial identities auxiliary | 1 |
|------|---|---|
| 1.1. | Central factorial numbers | 1 |
| 1.2. | Knuth's formula - approach 1 (to be verified all) | 2 |

1. Polynomial identities auxiliary

1.1. Central factorial numbers.

$$(2k-1)!T(2n,2k) = \frac{1}{k} \sum_{j=0}^{k} (-1)^{j} {2k \choose j} (k-j)^{2n}$$

$$(2k-1)!T(2n,2k) = \frac{1}{k} \sum_{j=0}^{k} (-1)^{k-j} {2k \choose k-j} j^{2n}$$

$$(2k-1)!T(2n,2k) = \frac{1}{k} 2k! \left({2n \choose 2k} - \sum_{j=k+1}^{2k} (-1)^{j} {2k \choose j} (k-j)^{2n} \right)$$

$$T(n,k) = \frac{1}{k!} \sum_{j=0}^{n} {k \choose j} (-1)^j \left(\frac{1}{2}k - j\right)^n$$

Date: July 22, 2023.

2010 Mathematics Subject Classification. 26E70, 05A30.

 $\label{eq:Keywords} \textit{Key words and phrases.} \quad \text{Polynomials, Polynomial identities, Faulhaber's formula, Cental Factorial Numbers} \; .$

$$(2k-1)! \cdot T(2n,2k) = \frac{1}{2k} \sum_{i=0}^{2k} {2k \choose j} (-1)^j (k-j)^{2n}$$

1.2. Knuth's formula - approach 1 (to be verified all).

$$n^{2m-1} = \sum_{k=1}^{m} (2k-1)! T(2m, 2k) {n+k-1 \choose 2k-1}$$

Substituting $(2k-1)!T(2n,2k) = \frac{1}{k} \sum_{j=0}^{k} (-1)^{k-j} {2k \choose k-j} j^{2n}$ we get

$$n^{2m-1} = \sum_{k=1}^{m} \sum_{j=0}^{k} \frac{(-1)^{k-j}}{k} \binom{n+k-1}{2k-1} \binom{2k}{k-j} j^{2m} \quad (OddPowerIdentity21)$$

By means of binomial identity $\frac{k}{n} \binom{n}{k} = \binom{n-1}{k-1}$

$$n^{2m-1} = \sum_{k=1}^{m} \sum_{j=0}^{k} \frac{(-1)^{k-j}}{k} \frac{2k}{n+k} \binom{n+k}{2k} \binom{2k}{k-j} j^{2m} \quad (OddPowerIdentity22)$$

Collapsing common terms we get

$$n^{2m-1} = 2\sum_{k=1}^{m} \sum_{j=0}^{k} \frac{(-1)^{k-j}}{n+k} {n+k \choose 2k} {2k \choose k-j} j^{2m} \quad (OddPowerIdentity23)$$

By means of binomial identity $\binom{n}{m}\binom{m}{k} = \binom{n}{k}\binom{n-k}{m-k}$

$$n^{2m-1} = 2\sum_{k=1}^{m} \sum_{j=0}^{k} \frac{(-1)^{k-j}}{n+k} \binom{n+k}{k-j} \binom{n+j}{k+j} j^{2m} \quad (OddPowerIdentity24)$$

Also holds

$$n^{2m-1} = 2\sum_{k=1}^{m} \sum_{j=0}^{k} \frac{(-1)^{k-j}}{n+k} \binom{n+k}{n+j} \binom{n+j}{k+j} j^{2m} \quad (OddPowerIdentity25)$$