

**Confidential Packaging Component - Paperboard Supplier Report**

**PPB ID-400CHIPBOARD WT-GR C1S-Duplex Grey Back,104x50x135mm**

Spec ID No.: 615000005379

Spec Status: Active

Spec Report Version No.: 1.1

Last Changed by: PLMBATCH

Report Released on: 13-JUL-2024

**General Information**

**Recyclability Classification**

<b>Recyclability Class</b>
No Change

**Classification**

<b>Classification</b>
PACKAGING _PAPERBOARD_PAPERBOARD_FOLDING CARTON GLUED_CRB

**Menu Card**

**Pack Technologies**

<b>Manufacturing</b>	Pre Glued
<b>Pack Format Application</b>	Folding Carton Glued
<b>Print</b>	Printed

**Component Details**

**Dimensions (3D Outside)**

Length - Target	Length - Min	Length - Max	Width - Target	Width - Min	Width - Max	Height - Target	Height - Min	Height - Max
104.00 mm			50.00 mm			135.00 mm		

**Flat Blank Size**

## Confidential Packaging Component - Paperboard Supplier Report

PPB ID-400CHIPBOARD WT-GR C1S-Duplex Grey Back,104x50x135mm

Spec ID No.: 615000005379

Spec Status: Active

Spec Report Version No.: 1.1

Last Changed by: PLMBATCH

Report Released on: 13-JUL-2024

Length - Target	Length - Min	Length - Max	Width - Target	Width - Min	Width - Max
322.20 mm			205.00 mm		

### Conversion Factor for Piece

Factor Piece – Mass	Factor Piece - Volume
26.000 g	

## Storage, Logistics and Quality

### Storage

Time	Temperature	Relative Humidity	Shelf Life
			365 Days

### Product Contact

Product Contact
No

## Material Information

### Layer Composition (Out to In)

Layer Number (Out-to-in)	Alternate	Base Material	Property	Target	Min	Max	UoM	Supplier Name	Supplier grade	Recycled content
1	No	White Lined Chipboard - white top/grey reverse C1S	Total Caliper/Thickness	500.000000	450.000000	550.000000	g/m2		Duplex	

**Confidential Packaging Component - Paperboard Supplier Report**  
**PPB ID-400CHIPBOARD WT-GR C1S-Duplex Grey Back,104x50x135mm**

Spec ID No.: 615000005379  
Spec Status: Active  
Spec Report Version No.: 1.1

Last Changed by: PLMBATCH  
Report Released on: 13-JUL-2024

**Total Basis Weight**

Target	Min	Max	UoM	Test Method
400.000000	360.000000	440.000000		

**Properties**

**Total Caliper/Thickness**

Target	Min	Max	Test Method	UoM
500.000000	450.000000	550.000000		