

***Confidential Packaging Component - Paperboard Supplier Report***

PPB ID-310CHIPBOARD WT-GR C1S-Duplex Grey back,175x54x200mm

Spec ID No.: 615000004621

Last Changed by: PLMBATCH

Spec Status: Active

Report Released on: 13-JUL-2024

Spec Report Version No.: 1.1

**General Information**

**Recyclability Classification**

Recyclability Class
No Change

**Classification**

classification
PACKAGING _PAPERBOARD _PAPERBOARD _SLEEVE _FOLDING BOXBOARD

**Menu Card**

**Pack Technologies**

Manufacturing	Flat
Pack Format Application	Folding Carton Glued
Print	Printed

**Component Details**

**Dimensions (3D Outside)**

Length - Target	Length - Min	Length - Max	Width - Target	Width - Min	Width - Max	Height - Target	Height - Min	Height - Max
175 mm			54 mm			200 mm		

**Flat Blank Size**

### ***Confidential Packaging Component - Paperboard Supplier Report***

**PPB ID-310CHIPBOARD WT-GR C1S-Duplex Grey back,175x54x200mm**

Spec ID No.: 615000004621

Last Changed by: PLMBATCH

Spec Status: Active

Report Released on: 13-JUL-2024

Spec Report Version No.: 1.1

Length - Target	Length - Min	Length - Max	Width - Target	Width - Min	Width - Max
471.5 mm			355 mm		

#### **Conversion Factor for Piece**

Factor Piece – Mass	Factor Piece - Volume
40 g	

#### **Storage, Logistics and Quality**

##### **Storage**

Time	Temperature	Relative Humidity	Shelf Life
			365 Days

##### **Product Contact**

Product Contact
No

#### **Material Information**

##### **Layer Composition (Out to In)**

Layer Number (Out-to-in)	Alternate	Base Material	Property	Target	Min	Max	UoM	Supplier Name	Supplier grade	Recycled content
1	No	White Lined Chipboard - white top/grey reverse C1S	Total Caliper/Thickness	310.000000	279.000000	341.000000	g/m2		Duplex	

***Confidential Packaging Component - Paperboard Supplier Report***

**PPB ID-310CHIPBOARD WT-GR C1S-Duplex Grey back,175x54x200mm**

Spec ID No.: 615000004621

Last Changed by: PLMBATCH

Spec Status: Active

Report Released on: 13-JUL-2024

Spec Report Version No.: 1.1

---

**Total Basis Weight**

Target	Min	Max	UoM	Test Method
310.000000	279.000000	341.000000		

**Properties**

**Total Caliper/Thickness**

Target	Min	Max	Test Method	UoM
400.000000	360.000000	440.000000		