

**Started on** Thursday, 31 July 2025, 9:35 AM

**State** Finished

**Completed on** Thursday, 31 July 2025, 9:42 AM

**Time taken** 7 mins 18 secs

**Marks** 1.00/1.00

**Grade** 10.00 out of 10.00 (100%)

**Question 1** | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time

complexity using counter method.

```
void function(int n)
{
    int c= 0;
    for(int i=n/2; i<n; i++)
        for(int j=1; j<n; j = 2 * j)
            for(int k=1; k<n; k = k * 2)
                c++;
}
```

**Note:** No need of counter increment for declarations and scanf() and count variable printf() statements.

**Input:**

A positive Integer n

**Output:**

Print the value of the counter variable

**Answer:**

[Reset answer](#)

```
1  #include<stdio.h>
2  void function(int);
3  int main(){
4      int n;
5      scanf("%d",&n);
6      function(n);
7  }
8  void function(int n){
9      int count=0;
10     int c=0;
11     count++;
12     for(int i=n/2;i<n;i++){
13         count++;
14         for(int j=1;j<n;j=2*j){
15             count++;
16             for(int k=1;k<n;k=k*2){
17                 count++;
18                 c++;
19                 count++;
20             }
21             count++;
22         }
23         count++;
24     }
25     count++;
26     printf("%d",count);
27 }
```

	Input	Expected	Got	
✓	4	30	30	✓
✓	10	212	212	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.