

**Started on** Thursday, 31 July 2025, 9:03 AM

**State** Finished

**Completed on** Thursday, 31 July 2025, 9:19 AM

**Time taken** 15 mins 24 secs

**Marks** 1.00/1.00

**Grade** 10.00 out of 10.00 (100%)

**Question 1** | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void func(int n)
{
    if(n==1)
    {
        printf("*");
    }
    else
    {
        for(int i=1; i<=n; i++)
        {
            for(int j=1; j<=n; j++)
            {
                printf("*");
                printf("*");
                break;
            }
        }
    }
}
```

**Note:** No need of counter increment for declarations and scanf() and count variable printf() statements.

**Input:**

A positive Integer n

**Output:**

Print the value of the counter variable

**Answer:** (penalty regime: 0 %)

Reset answer

```
1 #include<stdio.h>
2 void function(int);
3 int main(){
4     int n;
5     scanf("%d",&n);
6     function(n);
7 }
8
9 void function(int n){
10    int count=0;
11    if(n==1){
12        count++;
13        // printf("*");
14        count++;
15    }
16    else {
17        count++;
18        for(int i=1;i<=n;i++)
19        {
20            count++;
21            for(int j=1;j<=n;j++)
22            {
23                count++;
24                //printf("*");
25            }
26        }
27    }
28 }
```

```
26         count++;
27         //printf("*");
28         count++;
29         break;
30     }
31     count++;
32 }
33 count++;
34 }
35 printf("%d",count);
36 }
```

	Input	Expected	Got	
✓	2	12	12	✓
✓	1000	5002	5002	✓
✓	143	717	717	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.