

**Started on** Thursday, 25 September 2025, 8:37 AM

**State** Finished

**Completed on** Thursday, 25 September 2025, 9:24 AM

**Time taken** 47 mins 10 secs

**Grade** 10.00 out of 10.00 (100%)

**Question 1** | Correct Mark 10.00 out of 10.00

### Playing with Numbers:

Ram and Sita are playing with numbers by giving puzzles to each other. Now it was Ram term, so he gave Sita a positive integer 'n' and two numbers 1 and 3. He asked her to find the possible ways by which the number n can be represented using 1 and 3. Write any efficient algorithm to find the possible ways.

#### Example 1:

**Input:** 6

**Output:** 6

**Explanation:** There are 6 ways to represent number with 1 and 3

1+1+1+1+1+1

3+3

1+1+1+3

1+1+3+1

1+3+1+1

3+1+1+1

#### Input Format

First Line contains the number n

#### Output Format

**Print:** The number of possible ways 'n' can be represented using 1 and 3

Sample Input

6

Sample Output

6

**Answer:** (penalty regime: 0 %)

```

1 #include<stdio.h>
2 long long int climbstairs(int n)
3 {
4     if(n==0||n==1){
5         return 1;
6     }
7     long long int dp[n];
8     dp[0]=1;
9     dp[1]=1;
10    dp[2]=1;
11    for(int i=3;i<=n;i++){
12        dp[i]=dp[i-1]+dp[i-3];
13    }
14    return dp[n];
15 }
16 int main(){
17     int n;
18     scanf("%d",&n);
19     long long int ways=climbstairs(n);
20     printf("%lld",ways);
21 }
```

	Input	Expected	Got	
✓	6	6	6	✓
✓	25	8641	8641	✓
✓	100	24382819596721629	24382819596721629	✓

Passed all tests! ✓

Correct

Marks for this submission: 10.00/10.00.