



VizPub: Visualizing the Performance of Overlay-Based Pub/Sub Systems

Nils Peder Korsveien, Vinay Setty, Roman Vitenberg

Overview



- Tool for visualizing overlay-based pub/sub systems
- Gain insight into system performance
- Compare different pub/sub systems visually
- Visualize metrics such as node degree and hit-ratio

Structural properties




- Visualize structural properties of the overlay
- More
- And more..

Event dissemination



- Visualize publication message dissemination step-by-step
- And more..




Disconnected component in PolderCast

Architecture

- The *Reporter* implements the *Reporter Interface*
- The *Collector* pulls information from the *Reporter*
- Metrics are derived and calculated based on the reported information
- The Collector stores the final report in a .GEXF file
- The *Visualization Unit* reads the .GEXF file using the

Gephi framework.




Reporter Interface

Method Name	Description
long reportId()	The Unique Id of this node
long[] reportNeighborIds()	The unique ids of this node's neighbors
long[] reportTopics()	List of topic ids this node subscribes to
long reportControlMsgsSent()	Number of overlay control messages sent
long reportControlMsgsReceived()	Number of overlay control messages received
long reportControlBytesSent()	Number of overlay control bytes sent
long reportControlBytesReceived()	Number of overlay control bytes received
PubMessage[] reportPubMsgsSent	List of publication messages sent
PubMessage[] reportPubMsgsReceived	List of publication messages received

Gephi

- Play back system execution
- Calculate topology metrics such as degree
- Export data to .csv using the *Data Laboratory*



Implementation code can be found at:
github.com/vizpub/vizpub

UiO : Department of Informatics
 University of Oslo