Assignment 1

Gunnam Sri Satya Koushik CS22BTECH11026

12.13.1.12 Question: Assume that each born child is equally likely to be a boy or a girl. If a family has two children, what is the conditional probability that both are girls given that

- 1) The youngest is a girl
- 2) At least one is a girl

Answer : $(i)\frac{1}{2}$ $(ii)\frac{1}{3}$ **Solution :** Lets us random variables X_i where $i \in$ $\{1,2\}$ as follows

	ith born child is a boy	
$X_i = 0$	ith born child is a girl	$Pr(X_i = 0) = 0.50$

1) The required probability is the conditional probability that both the children are girls given that the youngest is a girl i.e,

$$\Pr((X_1 = 0, X_2 = 0) | X_2 = 0) = \frac{\Pr(X_1 = 0, X_2 = 0)}{\Pr(X_2 = 0)}$$

$$= \frac{\Pr(X_1 = 0) \Pr(X_2 = 0)}{\Pr(X_2 = 0)}$$

$$= \Pr(X_1 = 0)$$

$$= \Pr(X_1 = 0)$$

$$= \frac{1}{2}$$

2) The required probability is the conditional probability that both the children are girls given that at least one a girl i.e,

$$\Pr((X_1 = 0, X_2 = 0) | (X_1 + X_2) < 2) = \frac{\Pr(X_1 = 0, X_2 = 0)}{1 - \Pr((X_1 + X_2) = 2)}$$

$$= \frac{\Pr(X_1 = 0, X_2 = 0)}{1 - \Pr(X_1 = 1, X_2 = 1)}$$

$$= \frac{\Pr(X_1 = 0) \Pr(X_2 = 0)}{1 - \Pr(X_1 = 1) \Pr(X_2 = 1)}$$

$$= \frac{\frac{1}{2} \times \frac{1}{2}}{1 - (\frac{1}{2} \times \frac{1}{2})} = \frac{1}{3}$$