

Assignment 1

Gunnam Sri Satya Koushik
CS22BTECH11026

12.13.1.12 Question : Assume that each born child is equally likely to be a boy or a girl. If a family has two children, what is the conditional probability that both are girls given that

- 1) The youngest is a girl
- 2) At least one is a girl

Answer : (i) $\frac{1}{2}$ (ii) $\frac{1}{3}$

Solution : Lets us random variables X_i where $i \in \{1, 2\}$ as follows

$X_i = 1$	ith born child is a boy	$\Pr(X_i = 1) = 0.50$
$X_i = 0$	ith born child is a girl	$\Pr(X_i = 0) = 0.50$

- 1) The required probability is the conditional probability that both the children are girls given that the youngest is a girl i.e,

$$\begin{aligned}
 \Pr((X_1 = 0, X_2 = 0) | X_2 = 0) &= \frac{\Pr(X_1 = 0, X_2 = 0)}{\Pr(X_2 = 0)} \\
 &= \frac{\Pr(X_1 = 0) \Pr(X_2 = 0)}{\Pr(X_2 = 0)} \\
 &= \Pr(X_1 = 0) \\
 &= \frac{1}{2}
 \end{aligned}$$

- 2) The required probability is the conditional probability that both the children are girls given that at least one a girl i.e,

$$\begin{aligned}
 \Pr((X_1 = 0, X_2 = 0) | (X_1 + X_2) < 2) &= \frac{\Pr(X_1 = 0, X_2 = 0)}{1 - \Pr((X_1 + X_2) = 2)} \\
 &= \frac{\Pr(X_1 = 0, X_2 = 0)}{1 - \Pr(X_1 = 1, X_2 = 1)} \\
 &= \frac{\Pr(X_1 = 0) \Pr(X_2 = 0)}{1 - \Pr(X_1 = 1) \Pr(X_2 = 1)} \\
 &= \frac{\frac{1}{2} \cdot \frac{1}{2}}{1 - \frac{1}{2} \cdot \frac{1}{2}} = \frac{1}{3}
 \end{aligned}$$