Performance Policies and Alerts

Cloud Insights

NetApp April 21, 2020

 $This\ PDF\ was\ generated\ from\ https://docs.netapp.com/us-en/cloudinsights/task_create_performance_policies.html\ on\ April\ 21,\ 2020.\ Always\ check\ docs.netapp.com\ for\ the\ latest.$



Table of Contents

P	erformance Policies and Alerts	1
	Alerting with performance policies	1
	Configuring Email Notifications	2

Performance Policies and Alerts

Alerting with performance policies

You create performance policies to set thresholds that trigger alerts to notify you about issues related to the resources in your network. For example, you can create a performance policy to alert you when the total utilization for storage pools is greater than 60%.

You can create performance policies for the following objects:

Datastore	Disk	Hypervisor	Internal volume
Port	Qtree	Storage	Storage node
Storage pool	SVM	VMDK	VM

Creating a performance policy

You can create performance policies with thresholds for metrics associated with the objects you are monitoring. By default, performance policies apply to all objects of the specified type when you create them. You can create an annotation to include only a specific asset or a set of assets in the performance policy.

Before you begin

When using an annotation in a performance policy, the annotation must exist before the policy is created.

About this task

You create a performance policy that provides notification when one or more devices you are monitoring exceeds a threshold you set. Your system might already contain a global policy that meets your needs or a policy using annotations might also work if you annotate your devices.

Steps

1. In the Cloud Insights menu bar, click Manage > Performance Policies

The Performance Policies page is displayed. Policies are organized by object, and are evaluated in the order in which they appear in the list.

2. In the Performance Policies page, Click + Performance Policy

The **Add Policy** dialog is displayed.

3. In the **Policy Name** field, enter a name for the policy.

You must use a name that is unique among all policy names for the object. For example, you cannot have two policies named "Latency" for an internal volume; however, you can have a "Latency" policy for an internal volume and another "Latency" policy for a different volume. The best practice is to always use a unique name for any policy, regardless of the object type.

- 4. From the **Apply to Objects of Type** of type list, select the type of object to which the policy applies.
 - Select Virtual Machine.
- 5. From the **With annotation list**, select an annotation type, if applicable, and enter a value for the annotation in the **Annotation Value** box to apply the policy only to objects that have this particular annotation set.
- 6. From the **Apply After a Window of** select when an alert is raised to indicate a threshold violation.
 - **First occurrence** triggers an alert when a threshold is exceeded for the first time. All other options trigger an alert when the threshold is crossed once and is continuously crossed for at least the specified amount of time.
- 7. From the **With severity** list, select the severity for the violation.
 - By default, email alerts on policy violations are sent to the recipients in the global email list. You can override these settings so that alerts for a particular policy are sent to specific recipients.
- 8. In the **Create alert if** section, select a performance counter and an operator, and then enter a value to create a threshold.
 - Click +Threshold to add additional counters for your policy.
- 9. Click **Save** to save the new policy.
- 10. If there are multiple policies for specific asset types, you can change the order that policies are evaluated. Use the Edit menu to change the policy order.

Configuring Email Notifications

You can configure an email list for subscription-related notifications, as well as a global email list of recipients for notification of performance policy threshold violations.

To configure notification email recipient settings, go to the **Admin > Notifications** page.

Subscription Notification Recipients

Subscription Notification Recipients	
Send subscription related notifications to the following:	
✓ All Account Owners	
✓ All Administrators	
✓ Additional Email Addresses	
Enter email addresses separated by commas.	
	,
	Save

To configure recipients for subscription-related event notifications, go to the "Subscription Notification Recipients" section.

You can choose to have email notifications sent for subscription-related events to any or all of the following recipients:

- All Account Owners
- All Administrators
- Additional Email Addresses that you specify

The following are examples of the types of notifications that might be sent, and user actions you can take.

Notification:	User Action:
Trial or subscription has been updated	Review subscription details on the Subscription page
Subscription will expire in 90 days Subscription will expire in 30 days	No action needed if "Auto Renewal" is enabled Contact NetApp sales to renew the subscription
Trial ends in 2 days	Renew trial from the Subscription page. You can renew a trial one time. Contact NetApp sales to purchase a subscription
Trial or subscription has expired Account will stop collecting data in 48 hours Account will be deleted after 48 hours	Contact NetApp sales to purchase a subscription

Global Recipient List for Performance Policy Notifications

Default email recipients for Performance Policy related notifications:					
Recipients	Email Signature				
Enter email addresses separated by commas.	Email signature added to messages sent by Cloud Insights				

To add recipients to the global performance policy notification email list, go to the "Global Performance Policy Recipients" section and enter email addresses separated by commas. Emails sent as alerts from performance policy threshold violations will be sent to all recipients on the list.

If you make a mistake, you can click on [x] to remove a recipient from the list.

You can also add an optional signature block that will be attached to the email notifications sent.



You can override the global list for a specific policy when you configure that policy.

Copyright Information

Copyright © 2019–2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval systemwithout prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.