



# Configuring the Brocade Enterprise Fabric Connectivity Manager data collector

## Cloud Insights

Tony Lavoie  
February 28, 2020

This PDF was generated from [https://docs.netapp.com/us-en/cloudinsights/task\\_dc\\_brocade\\_efcm.html](https://docs.netapp.com/us-en/cloudinsights/task_dc_brocade_efcm.html) on April 23, 2020. Always check docs.netapp.com for the latest.

# Table of Contents

- Configuring the Brocade Enterprise Fabric Connectivity Manager data collector ..... 1
  - Requirements ..... 1
  - Configuration. .... 1
  - Advanced configuration ..... 1

# Configuring the Brocade Enterprise Fabric Connectivity Manager data collector

Cloud Insights uses the Brocade Enterprise Fabric Connectivity Manager (EFCM) data collector to discover inventory for Brocade EFCM switches. Cloud Insights supports EFCM versions 9.5, 9.6, and 9.7.

## Requirements

- Network address or fully-qualified domain name for the EFCM server
- EFCM version must be 9.5, 9.6, or 9.7
- IP address of the EFCM server
- Read-only username and password for the EFCM server
- Validated access to the Connectrix switch by Telnet from the Cloud Insights server, using the read-only username and password over port 51512

## Configuration

Field	Description
EFC server	IP address or fully-qualified domain name of the EFC Server
User Name	User name for the switch
Password	Password for the switch

## Advanced configuration

Field	Description
Inventory Poll Interval (min)	Interval between inventory polls. The default is 15 minutes.
Fabric Name	Fabric name to be reported by the EFCM data collector. Leave blank to report the fabric name as WWN.
Communication Port	Port used for communication with the switch
Enable Trapping	Select to enable acquisition upon receiving an SNMP trap from the device. If you select enable trapping, you must also activate SNMP.

Field	Description
Minimum Time Between Traps (sec)	Minimum time between acquisition attempts triggered by traps. The default is 15 seconds.
Inactive Zonesets	Comma-separated list of inactive Zonesets on which to perform acquisition, in addition to performing acquisition on the active zone sets
NIC to Use	Specify which network interface should be used on the RAU when reporting on SAN devices
Exclude Devices	Comma-separated list of unit names to include or exclude from polling
Use the EFCM switch nickname as the switch name	Select to use the EFCM switch nickname as the Cloud Insights switch name.
Performance Poll Interval (sec)	Interval between performance polls. The default is 300 seconds.

## Copyright Information

Copyright © 2019–2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.