Huawei OceanStor data collector

Cloud Insights

Tony Lavoie February 28, 2020

 $This\ PDF\ was\ generated\ from\ https://docs.netapp.com/us-en/cloudinsights/task_dc_huawei_oceanstor.html\ on\ April\ 24,\ 2020.\ Always\ check\ docs.netapp.com\ for\ the\ latest.$



Table of Contents

| H | Iuawei OceanStor data collector | 1 |
|---|---------------------------------|---|
| | Terminology | 1 |
| | Requirements | 1 |
| | Configuration | 1 |
| | Advanced Configuration | 2 |
| | Troubleshooting | 2 |

Huawei OceanStor data collector

Cloud Insights uses the Huawei OceanStor (REST/HTTPS) data collector to discover inventory and performance for Huawei OceanStor and OceanStor Dorado storage.

Terminology

Cloud Insights acquires the following inventory and performance information from the Huawei OceanStor. For each asset type acquired by Cloud Insights, the most common terminology used for this asset is shown. When viewing or troubleshooting this data collector, keep the following terminology in mind:

| Vendor/Model Term | Cloud Insights Term |
|----------------------------|----------------------|
| Storage Pool | Storage Pool |
| File System | Internal Volume |
| Controller | Storage Node |
| FC Port (Mapped) | Volume Map |
| Host FC Initiator (Mapped) | Volume Mask |
| NFS/CIFS Share | Share |
| iSCSI Link Target | iSCSI Target Node |
| iSCSI Link Initiator | iSCSI Initiator Node |
| Disk | Disk |
| LUN | Volume |

Requirements

The following requirements are required to configure this data collector:

- Device IP address
- Credentials to access OceanStor device manager
- Port 8088 must be available

Configuration

| Field | Description |
|---------------------------|---|
| OceanStor Host IP Address | IP address or fully-qualified domain name of the OceanStor Device Manager |

| Field | Description |
|-----------|---|
| User Name | Name used to log into the OceanStor Device Manager |
| Password | Password used to log into the OceanStor Device Manager |

Advanced Configuration

| Field | Description |
|----------------------------------|--|
| TCP Port | TCP Port used to connect to OceanStor Device Manager. The default is 8088. |
| Inventory Poll Interval (min) | Interval between inventory polls. The default is 60 minutes. |
| Performance poll interval (sec). | The default is 300 seconds. |

Troubleshooting

Additional information on this Data Collector may be found from the Support page or in the Data Collector Support Matrix.

Copyright Information

Copyright © 2019–2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval systemwithout prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.