

The UNIVARIATE Procedure
Variable: CURSMOKE (Current Cig Smoker Y/N)

Moments			
N	11627	Sum Weights	11627
Mean	0.43252774	Sum Observations	5029
Std Deviation	0.49544788	Variance	0.24546861
Skewness	0.27241562	Kurtosis	-1.9261211
Uncorrected SS	5029	Corrected SS	2853.81801
Coeff Variation	114.547078	Std Error Mean	0.00459477

Basic Statistical Measures			
Location		Variability	
Mean	0.432528	Std Deviation	0.49545
Median	0.000000	Variance	0.24547
Mode	0.000000	Range	1.00000
		Interquartile Range	1.00000


Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	94.13472	Pr > t 	<.0001
Sign	M	2514.5	Pr >= M 	<.0001
Signed Rank	S	6323968	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure
Variable: CURSMOKE (Current Cig Smoker Y/N)

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	11624	1	11618
0	11623	1	11619
0	11622	1	11625
0	11621	1	11626
0	11620	1	11627

The UNIVARIATE Procedure



The UNIVARIATE Procedure
Variable: AGE (Age at Exam (years))

Moments			
N	11627	Sum Weights	11627
Mean	54.7928098	Sum Observations	637076
Std Deviation	9.56429922	Variance	91.4758196
Skewness	0.14223313	Kurtosis	-0.6588643
Uncorrected SS	35970682	Corrected SS	1063497.88
Coeff Variation	17.455391	Std Error Mean	0.08869912

Basic Statistical Measures			
Location		Variability	
Mean	54.79281	Std Deviation	9.56430
Median	54.00000	Variance	91.47582
Mode	52.00000	Range	49.00000
		Interquartile Range	14.00000


Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	617.7379	Pr > t 	<.0001
Sign	M	5813.5	Pr >= M 	<.0001
Signed Rank	S	33799689	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	81
99%	76
95%	71
90%	68
75% Q3	62
50% Median	54
25% Q1	48
10%	42
5%	40
1%	36
0% Min	32

The UNIVARIATE Procedure
Variable: AGE (Age at Exam (years))

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
32	6458	80	10555
33	8377	80	10684
33	5748	81	8571
33	3679	81	8925
33	3564	81	11406

The UNIVARIATE Procedure



The UNIVARIATE Procedure
Variable: BMI (Body Mass Index (kr/(M*M)))

Moments			
N	11575	Sum Weights	11575
Mean	25.8773486	Sum Observations	299530.31
Std Deviation	4.10263995	Variance	16.8316546
Skewness	0.98335462	Kurtosis	2.81678092
Uncorrected SS	7945859.82	Corrected SS	194809.57
Coeff Variation	15.8541743	Std Error Mean	0.03813317

Basic Statistical Measures			
Location		Variability	
Mean	25.87735	Std Deviation	4.10264
Median	25.48000	Variance	16.83165
Mode	23.48000	Range	42.37000
		Interquartile Range	4.98000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	678.6047	Pr > t 	<.0001
Sign	M	5787.5	Pr >= M 	<.0001
Signed Rank	S	33498050	Pr >= S 	<.0001


Quantiles (Definition 5)	
Level	Quantile
100% Max	56.80
99%	38.61
95%	33.02
90%	30.93
75% Q3	28.07
50% Median	25.48
25% Q1	23.09
10%	21.17
5%	20.12
1%	18.09
0% Min	14.43

The UNIVARIATE Procedure
Variable: BMI (Body Mass Index ($\text{kg}/(\text{M}^2)$))

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
14.43	7876	52.94	209
14.53	6321	55.31	10763
15.16	1455	56.80	7271
15.32	4115	56.80	7272
15.33	8452	56.80	7273

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	52	0.45	100.00

The UNIVARIATE Procedure



The UNIVARIATE Procedure
Variable: SEX (Participant Gender)

Moments			
N	11627	Sum Weights	11627
Mean	1.56807431	Sum Observations	18232
Std Deviation	0.49536551	Variance	0.24538699
Skewness	-0.2748921	Kurtosis	-1.9247655
Uncorrected SS	31442	Corrected SS	2852.86918
Coeff Variation	31.5906913	Std Error Mean	0.00459401

Basic Statistical Measures			
Location		Variability	
Mean	1.568074	Std Deviation	0.49537
Median	2.000000	Variance	0.24539
Mode	2.000000	Range	1.00000
		Interquartile Range	1.00000


Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	341.3302	Pr > t 	<.0001
Sign	M	5813.5	Pr >= M 	<.0001
Signed Rank	S	33799689	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	2
95%	2
90%	2
75% Q3	2
50% Median	2
25% Q1	1
10%	1
5%	1
1%	1
0% Min	1

The UNIVARIATE Procedure
Variable: SEX (Participant Gender)

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	11624	2	11620
1	11623	2	11621
1	11622	2	11625
1	11613	2	11626
1	11612	2	11627

The UNIVARIATE Procedure



The UNIVARIATE Procedure
Variable: SYSBP (Systolic BP mmHg)

Moments			
N	11627	Sum Weights	11627
Mean	136.324116	Sum Observations	1585040.5
Std Deviation	22.7986248	Variance	519.777294
Skewness	0.94059726	Kurtosis	1.37083583
Uncorrected SS	222122176	Corrected SS	6042930.82
Coeff Variation	16.7238383	Std Error Mean	0.21143399

Basic Statistical Measures			
Location		Variability	
Mean	136.3241	Std Deviation	22.79862
Median	132.0000	Variance	519.77729
Mode	120.0000	Range	211.50000
		Interquartile Range	29.00000


Tests for Location: $\mu_0=0$				
Test	Statistic		p Value	
Student's t	t	644.7597	Pr > t	<.0001
Sign	M	5813.5	Pr >= M	<.0001
Signed Rank	S	33799689	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	295.0
99%	205.0
95%	180.0
90%	167.0
75% Q3	149.0
50% Median	132.0
25% Q1	120.0
10%	110.0
5%	106.0
1%	98.0
0% Min	83.5

The UNIVARIATE Procedure
Variable: SYSBP (Systolic BP mmHg)

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
83.5	9548	254	5895
83.5	7290	265	674
85.0	9791	267	6684
85.5	5453	282	9552
86.0	6138	295	1299

The UNIVARIATE Procedure



The UNIVARIATE Procedure
Variable: LDLC (LDL Cholesterol mg/dL)

Moments			
N	3026	Sum Weights	3026
Mean	176.466953	Sum Observations	533989
Std Deviation	46.8633928	Variance	2196.17759
Skewness	0.68790269	Kurtosis	2.53677923
Uncorrected SS	100874849	Corrected SS	6643437.2
Coeff Variation	26.5564696	Std Error Mean	0.85192089

Basic Statistical Measures			
Location		Variability	
Mean	176.4670	Std Deviation	46.86339
Median	173.0000	Variance	2196
Mode	163.0000	Range	545.00000
		Interquartile Range	60.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	207.1401	Pr > t 	<.0001
Sign	M	1513	Pr >= M 	<.0001
Signed Rank	S	2289926	Pr >= S 	<.0001


Quantiles (Definition 5)	
Level	Quantile
100% Max	565
99%	307
95%	257
90%	236
75% Q3	205
50% Median	173
25% Q1	145
10%	121
5%	107
1%	80
0% Min	20

The UNIVARIATE Procedure
Variable: LDLC (LDL Cholesterol mg/dL)

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
20	8181	376	3952
34	4988	381	4280
44	2828	428	10962
45	7068	452	519
51	8863	565	1440

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	8601	73.97	100.00

The UNIVARIATE Procedure



The UNIVARIATE Procedure
Variable: CURSMOKE (Current Cig Smoker Y/N)

Participant Gender=1

Moments			
N	2	Sum Weights	2
Mean	0	Sum Observations	0
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	0	Corrected SS	0
Coeff Variation	.	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	0	Std Deviation	0
Median	0	Variance	0
Mode	0	Range	0
		Interquartile Range	0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	.	Pr > t	.
Sign	M	.	Pr >= M	.
Signed Rank	S	.	Pr >= S	.

Quantiles (Definition 5)	
Level	Quantile
100% Max	0
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0


The UNIVARIATE Procedure
Variable: CURSMOKE (Current Cig Smoker Y/N)

Participant Gender=1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	2	0	1
0	1	0	2

The UNIVARIATE Procedure

Participant Gender=1



The UNIVARIATE Procedure
Variable: AGE (Age at Exam (years))

Participant Gender=1

Moments			
N	2	Sum Weights	2
Mean	45.5	Sum Observations	91
Std Deviation	9.19238816	Variance	84.5
Skewness	.	Kurtosis	.
Uncorrected SS	4225	Corrected SS	84.5
Coeff Variation	20.2030509	Std Error Mean	6.5

Basic Statistical Measures			
Location		Variability	
Mean	45.50000	Std Deviation	9.19239
Median	45.50000	Variance	84.50000
Mode	.	Range	13.00000
		Interquartile Range	13.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	7	Pr > t 	0.0903
Sign	M	1	Pr >= M 	0.5000
Signed Rank	S	1.5	Pr >= S 	0.5000

Quantiles (Definition 5)	
Level	Quantile
100% Max	52.0
99%	52.0
95%	52.0
90%	52.0
75% Q3	52.0
50% Median	45.5
25% Q1	39.0
10%	39.0
5%	39.0
1%	39.0
0% Min	39.0


The UNIVARIATE Procedure
Variable: AGE (Age at Exam (years))

Participant Gender=1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
39	1	39	1
52	2	52	2

The UNIVARIATE Procedure

Participant Gender=1



The UNIVARIATE Procedure
Variable: BMI (Body Mass Index (kr/(M*M))

Participant Gender=1

Moments			
N	1	Sum Weights	1
Mean	26.97	Sum Observations	26.97
Std Deviation	.	Variance	.
Skewness	.	Kurtosis	.
Uncorrected SS	727.3809	Corrected SS	0
Coeff Variation	.	Std Error Mean	.

Basic Statistical Measures			
Location		Variability	
Mean	26.97000	Std Deviation	.
Median	26.97000	Variance	.
Mode	26.97000	Range	0
		Interquartile Range	0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	.	Pr > t	.
Sign	M	0.5	Pr >= M	1.0000
Signed Rank	S	0.5	Pr >= S	1.0000

Quantiles (Definition 5)	
Level	Quantile
100% Max	26.97
99%	26.97
95%	26.97
90%	26.97
75% Q3	26.97
50% Median	26.97
25% Q1	26.97
10%	26.97
5%	26.97
1%	26.97
0% Min	26.97

The UNIVARIATE Procedure
Variable: BMI (Body Mass Index ($\text{kg}/(\text{M}^2)$))


Participant Gender=1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
26.97	1	26.97	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	1	50.00	100.00

The UNIVARIATE Procedure

Participant Gender=1



The UNIVARIATE Procedure
Variable: SEX (Participant Gender)

Participant Gender=1

Moments			
N	2	Sum Weights	2
Mean	1	Sum Observations	2
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	2	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
		Interquartile Range	0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	.	Pr > t	.
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1
1%	1
0% Min	1

The UNIVARIATE Procedure
Variable: SEX (Participant Gender)**Participant Gender=1**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	2	1	1
1	1	1	2

The UNIVARIATE Procedure

Participant Gender=1



The UNIVARIATE Procedure
Variable: SYSBP (Systolic BP mmHg)

Participant Gender=1

Moments			
N	2	Sum Weights	2
Mean	113.5	Sum Observations	227
Std Deviation	10.6066017	Variance	112.5
Skewness	.	Kurtosis	.
Uncorrected SS	25877	Corrected SS	112.5
Coeff Variation	9.34502354	Std Error Mean	7.5

Basic Statistical Measures			
Location		Variability	
Mean	113.5000	Std Deviation	10.60660
Median	113.5000	Variance	112.50000
Mode	.	Range	15.00000
		Interquartile Range	15.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	15.13333	Pr > t 	0.0420
Sign	M	1	Pr >= M 	0.5000
Signed Rank	S	1.5	Pr >= S 	0.5000

Quantiles (Definition 5)	
Level	Quantile
100% Max	121.0
99%	121.0
95%	121.0
90%	121.0
75% Q3	121.0
50% Median	113.5
25% Q1	106.0
10%	106.0
5%	106.0
1%	106.0
0% Min	106.0


The UNIVARIATE Procedure
Variable: SYSBP (Systolic BP mmHg)

Participant Gender=1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
106	1	106	1
121	2	121	2

The UNIVARIATE Procedure

Participant Gender=1



The UNIVARIATE Procedure
Variable: LDLC (LDL Cholesterol mg/dL)

Participant Gender=1

Moments			
N	1	Sum Weights	1
Mean	178	Sum Observations	178
Std Deviation	.	Variance	.
Skewness	.	Kurtosis	.
Uncorrected SS	31684	Corrected SS	0
Coeff Variation	.	Std Error Mean	.

Basic Statistical Measures			
Location		Variability	
Mean	178.0000	Std Deviation	.
Median	178.0000	Variance	.
Mode	178.0000	Range	0
		Interquartile Range	0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	.	Pr > t 	.
Sign	M	0.5	Pr >= M 	1.0000
Signed Rank	S	0.5	Pr >= S 	1.0000

Quantiles (Definition 5)	
Level	Quantile
100% Max	178
99%	178
95%	178
90%	178
75% Q3	178
50% Median	178
25% Q1	178
10%	178
5%	178
1%	178
0% Min	178

The UNIVARIATE Procedure
Variable: LDLC (LDL Cholesterol mg/dL)


Participant Gender=1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
178	2	178	2

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	1	50.00	100.00

The UNIVARIATE Procedure

Participant Gender=1



The UNIVARIATE Procedure
Variable: CURSMOKE (Current Cig Smoker Y/N)

Participant Gender=1

Moments			
N	2	Sum Weights	2
Mean	0	Sum Observations	0
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	0	Corrected SS	0
Coeff Variation	.	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	0	Std Deviation	0
Median	0	Variance	0
Mode	0	Range	0
		Interquartile Range	0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	.	Pr > t	.
Sign	M	.	Pr >= M	.
Signed Rank	S	.	Pr >= S	.

Quantiles (Definition 5)	
Level	Quantile
100% Max	0
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure
Variable: CURSMOKE (Current Cig Smoker Y/N)

Participant Gender=1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	2	0	1
0	1	0	2

The UNIVARIATE Procedure
Variable: AGE (Age at Exam (years))

Participant Gender=1

Moments			
N	2	Sum Weights	2
Mean	45.5	Sum Observations	91
Std Deviation	9.19238816	Variance	84.5
Skewness	.	Kurtosis	.
Uncorrected SS	4225	Corrected SS	84.5
Coeff Variation	20.2030509	Std Error Mean	6.5

Basic Statistical Measures			
Location		Variability	
Mean	45.50000	Std Deviation	9.19239
Median	45.50000	Variance	84.50000
Mode	.	Range	13.00000
		Interquartile Range	13.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	7	Pr > t 	0.0903
Sign	M	1	Pr >= M 	0.5000
Signed Rank	S	1.5	Pr >= S 	0.5000

Quantiles (Definition 5)	
Level	Quantile
100% Max	52.0
99%	52.0
95%	52.0
90%	52.0
75% Q3	52.0
50% Median	45.5
25% Q1	39.0
10%	39.0
5%	39.0
1%	39.0
0% Min	39.0

The UNIVARIATE Procedure
Variable: AGE (Age at Exam (years))

Participant Gender=1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
39	1	39	1
52	2	52	2

The UNIVARIATE Procedure
Variable: BMI (Body Mass Index (kr/(M*M)))

Participant Gender=1

Moments			
N	1	Sum Weights	1
Mean	26.97	Sum Observations	26.97
Std Deviation	.	Variance	.
Skewness	.	Kurtosis	.
Uncorrected SS	727.3809	Corrected SS	0
Coeff Variation	.	Std Error Mean	.

Basic Statistical Measures			
Location		Variability	
Mean	26.97000	Std Deviation	.
Median	26.97000	Variance	.
Mode	26.97000	Range	0
		Interquartile Range	0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	.	Pr > t	.
Sign	M	0.5	Pr >= M	1.0000
Signed Rank	S	0.5	Pr >= S	1.0000

Quantiles (Definition 5)	
Level	Quantile
100% Max	26.97
99%	26.97
95%	26.97
90%	26.97
75% Q3	26.97
50% Median	26.97
25% Q1	26.97
10%	26.97
5%	26.97
1%	26.97
0% Min	26.97

The UNIVARIATE Procedure
Variable: BMI (Body Mass Index ($\text{kg}/(\text{M}^2)$))

Participant Gender=1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
26.97	1	26.97	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	1	50.00	100.00

The UNIVARIATE Procedure
Variable: SEX (Participant Gender)

Participant Gender=1

Moments			
N	2	Sum Weights	2
Mean	1	Sum Observations	2
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	2	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
		Interquartile Range	0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	.	Pr > t	.
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1
1%	1
0% Min	1

The UNIVARIATE Procedure
Variable: SEX (Participant Gender)

Participant Gender=1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	2	1	1
1	1	1	2

The UNIVARIATE Procedure
Variable: SYSBP (Systolic BP mmHg)

Participant Gender=1

Moments			
N	2	Sum Weights	2
Mean	113.5	Sum Observations	227
Std Deviation	10.6066017	Variance	112.5
Skewness	.	Kurtosis	.
Uncorrected SS	25877	Corrected SS	112.5
Coeff Variation	9.34502354	Std Error Mean	7.5

Basic Statistical Measures			
Location		Variability	
Mean	113.5000	Std Deviation	10.60660
Median	113.5000	Variance	112.50000
Mode	.	Range	15.00000
		Interquartile Range	15.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	15.13333	Pr > t 	0.0420
Sign	M	1	Pr >= M 	0.5000
Signed Rank	S	1.5	Pr >= S 	0.5000

Quantiles (Definition 5)	
Level	Quantile
100% Max	121.0
99%	121.0
95%	121.0
90%	121.0
75% Q3	121.0
50% Median	113.5
25% Q1	106.0
10%	106.0
5%	106.0
1%	106.0
0% Min	106.0

The UNIVARIATE Procedure
Variable: SYSBP (Systolic BP mmHg)

Participant Gender=1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
106	1	106	1
121	2	121	2

The UNIVARIATE Procedure
Variable: LDLC (LDL Cholesterol mg/dL)

Participant Gender=1

Moments			
N	1	Sum Weights	1
Mean	178	Sum Observations	178
Std Deviation	.	Variance	.
Skewness	.	Kurtosis	.
Uncorrected SS	31684	Corrected SS	0
Coeff Variation	.	Std Error Mean	.

Basic Statistical Measures			
Location		Variability	
Mean	178.0000	Std Deviation	.
Median	178.0000	Variance	.
Mode	178.0000	Range	0
		Interquartile Range	0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	.	Pr > t 	.
Sign	M	0.5	Pr >= M 	1.0000
Signed Rank	S	0.5	Pr >= S 	1.0000

Quantiles (Definition 5)	
Level	Quantile
100% Max	178
99%	178
95%	178
90%	178
75% Q3	178
50% Median	178
25% Q1	178
10%	178
5%	178
1%	178
0% Min	178

The UNIVARIATE Procedure
Variable: LDLC (LDL Cholesterol mg/dL)

Participant Gender=1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
178	2	178	2

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	1	50.00	100.00