

AI-Driven Design of Functional Boron Nitride Materials

Research Plan

Principal investigator, position and affiliated department

Prof. Ma Chen, Assistant Professor, Department of Computer Science, City University of Hong Kong.

Collaborator(s) and respective department(s), if any

Shenzhen Zhongneng Tianyi Technology Co., Ltd. (industrial collaborator).

Duration of the project

Abstract

Boron nitride (BN) materials are promising for wide-band-gap ultraviolet optoelectronics and dielectric support layers in two-dimensional heterostructures. This project aims to build an uncertainty-aware AI pipeline to prioritize BN-related materials for these two application targets. The study will construct a bounded BN design space, learn property and uncertainty models from public materials databases, rank candidates under band-gap, stability, novelty, and domain-distance constraints, and generate first-pass structure hypotheses for selected candidates. Expected outcomes include a curated BN-centered dataset, benchmarked property models, an uncertainty-aware ranked candidate table, structure handoff files, and manuscript-ready analysis for academic and industrial collaboration.

Key objectives

1. Define a bounded BN design space.

$$\mathcal{C}_{\text{BN}} = \mathcal{C}_{\text{core}} \cup \mathcal{C}_{\text{ext}} \cup \mathcal{C}_{\text{explore}},$$

where $\mathcal{C}_{\text{core}} = \{\text{BN, h-BN, c-BN, doped BN}\}$, $\mathcal{C}_{\text{ext}} = \{\text{BCN, BC}_2\text{N, SiBN}\}$, and $\mathcal{C}_{\text{explore}}$ contains same-group substituted analogues. *Output:* a curated dataset with formula, structure, target-property, and provenance fields.

2. Learn property and uncertainty models.

$$f_{\theta} : (x_{\text{form}}, x_{\text{struc}}) \rightarrow \mathbf{y} = (E_{\text{g}}, \Delta H, E_{\text{hull}}, \epsilon_r, \rho_{2\text{D}}, u).$$

Output: benchmarked models for band gap, stability proxy, dielectric relevance, and predictive uncertainty.

3. Prioritize candidates under application constraints.

$$U(c) = w_1 \hat{E}_{\text{g}}(c) - w_2 \hat{E}_{\text{hull}}(c) - w_3 \hat{u}(c) - w_4 d_{\text{dom}}(c) + w_5 \rho_{\text{novel}}(c) + w_6 \rho_{\text{app}}(c).$$

Output: a ranked table of candidate families with predicted properties, uncertainty, novelty score, and action labels.

4. Generate structure hypotheses for selected candidates.

$$c \mapsto \{s_{c,1}, \dots, s_{c,k}\} \mapsto \{\text{geometry, relaxation, property recheck}\}.$$

Output: structure files and a validation handoff package for high-priority candidates.

Research methodology

WP1. Data construction and cleaning

The project starts from public computational materials resources rather than an unbounded chemical search. 2DMPedia provides more than 6,000 monolayer structures generated by top-down and bottom-up strategies [1]. JARVIS-Tools supports programmatic access to atomistic materials datasets [2], while Matbench, matminer, the Materials Project, and C2DB provide benchmark, featurization, and reference spaces for materials ML [3–6]. Records will be deduplicated, aligned to target-property definitions, and labelled with provenance:

$$r_i = (c_i, s_i, \mathbf{y}_i, p_i), \quad \mathcal{D}_{\text{BN}} = \{r_i : c_i \in \mathcal{C}_{\text{BN}}\}, \quad p_i = (\text{source, method, version}).$$

This creates the BN-centered data layer that supports all later modelling and ranking decisions.

WP2. Property prediction and uncertainty estimation

The modelling target is a decision vector rather than a single benchmark number:

$$\max_{c,s} \mathbf{g}(c,s) = [E_g, -E_{\text{hull}}, \rho_{\text{dielectric}}, \rho_{\text{UV}}, \rho_{\text{2D}}, -u].$$

Model families will include descriptor baselines, composition neural networks, and crystal graph models, drawing on established materials-ML tools such as pymatgen, CGCNN, MEGNet, ALIGNN, CrabNet, and CHGNet [7–12]. These models are not the novelty by themselves; they provide a controlled basis for a BN-specific decision pipeline.

WP3. Multi-objective ranking and candidate selection

The output for each candidate will be a decision vector

$$\mathbf{z}(c) = (\hat{E}_g, \hat{E}_{\text{hull}}, \hat{e}_r, \hat{u}, d_{\text{dom}}, \rho_{\text{novel}}, \rho_{\text{app}}, a),$$

with action label

$$a \in \{\text{control}, \text{priority}, \text{explore}, \text{hold}\}.$$

Candidates will be prioritized only when predicted performance, uncertainty, and domain-distance criteria are jointly satisfied:

$$a(c) = \text{priority} \quad \text{if} \quad U(c) \geq q_\alpha, \quad \hat{u}(c) \leq u_{\text{max}}, \quad d_{\text{dom}}(c) \leq d_{\text{max}}.$$

This connects prediction to research action: reference controls, high-priority validation, exploratory families, and candidates reserved for later evidence.

WP4. Structure generation, validation handoff, and iteration

Selected formulas will be converted into candidate structures through prototype reuse, controlled substitution, and structure-generation models such as CDVAE where appropriate [13]. A first-pass handoff package will include structure files, predicted properties, uncertainty scores, provenance, and recommended validation actions.

The validation protocol will test both interpolation and extrapolation. Models will be evaluated using random splits, grouped-by-formula splits, and BN-family-aware splits. Candidate ranking will be assessed by model ensembles and perturbation of objective weights:

$$\text{MAE}, \text{RMSE}, R^2, \tau_{\text{Kendall}}, \rho_{\text{Spearman}}, P(c \in \text{Top-}k).$$

The current local project already provides a starting implementation for public-data ingestion, BN-themed candidate generation, model comparison, rank stability, and first-pass structure handoff. The proposed research will extend this base into a larger, uncertainty-aware BN prioritization platform.

Significance and major deliverables

BN is a high-value family for wide-band-gap ultraviolet materials, dielectric layers, and 2D heterostructure platforms [14–16]. Thermal management remains a secondary relevance, while the main proposal focuses on wide-gap/UV and dielectric/2D-support targets. The scientific question is:

Which BN-related compositions and structures should be investigated next, and with what level of uncertainty?

The novelty lies in the BN-centered data layer, uncertainty-aware candidate selection, multi-objective ranking under application constraints, formula-to-structure handoff workflow, and rank-stability analysis for materials prioritization.

Major deliverables

1. **D1:** BN-centered dataset with formula, structure, target-property, and provenance fields.
2. **D2:** Benchmark report comparing descriptor, composition, and graph-based models.
3. **D3:** Ranked candidate table with predicted properties, uncertainty, novelty score, and action labels.
4. **D4:** Structure hypothesis package for selected high-priority candidates.
5. **D5:** Technical report, figures, demo, and manuscript-ready analysis.

Ethics and safety

The initial project is computational and data-driven. It uses public databases, software, models, and generated candidate structures. If later work involves chemical synthesis or regulated laboratory procedures, the responsible experimental party will handle the required safety approvals.

Selected references

1. Zhou, J. et al. 2DMatPedia: an open computational database of two-dimensional materials from top-down and bottom-up approaches. *Scientific Data* 6, 86 (2019).
2. Choudhary, K. et al. JARVIS-Tools: open-access software for atomistic data-driven materials design. *npj Computational Materials* 6, 173 (2020).
3. Dunn, A. et al. Benchmarking materials property prediction methods: the Matbench test set and Automatminer reference algorithm. *npj Computational Materials* 6, 138 (2020).
4. Ward, L. et al. Matminer: An open source toolkit for materials data mining. *Computational Materials Science* 152, 60–69 (2018).
5. Jain, A. et al. Commentary: The Materials Project: a materials genome approach to accelerating materials innovation. *APL Materials* 1, 011002 (2013).
6. Hastrup, S. et al. The Computational 2D Materials Database: high-throughput modeling and discovery of atomically thin crystals. *2D Materials* 5, 042002 (2018).
7. Ong, S. P. et al. Python Materials Genomics (pymatgen): A robust, open-source python library for materials analysis. *Computational Materials Science* 68, 314–319 (2013).
8. Xie, T. and Grossman, J. C. Crystal graph convolutional neural networks for an accurate and interpretable prediction of material properties. *Physical Review Letters* 120, 145301 (2018).
9. Chen, C. et al. Graph networks as a universal machine learning framework for molecules and crystals. *Chemistry of Materials* 31, 3564–3572 (2019).
10. Choudhary, K. and DeCost, B. Atomistic line graph neural network for improved materials property predictions. *npj Computational Materials* 7, 185 (2021).
11. Wang, A. Y.-T. et al. CrabNet for explainable deep learning in materials science. *npj Computational Materials* 7, 77 (2021).
12. Deng, B. et al. CHGNet as a pretrained universal neural network potential for charge-informed atomistic modelling. *Nature Machine Intelligence* 5, 1031–1041 (2023).
13. Xie, T. et al. Crystal diffusion variational autoencoder for periodic material generation. *ICLR* (2022).
14. Watanabe, K., Taniguchi, T. and Kanda, H. Direct-bandgap properties and evidence for ultraviolet lasing of hexagonal boron nitride single crystal. *Nature Materials* 3, 404–409 (2004).
15. Cassabois, G., Valvin, P. and Gil, B. Hexagonal boron nitride is an indirect bandgap semiconductor. *Nature Photonics* 10, 262–266 (2016).
16. Dean, C. R. et al. Boron nitride substrates for high-quality graphene electronics. *Nature Nanotechnology* 5, 722–726 (2010).

Project Details

Project Title: AI-Driven Design of Functional Boron Nitride Materials

PI (Dept): Prof. Ma Chen (Department of Computer Science)

Budget Breakdown

Budget Item	Detail breakdown	Amount (HKD)
Staffing	Student helper / research assistant for data curation, experiments, documentation, and demo maintenance.	
Equipment	Compute, storage, and structure-validation resources.	
General expenses	Cloud credits, backup, software services, hosting, and data-management costs.	
Conference	Presentation at AI-for-science, materials informatics, or applied computing venues.	
Overseas Travel	Optional collaborator visit, conference travel, or partner technical meeting.	
Total Funding		