

Homework2

Natural Language Processing

Komal Gujarathi 211778351

Table of Contents

1. Dataset	3
2. Pre-processing (50%)	3
3. Distribution of sentence lengths (50%)	5
4. Appendix	8

1. Dataset

Analyze a subset of a publicly available collection of NSF (National Science Foundation) research awards abstracts spanning 1990-2003. The complete dataset consists of 134161 abstracts describing NSF Awards for basic research, bag of word data files extracted from the abstracts, list of words used for indexing the bag of word data. But for this assignment we will only use the part of the abstract data.

2. Pre-processing (50%)

- 2.1. Review the dataset and describe the characteristics of the corpus briefly such as naming conventions of its files, number of documents it contains, etc. (10%)
- 2.1.1. The dataset we will be analyzing has total 4016 documents. Each document is the abstract describing NSF Awards for the basic research.
- 2.1.2. Naming convention followed for these files is character 'a' followed by Award Number. e.g. if Award Number is 900006, then file name is 'a900006'.
- 2.1.3. In each abstract, there is abstract title, the name of NSF organization that gives this award, award number, sponsor, award amount, start date, end date and the abstract text.
- 2.1.4. Minimum and maximum number length of all these abstract texts is 1 and 26 sentences respectively.
- 2.1.5. The maximum grant is given by NSF Organization 'OCE' which amounts to \$18806079, while minimum grant given is \$0.

*(all the figures are obtained by writing the python scripts)

2.2. Next, you will write a Python code that reads in each abstract and extract the abstract identity ('File'), NSF organization ('NSF Org'), the award amount, and abstract text.

I have used regular expression to find out the required data from the input files. And then iterated over all the dataset to gather the data and dump that data in the 'result1.txt' file. I have attached the screen shot of the python code and the sample output below.

Python Code

```
# grants_amount is a list of all the grants
grant_amounts = []
# this information is used to get the organization granting the max grant
organization_giving_max_grant = ''
resultfile = open('result1.txt', 'w+')
for i in range(0,len(file_contents)-1):
    shorttext = file_contents[i]
    # extract the file text
    pword = re.compile('File *: *(\w+)')
    file_field = re.findall(pword, shorttext)
    resultfile.write(file_field[0])
    resultfile.write('\t')
    pword = re.compile('NSF Org *: *(\w+)')
    nsf_field = re.findall(pword, shorttext)
    resultfile.write(nsf_field[0])
    resultfile.write(' ')
    pword = re.compile('Total Amt\. *: *([$]\d+)')
    amount_field = re.findall(pword, shorttext)
    resultfile.write(amount_field[0])
    # getting the amount in $ to find out the maximum grant amount
    # from all the awards (I used this information to describe the text)
    # in question 2A.
    pword = re.compile('Total Amt\. *: *[$](\d+)')
    res = re. findall(pword, shorttext)
    grant_amounts.append(int(res[0]))
    if (int(res[0]) == 18806079):
        organization_giving_max_grant = nsf_field[0]
    resultfile.write(' ')
    pword = re.compile('Abstract *: *\n[ \t]*((?s).*)')
     # text contains string with extra white spaces and \n characters
    text = re.findall(pword, shorttext)
    newtext = text[0].replace('\n','')
abstract_field = ' '.join(newtext.split())
    resultfile.write(abstract_field)
    resultfile.write('\n')
resultfile.close()
```

Output File Screen Shot (result1.txt)

255 17773 General epiciation over the past two hundred years drove the great Mystices wholes to near estimation. Notation in the size of populations year to exploitation enspecies with different biogeographical distributions and control population size service and population size service and population size service and the mission of the size of population on species with different biogeographical distributions and the first seed of the mission of the size of populations and the first seed of the size of populations and the first seed of the size of populations and the first suddivided into seed with its own emigratory pattern and somehad distincts may be further suddivided into seed with its own emigratory pattern and somehad distincts may be further suddivided into seed with its own emigratory pattern and somehad distincts may be further suddivided into seed with its own emigratory pattern and somehad distincts may be further suddivided into seed with its own emigratory pattern and somehad distincts and be sufficient seed of seed of the size of

3. Distribution of sentence lengths (50%)

Identify sentences in the abstract. You may use the sentence tokenizers in Python. Your code output should contain the abstract identify, the sentence number, and the sentence text delimited with a bar (|), and the total number of sentences per each file at the end.

Python Code -

```
# min_abstract and max_abstract len is used to find the max len of the abstract
# in the given data set
min_abstract_len = 99999
max_abstract_len = 0
resultfile = open('result2.txt', 'w+')
resultfile.write('Abstract_ID | Sentence_No | Sentence\n')
resultfile.write('--
for i in range(0,len(file_contents)-1):
   shorttext = file_contents[i]
    # extract the file text
    pword = re.compile('File *: *(\w+)')
    file_field = re.findall(pword, shorttext)
    pword = re.compile('Abstract *: *\n[ \t]*((?s).*)')
    # text contains string with extra white spaces and \n characters
    text = re.findall(pword, shorttext)
    newtext = text[0].replace('\n','')
    abstract_field = ' '.join(newtext.split())
    sent_tokenize_list = sent_tokenize(abstract_field)
    for i in range (len(sent_tokenize_list)):
        resultfile.write(file_field[0])
        resultfile.write('|')
        resultfile.write(str(i+1))
        resultfile.write('|')
        resultfile.write(sent_tokenize_list[i])
        resultfile.write('\n')
    last_line = 'Number of sentences : ' + str(len(sent_tokenize_list)) + '\n'
    max_abstract_len = max(max_abstract_len,len(sent_tokenize_list))
    min_abstract_len = min(min_abstract_len, len(sent_tokenize_list))
    resultfile.write(last_line)
resultfile.close()
```

Output File Screen Shot (result2.txt) -

Nebstract_N | Sentence_No | Se

4. Appendix

Output and Python Processing

```
import nltk
import re
from nltk.tokenize import sent_tokenize

from nltk.corpus import PlaintextCorpusReader
mycorpus = PlaintextCorpusReader('.', '.*\.txt')
type(mycorpus.fileids())
```

```
num_docs = len(mycorpus.fileids()) # mycorpus.file.
() gives the list of
num_docs
```

4016

```
# extract the contents of all the files in the file_contents array
file_ids = mycorpus.fileids()
file_contents = [] # file_contents is the array of all the file contents
for i in range(len(file_ids)):
    file = file_ids[i]
    file_handle = open(file,'r',encoding = "ISO-8859-1")
    file_content = file_handle.read()
    # file content has the actual content of each of the file
    file_contents.append(file_content)
    file_handle.close()
```

```
# sample demo of pattern matching
import re
shorttext = file_contents[5]

pword = re.compile('File *: *(\w+)')
re.findall(pword, shorttext)

['a9000045']

pword = re.compile('NSF Org *: *(\w+)')
re.findall(pword, shorttext)

['CCR']

pword = re.compile('Total Amt\. *: *([$]\d+)')
re.findall(pword, shorttext)

pword = re.compile('Total Amt\. *: *[$](\d+)')
res = re.findall(pword, shorttext)

type(res[0])
int(res[0])
```

53277

```
# grants amount is a list of all the grants
grant_amounts = []
# this information is used to get the organization granting the max grant
organization_giving_max_grant =
resultfile = open('result1.txt', 'w+')
for i in range(0,len(file_contents)-1):
    shorttext = file_contents[i]
    # extract the file text
    pword = re.compile('File *: *(\w+)')
    file_field = re.findall(pword, shorttext)
    resultfile.write(file_field[0])
    resultfile.write('\t')
    pword = re.compile('NSF Org *: *(\w+)')
    nsf_field = re.findall(pword, shorttext)
    resultfile.write(nsf_field[0])
    resultfile.write(' ')
    pword = re.compile('Total Amt\. *: *([$]\d+)')
    amount_field = re.findall(pword, shorttext)
    resultfile.write(amount_field[0])
    # getting the amount in $ to find out the maximum grant amount
     # from all the awards (I used this information to describe the text)
     # in question 2A.
    pword = re.compile('Total Amt\. *: *[$](\d+)')
res = re. findall(pword, shorttext)
     grant_amounts.append(int(res[0]))
    if (int(res[0]) == 18806079):
         organization_giving_max_grant = nsf_field[0]
    resultfile.write(' ')
    pword = re.compile('Abstract *: *\n[ \t]*((?s).*)')
     # text contains string with extra white spaces and \n characters
    text = re.findall(pword, shorttext)
    newtext = text[0].replace('\n','')
abstract_field = ' '.join(newtext.split())
resultfile.write(abstract_field)|
    resultfile.write('\n')
resultfile.close()
```

```
# min_abstract and max_abstract len is used to find the max len of the abstract
# in the given data set
min_abstract_len = 99999
max_abstract_len = 0
resultfile = open('result2.txt', 'w+')
resultfile.write('Abstract_ID | Sentence_No | Sentence\n')
resultfile.write('-
for i in range(0,len(file_contents)-1):
    shorttext = file_contents[i]
    # extract the file text
    pword = re.compile('File *: *(\w+)')
    file_field = re.findall(pword, shorttext)
    pword = re.compile('Abstract *: *\n[ \t]*((?s).*)')
    # text contains string with extra white spaces and \n characters
    text = re.findall(pword, shorttext)
    newtext = text[0].replace('\n','')
    abstract_field = ' '.join(newtext.split())
    sent_tokenize_list = sent_tokenize(abstract_field)
    for i in range (len(sent_tokenize_list)):
        resultfile.write(file_field[0])
        resultfile.write('|')
        resultfile.write(str(i+1))
        resultfile.write('|')
        resultfile.write(sent_tokenize_list[i])
        resultfile.write('\n')
    last_line = 'Number of sentences : ' + str(len(sent_tokenize_list)) + '\n'
    max_abstract_len = max(max_abstract_len,len(sent_tokenize_list))
min_abstract_len = min(min_abstract_len, len(sent_tokenize_list))
    resultfile.write(last_line)
resultfile.close()
```

```
print('max grant amount : '+ str(max(grant_amounts)))
print('min grant amount : '+ str(min(grant_amounts)))
print('organizarion giving max grant : ' + organization_giving_max_grant)
print('max abstract length : ' + str(max_abstract_len))
print('min abstract length : ' + str(min_abstract_len))

max grant amount : 18806079
min grant amount : 0CE
max abstract length : 26
min abstract length : 1
```