

Virtual Desktop Managed Service (VDMS) Service Summary

Virtual Desktop Managed Service

NetApp March 24, 2021

This PDF was generated from https://docs.netapp.com/us-en/virtual-desktop-managed-service/serviceoffering.servicesummary.html on June 16, 2021. Always check docs.netapp.com for the latest.

Table of Contents

Virtual Desktop Managed Service (VDMS) Service Summary	
User Resource Allocation	
Other VDMS SKUs	

Virtual Desktop Managed Service (VDMS) Service Summary

User Resource Allocation



This article seeks to accurately describe the technical details of the VDMS service. Service details are subject to change and this article does not represent an amendment or alteration to any existing agreements, contracts or other arrangements between NetApp and any customers or partners.

Shared Users (SKU: VDMS-SUBS-SHARED-USER)

Shared user sessions run on a Session Host Virtual Machine (SHVM) with up to 10 user sessions. The total number of shared SHVMs allocated will ensure at least one shared SHVM for every 10 shared users in the environment.

Resources allocated per shared user:

- 8/10ths of a vCPU core
- 6.4 GiB RAM
- · 25 GiB Storage

Shared SHVM technical details:

- Typically from the Esv3, Eav4 and Easv4 families of Azure virtual machines.
- · 128 GiB Standard SSD OS disk
- Windows 10 Enterprise for Virtual Desktop
- FSLogix attached containers user profile
- · Attached storage for company share

VDI Users (SKU: VDMS-SUBS-VDI-USER)

A VDI user's session runs on a dedicated Session Host Virtual Machine (SHVM) that does not concurrently host any other user sessions. The total number of VDI SHVMs is equal to the total number of VDI users in the environment.

Resources allocated per VDI user:

- 2 vCPU cores
- 8 GiB RAM
- · 25 GiB Storage

VDI SHVM technical details:

- Typically from the Dsv3, Dav4 and Dasv4 families of Azure virtual machines.
- 128 GiB Standard HDD OS disk
- · Windows 10 Enterprise for Virtual Desktop

- FSLogix attached containers user profile
- · Attached storage for company share

GPU Users (SKU: VDMS-SUBS-GPU-USER)

A GPU user's session runs on a dedicated Session Host Virtual Machine (SHVM) that does not concurrently host any other user sessions. The total number of GPU SHVMs is equal to the total number of GPU users in the environment.

Resources allocated per GPU user:

- 8 GiB GPU RAM
- · 25 GiB Storage

GPU SHVM technical details:

- Typically from the NVv3 and NVv4 families of Azure virtual machines.
- 128 GiB Standard HDD OS disk
- Windows 10 Enterprise for Virtual Desktop
- FSLogix attached containers user profile
- · Attached storage for company share

Other VDMS SKUs

Business Servers (SKU: VDMS-AZURE-BUSINESS-VM)

The business server can be added to an environment to support applications and services.

Each business server VM is allocated at least:

- 8 vCPU cores
- 64 GiB RAM
- · 128 GiB Standard SSD OS disk
- Windows Server 2012R2/2016/2019
- Typically from the Esv3, Eav4 and Easv4 families of Azure virtual machines.

Additional Storage (SKU: VDMS-1TB-STORAGE-HPRSCLR)

The *Data Storage Layer* is the primary storage mechanism for the VDMS environment and runs on either Azure Files or Azure NetApp Files (ANF). The storage technology used is determined by the total VDMS users purchased. Additional capacity can be added in 1TiB increments.

User profiles, user data, company shares, application data and databases should all run from this storage service. It is best practice to avoid storing data on VM disks whenever possible.

Capacity is the sum of the per-user allocation (25 GiB/user) and additional TIBs storage purchased.

Table 1. Data Storage Layer Type & Tier

Metric	Azure Files GPv2	ANF Standard	ANF Premium
User Count	10-49	50-249	250+
Minimum size	250 GiB	4 TiB	4 TiB
IOPS	Up to 1,000	Up to 250/TiB	Up To 1,000/TiB
Throughput	Up to 60MiB/sec	Up to 16 MiB/sec/TiB	Up to 64 MiB/sec/TiB

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.