# **Problem 2 – Radioactive Mutant Vampire Bunnies**

Browsing through GitHub, you come across an old JS Basics teamwork game. It is about very nasty bunnies that multiply extremely fast. There's also a player that has to escape from their lair. You really like the game so you decide to port it to C# because that's your language of choice. The last thing that is left is the algorithm that decides if the player will escape the lair or not.

The **bunnies** are marked with **B**, the **player** is marked with P, and **everything** else is free space, marked with a dot (.) First, you will receive a line holding integers **N** and **M**, which represent the rows and columns in the lair. Then you receive **N** strings that can **only** consist of dots (.), bunnies (B), and the player (P). They represent the initial state of the lair. There will be **only** one player. Then you will receive a string with **commands** such as **LLRRUUDD** – where each letter represents the next **step** of the player (Left, Right, Up, Down).

**After** each step of the player, the bunnies spread to the up, down, left and right (neighboring cells marked as "." **change** their value to B). If the player **moves** to a bunny cell or a bunny **reaches** the player, the player has died. If the player goes **out** of the lair **without** encountering a bunny, the player has won.

If the player **dies** or **wins**, the game ends. All the activities for **this** turn continue (e.g. all the bunnies spread normally), but there are no more turns. There will be **no** stalemates where the moves of the player end before he dies or escapes.

Print the final state of the lair with every row on a separate line. On the last line, print either "dead: {row} {col}" or "won: {row} {col}". Row and col are the coordinates of the cell where the player has died or the last cell he has been in before escaping the lair.

### Input

- On the first line of input, the number N and M are received the number of rows and columns in the lair
- On the next N lines, each row is received in the form of a string. The string will contain only ".", "B", "P". All strings will be the same length. There will be only one "P" for all the input
- On the last line, the directions are received in the form of a string, containing "R", "L", "U", "D"

## Output

- On the first N lines, print the final state of the bunny lair
- On the last line, print the outcome "won:" or "dead:" + {row} {col}

### **Constraints**

- The dimensions of the lair are in range [3...20]
- The directions string length is in range [1..20]

### **Examples**

Input	Output
5 8	BBBBBBB
B	BBBBBBB
B	BBBBBBB
BB	.BBBBBBB
	BBBBBB
P	won: 3 0
ULLL	





















Input	Output
4 5	.B
	BBB
	BBBB.
.B	BBB
P.	dead: 3 1
LLLLLLL	

















