

# Chapter 1

## Company Profile

### 1.1 Overview of the Organization:

**TechifyIndia** is a startup for providing IT solutions, building innovative IoT products, providing systems integration solutions and technology provider, established to provide leading edge intelligent technical solutions and consulting services to businesses, organizations and government in order to allow the efficient and effective secure access and communication with various heterogeneous information resources and services, anytime and anywhere. the company thrives in providing a practical and beneficial solution for the clients. Since 2017, the company have been providing consulting service, website development, design services, IoT, application development and technical support to clients in various industries, whereas clients have extensive opportunity to select the service of their chance to satisfy their digital needs. Since the start of the company, we are focused on developing IoT products & services to contribute to improving our customer productivity and add value to their business. Being a website design company in Belagavi we deliver 100% responsive business websites.

We specialize in empowering your business with the right platform, application, and solutions. Our creative team brings business to the next level of digitalization with mobile apps and internet marketing to improve branding and lead generation to succeed.

### 1.2 what we do?

Apart from IoT we also design Custom Software, Mobile apps, Websites for your business. The company also serves our customers through an Onsite model and has helped in bringing best value proposition by eliminating process and technology bottlenecks for sustained growth. We thrive to build long-term relationships with our customer and partners by aligning to their business models and road map.



We have demonstrated our capabilities for various communication service providers for whom we have successfully delivered transformation, support, maintenance and operation streamlining projects.



Customized-Software's Figure 1.2



Mobile-Applications Figure 1.1



Web-Design Figure 1.3



Automation Figure 1.4



## **1.2 Vision and mission of the organization:**

Our vision is to build upon a reputation of being one of the most innovative IT Solution and Service provider. Which highlights the company's commitment to providing innovative solutions to its customers while maintaining high standards of quality and sustainability. The mission of the organization is, to produce excellent services in the field of IT Services and Consultancy with maximum efforts driven towards customer satisfaction.

We believe in doing our work in the most efficient way with robust and structured methodology, with gradual evolution from hard-work to smart- work culture, at client's end also. An in-depth knowledge of various technology areas enables us to provide end-to-end solutions and services. With our 'Web of Participation', we maximize the benefits of our depth, diversity and delivery capability, ensuring adaptability to client needs, and thus bringing out the most innovative solutions in every business and technology domain. TECHIFYINDIA is your one stop partner where you can outsource all your support services with complete peace of mind about quality and reliability. Which outlines the company's core values and objectives. The company's vision and mission reflect its dedication to creating a positive impact on the industry and society.

## **1.3 Organization structure:**

The organization operates under a Functional structure, with several departments and divisions responsible for different aspects of the company's operations. It is characterized by the division of the company into different functional areas, such as marketing, finance, operations, and human resources. Each functional area is headed by a manager who oversees the activities of their team. This structure is simple and efficient. The executive team consists of 12 members, with the CEO being the highest-ranking member of the organization. The departments within the organization include Marketing and sells, Development, Testing and service providing team, with each department being headed by a departmental manager.



## 1.4 Roles and Responsibilities of personnel in the organization:

The roles and responsibilities of personnel within the organization vary depending on their job functions and departmental affiliations. Some of the common roles within the organization include CEO, Marketing management, Developers, H-R management, etc, with each role being responsible for specific tasks related to the organization's operations. The personnel within the organization are expected to adhere to the company's values and principles while carrying out their duties

## 1.5 Products and market performance:

TECHIFYINDIA Software Solution's strength lies in understanding the client's business processes, culture, vision and goals across the industry segments and offering client-oriented solutions which are highly reliable, creating customer comfort. Few of our products are listed below.

- Cashew Soft ERP
- TAX-E (GST Billing)
- CNC Monitoring
- IOT Based Smart Bell, etc.




Figure: 1.6 Graphical representation of product sale record








Figure: 1.7 Graphical Representation Internship Performance




Figure 1.7: Graphical Representation of Placement Record



## Chapter 2

### ON-THE-JOB TRAINING (OJT-1)

#### 2.1. Roles and Responsibilities

A bank is a financial institution that accepts deposits, provides loans, and offers various financial services to individuals and businesses. It acts as an intermediary, facilitating the flow of funds in the economy and ensuring the smooth functioning of the payment system. Banks play a significant role in financial intermediation, channeling savings towards productive investments and promoting economic growth. They also contribute to monetary stability by implementing policies and managing the money supply.

In our role as a bank, we assist users in their banking activities. We offer convenient services for account management, allowing users to open, close, and modify their accounts easily. Our secure funds transfer options enable users to move money between accounts or make payments to others, providing flexibility in managing finances. Through online bill payment services, users can conveniently schedule and pay their bills from their bank accounts, eliminating the need for manual transactions. We provide streamlined processes and personalized support for loan and mortgage services, helping users understand their options and apply efficiently. Additionally, our dedicated customer support team is available to address any inquiries or concerns users may have, ensuring a positive banking experience.

#### 1Projects Completed:

During the OJT-1, the intern would work on various projects under the guidance and supervision of experienced developers. Here are some examples of projects the intern might complete:

- Building a Python application using OOP: The intern might be assigned a project to develop a Python application from scratch, leveraging OOP principles for code organization and reusability. This could involve designing class structures,



- Adding new features to an existing Python project: The intern might contribute to an ongoing Python project by implementing new features or enhancing existing functionality. This could involve extending classes, modifying methods, and integrating new modules or libraries.
- Optimizing code performance: The intern could be tasked with optimizing the performance of a Python application by identifying bottlenecks, analyzing algorithms, and implementing improvements. This could include refactoring code, applying efficient data structures, or leveraging advanced Python features.
- Testing and debugging: The intern might be responsible for testing the Python codebase, creating test cases, and ensuring the application functions as intended.
- Applying Technical Knowledge and Creating Value: The intern's technical knowledge of Python programming with OOP principles can be applied at the site of the internship in the following ways:
- Developing efficient and maintainable code: The intern's understanding of OOP allows them to write modular, reusable, and well-organized code.
- Implementing scalable solutions: With a grasp of OOP concepts, the intern can design solutions that are scalable and adaptable to changing requirements. They can create classes and objects that provide flexibility and extensibility, making it easier to accommodate future enhancements or modifications.



## **2.2. Python Programming with OOPs**

Python is a high-level, interpreted programming language that emphasizes code readability and simplicity. It was created by Guido van Rossum and first released in 1991. Python is known for its elegant syntax and easy-to-understand code, making it a popular choice for beginners and experienced developers alike. Python is a versatile and popular programming language known for its simplicity and readability. It supports various programming paradigms, including procedural, functional, and object-oriented programming (OOP). Object-Oriented Programming is a powerful approach to software development that focuses on organizing code into reusable objects, enabling modular and maintainable code. This report provides a detailed overview of Python programming with an emphasis on OOP principles, concepts, and implementation.

## **2.3. Object-Oriented Programming (OOP):**

Object-Oriented Programming is a programming paradigm that provides a structured way to design and build software. It revolves around the concept of objects, which are instances of classes. A class serves as a blueprint or template for creating objects, defining their attributes (variables) and behaviors (methods).

### **2.3.1 Classes and Objects:**

In OOP, a class represents a real-world entity or concept. It defines the structure and behaviour that objects of that class will possess. An object, on the other hand, is an instance of a class, representing a specific entity or instance of the concept described by the class.

To create a class in Python, you use the class keyword followed by the class name. Within the class, you can define attributes (data variables) and methods (functions) that describe the behaviour of objects created from that class. Objects are created by calling the class as if it were a function, which invokes the class's constructor method and returns an object.





### **2.3.2 Encapsulation**

Encapsulation is a fundamental principle of OOP that combines data and functions into a single unit called a class. It allows you to hide the internal details of a class and provide controlled access to the class members. This data hiding protects the integrity of the data and prevents direct manipulation from outside the class.

Python provides access modifiers like public, private, and protected to control the visibility and accessibility of class members. By convention, attributes and methods prefixed with a single underscore `_` are considered protected, and those prefixed with double underscores `__` are considered private.

Encapsulation promotes data abstraction, where the internal implementation details of a class are hidden and only the essential information and functionality are exposed to the user.

### **2.3.3 Inheritance**

Inheritance is a mechanism that allows a class to inherit attributes and methods from another class, called the base class or parent class. The class inheriting from the base class is called the derived class or child class. Inheritance facilitates code reuse and promotes the concept of hierarchical classification.

To inherit from a base class in Python, you include the base class name in parentheses after the derived class name in the class definition. The derived class can then access the attributes and methods of the base class and can also override or extend them to provide specialized behavior.

Inheritance enables the creation of specialized classes that inherit and extend the functionality of more general classes, promoting code extensibility and flexibility.

### **2.3.4 Polymorphism**

Polymorphism is the ability of objects of different classes to be treated as objects of a common base class. It allows you to write code that can work with objects of different types but treats them uniformly based on their shared interface or behavior.

Polymorphism in Python is achieved through method overriding and method overloading. Method overriding allows the derived class to provide its own implementation of a method inherited from the base class. Method overloading,



## **2.4 Implementation of OOP in Python**

Python provides a rich set of tools and syntax for implementing OOP concepts effectively.

### **2.4.1. Class Definition**

In Python, a class is defined using the **class** keyword followed by the class name and a colon. The class body is indented, and it contains attribute and method definitions. Attributes are variables defined within a class, and methods are functions defined within a class that define its behaviour.

### **2.4.2. Constructor and Destructor**

A constructor is a special method that is automatically called when an object is created from a class. In Python, the constructor method is named `__init__()` and is used to initialize the attributes of the object. It allows you to set the initial state of the object and perform any necessary setup operations.

A destructor method, `__del__()`, can be defined to perform cleanup operations before an object is destroyed and memory is released. The destructor is automatically called when the object is no longer referenced or goes out of scope.

### **2.4.3. Inheritance Syntax**

To create a derived class that inherits from a base class, you include the base class name in parentheses after the derived class name in the class definition. The derived class can then access the attributes and methods of the base class using the dot notation.

### **2.4.4. Method Overriding**

Method overriding allows the derived class to provide its own implementation of a method inherited from the base class. In Python, this is achieved by defining a method with the same name in the derived class. When the method is called on an object of the derived class, the overridden method in the derived class is executed instead of the base class method. To override a method in Python, you define a method with the same name in the derived class. The method signature (name and parameters) must match the method being overridden in the base class. Method overriding allows you to customize the behaviour of a method based on the specific



### **2.4.5. Method Overloading**

Python does not support method overloading in the traditional sense, where multiple methods with the same name but different parameters are defined. However, you can achieve similar functionality by using default parameter values or variable-length arguments.

**Default Parameter Values:** You can define a method with default parameter values, allowing the method to be called with different numbers of arguments

**Variable-Length Arguments:** Python provides the **\*args** and **\*\*kwargs** syntax to handle variable-length arguments. The **\*args** allows you to pass a variable number of non-keyword arguments, while **\*\*kwargs** allows you to pass a variable number of keyword arguments. This enables you to define methods that can accept different numbers of arguments

## **2.5 Benefits of OOP in Python**

Using OOP in Python offers several advantages:

### **2.5.1 Reusability:**

OOP promotes reusability by allowing the creation of reusable objects and classes. Objects can be instantiated from classes and reused in different parts of the program or in different programs altogether. This reduces code duplication and improves development efficiency.

### **2.5.2 Modularity:**

OOP enables the modular organization of code. Classes encapsulate data and related methods into self-contained units. This modular structure makes code easier to understand, test, and maintain.

### **2.5.3 Flexibility and Extensibility:**

Inheritance, a key feature of OOP, allows for easy modification and extension of existing code. New classes can be created that inherit and reuse the functionality of base classes. This promotes code extensibility and reduces development effort by building upon existing code rather than starting from scratch.



#### **2.5.4 Encapsulation and Information Hiding:**

Encapsulation, a core principle of OOP, encapsulates data and methods within a class, hiding the internal implementation details. This provides data security and prevents direct manipulation of class members from outside the class. Encapsulation also allows for better

**2.5.5 Improved Code Organization and Design:** OOP promotes better code organization and design by providing clear structures for managing complexity. Classes and objects help break down complex systems into smaller, more manageable components. This enhances code readability, understandability, and maintainability.

#### **2.5.6 Polymorphism and Code Flexibility:**

Polymorphism, another important concept in OOP, allows objects of different types to be treated uniformly based on their shared interface or behavior. This promotes code flexibility and modularity, as different objects can be used interchangeably in code that relies on their common interface. Polymorphism simplifies code design and enhances code reusability.

#### **2.5.7 Improved Collaboration and Code Maintenance:**

OOP facilitates collaboration among developers in large-scale projects. By dividing the project into classes and objects, different team members can work on different parts of the project independently. Changes or updates to one class do not affect other classes, as long as the interface remains unchanged. This improves code maintenance, scalability, and team productivity.

Overall, OOP provides a powerful and efficient approach to software development, offering benefits such as reusability, modularity, flexibility, code organization, and collaboration. These benefits contribute to improved code quality, development productivity, and maintainability of software systems.





## **2.6 Important Function of Python.**

### **2.6.1 Map**

The map () function in Python is used to apply a given function to each item in an iterable (such as a list) and returns an iterator containing the results. The map() function takes each item from the iterable, applies the function to it, and returns an iterator that yields the results. It is commonly used to transform or modify the elements of a list in a concise and efficient way.

### **2.6.2 Filter:**

The filter () function in Python is used to filter out elements from an iterable based on a specified condition. It returns an iterator that contains the elements for which the condition is True.

### **2.6.3. Reduce:**

The reduce () function is part of the functools module in Python. It is used to apply a specified function to the elements of an iterable in a cumulative way. The reduce() function performs a repetitive operation on pairs of elements until a single value is obtained. The reduce() function starts by applying the function to the first two elements of the iterable. It then takes the result and combines it with the next element, repeating the process until all the elements are processed.

### **2.6.4 Lambda Functions:**

A lambda function is a small, anonymous function in Python.

It is defined using the lambda keyword and can take any number of arguments but can only have one expression. Lambda functions are typically used when a function is required for a short duration and does not need to be defined using a regular def statement. Lambda functions are often used in conjunction with higher-order functions like map(), filter(), and reduce() to provide a concise and inline way of defining functions without the need for a separate function definition.

Lambda functions are useful in scenarios where a simple function is required, such as when the function logic is short and straightforward, or when a function is used as an argument to another function.

These functional programming tools (map, filter, reduce, and lambda) in Python provide powerful and concise ways to manipulate data and perform operations on iterable objects.



## **Chapter 3**

### **ON-THE-JOB TRAINING (OJT-2)**

#### **3.1 Rules and Responsibilities**

During the OJT-1 period, my role and responsibilities as an AI developer involved various duties and projects. The following is a detailed description of the my activitiesand accomplishments. Develop a car image detection system using OpenCV that can accurately identify and localize them, and provide a reliable count of the total number of cars using Haar cascades in OpenCV, you can follow these steps are Preprocessing, Car Detection using Haar Cascade, Detecting Cars, Bounding Box Localization, Counting, Visulalization.

Haar cascade is a machine learning-based object detection technique used for detecting objects in images or video streams. It was introduced by Viola and Jones in 2001 and has been widely used for applications such as face detection.

Haarcascade classifiers can be used for various object detection tasks, including face detection, pedestrian detection, and object recognition. The algorithm is computationally efficient, making it suitable for real-time applications.

The Haar cascade algorithm is implemented in popular computer vision libraries, such as OpenCV, which provides pre-trained Haar cascade classifiers for different objects. These pretrained classifiers can be used out-of-the-box or fine-tuned for specific applications.

##### **3.1.1. Applications of HaarCascade:**

- Face Detection
- Eye Detection
- Smile Detection
- Full Body Detection
- Object Detection
- Gesture Recognition
- Custom Object Detection



## **3.2 Artificial Intelligence**

AI is intelligence perceiving, synthesizing, and inferring information demonstrated by machine, as opposed to intelligence displayed by humans or by other animals. AI application include advanced web search, recommendation systems, understanding human speech, self driving cars, generative or creative tools, automated decision making, and competing at the highest level in strategic game system. The various sub field of AI research are centered around particular goals and the use of particular tools. The traditional goals of AI research include reasoning, knowledge representation, planning learning, natural language processing, perception, and ability to move and manipulate objects. General intelligence is among the fields long term goals. To solve these problems, AI researchers have adapted and integrated a wide range of problem solving techniques, include search and mathematics optimization, formal logic, artificial neural network, and methods based on statistics, probability, and economics. AI also draws upon computer science, psychology, linguistics, philosophy, and many other fields.

## **3.3 Types of AI**

**3.3.1. Artificial narrow intelligence:** AI designed to complete very specific actions unable to independently learn.

**3.3.2. Artificial general intelligence:** AI designed to learn, think and perform at similar levels to humans.

**3.3.3. Artificial superintelligence:** AI able to surpass the knowledge and capabilities of human.

**3.3.4. Reactive machines:** AI capable of responding to external stimuli in real time, unable to build memory or store information for future.

**3.3.5. Limited memory:** AI that can store knowledge and use it to learn and train for future tasks.

**3.3.6. Theory of mind:** AI that can sense and respond to human emotions, plus perform the tasks of limited memory machines.



**3.3.7. Self-aware:** AI that can recognize others emotions, plus has sense of self and human level intelligence, the final stage of AI.

**The main concepts in AI include:**

- **Machine Learning (ML):** Machine learning is a subfield of AI that focuses on enabling machines to learn and improve from data without being explicitly programmed. It involves developing algorithms that can analyze and interpret patterns in data, allowing machines to make predictions or take actions based on the learned patterns.
- **Deep Learning:** Deep learning is a subset of machine learning that utilizes artificial neural networks to simulate the human brain's structure and function. Deep neural networks, consisting of multiple layers of interconnected artificial neurons, are capable of learning hierarchical representations of data, enabling them to extract complex features and make sophisticated decisions.
- **Natural Language Processing (NLP):** NLP involves enabling machines to understand, interpret, and generate human language. It includes tasks such as text classification, sentiment analysis, machine translation, and questionanswering. NLP techniques use algorithms to process and analyze text data, enabling machines to extract meaning, sentiment, and context from human language.
- **Computer Vision:** Computer vision focuses on enabling machines to perceive and understand visual information from images or videos. It involves tasks such as object detection, image classification, and image segmentation. Computer vision algorithms use techniques such as feature extraction, pattern recognition, and deep learning to interpret visual data and make sense of the visual world.
- **Reinforcement Learning:** Reinforcement learning is a branch of machine learning that deals with learning optimal actions or decisions through interaction with an environment. It involves an agent that learns to maximize a reward signal by exploring and exploiting different actions based on feedback from the environment. Reinforcement learning has been successfully applied in various domains, including robotics, game playing, and autonomous systems.





## **3.4 MACHINE LEARNING**

Machine learning is a branch of artificial intelligence (AI) and computer science which focuses on the use of data and algorithms to imitate the way that humans learn, gradually improving its accuracy.

Machine learning is an important component of the growing field of data science. Through the use of statistical methods, algorithms are trained to make classifications or predictions, and to uncover key insights in data mining projects. These insights subsequently drive decision making within applications and businesses, ideally impacting key growth metrics. As big data continues to expand and grow, the market demand for data scientists will increase. They will be required to help identify the most relevant business questions and the data to answer them.

Machine learning algorithms are typically created using frameworks that accelerate solution development, such as TensorFlow and PyTorch.

### **3.4.1 HOW MACHINE LEARNING WORK**

1. **A Decision Process:** In general, machine learning algorithms are used to make a prediction or classification. Based on some input data, which can be labeled or unlabeled, your algorithm will produce an estimate about a pattern in the data.
2. **An Error Function:** An error function evaluates the prediction of the model. If there are known examples, an error function can make a comparison to assess the accuracy of the model.
3. **A Model Optimization Process:** If the model can fit better to the data points in the training set, then weights are adjusted to reduce the discrepancy between the known example and the model estimate. The algorithm will repeat this “evaluate and optimize” process, updating weights autonomously until a threshold of accuracy has been met



## **3.5 MACHINE LEARNING METHODS**

### **3.5.1 Supervised machine learning**

Supervised learning, also known as supervised machine learning, is defined by its use of labeled datasets to train algorithms to classify data or predict outcomes accurately. As input data is fed into model, the model adjust its weights until it has been fitted appropriately. This occurs as part of the cross validation process to ensure that the model avoids overfitting or underfitting. Supervised learning helps organizations solve a variety of real world problems at scale, such as classifying spam in a separate folder from your inbox. Some methods used in supervised learning include neural network, naïve bayes, liner regression, logistic regression, random forest, and support vector machine.

### **3.5.2 Unsupervised machine learning**

Unsupervised learning, also known as unsupervised machine learning, uses machine learning algorithm to analyze and cluster unlabeled datasets. These algorithms discover hidden patterns or data grouping without the need for human intervention. This method ability to discover similarities and differences in information make it deal for exploratory data analysis, cross-selling strategies, customer segmentation, and images and pattern recognition. It's also used to reduce the number of features in model through the process of dimensionality. Principal component analysis and singular value decomposition are two common approaches for this. Other algorithms used in unsupervised learning include neural network, kmeans clustering, and probabilistic clustering methods.

### **3.5.3 Semi-supervised Learning**

Semi supervised learning offers a happy medium between supervised and unsupervised learning. During training, it uses a smaller labeled data set to guide classification and feature extractions from larger, unlabeled data set. Semisupervised learning can solve the problem of not having enough labeled data for a supervised learning algorithm. It also helps if it's too costly to label data for a supervised learning algorithm. It also helps if it's too costly to labeled enough data.



### **3.5.4 Reinforcement machine learning**

Reinforcement machine learning is a machine learning model that is similar to supervised learning, but the algorithm isn't trained using sample data. This model learns as it goes by using trial and error. A sequence of successful outcomes will be reinforced to develop the best recommendation or policy for a given problem.

### **COMMON MACHINE LEARNING ALGORITHMS**

- **Neural networks:** Neural networks simulate the way the human brain works, with a huge number of linked processing nodes. Neural networks are good at recognizing patterns and play an important role in applications including natural language translation, image recognition, speech recognition, and image creation.
- **Linear regression:** This algorithm is used to predict numerical values, based on a linear relationship between different values. For example, the technique could be used to predict house prices based on historical data for the area.
- **Logistic regression:** This supervised learning algorithm makes predictions for categorical response variables, such as “yes/no” answers to questions. It can be used for applications such as classifying spam and quality control on a production line.
- **Clustering:** Using unsupervised learning, clustering algorithms can identify patterns in data so that it can be grouped. Computers can help data scientists by identifying differences between data items that humans have overlooked.
- **Decision trees:** Decision trees can be used for both predicting numerical values (regression) and classifying data into categories. Decision trees use a branching sequence of linked decisions that can be represented with a tree diagram. One of the advantages of decision trees is that they are easy to validate and audit, unlike the black box of the neural network.
- **Random forests:** In a random forest, the machine learning algorithm predicts a value or category by combining the results from a number of decision trees.



## **3.6 OpenCV**

OpenCV open-source computer vision library is an open-source computer vision and machine learning software library. OpenCV was built to provide a common infrastructure for computer vision application and to accelerate the use of machine perception in the commercial product. Being an Apache 2 licensed, OpenCV makes it easy for business to utilize and modify the code.

The library has more than 2500 optimize algorithm, which includes a comprehensive set of both classic and state of the art computer vision and machine learning algorithms. These algorithms can be used to detect and recognize faces, identify objects, classify human actions in videos, track camera movements, track moving objects, extract 3D models of objects, produce 3D point clouds from stereo cameras, stitch images together to produce a high resolution image of an entire scene, find similar images from an image database, remove red eyes from images taken using flash, follow eye movements, recognize scenery and establish markers to overlay it with augmented reality, etc. OpenCV has more than 47 thousand people of user community and estimated number of downloads exceeding 18 million. The library is used extensively in companies, research groups and by governmental bodies.

OpenCV is an open-source software library for computer vision and machine learning. The OpenCV full form is Open-Source Computer Vision Library. It was created to provide a shared infrastructure for applications for computer vision and to speed up the use of machine perception in consumer products. OpenCV, as a BSD-licensed software, makes it simple for companies to use and change the code. There are some predefined packages and libraries that make our life simple and OpenCV is one of them.

### **3.6.1 What is Computer Vision?**

The term Computer Vision (CV) is used and heard very often in artificial intelligence (AI) and deep learning (DL) applications. The term essentially means giving a computer the ability to see the world as we humans do.





Computer Vision is a field of study which enables computers to replicate the human visual system. As already mentioned above, It's a subset of artificial intelligence which collects information from digital images or videos and processes them to define the attributes. The entire process involves image acquiring, screening, analysing, identifying and extracting

information. This extensive processing helps computers to understand any visual content and act on it accordingly.

Computer vision projects translate digital visual content into explicit descriptions to gather multi-dimensional data. This data is then turned into a computer-readable language to aid the decision-making process. The main objective of this branch of artificial intelligence is to teach machines to collect information from pixels.

It offers a range of functionalities for image and video processing, feature detection and extraction, object recognition and tracking, camera calibration, machine learning integration, image stitching, optical flow computation, and graphical user interface support.

**3.6.1.1 Image and Video Processing:** OpenCV provides functions for reading, manipulating, and processing images and videos. This enables us to perform operations like resizing, cropping, filtering, and color conversion on car number plate images.

**3.6.1.2 Feature Detection and Extraction:** OpenCV includes algorithms for detecting and extracting features from images, such as corners, edges, and keypoints. These features can be used to identify distinct characteristics of alphanumeric characters on number plates.

**3.6.1.3 Object Recognition and Tracking:** OpenCV offers methods for object recognition and tracking, which are vital for detecting and tracking number plates in video streams or images. Techniques like Haar cascades or Deep Learning-based approaches can be employed for efficient recognition and tracking.



**3.6.1.4 Camera Calibration:** OpenCV provides functions for camera calibration, allowing us to estimate camera parameters such as intrinsic and extrinsic parameters. Accurate camera calibration is essential for correctly capturing and analyzing car number plate images.

**3.6.1.5 Machine Learning Integration:** OpenCV integrates with popular machine learning frameworks like TensorFlow and PyTorch, enabling us to incorporate deep learning models into the ANPR system. This integration facilitates tasks like character recognition and classification, improving the accuracy and robustness of the system.

**3.6.1.6 Image Stitching and Panorama Creation:** OpenCV offers functionality for image stitching, which involves combining multiple overlapping images to create a panoramic view. This capability can be utilized to enhance the ANPR system by creating a wider field of view for capturing car number plates.

**3.6.1.7 Optical Flow:** OpenCV includes algorithms for computing optical flow, which is useful for analyzing the motion of objects between consecutive frames in a video sequence. Optical flow estimation can aid in tracking moving vehicles and stabilizing video footage.

**3.6.1.8 Graphical User Interface (GUI) Support:** OpenCV provides GUI functions for creating interactive applications with visual feedback. This allows us to develop user-friendly interfaces for configuring and monitoring the ANPR system.



## CHAPTER 4

### USE CASE I

#### 4.1 Library Management Application

##### 4.1.1 Explanation

A library management system is a software tool that helps libraries organize and manage their resources efficiently. It simplifies tasks such as cataloging, circulation, and inventory management, making it easier for librarians to handle day-to-day operations. Here's a breakdown structure of a library management system:

##### 1) User Interface:

- User Registration: The system allows users, such as students, faculty, and staff, to register and obtain a unique identifier, such as a library card or username, to access library services.
- Login/Authentication: Allows library staff to securely log in to the system using their credentials.
- Dashboard: Provides an overview of the system and access to different modules and features.
- Search and Browse: Enables users to search and browse the library catalog by title, author, keywords, or other criteria. Borrowing and Returning: Facilitates the borrowing and returning of library materials by users, including checking availability and managing due dates.
- User Management: Allows librarians to create and manage user accounts, update user information, and handle user-related operations.

##### 2) Cataloging and Inventory Management:

- This module is responsible for creating and maintaining a catalog of library resources, including books, journals, multimedia, and other materials. Each item is assigned a unique identifier and relevant information, such as title, author, subject, and publication details. and call number.



Classification involves Item Entry: Provides a feature to enter new books or other materials into the library catalog, including information such as title, author, publisher, ISBN, and subject.

- **Classification and Categorization:** Enables librarians to assign appropriate categories, subjects, and keywords to each item for easier searching and browsing.
- **Barcode Generation:** Generates unique barcodes for each item to streamline circulation and inventory management processes.
- **Inventory Tracking:** Tracks the location, availability, and status of library materials, including information on borrowed items, reserved items, and their due dates.

### **3) Circulation Management:**

The circulation module manages the borrowing and returning of library items. It tracks the availability of items, handles due dates, and generates reminders or penalties for late returns.

- **Check Out/In:** Allows librarians to check out items to borrowers and record due dates, while also facilitating the return process and managing late fees, if applicable.
- **Reservation and Holds:** Enables users to reserve items that are currently unavailable and notifies them when the items become available for borrowing.
- **Renewals:** Provides the option for borrowers to renew their borrowed items for an extended loan period, if allowed by library policies.
- **Overdue Management:** Sends notifications and generates reports for overdue items, managing fines, and handling any necessary follow-up actions.

### **4) Search and Discovery:**

Users can search the library's collection using keywords, author names, or subject categories.

- **Search functionality:** The system should provide a powerful search function that allows users to search for resources based on various criteria, such as tit.





- Browsing and recommendations: The system should include browsing features that allow users to explore the library's collection by categories, genres, or other predefined criteria. Additionally, personalized recommendations can be generated based on the user's borrowing history, reading preferences, or similar users' behavior, suggesting relevant resources they may be interested in.
- User-friendly interface: The search and discovery interface should be intuitive and user-friendly, enabling users to easily navigate and interact with the library management system. It gives organized presentation of search results with detailed resource information.

#### **4.1.1.1. Problem Statement**

Suppose you have a class called Library that contains a list of books. Each book has a title, author, and number of pages. Implement the Library class with the following methods:

- `add_book(title, author, num_pages)`: adds a new book to the library with the given title, author, and number of pages.
- `remove_book(title)`: removes a book from the library with the given title.
- `get_books_by_author(author)`: returns a list of books by the given author.
- `get_total_pages()`: returns the total number of pages in the library.
- Using the Library class, perform the following operations:
  - Add 5 books to the library.
  - Use map to create a new list of books that contains only the titles of the books.
  - Use filter to create a new list of books that contain more than 300 pages.
  - Use reduce to calculate the total number of pages in the library.
  - Use the `get_books_by_author` method to get a list of books by a specific author.



### **4.1.2 AI Implementation**

The provided program is a simple implementation of a Library Management System. While the program itself does not directly demonstrate the use of AI, it showcases how automation and intelligent decision-making can be incorporated into a system. Here's how the program can be related to the use of AI:

1. **Intelligent Decision-Making:** The program allows users to add books, display books by author, calculate the total number of pages, display a table of books, and remove books. These actions involve decision-making based on user input and data manipulation. Although the program does not employ advanced AI techniques, it demonstrates basic decision-making capabilities.
2. **Data Analysis:** The program maintains a list of books and their details, such as titles, authors, and page counts. AI algorithms could be employed to analyze this data, identify patterns, and generate insights. For instance, data analysis techniques could help identify popular authors, genres, or trends in reading habits.

### **4.1.3 Explanation of code**

This program is a basic implementation of a Library Management System. It allows users to perform various operations related to managing a library. Here's a brief explanation of the program:

- 1) The program starts by printing the title and a separator line.
- 2) The „book\_list“ variable is initialized as an empty list to store book information.
- 3) The „Library“ class is defined, which contains methods to perform different operations.
- 4) The „add\_book“ method allows the user to add a new book by providing the title, author name, and number of pages. The book details are stored as a list and appended to the „book\_list“.



- 5) The „get\_books\_by\_author“ method prompts the user to enter an author's name and then searches the „book\_list“ for books written by that author. It prints the book titles along with the author's name.
- 6) The „total\_pages“ method calculates and prints the total number of pages in the library by summing up the number of pages for each book in the „book\_list“.
- 7) The „table“ method displays a table of all the books in the book\_list, showing the „book title“, author name, and number of pages.
- 8) An instance of the „Library“ class, „lib“, is created.
- 9) The program enters a while loop to continuously display the option menu and perform operations based on user input.
- 10) If the „book\_list“ is not empty, the user can choose options 2, 3, and 4 to display books by author, total number of pages, and the table of books, respectively.
- 11) The user can choose option 1 to add a new book by calling the „add\_book“ method.
- 12) If the user enters an invalid choice or selects an option without any books in the library, the program terminates.

Overall, this program provides basic functionality for adding books, searching books by author, calculating total pages, and displaying book information in a table format



### 4.1.5 Output of the Code

```

                                LIBRARY MANAGEMENT SYSTEM
          * * * * * * * * * *
          _ _ _ _ _ _ _ _ _ _

Enter 1 to add new book
Enter your choice :- 1
Enter book title name :python
Enter book author name :xyz
Enter number of pages in book :200
-----
-----

Enter 1 to add new book
Enter 2 to display the book name
Enter 3 to display the total number of pages in library
Enter 4 to display the table of books
Enter 5 to remove the book
Enter your choice :- 1
Enter book title name :java
Enter book author name :abc
Enter number of pages in book :500
-----
-----

Enter 1 to add new book
Enter 2 to display the book name
Enter 3 to display the total number of pages in library
Enter 4 to display the table of books
Enter 5 to remove the book
Enter your choice :- 2
Enter name of author :xyz
python book is written by xyz
-----
-----

Enter 1 to add new book
Enter 2 to display the book name
Enter 3 to display the total number of pages in library
Enter 4 to display the table of books
Enter 5 to remove the book
Enter your choice :- 3
total number of pages in library : 700
-----
-----

```

Figure:1.8 First out-put of use case I





```
Enter 1 to add new book
Enter 2 to display the book name
Enter 3 to display the total number of pages in library
Enter 4 to display the table of books
Enter 5 to remove the book
Enter your choice :- 4
book_names      author_names      pages
-----
python | xyz | 200
java | abc | 500
-----
Enter 1 to add new book
Enter 2 to display the book name
Enter 3 to display the total number of pages in library
Enter 4 to display the table of books
Enter 5 to remove the book
Enter your choice :- 5
Enter book name :java
book with java removed successfully
-----
Enter 1 to add new book
Enter 2 to display the book name
Enter 3 to display the total number of pages in library
Enter 4 to display the table of books
Enter 5 to remove the book

Enter your choice :- 
```

Figure:1.9 Second out-put of use case I



## **USE CASE-2**

### **4.2 Face Detection**

#### **4.2.1 Smart city project**

A smart city project refers to the implementation of various technologies and solutions to improve the efficiency, sustainability, and quality of life in urban areas. The goal of a smart city project is to leverage data, connectivity, and advanced technologies to enhance urban infrastructure, services, and governance.

Here are some key aspects and components typically found in smart city projects:

1. **IoT and Connectivity:** Smart cities rely on the Internet of Things (IoT) to connect various devices, sensors, and systems across the city. This enables real-time data collection, monitoring, and management of urban infrastructure, including transportation, utilities, and public services.
2. **Data Analytics and Insights:** Smart city projects involve the collection and analysis of vast amounts of data generated by sensors and other sources. Data analytics techniques are used to derive valuable insights, patterns, and trends, which can inform decision-making and optimize resource allocation.
3. **Sustainable Energy and Environment:** Smart cities focus on reducing energy consumption, promoting renewable energy sources, and implementing sustainable practices. This includes initiatives such as smart grids, energy-efficient buildings, waste management systems, and urban green spaces.
4. **Smart Transportation:** Smart city projects aim to improve transportation systems by integrating intelligent transportation systems, traffic management, and real-time information services. This can include smart parking, intelligent traffic lights, public transportation optimization, and electric vehicle infrastructure.



5. enable citizens to access information, provide feedback, and participate in community initiatives.
6. Safety and Security: Smart city projects focus on enhancing safety and security through the use of surveillance systems, emergency response management, and predictive analytics. This includes video analytics, crime mapping, and early warning systems.
7. Digital Infrastructure and E-Governance: Smart cities invest in digital infrastructure and e-governance systems to streamline administrative processes, improve service delivery, and enable efficient communication between citizens and government entities. This can include online service portals, digital identification systems, and open data initiatives.



## 4.2.2 Task – Face Detection

Face detection is a computer vision technique that involves locating and identifying human faces within images or video frames. The goal of face detection is to automatically detect the presence and location of faces in a given image or video.

Face detection algorithms typically work by analysing the visual patterns and features that are characteristic of human faces. These algorithms can be based on different approaches, including traditional image processing techniques or more advanced machine learning methods.

Here is a high-level overview of how face detection algorithms generally work:

1. **Image Pre-processing:** The input image is often pre-processed to enhance its quality and make subsequent analysis more effective. Pre-processing steps may include resizing, converting to grayscale, or applying filters to improve contrast and eliminate noise.
2. **Feature Extraction:** The algorithm identifies certain facial features or patterns that are common to human faces, such as the arrangement of eyes, nose, mouth, and other facial landmarks. This can be done using a variety of techniques, including Haar cascades, Local Binary Patterns (LBP), or deep learning-based approaches.
3. **Classification or Detection:** Once facial features are extracted, a classification or detection algorithm is applied to determine whether each region of the image contains a face or not. This can involve using machine learning classifiers, such as support vector machines (SVM), random forests, or convolutional neural networks (CNN).
4. **Post-processing:** After detection, post-processing steps may be performed to refine the results and remove false detections. This can include techniques like non-maximum
5. **suppression** to eliminate overlapping bounding boxes or applying size or shape constraints to filter out non-face regions.





Face detection algorithms have evolved significantly over the years, and with the advancements in deep learning and convolutional neural networks, more accurate and robust face detection methods have been developed. Deep learning-based approaches, in particular, have demonstrated excellent performance in face detection tasks.

OpenCV, a popular computer vision library, provides built-in functions and pre-trained models for face detection, including the Haar cascades method. These pre-trained models have been trained on large datasets and can be readily used for face detection tasks.

Face detection has a wide range of applications, including facial recognition, biometrics, emotion analysis, age estimation, video surveillance, and various human-computer interaction systems. It plays a fundamental role in many computer vision applications involving human faces

### **4.2.3 Where the Face detection is used**

Face detection is used in various applications across different industries. Some common areas where face detection is employed include:

1. **Facial Recognition:** Face detection is a crucial step in facial recognition systems. It helps identify and verify individuals by comparing detected faces with a database of known faces. Facial recognition is used in security systems, access control, identity verification, and law enforcement.
2. **Human-Computer Interaction:** Face detection enables natural and intuitive interaction between humans and computers. It is used in applications such as gesture recognition, emotion analysis, and facial expression detection to enhance user experience in gaming, virtual reality, augmented reality, and user interfaces.
3. **Biometrics:** Face detection forms the basis for facial biometric systems, which use unique facial features for identification and authentication. It is used in applications like unlocking devices, passport control, attendance systems, and secure access to sensitive areas.



4. **Surveillance and Security:** Face detection is employed in video surveillance systems to detect and track individuals in real-time. It aids in identifying suspicious activities, monitoring crowd behaviour, and locating persons of interest in public spaces, airports, banks, and other secure areas.
5. **Marketing and Advertising:** Face detection can be utilized in marketing and advertising campaigns for targeted messaging and personalized experiences. It helps analyze customer demographics, track customer engagement, and deliver tailored content based on detected facial attributes.
6. **Human Analytics:** Face detection is employed in human analytics applications to gather insights about human behaviour, demographics, and engagement. It is used in retail analytics, audience measurement, customer behaviour analysis, and sentiment analysis.
7. **Photo and Video Editing:** Face detection is used in photo editing software to automatically identify faces for various editing tasks such as cropping, red-eye removal, or applying filters. It also aids in video editing by detecting faces for effects, tracking, and object recognition.
8. **Medical Imaging:** Face detection is employed in medical imaging for applications like radiology, dermatology, and surgery. It assists in locating and analyzing facial features, anomalies, and structures, aiding in diagnosis, treatment planning, and research.



## 4.2.4 Program Implementation

### 1. Imports:

- cv2: The OpenCV library for computer vision tasks.
- os: The OS module for working with file paths.

### 2. Loading the Face Detection Model:

- The code loads the pre-trained face detection model called "*haarcascade\_frontalface\_default.xml*" using the Cascade Classifier class provided by OpenCV.

### 3. Opening the Camera:

- The code initializes the camera capture using `cv2.VideoCapture(0)`. The argument "0" specifies the index of the camera to use (in case there are multiple cameras connected).

### 4. Face Detection Loop:

1. The code enters an infinite while loop to continuously capture frames from the camera and perform face detection.
2. It reads the current frame from the camera using `camera.read()`, which returns the frame in the variable `frame`.
  - a. `r` is a boolean value that indicates whether the frame was successfully read. It will be `True` if the frame was read successfully and `False` if there was an issue or if the video capture has reached its end.
  - b. `frame` is the actual frame read from the video capture. It is an image represented as a NumPy array.
3. The captured frame is converted to grayscale using `cv2.cvtColor(frame, cv2.COLOR_BGR2GRAY)`.
4. The face detection is performed using the `detectMultiScale` method of the face detection model (`file`). It takes the grayscale image as input and returns a list of rectangles representing the detected faces.
5. A rectangle is drawn around each detected face using `cv2.rectangle`, with the color (0, 0, 255) and a thickness of 2.



6. The frame with the drawn rectangles is displayed in a window named "camera" using `cv2.imshow()`.
7. If the 'q' key is pressed, the loop is terminated with `break`.

### **5. Saving Face Images:**

- Inside the face detection loop, if the 'r' key is pressed (currently commented out), the code captures the current frame and saves it as an image.
- It generates a timestamp for the image filename using `datetime.datetime.now().strftime("%Y-%m-%d %H-%M-%S")`.
  - `datetime`: It is a module that provides classes for working with dates and times in Python.
  - `datetime.now()`: The `now()` method is called on the `datetime` class and returns a `datetime` object representing the current date and time.
  - The `now()` method does not require any arguments. When called, it captures the current date and time information from the system's clock and creates a `datetime` object with that information.
  - `datetime.datetime.now()`: This retrieves the current date and time as a `datetime` object. It represents the current timestamp.
  - `.strftime("%Y-%m-%d %H-%M-%S")`: The `strftime()` method is used to format the `datetime` object as a string based on the specified format codes. In this case, the format codes used are:
    - `%Y`: Represents the four-digit year.
    - `%m`: Represents the two-digit month (with leading zero, if necessary).
    - `%d`: Represents the two-digit day of the month (with leading zero, if necessary).
    - `%H`: Represents the two-digit hour (in 24-hour format, with leading zero, if necessary).
    - `%M`: Represents the two-digit minute (with leading zero, if necessary).





- %S: Represents the two-digit second (with leading zero, if necessary).
  - Combining these format codes in the given order, the strftime() method returns a string representing the current timestamp in the format "YYYY-MM-DD HH:MM:SS". This string is used as the filename for the saved image.
- 
- The frame is saved as an image using cv2.imwrite() with the timestamp as the filename.

#### **6. Exiting the Program:**


- When the loop is terminated (by pressing 'q' key), the camera capture is released using camera.release().
- Finally, all windows created by OpenCV are closed using cv2.destroyAllWindows().



#### 4.2.5 Picture of Program



Non Detected face      Figure 2.0ssss



Detected face      Figure 2.1

