ID: 224G1A0538

2022-2026-CSE-A

Aim:

Write a program to implement Depth First Search for a graph.

Source Code:

GraphsDFS.c

```
#include<stdio.h>
#include<stdlib.h>
struct node
    struct node *next;
     int vertex;
};
typedef struct node * GNODE;
GNODE graph[20];
int visited[20];
int n;
void DFS(int i)
{
    GNODE p;
     printf("\n%d",i);
      p=graph[i];
       visited[i]=1;
        while(p!=NULL)
         {
             i=p->vertex;
              if(!visited[i])
               DFS(i);
                p=p->next;
         }
}
void main()
    int N,E,i,s,d,v;
     GNODE q,p;
      printf("Enter the number of vertices : ");
      scanf("%d",&N);
      printf("Enter the number of edges : ");
      scanf("%d",&E);
      for(i=1;i<=E;i++)
         printf("Enter source : ");
         scanf("%d",&s);
         printf("Enter destination : ");
         scanf("%d",&d);
         q=(GNODE)malloc(sizeof(struct node));
          q->vertex=d;
           q->next=NULL;
            if(graph[s]==NULL)
             graph[s]=q;
              else
```

Execution Results - All test cases have succeeded!

```
Test Case - 1
User Output
Enter the number of vertices : 6
Enter the number of edges : 7
Enter source : 1
Enter destination :
Enter source : 1
Enter destination : 4
Enter source : 4
Enter destination : 2
Enter source : 2
Enter destination : 3
Enter source :
Enter destination : 5
Enter source : 1
Enter destination : 3
Enter source : 3
Enter destination : 6
Enter Start Vertex for DFS : 1
DFS of graph :
1
2
3
6
4
```

```
Test Case - 2

User Output

Enter the number of vertices : 5

Enter the number of edges : 5

Enter source : 1

Enter destination : 2

Enter source : 1

Enter destination : 4
```

Enter source : 4
Enter destination : 2
Enter source : 2
Enter destination : 3
Enter source : 4
Enter destination : 5
Enter Start Vertex for DFS : 1
DFS of graph :
1
2
3
4
5