

Quality Assurance In Microservice Architectures

Krishnan Chandran Irina Barykina

Department of Informatics,
Intelligent Adaptive Systems, UHH

2016

Outline

- ▶ What is Quality Assurance?
- ▶ QA is easy, isn't it?
- ▶ QA on Development stage.
- ▶ QA on Deployment stage.
- ▶ QA after Release.
- ▶ Conclusion.

Introduction

Definition

Quality Assurance refers to planned and systematic production processes that provide confidence in a product's suitability for its intended purposes.

- ▶ QA must prevent bugs and failures, not identify them.
- ▶ QA is wasteful on the last stages of development cycle.


Introduction

Challenges

- ▶ unpredictable timely availability for testing
- ▶ hard to perform exhaustive integration testing
- ▶ separated logs and data storages
- ▶ hard to maintain proper configuration of testing environments
- ▶ **but (!)** easy to organize low-level testing and catch most of the bugs early

Introduction


Case Study



Test Pyramid

A balanced test portfolio

Mike Cohen's Test Pyramid




Types of Tests

Applying the layers in a microservice

Unit Tests

- ▶ Coverage limited to individual components
- ▶ Useful in services, resources, repositories, and adapters
- ▶ "every build should run the tests, and a failed test should fail the build"
- ▶ "Solitary Unit Test and Sociable Unit Test"
- ▶ "Also a relevant design tool when combined with TDD"



Types of Tests


Applying the layers in a microservice

Unit Tests

- ▶ Coverage limited to individual components
- ▶ Useful in services, resources, repositories, and adapters
- ▶ "every build should run the tests, and a failed test should fail the build"
- ▶ "Solitary Unit Test and Sociable Unit Test"
- ▶ "Also a relevant design tool when combined with TDD"

 Unit - Solitary

 Unit - Sociable




Types of Tests

Integration, Component and Contract Testing

Integration Tests

- ▶ Covers communication paths and interactions between components to detect interface defects.
- ▶ Gateway Integration and Persistence Integration




Types of Tests

Integration, Component and Contract Testing

Integration Tests

- ▶ A component is any well-encapsulated, coherent and independently replaceable part of a larger system.
- ▶ Isolation of the service is achieved by replacing external collaborators with test doubles



Types of Tests

Integration, Component and Contract Testing

Contract Tests

- ▶ Verifies that the contract expected by a consuming service is met.
- ▶ Integration Contract Testing and Consumer Driver Contract Testing.
- ▶ The Overall Service contract is the sum of individual contract tests.

Types of Tests


Non Functional Tests

Non Functional Tests validate the quality characteristics of the component.

- ▶ Performance Tests.
- ▶ Tests for Scalability.
- ▶ Resiliency Tests.
- ▶ Security Tests.


Testing between Microservices internal to an application or residing within the same application

Interaction between the Aggregator and Data Loader.




Testing between an internal microservice and an external API

Interaction with a Payment API



Microservice exposed to public domain

A publicly exposed application which is accessed by a Web API




Deployment

Rapid Application Delivery

- ▶ RAD is a prerequisite for microservices []
- ▶ Exhaustive tests could be slow.
- ▶ Remedy: Deployment Pipeline.

Deployment

Deployment Pipeline




Powered By Visual Paradigm Community Edition


Deployment

Continuous Deployment and Delivery

Continuous Delivery



Continuous Deployment




Deployment

DevOps Culture

DevOps Culture:


- ▶ Aim: break silos between development and later stages
- ▶ Requirements: shared responsibility and autonomy of teams



After Deployment

Smart releasing strategies


- ▶ Smoke Test Suites
- ▶ Blue/Green Deployment
- ▶ Canary releasing



After Deployment

Smart releasing strategies

- ▶ Smoke Test Suites
- ▶ Blue/Green Deployment
- ▶ Canary releasing




After Deployment

Logging

In microservice architectures, log aggregator is required to see an application state.

Example: use elastic stack to organize metrics.



After Deployment Monitoring

Conclusion



References

Sam Newman. *Building Microservices*. O'Reilly and Associates, 2015.

Mike Cohn. *Succeeding with Agile: Software Development Using Scrum*. Addison Wesley, 2009.

Arvind Sundar. An insight into microservices testing strategies, 2016.

URL <https://www.infosys.com/it-services/validation-solutions/white-papers/documents/microservices-testing-strategies.pdf>.

Toby Clemson. Testing strategies in a microservice architecture, 2014.

URL <http://martinfowler.com/articles/microservice-testing>.

Martin Fowler. Continuousdelivery, 2014. URL

<http://martinfowler.com/bliki/ContinuousDelivery.html>.

Vishal Naik. Architecting for continuous delivery, 2016. URL

<https://www.thoughtworks.com/insights/blog/architecting-continuous-delivery>.