

Loop Idioms: What We Do in Loops

Note: Even though these examples are simple, the patterns apply to all kinds of loops



Making "smart" Loops

The trick is "knowing" something about the whole loop when you are stuck writing code that only sees one entry at a time

Set some variables to initial values

for thing in data:

Look for something or do something to each entry separately, updating a variable

Look at the variables



Looping Through a Set

```
print('Before')
for thing in [9, 41, 12, 3, 74, 15] :
    print(thing)
print('After')
```

```
$ python basicloop.py
Before
41
12
3
74
15
After
```



















3 41 12 9 74 15



largest_so_far

-1



3

largest_so_far



41

largest_so_far



12

largest_so_far



9

largest_so_far



74

largest_so_far



15



3 41 12 9 74 15



Finding the Largest Value

```
$ python largest.py
largest so far = -1
                                              Before -1
print('Before', largest so far)
                                              9 9
for the num in [9, 41, 12, 3, 74, 15] :
                                              41 41
   if the num > largest so far :
      largest so far = the num
                                             41 12
   print(largest so far, the num)
                                              41 3
                                              74 74
print('After', largest so far)
                                              74 15
                                              After 74
```

We make a variable that contains the largest value we have seen so far. If the current number we are looking at is larger, it is the new largest value we have seen so far.



More Loop Idioms





Acknowledgements / Contributions



These slides are Copyright 2010- Charles R. Severance (www.dr-chuck.com) of the University of Michigan School of Information and open.umich.edu and made available under a Creative Commons Attribution 4.0 License. Please maintain this last slide in all copies of the document to comply with the attribution requirements of the license. If you make a change, feel free to add your name and organization to the list of contributors on this page as you republish the materials.

Initial Development: Charles Severance, University of Michigan School of Information

... Insert new Contributors and Translators here