# Rajalakshmi Engineering College

Name: KRITHESHWARAN R

Email: 241901049@rajalakshmi.edu.in

Roll no: 241901049 Phone: 9843565002

Branch: REC

Department: I CSE (CS) AC

Batch: 2028

Degree: B.E - CSE (CS)



# NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 3\_COD\_Question 5

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

#### 1. Problem Statement

Milton is a diligent clerk at a school who has been assigned the task of managing class schedules. The school has various sections, and Milton needs to keep track of the class schedules for each section using a stackbased system.

He uses a program that allows him to push, pop, and display class schedules for each section. Milton's program uses a stack data structure, and each class schedule is represented as a character. Help him write a program using a linked list.

## **Input Format**

The input consists of integers corresponding to the operation that needs to be performed:

Choice 1: Push the character onto the stack. If the choice is 1, the following input is a space-separated character, representing the class schedule to be pushed onto the stack.

Choice 2: Pop class schedule from the stack

Choice 3: Display the class schedules in the stack.

Choice 4: Exit the program.

### **Output Format**

The output displays messages according to the choice and the status of the stack:

- If the choice is 1, push the given class schedule to the stack and display the following: "Adding Section: [class schedule]"
- If the choice is 2, pop the class schedule from the stack and display the following: "Removing Section: [class schedule]"
- If the choice is 2, and if the stack is empty without any class schedules, print "Stack is empty. Cannot pop."
- If the choice is 3, print the class schedules in the stack in the following: "Enrolled Sections: " followed by the class schedules separated by space.
- If the choice is 3, and there are no class schedules in the stack, print "Stack is empty"
- If the choice is 4, exit the program and display the following: "Exiting the program"
  - If any other choice is entered, print "Invalid choice"

Refer to the sample output for the exact format.

# Sample Test Case

Input: 1 d 1 h

2

```
241901049
Output: Adding Section: d
Adding Section: h
Enrolled 6
    Removing Section: h
    Enrolled Sections: d
    Exiting program
    Answer
    #include <stdio.h>
    #include <stdlib.h>
                                                                                241901049
    struct Node {
   char data;
      struct Node* next;
    struct Node* top = NULL;
    void push(char value) {
      struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
      if (newNode == NULL) {
        printf("Memory allocation failed\n");
        return;
      } \0
      newNode->data = value;
      newNode->next = top;
      top = newNode;
      printf("Adding Section: %c\n", value);
    void pop() {
      if (top == NULL) {
        printf("Stack is empty. Cannot pop.\n");
        return;
      }
      struct Node* temp = top;
                                                                                241901049
      printf("Removing Section: %c\n", temp->data);
top = top->next;
```

```
24,190,1049
       free(temp);
   void displayStack() {
       if (top == NULL) {
         printf("Stack is empty\n");
         return;
       }
       printf("Enrolled Sections: ");
       struct Node* current = top;
       while (current != NULL) {
         printf("%c ", current->data);
         current = current->next;
                           24,190,104,9
printf("\n");
     int main() {
       int choice;
       char value;
       do {
         scanf("%d", &choice);
         switch (choice) {
            case 1:
              scanf(" %c", &value);
              push(value);
              break;
            case 2:
              pop();
              break;
            case 3:
              displayStack();
              break;
            case 4:
              printf("Exiting program\n");
              break;
            default:
              printf("Invalid choice\n");
                                                       24,190,1049
       } while (choice != 4);
return 0;
```

24,190,104,9

24,190,104,9

24,190,104,9

24,190,104,9 241901049 Marks: 10/10 Status: Correct 2479071 241901049 24,190,1040 24,190,1040 241901049 241901049 241901049 24,190,1040 24,190,1040

241901049

241901049

241901049

241901049