

Task:1. Database Design:

1. Create the database named "TechShop"
2. Define the schema for the Customers, Products, Orders, OrderDetails and Inventory tables based on the provided schema.
3. Create appropriate Primary Key and Foreign Key constraints for referential integrity.

```
mysql> create database TechShop;
Query OK, 1 row affected (0.02 sec)

mysql> use TechShop;
Database changed
mysql> CREATE TABLE Customers (
->     CustomerID INT PRIMARY KEY,
->     FirstName VARCHAR(255),
->     LastName VARCHAR(255),
->     Email VARCHAR(255),
->     Phone VARCHAR(15),
->     Address VARCHAR(255)
-> );
Query OK, 0 rows affected (0.11 sec)

mysql> CREATE TABLE Products (
->     ProductID INT PRIMARY KEY,
->     ProductName VARCHAR(255),
->     Description VARCHAR(255),
->     Price DECIMAL(10, 2)
-> );
Query OK, 0 rows affected (0.05 sec)

mysql> CREATE TABLE Orders (
->     OrderID INT PRIMARY KEY,
->     CustomerID INT,
->     OrderDate DATE,
->     TotalAmount DECIMAL(10, 2),
->     FOREIGN KEY (CustomerID) REFERENCES Customers(CustomerID)
-> );
Query OK, 0 rows affected (0.09 sec)

mysql> CREATE TABLE OrderDetails(
->     OrderDetailID INT PRIMARY KEY,
->     OrderID INT,
->     ProductID INT,
->     Qunatity INT,
->     FOREIGN KEY (OrderID) REFERENCES Orders(OrderID),
->     FOREIGN KEY (ProductID) REFERENCES Products(ProductID)
-> );
Query OK, 0 rows affected (0.11 sec)
```

```
mysql> CREATE TABLE Inventory (
    ->     InventoryID INT PRIMARY KEY,
    ->     ProductID INT,
    ->     QuantityInStock INT,
    ->     LastStockUpdate DATE,
    ->     FOREIGN KEY (ProductID) REFERENCES Products(ProductID)
    -> );
Query OK, 0 rows affected (0.09 sec)
```

4. Insert at least 10 sample records into each of the following tables.

- a. Customers
- b. Products
- c. Orders
- d. OrderDetails

```
mysql> INSERT INTO Customers VALUES
-> (1,'Krishna','Patle','krishnapatle128@gmail.com','9325654953','100 Shivam Nagar'),
-> (2,'Kashyap','Punyawan','kpunyawan@gmail.com','8698456732','12 Ambe Nagar'),
-> (3,'Harshal','Meshram','harshalmeshram@gmail.com','9115432565','Durga Nagar'),
-> (4,'Shivam','Kale','shivamkale@gmail.com','8765432106','Manewada'),
-> (5,'Vikas','Nagpure','vikasnagpure@gmail.com','7865943215','Ambe Nagar'),
-> (6,'Nitin','Turkar','nitinturkar@gmail.com','8698454795','Gruhalaxmi Society'),
-> (7,'Ruchika','Chafekar','ruchikachafekar@gmail.com','7447509656','Saoner'),
-> (8,'Neha','Patle','nehapatle@gmail.com','9823485622','Shivam Nagar'),
-> (9,'Pratiksha','Katre','pratikshakatre@gmail.com','8475636214','Nageshwar Nagar'),
-> (10,'Shrutika','Kolhe','shrutkolhe@gmail.com','8645281931','Saoner');
Query OK, 10 rows affected (0.01 sec)
Records: 10  Duplicates: 0  Warnings: 0
```

```
mysql> select *from Customers;
+-----+-----+-----+-----+-----+
| CustomerID | FirstName | LastName | Email | Phone | Address |
+-----+-----+-----+-----+-----+
| 1 | Krishna | Patle | krishnapatle128@gmail.com | 9325654953 | 100 Shivam Nagar |
| 2 | Kashyap | Punyawan | kpunyawan@gmail.com | 8698456732 | 12 Ambe Nagar |
| 3 | Harshal | Meshram | harshalmeshram@gmail.com | 9115432565 | Durga Nagar |
| 4 | Shivam | Kale | shivamkale@gmail.com | 8765432106 | Manewada |
| 5 | Vikas | Nagpure | vikasnagpure@gmail.com | 7865943215 | Ambe Nagar |
| 6 | Nitin | Turkar | nitinturkar@gmail.com | 8698454795 | Gruhalaxmi Society |
| 7 | Ruchika | Chafekar | ruchikachafekar@gmail.com | 7447509656 | Saoner |
| 8 | Neha | Patle | nehapatle@gmail.com | 9823485622 | Shivam Nagar |
| 9 | Pratiksha | Katre | pratikshakatre@gmail.com | 8475636214 | Nageshwar Nagar |
| 10 | Shruti | Kolhe | shrutkolhe@gmail.com | 8645281931 | Saoner |
+-----+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

```
mysql> insert into Products values
-> (1,'Laptop','MI Notebook 14 i5 10th Gen',40000.00),
-> (2,'Laptop','MI Notebook 14 i5 10th Gen 512 SSD',42000.00),
-> (3,'Laptop','Dell i5 10th Gen',56000.00),
-> (4,'Nothing Smartphone','8GB RAM 256GB ROM',30000.00),
-> (5,'IQ Z6 Lite','6GB RAM 128GB ROM',15000.00),
-> (6,'IQ Neon','8GB RAM 256GB ROM',30000.00),
-> (7,'HP 360','i3 10th GEN',45000.00),
-> (8,'POCO Mobile','4GB RAM 64GB ROM',12000.00),
-> (9,'Iphone 15 pro','256GB ROM',90000.00),
-> (10,'ASUS Laptop','i5 10th GEN',50000.00);
Query OK, 10 rows affected (0.02 sec)
Records: 10  Duplicates: 0  Warnings: 0
```

```
mysql> select *from Products;
+-----+-----+-----+-----+
| ProductID | ProductName | Description | Price |
+-----+-----+-----+-----+
| 1 | Laptop | MI Notebook 14 i5 10th Gen | 40000.00 |
| 2 | Laptop | MI Notebook 14 i5 10th Gen 512 SSD | 42000.00 |
| 3 | Laptop | Dell i5 10th Gen | 56000.00 |
| 4 | Nothing Smartphone | 8GB RAM 256GB ROM | 30000.00 |
| 5 | IQ Z6 Lite | 6GB RAM 128GB ROM | 15000.00 |
| 6 | IQ Neon | 8GB RAM 256GB ROM | 30000.00 |
| 7 | HP 360 | i3 10th GEN | 45000.00 |
| 8 | POCO Mobile | 4GB RAM 64GB ROM | 12000.00 |
| 9 | Iphone 15 pro | 256GB ROM | 90000.00 |
| 10 | ASUS Laptop | i5 10th GEN | 50000.00 |
+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

```
mysql> insert into Orders values
    --> (1,1,'2020-06-15',42000.00),
    --> (2,2,'2020-09-25',45000.00),
    --> (3,3,'2021-10-20',55000.00),
    --> (4,4,'2018-12-01',32000.00),
    --> (5,5,'2023-09-23',15000.00),
    --> (6,6,'2023-06-26',31000),
    --> (7,7,'2022-08-12',45000.00),
    --> (8,8,'2022-12-16',12000.00),
    --> (9,9,'2022-1-18',91000.00),
    --> (10,10,'2023-02-19',51000.00);
Query OK, 10 rows affected (0.02 sec)
Records: 10  Duplicates: 0  Warnings: 0
```

```
mysql> select *from Orders;
+-----+-----+-----+-----+
| OrderID | CustomerID | OrderDate | TotalAmount |
+-----+-----+-----+-----+
| 1 | 1 | 2020-06-15 | 42000.00 |
| 2 | 2 | 2020-09-25 | 45000.00 |
| 3 | 3 | 2021-10-20 | 55000.00 |
| 4 | 4 | 2018-12-01 | 32000.00 |
| 5 | 5 | 2023-09-23 | 15000.00 |
| 6 | 6 | 2023-06-26 | 31000.00 |
| 7 | 7 | 2022-08-12 | 45000.00 |
| 8 | 8 | 2022-12-16 | 12000.00 |
| 9 | 9 | 2022-01-18 | 91000.00 |
| 10 | 10 | 2023-02-19 | 51000.00 |
+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

Krushnakumar Homraj Patle

```
mysql> insert into OrderDetails values
-> (1,1,1,1)
->
-> (9,2,3,4),
-> (2,1,3,1),
-> (4,2,1,5),
-> (3,4,1,1),
-> (5,7,9,1),
-> (6,10,7,1),
-> (7,5,2,1),
-> (8,10,9,1),
-> (10,7,10,1);
Query OK, 10 rows affected (0.01 sec)
Records: 10  Duplicates: 0  Warnings: 0

mysql> select *from OrderDetails;
+-----+-----+-----+-----+
| OrderDetailID | OrderID | ProductID | Qunatity |
+-----+-----+-----+-----+
|      1 |      1 |        1 |       1 |
|      2 |      1 |        3 |       1 |
|      3 |      4 |        1 |       1 |
|      4 |      2 |        1 |       5 |
|      5 |      7 |        9 |       1 |
|      6 |     10 |        7 |       1 |
|      7 |      5 |        2 |       1 |
|      8 |     10 |        9 |       1 |
|      9 |      2 |        3 |       4 |
|     10 |      7 |       10 |       1 |
+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

```
mysql> insert into Inventory values
-> (1,1,10,'2023-10-12'),
-> (2,2,15,'2023-01-02'),
-> (3,3,9,'2022-12-09'),
-> (4,4,8,'2023-10-05'),
-> (5,5,12,'2022-11-20'),
-> (6,6,23,'2023-02-09'),
-> (7,7,30,'2023-03-10'),
-> (8,8,25,'2022-10-19'),
-> (9,9,5,'2023-05-04'),
-> (10,10,10,'2023-10-10');
Query OK, 10 rows affected (0.02 sec)
Records: 10  Duplicates: 0  Warnings: 0

mysql> select *from Inventory;
+-----+-----+-----+-----+
| InventoryID | ProductID | QuantityInStock | LastStockUpdate |
+-----+-----+-----+-----+
|      1 |        1 |          10 | 2023-10-12 |
|      2 |        2 |          15 | 2023-01-02 |
|      3 |        3 |           9 | 2022-12-09 |
|      4 |        4 |           8 | 2023-10-05 |
|      5 |        5 |          12 | 2022-11-20 |
|      6 |        6 |          23 | 2023-02-09 |
|      7 |        7 |          30 | 2023-03-10 |
|      8 |        8 |          25 | 2022-10-19 |
|      9 |        9 |           5 | 2023-05-04 |
|     10 |       10 |          10 | 2023-10-10 |
+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

Task 2:

- 1. Write an SQL query to retrieve the names and emails of all customers.**

```
mysql> select FirstName,LastName,Email from Customers;
+-----+-----+-----+
| FirstName | LastName | Email
+-----+-----+-----+
| Krishna   | Patle    | krishnapatle128@gmail.com |
| Kashyap   | Punyawan  | kpunyawan@gmail.com      |
| Harshal   | Meshram   | harshalmeshram@gmail.com |
| Shivam    | Kale      | shivamkale@gmail.com     |
| Vikas     | Nagpure   | vikasnagpure@gmail.com   |
| Nitin     | Turkar    | nitinturkar@gmail.com    |
| Ruchika   | Chafekar  | ruchikachafekar@gmail.com |
| Neha      | Patle    | nehapatle@gmail.com      |
| Pratiksha | Katre    | pratikshakatre@gmail.com |
| ShrutiKa  | Kolhe    | shrutkolhe@gmail.com     |
+-----+-----+-----+
10 rows in set (0.00 sec)
```

- 2. Write an SQL query to list all orders with their order dates and corresponding customer names.**

```
mysql> select Orders.OrderID, Orders.OrderDate,Customers.FirstName,Customers.LastName
-> from Orders
-> join Customers on Orders.CustomerID=Customers.CustomerID;
+-----+-----+-----+-----+
| OrderID | OrderDate | FirstName | LastName
+-----+-----+-----+-----+
| 1 | 2020-06-15 | Krishna | Patle |
| 2 | 2020-09-25 | Kashyap | Punyawan |
| 3 | 2021-10-20 | Harshal | Meshram |
| 4 | 2018-12-01 | Shivam | Kale |
| 5 | 2023-09-23 | Vikas | Nagpure |
| 6 | 2023-06-26 | Nitin | Turkar |
| 7 | 2022-08-12 | Ruchika | Chafekar |
| 8 | 2022-12-16 | Neha | Patle |
| 9 | 2022-01-18 | Pratiksha | Katre |
| 10 | 2023-02-19 | ShrutiKa | Kolhe |
+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

- 3. Write an SQL query to insert a new customer record into the “Customers” table. Include customer information such as name, email and address.**

```
mysql> insert into Customers(CustomerID,FirstName,LastName,Email,Address)
-> values(11,'Masud','Ansari','masudansari@gmail.com','87 Digori');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> select *from Customers;
+-----+-----+-----+-----+-----+
| CustomerID | FirstName | LastName | Email | Phone | Address |
+-----+-----+-----+-----+-----+
| 1 | Krishna | Patle | krishnapatle128@gmail.com | 9325654953 | 100 Shivam Nagar |
| 2 | Kashyap | Punyawan | kpunyawan@gmail.com | 8698456732 | 12 Ambe Nagar |
| 3 | Harshal | Meshram | harshalmeshram@gmail.com | 9115432565 | Durga Nagar |
| 4 | Shivam | Kale | shivamkale@gmail.com | 8765432106 | Manewada |
| 5 | Vikas | Nagpure | vikasnagpure@gmail.com | 7865943215 | Ambe Nagar |
| 6 | Nitin | Turkar | nitinturkar@gmail.com | 8698454795 | Gruhalaxmi Society |
| 7 | Ruchika | Chafekar | ruchikachafekar@gmail.com | 7447509656 | Saoner |
| 8 | Neha | Patle | nehapatle@gmail.com | 9823485622 | Shivam Nagar |
| 9 | Pratiksha | Katre | pratikshakatre@gmail.com | 8475636214 | Nageshwar Nagar |
| 10 | Shruti | Kolhe | shrutkolhe@gmail.com | 8645281931 | Saoner |
| 11 | Masud | Ansari | masudansari@gmail.com | NULL | 87 Digori |
+-----+-----+-----+-----+-----+
11 rows in set (0.00 sec)
```

4. Write an SQL query to update the prices of all electronics gadgets in the “Products” table by increasing them by 10%.

```
mysql> update Products set Price = Price*1.1;
Query OK, 10 rows affected (0.04 sec)
Rows matched: 10  Changed: 10  Warnings: 0
```

```
mysql> select * from Products;
+-----+-----+-----+-----+
| ProductID | ProductName | Description | Price |
+-----+-----+-----+-----+
| 1 | Laptop | MI Notebook 14 i5 10th Gen | 44000.00 |
| 2 | Laptop | MI Notebook 14 i5 10th Gen 512 SSD | 46200.00 |
| 3 | Laptop | Dell i5 10th Gen | 61600.00 |
| 4 | Nothing Smartphone | 8GB RAM 256GB ROM | 33000.00 |
| 5 | IQ Z6 Lite | 6GB RAM 128GB ROM | 16500.00 |
| 6 | IQ Neon | 8GB RAM 256GB ROM | 33000.00 |
| 7 | HP 360 | i3 10th GEN | 49500.00 |
| 8 | POCO Mobile | 4GB RAM 64GB ROM | 13200.00 |
| 9 | Iphone 15 pro | 256GB ROM | 99000.00 |
| 10 | ASUS Laptop | i5 10th GEN | 55000.00 |
+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

5. Write an SQL query to delete a specific order and its associated order details from the “Orders” and “OrderDetails” table. Allow users to input the order ID as a parameter.

```
mysql> set @OrderIDToDelete=5;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> delete from OrderDetails
-> where OrderID=@OrderIDToDelete;
Query OK, 1 row affected (0.01 sec)
```

```
mysql> delete from Orders
-> where OrderID=@OrderIDToDelete;
Query OK, 1 row affected (0.01 sec)
```

6. Write an SQL query to insert a new order into the “Orders” table. Include the customers ID, order date, and any other necessary information.

```
mysql> insert into Orders(OrderID,CustomerID,OrderDate,TotalAmount)
-> values(5,5,'2023-12-09',120000);
Query OK, 1 row affected (0.03 sec)

mysql> select * from Orders;
+-----+-----+-----+-----+
| OrderID | CustomerID | OrderDate | TotalAmount |
+-----+-----+-----+-----+
| 1 | 1 | 2020-06-15 | 42000.00 |
| 2 | 2 | 2020-09-25 | 45000.00 |
| 3 | 3 | 2021-10-20 | 55000.00 |
| 4 | 4 | 2018-12-01 | 32000.00 |
| 5 | 5 | 2023-12-09 | 120000.00 |
| 6 | 6 | 2023-06-26 | 31000.00 |
| 7 | 7 | 2022-08-12 | 45000.00 |
| 8 | 8 | 2022-12-16 | 12000.00 |
| 9 | 9 | 2022-01-18 | 91000.00 |
| 10 | 10 | 2023-02-19 | 51000.00 |
+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

- 7. Write an SQL query to update the contact information (eg, email and address) of a specific customer in the "Customers" table. Allow users to input the customer ID and new contact information.**

```
mysql> set @CustomerID =4;
Query OK, 0 rows affected (0.00 sec)

mysql> update Customers
-> set Email='shivamkale12@gmail.com',Address='123 Manewada'
-> where CustomerID=@CustomerID;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> select * from Customers;
+-----+-----+-----+-----+-----+-----+
| CustomerID | FirstName | LastName | Email | Phone | Address |
+-----+-----+-----+-----+-----+-----+
| 1 | Krishna | Patle | krishnapatle128@gmail.com | 9325654953 | 100 Shivam Nagar |
| 2 | Kashyap | Punyawan | kpunyawan@gmail.com | 8698456732 | 12 Ambe Nagar |
| 3 | Harshal | Meshram | harshalmeshram@gmail.com | 9115432565 | Durga Nagar |
| 4 | Shivam | Kale | shivamkale12@gmail.com | 8765432106 | 123 Manewada |
| 5 | Vikas | Nagpure | vikasnagpure@gmail.com | 7865943215 | Ambe Nagar |
| 6 | Nitin | Turkar | nitinturkar@gmail.com | 8698454795 | Gruhalaxmi Society |
| 7 | Ruchika | Chafekar | ruchikachafekar@gmail.com | 7447509656 | Saoner |
| 8 | Neha | Patle | nehapatle@gmail.com | 9823485622 | Shivam Nagar |
| 9 | Pratiksha | Katre | pratikshakatre@gmail.com | 8475636214 | Nageshwar Nagar |
| 10 | Shruti | Kolhe | shrutkolhe@gmail.com | 8645281931 | Saoner |
| 11 | Masud | Ansari | masudansari@gmail.com | NULL | 87 Digori |
+-----+-----+-----+-----+-----+
11 rows in set (0.00 sec)
```

- 8. Write an SQL query to recalculate and update the total cost of each order in the "Orders" table based on the prices and quantities in the "OrderDetails" table.**

```
mysql> update Orders
-> set TotalAmount=
-> select sum(Products.Price * OrderDetails.Qunatity)
-> from OrderDetails
-> join Products on OrderDetails.ProductID=Products.ProductID
-> where OrderDetails.OrderID=Orders.OrderID
-> );
Query OK, 10 rows affected (0.01 sec)
Rows matched: 10  Changed: 10  Warnings: 0

mysql> select *from Orders;
+-----+-----+-----+-----+
| OrderID | CustomerID | OrderDate | TotalAmount |
+-----+-----+-----+-----+
| 1 | 1 | 2020-06-15 | 105600.00 |
| 2 | 2 | 2020-09-25 | 466400.00 |
| 3 | 3 | 2021-10-20 | NULL |
| 4 | 4 | 2018-12-01 | 44000.00 |
| 5 | 5 | 2023-12-09 | NULL |
| 6 | 6 | 2023-06-26 | NULL |
| 7 | 7 | 2022-08-12 | 154000.00 |
| 8 | 8 | 2022-12-16 | NULL |
| 9 | 9 | 2022-01-18 | NULL |
| 10 | 10 | 2023-02-19 | 148500.00 |
+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

9. Write an SQL query to delete all orders and their associated order details for a specific customer from the "Orders" and "OrderDetails" tables. Allow users to input the customer ID as a parameter.

```
mysql> set @customerID =5;
Query OK, 0 rows affected (0.00 sec)

mysql> delete from OrderDetails where OrderID in(
-> select OrderID from Orders where CustomerID=@customerID);
Query OK, 0 rows affected (0.00 sec)

mysql> delete from Orders where CustomerID=@customerID;
Query OK, 1 row affected (0.01 sec)

mysql> select * from Orders;
+-----+-----+-----+-----+
| OrderID | CustomerID | OrderDate | TotalAmount |
+-----+-----+-----+-----+
| 1 | 1 | 2020-06-15 | 105600.00 |
| 2 | 2 | 2020-09-25 | 466400.00 |
| 3 | 3 | 2021-10-20 | NULL |
| 4 | 4 | 2018-12-01 | 44000.00 |
| 6 | 6 | 2023-06-26 | NULL |
| 7 | 7 | 2022-08-12 | 154000.00 |
| 8 | 8 | 2022-12-16 | NULL |
| 9 | 9 | 2022-01-18 | NULL |
| 10 | 10 | 2023-02-19 | 148500.00 |
+-----+-----+-----+-----+
9 rows in set (0.00 sec)
```

10. Write an SQL query to insert a new electronic gadget product into the "Products" table, including product name, category, price, and any other relevant details.

```
mysql> INSERT INTO Products (ProductID,ProductName, Description, Price)
-> values (11,'Noise SmartWatch','100+ Sports Mode',2000);
Query OK, 1 row affected (0.01 sec)

mysql> select * from Products;
+-----+-----+-----+-----+
| ProductID | ProductName | Description | Price |
+-----+-----+-----+-----+
| 1 | Laptop | MI Notebook 14 i5 10th Gen | 44000.00 |
| 2 | Laptop | MI Notebook 14 i5 10th Gen 512 SSD | 46200.00 |
| 3 | Laptop | Dell i5 10th Gen | 61600.00 |
| 4 | Nothing Smartphone | 8GB RAM 256GB ROM | 33000.00 |
| 5 | IQ Z6 Lite | 6GB RAM 128GB ROM | 16500.00 |
| 6 | IQ Neon | 8GB RAM 256GB ROM | 33000.00 |
| 7 | HP 360 | i3 10th GEN | 49500.00 |
| 8 | POCO Mobile | 4GB RAM 64GB ROM | 13200.00 |
| 9 | Iphone 15 pro | 256GB ROM | 99000.00 |
| 10 | ASUS Laptop | i5 10th GEN | 55000.00 |
| 11 | Noise SmartWatch | 100+ Sports Mode | 2000.00 |
+-----+-----+-----+-----+
11 rows in set (0.00 sec)
```

11. Write an SQL query to update the status of a specific order in the "Orders" table (e.g., from "Pending" to "Shipped"). Allow users to input the order ID and the new status.

```
mysql> alter table Orders
-> add column OrderStatus varchar(255);
Query OK, 0 rows affected (0.18 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> select * from Orders;
+-----+-----+-----+-----+-----+
| OrderID | CustomerID | OrderDate | TotalAmount | OrderStatus |
+-----+-----+-----+-----+-----+
| 1 | 1 | 2020-06-15 | 105600.00 | NULL |
| 2 | 2 | 2020-09-25 | 466400.00 | NULL |
| 3 | 3 | 2021-10-20 | NULL | NULL |
| 4 | 4 | 2018-12-01 | 44000.00 | NULL |
| 6 | 6 | 2023-06-26 | NULL | NULL |
| 7 | 7 | 2022-08-12 | 154000.00 | NULL |
| 8 | 8 | 2022-12-16 | NULL | NULL |
| 9 | 9 | 2022-01-18 | NULL | NULL |
| 10 | 10 | 2023-02-19 | 148500.00 | NULL |
+-----+-----+-----+-----+
9 rows in set (0.00 sec)

mysql> update Orders set OrderStatus="Shipped" where OrderID=6;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> select * from Orders;
+-----+-----+-----+-----+-----+
| OrderID | CustomerID | OrderDate | TotalAmount | OrderStatus |
+-----+-----+-----+-----+-----+
| 1 | 1 | 2020-06-15 | 105600.00 | NULL |
| 2 | 2 | 2020-09-25 | 466400.00 | NULL |
| 3 | 3 | 2021-10-20 | NULL | NULL |
| 4 | 4 | 2018-12-01 | 44000.00 | NULL |
| 6 | 6 | 2023-06-26 | NULL | Shipped |
| 7 | 7 | 2022-08-12 | 154000.00 | NULL |
| 8 | 8 | 2022-12-16 | NULL | NULL |
| 9 | 9 | 2022-01-18 | NULL | NULL |
| 10 | 10 | 2023-02-19 | 148500.00 | NULL |
+-----+-----+-----+-----+
9 rows in set (0.00 sec)
```

12. Write an SQL query to calculate and update the number of orders placed by each customer in the "Customers" table based on the data in the "Orders" table.

```
mysql> UPDATE Customers
-> SET TotalOrders = (
->     SELECT COUNT(*)
->     FROM Orders
->     WHERE Orders.CustomerID = Customers.CustomerID
-> );
Query OK, 11 rows affected (0.01 sec)
Rows matched: 11  Changed: 11  Warnings: 0

mysql> select * from Customers;
+-----+-----+-----+-----+-----+-----+-----+
| CustomerID | FirstName | LastName | Email | Phone | Address | TotalOrders |
+-----+-----+-----+-----+-----+-----+-----+
| 1 | Krishna | Patle | krishnapatle128@gmail.com | 9325654953 | 100 Shivam Nagar | 1 |
| 2 | Kashyap | Punyawan | kpunyawan@gmail.com | 8698456732 | 12 Ambe Nagar | 1 |
| 3 | Harshal | Meshram | harshalmeshram@gmail.com | 9115432565 | Durga Nagar | 1 |
| 4 | Shivam | Kale | shivamkale12@gmail.com | 8765432106 | 123 Manewada | 1 |
| 5 | Vikas | Nagpure | vikasnagpure@gmail.com | 7865943215 | Ambe Nagar | 0 |
| 6 | Nitin | Turkar | nitinturkar@gmail.com | 8698454795 | Gruhalaxmi Society | 1 |
| 7 | Ruchika | Chafekar | ruchikachafekar@gmail.com | 7447509656 | Saoner | 1 |
| 8 | Neha | Patle | nehapatle@gmail.com | 9823485622 | Shivam Nagar | 1 |
| 9 | Pratiksha | Katre | pratikshakatre@gmail.com | 8475636214 | Nageshwar Nagar | 1 |
| 10 | Shruti | Kolhe | shrutkolhe@gmail.com | 8645281931 | Saoner | 1 |
| 11 | Masud | Ansari | masudansari@gmail.com | NULL | 87 Digori | 0 |
+-----+-----+-----+-----+-----+-----+-----+
11 rows in set (0.00 sec)
```

Task 3. Aggregate functions, Having, Order By, GroupBy and Joins:

1. Write an SQL query to retrieve a list of all orders along with customer information (e.g., customer name) for each order.

```
mysql> select Orders.OrderID, Customers.CustomerID,Customers.FirstName,Customers.LastName,Orders.OrderDate,Orders.TotalAmount
-> from Orders
-> join Customers on Orders.CustomerID=Customers.CustomerID;
+-----+-----+-----+-----+-----+-----+
| OrderID | CustomerID | FirstName | LastName | OrderDate | TotalAmount |
+-----+-----+-----+-----+-----+-----+
| 1 | 1 | Krishna | Patle | 2020-06-15 | 105600.00 |
| 2 | 2 | Kashyap | Punyawan | 2020-09-25 | 466400.00 |
| 3 | 3 | Harshal | Meshram | 2021-10-20 | NULL |
| 4 | 4 | Shivam | Kale | 2018-12-01 | 44000.00 |
| 6 | 6 | Nitin | Turkar | 2023-06-26 | NULL |
| 7 | 7 | Ruchika | Chafekar | 2022-08-12 | 154000.00 |
| 8 | 8 | Neha | Patle | 2022-12-16 | NULL |
| 9 | 9 | Pratiksha | Katre | 2022-01-18 | NULL |
| 10 | 10 | Shruti | Kolhe | 2023-02-19 | 148500.00 |
+-----+-----+-----+-----+-----+-----+
9 rows in set (0.00 sec)
```

2. Write an SQL query to find the total revenue generated by each electronic gadget product. Include the product name and the total revenue.

```
mysql> select Products.ProductName, sum(OrderDetails.Qunatity*Products.Price) as TotalRevenue
-> from OrderDetails
-> join Products on OrderDetails.ProductID=Products.ProductID
-> group by Products.productName;
+-----+-----+
| ProductName | TotalRevenue |
+-----+-----+
| Laptop | 616000.00 |
| Iphone 15 pro | 198000.00 |
| HP 360 | 49500.00 |
| ASUS Laptop | 55000.00 |
+-----+-----+
4 rows in set (0.03 sec)
```

3. Write an SQL query to list all customers who have made at least one purchase. Include their names and contact information.

```
mysql> SELECT Customers.CustomerID, Customers.FirstName, Customers.LastName, Customers.Email, Customers.Phone
-> FROM Customers
-> JOIN Orders ON Customers.CustomerID=Orders.CustomerID
-> GROUP BY Customers.CustomerID, Customers.FirstName, Customers.LastName, Customers.Email, Customers.Phone;
+-----+-----+-----+-----+-----+
| CustomerID | FirstName | LastName | Email           | Phone      |
+-----+-----+-----+-----+-----+
| 1 | Krishna | Patle   | krishnapatle128@gmail.com | 9325654953 |
| 2 | Kashyap  | Punyawan | kpunyawan@gmail.com     | 8698456732 |
| 3 | Harshal   | Meshram  | harshalmeshram@gmail.com | 9115432565 |
| 4 | Shivam    | Kale     | shivamkale12@gmail.com  | 8765432106 |
| 6 | Nitin     | Turkar   | nitinturkar@gmail.com   | 8698454795 |
| 7 | Ruchika   | Chafekar | ruchikachafekar@gmail.com | 7447509656 |
| 8 | Neha      | Patle   | nehapatle@gmail.com     | 9823485622 |
| 9 | Pratiksha | Katre   | pratikshakatre@gmail.com | 8475636214 |
| 10 | ShrutiKa | Kolhe   | shrutkolhe@gmail.com    | 8645281931 |
+-----+-----+-----+-----+-----+
9 rows in set (0.00 sec)
```

4. Write an SQL query to find the most popular electronic gadget, which is the one with the highest total quantity ordered. Include the product name and the total quantity ordered.

```
mysql> SELECT Products.ProductName, SUM(OrderDetails.Qunatity) AS TotalQuantityOrdered
-> FROM OrderDetails
-> JOIN Products ON OrderDetails.ProductID=Products.ProductID
-> GROUP BY Products.ProductName
-> ORDER BY TotalQuantityOrdered DESC
-> LIMIT 1;
+-----+-----+
| ProductName | TotalQuantityOrdered |
+-----+-----+
| Laptop      |          12 |
+-----+-----+
1 row in set (0.00 sec)
```

5. Write an SQL query to retrieve a list of electronic gadgets along with their corresponding categories.

```
mysql> SELECT Products.ProductName from Products;
+-----+
| ProductName |
+-----+
| Laptop      |
| Laptop      |
| Laptop      |
| Nothing     |
| Smartphone |
| IQ Z6 Lite  |
| IQ Neon     |
| HP 360      |
| POCO Mobile |
| Iphone 15 pro|
| ASUS Laptop  |
| Noise SmartWatch |
+-----+
11 rows in set (0.00 sec)
```

6. Write an SQL query to calculate the average order value for each customer. Include the customer's name and their average order value.

```
mysql> SELECT Customers.CustomerID, Customers.FirstName,Customers.LastName, AVG(Orders.TotalAmount) AS AverageOrderValue
-> FROM Customers
-> JOIN Orders ON Customers.CustomerID = Orders.CustomerID
-> GROUP BY Customers.CustomerID, Customers.FirstName,Customers.LastName;
+-----+-----+-----+-----+
| CustomerID | FirstName | LastName | AverageOrderValue |
+-----+-----+-----+-----+
| 1 | Krishna | Patle | 105600.000000 |
| 2 | Kashyap | Punyawan | 466400.000000 |
| 3 | Harshal | Meshram | NULL |
| 4 | Shivam | Kale | 44000.000000 |
| 6 | Nitin | Turkar | NULL |
| 7 | Ruchika | Chafekar | 154000.000000 |
| 8 | Neha | Patle | NULL |
| 9 | Pratiksha | Katre | NULL |
| 10 | Shrutiika | Kolhe | 148500.000000 |
+-----+-----+-----+-----+
9 rows in set (0.01 sec)
```

- 7. Write an SQL query to find the order with the highest total revenue. Include the order ID, customer information, and the total revenue.**

```
mysql> SELECT Orders.OrderID,Customers.FirstName,Customers.LastName, Orders.TotalAmount
-> FROM Orders
-> JOIN Customers ON Orders.CustomerID = Customers.CustomerID
-> ORDER BY Orders.TotalAmount DESC
-> LIMIT 1;
+-----+-----+-----+-----+
| OrderID | FirstName | LastName | TotalAmount |
+-----+-----+-----+-----+
| 2 | Kashyap | Punyawan | 466400.00 |
+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

- 8. Write an SQL query to list electronic gadgets and the number of times each product has been ordered.**

```
mysql> SELECT Products.ProductName, COUNT(OrderDetails.OrderID) AS OrderCount
-> FROM Products
-> LEFT JOIN OrderDetails ON Products.ProductID = OrderDetails.ProductID
-> GROUP BY Products.ProductName;
+-----+-----+
| ProductName | OrderCount |
+-----+-----+
| Laptop | 5 |
| Nothing Smartphone | 0 |
| IQ Z6 Lite | 0 |
| IQ Neon | 0 |
| HP 360 | 1 |
| POCO Mobile | 0 |
| Iphone 15 pro | 2 |
| ASUS Laptop | 1 |
| Noise SmartWatch | 0 |
+-----+-----+
9 rows in set (0.00 sec)
```

- 9. Write an SQL query to find customers who have purchased a specific electronic gadget product. Allow users to input the product name as a parameter.**

```
mysql> SELECT Customers.CustomerID, Customers.FirstName,Customers.LastName  
-> FROM Customers  
-> JOIN Orders ON Customers.CustomerID = Orders.CustomerID  
-> JOIN OrderDetails ON Orders.OrderID = OrderDetails.OrderID  
-> JOIN Products ON OrderDetails.ProductID = Products.ProductID  
-> WHERE Products.ProductName ="Laptop";  
+-----+-----+-----+  
| CustomerID | FirstName | LastName |  
+-----+-----+-----+  
| 1 | Krishna | Patle |  
| 4 | Shivam | Kale |  
| 2 | Kashyap | Punyawan |  
| 1 | Krishna | Patle |  
| 2 | Kashyap | Punyawan |  
+-----+-----+-----+  
5 rows in set (0.00 sec)
```

10. Write an SQL query to calculate the total revenue generated by all orders placed within a specific time period. Allow users to input the start and end dates as parameters.

```
mysql> SELECT SUM(TotalAmount) AS TotalRevenue  
-> FROM Orders  
-> WHERE OrderDate BETWEEN '2018-1-1' AND '2023-10-30' ;  
+-----+  
| TotalRevenue |  
+-----+  
| 918500.00 |  
+-----+  
1 row in set (0.00 sec)
```