









home • parent • another

# Nested routes

- | Child 1
- Child 2
- Child 3

1

```

<h2>Nested routes</h2>
<nav class="menu menu--vertical">
  <router-link to="/parent/1">
    Child 1
  </router-link>
  <router-link to="/parent/2">
    Child 2
  </router-link>
  <router-link to="/parent/3">
    Child 3
  </router-link>
</nav>
<div class="child-wrapper">
  <transition :name="transitionName">
    <router-view
      class="child-view"
      :key="$route.path"
    />
  </transition>
</div>
</div>
</template>

<script>
export default {
  data () {
    return {
      transitionName: 'slide-up'
    }
  },
  beforeRouteUpdate (to, from, next) {
    console.log(to)
    this.transitionName = (to.params.child < from.params.child)
      ? 'slide-down'
      : 'slide-up'
    next()
  }
}
</script>

```

home • parent • another

# Nested routes

- | Child 1
- Child 2
- Child 3

1



home • parent • another

## Nested routes

| Child 1

Child 2

Child 3

1





home • parent • another

# Nested routes

- | Child 1
- Child 2
- Child 3

1

```
<h2>Nested routes</h2>
<nav class="menu menu--vertical">
  <router-link to="/parent/1">
    Child 1
  </router-link>
  <router-link to="/parent/2">
    Child 2
  </router-link>
  <router-link to="/parent/3">
    Child 3
  </router-link>
</nav>
<div class="child-wrapper">
  <transition :name="transitionName">
    <router-view
      class="child-view"
      :key="$route.path"
    />
  </transition>
</div>
</div>
</template>

<script>
export default {
  data () {
    return {
      transitionName: 'slide-up'
    }
  },
  beforeRouteUpdate (to, from, next) {
    console.log(to)
    this.transitionName = (to.params.child < from.params.child)
      ? 'slide-down'
      : 'slide-up'
    next()
  }
}
</script>
```