Results

Descriptives

```
jmv::descriptives(
data = data,
vars = vars(sex, research, lvst1, lvst2, lvst3, lvst4, frst1, frst2, frst3),
freq = TRUE,
mean = FALSE,
median = FALSE,
sd = FALSE,
min = FALSE,
max = FALSE)
```

Descriptives

	sex	research	lvst1	lvst2	lvst3	lvst4	frst1	frst2	frst3
N	96	96	96	96	96	96	96	96	96
Missing	0	0	0	0	0	0	0	0	0

Frequencies

Frequencies of sex

sex	Counts	% of Total	Cumulative %
Male	48	50.0%	50.0%
Female	48	50.0%	100.0%

Frequencies of research

research	Counts	% of Total	Cumulative %
Quant	46	47.9%	47.9%
Qual	50	52.1%	100.0%

Frequencies of lvst1

lvst1	Counts	% of Total	Cumulative %
Not at all	5	5.2%	5.2%
a little	29	30.2%	35.4%
moderately	42	43.8%	79.2%
mostly	15	15.6%	94.8%
completely	5	5.2%	100.0%

Frequencies of lvst2

lvst2	Counts	% of Total	Cumulative %
Not at all	9	9.4%	9.4%
a little	32	33.3%	42.7%
moderately	40	41.7%	84.4%
mostly	14	14.6%	99.0%
completely	1	1.0%	100.0%

Frequencies of lvst3

lvst3	Counts	% of Total	Cumulative %
Not at all	4	4.2%	4.2%
a little	11	11.5%	15.6%
moderately	38	39.6%	55.2%
mostly	29	30.2%	85.4%
completely	14	14.6%	100.0%

Frequencies of lvst4

lvst4	Counts	% of Total	Cumulative %
Not at all	2	2.1%	2.1%
a little	22	22.9%	25.0%
moderately	49	51.0%	76.0%
mostly	21	21.9%	97.9%
completely	2	2.1%	100.0%

Frequencies of frst1

frst1	Counts	% of Total	Cumulative %
Not at all	2	2.1%	2.1%
a little	25	26.0%	28.1%
moderately	45	46.9%	75.0%
mostly	21	21.9%	96.9%
completely	3	3.1 %	100.0%

Frequencies of frst2


frst2	Counts	% of Total	Cumulative %
Not at all	27	28.1%	28.1 %
a little	43	44.8%	72.9%
moderately	20	20.8%	93.8%
mostly	5	5.2%	99.0%
completely	1	1.0%	100.0%

Frequencies of frst3


frst3	Counts	% of Total	Cumulative %
Not at all	6	6.3%	6.3%
a little	21	21.9%	28.1%
moderately	31	32.3%	60.4%
mostly	27	28.1%	88.5%
completely	11	11.5%	100.0%

Plots


sex




research




lvst1




lvst2




lvst3




lvst4




frst1



frst2



frst3




Descriptives


```
jmv::descriptives(
data = data,
vars = vars(height, weight, LOSS_total, FOSS_total, LOSS_mean, LOSS_total_z, LOSS_mean_z, FOSS_mean_z, FOSS_mean_z,
```

Descriptives


	height	weight	LOSS_total	FOSS_total	LOSS_mean	LOSS_total_z	LOSS_mean_z	FOSS_total_z	FOSS_mean_z	FOSS_mean
N	96	96	96	96	96	96	96	96	96	96
Missing	0	0	0	0	0	0	0	0	0	0
Mean	161	67.6	11.9	8.21	2.98	1.07e-17	1.07e-17	-2.44e-16	-2.06e-17	2.74
Median	160	65.5	12.0	8.00	3.00	0.0365	0.0365	-0.0868	-0.0868	2.67
Standard deviation	19.3	17.9	2.57	2.40	0.642	1.00	1.00	1.00	1.00	0.800
Minimum	117	9.20	6.00	3.00	1.50	-2.30	-2.30	-2.17	-2.17	1.00
Maximum	199	104	18.0	14.0	4.50	2.37	2.37	2.41	2.41	4.67
Skewness	-0.116	-0.151	-0.0653	0.210	-0.0653	-0.0653	-0.0653	0.210	0.210	0.210
Std. error skewness	0.246	0.246	0.246	0.246	0.246	0.246	0.246	0.246	0.246	0.246
Kurtosis	-0.754	-0.0146	-0.194	-0.296	-0.194	-0.194	-0.194	-0.296	-0.296	-0.296
Std. error kurtosis	0.488	0.488	0.488	0.488	0.488	0.488	0.488	0.488	0.488	0.488
Shapiro-Wilk W	0.982	0.981	0.980	0.974	0.980	0.980	0.980	0.974	0.974	0.974
Shapiro-Wilk p	0.200	0.169	0.153	0.055	0.153	0.153	0.153	0.055	0.055	0.055


Plots







weight







LOSS_total







FOSS_total







LOSS_mean







LOSS_total_z







FOSS_mean







LOSS_mean_z







FOSS_total_z





FOSS_mean_z





References

[1] The jamovi project (2022). jamovi. (Version 2.3) [Computer Software]. Retrieved from https://www.jamovi.org.

[2] R Core Team (2021). R: A Language and environment for statistical computing. (Version 4.1) [Computer software]. Retrieved from https://cran.r-project.org. (R packages retrieved from MRAN snapshot 2022-01-01).