



DW_bc_9

Boundary Scan Cell Type BC_9

Version, STAR and Download Information: IP Directory

Features and Benefits

- IEEE Standard 1149.1-2001 compliant
- Synchronous or asynchronous scan cells with respect to tck
- Supports the standard instructions: EXTEST, INTEST, SAMPLE/PRELOAD, and BYPASS
- Supports the optional instructions RUNBIST, CLAMP, and HIGHZ

Description

DW_bc_9 is a boundary scan cell is an output cell that observes the signal at the corresponding pin for EXTEST and observes the signal driven from the system logic for INTEST and SAMPLE. It allows a connected system network both to

pin_input
si

mode1 data_out
mode2 so
shift_dr
output_data
capture_en
update_en
update_clk
>capture_clk

be driven and captured at the same pin, thus allowing such networks to be tested for shorts to others even when there are no other connected boundary scan device pins.

The Boundary Scan Description Language (BSDL) description of this cell is of type bc_9 described in the BSDL package STD_1149_1_2001.

Table 1-1 Pin Description

Pin Name	Width	Direction	Function
capture_clk	1 bit	Input	Clocks data into the capture stage
update_clk	1 bit	Input	Clocks data into the update stage
capture_en	1 bit	Input	Enable for data clocked into the capture stage, active low
update_en	1 bit	Input	Enable for data clocked into the update stage, active high
shift_dr	1 bit	Input	Enables the boundary scan chain to shift data one stage toward its serial output (tdo)
mode1	1 bit	Input	Determines whether data_out is controlled by the boundary scan cell or by the data_in signal
mode2	1 bit	Input	Determines whether data_out is controlled by the boundary scan cell or by the data_in signal
si	1 bit	Input	Serial path from the previous boundary scan cell
pin_input	1 bit	Input	IC system input pin
output_data	1 bit	Input	IC output logic signal

Table 1-1 Pin Description (Continued)

Pin Name	Width	Direction	Function
data_out	1 bit	Output	Output data
so	1 bit	Output	Serial path to the next boundary scan cell

Table 1-2 Synthesis Implementations

Implementation Name	Function	License Feature Required
str	Synthesis model	DesignWare or Test-IEEE-STD-1149-1

The DW_bc_9 cell may be synchronous or asynchronous with respect to tck (Test Clock system pin), depending on the port connections. Table 1-4 on page 3 lists the connections for asynchronous boundary scan chains. Table 1-5 on page 3 lists the connections for synchronous boundary scan chains.

The mode1 and mode2 signal gives the Test Access Port (TAP) instructions control of the boundary scan cell. Table 1-3 on page 2 lists the required values of the mode1 and mode2 signal for each of the TAP instructions that DW_bc_9 supports. The INTEST instruction is not supported if the cell is used as an output cell.

Table 1-3 Mode Signal Generation for DW_bc_9

Instruction	Mode1	Mode2
EXTEST	1	1
SAMPLE	Х	0
PRELOAD	0	0
CLAMP	Х	1
INTEST	0	1
RUNBIST	Х	1
BYPASS	0	0

Table 1-4 lists the connections for asynchronous boundary scan chains.

Table 1-4 Port Connections for Asynchronous Boundary Scan Chains

DW_bc_9 Port Name	Connection
capture_clk	clock_dr from TAP controller
update_clk	update_dr from TAP controller
capture_en	Logic zero
update_en	Logic one
shift_dr	shift_dr from TAP controller
mode1	Mode1 generation logic
mode2	Mode2 generation logic
si	so from previous boundary scan cell
pin_input	System input pin for input cells or IC output logic for output cells
output_data	IC output logic
data_out	System output pin
so	si of next boundary scan cell

Table 1-5 lists the connections for synchronous boundary scan chains.

Table 1-5 Port Connections for Synchronous Boundary Scan Chains

DW_bc_9 Port Name	Connection
capture_clk	tck from system pin
update_clk	tck_n from system pin
capture_en	sync_capture_en from TAP controller
update_en	sync_update_dr from TAP controller
shift_dr	shift_dr from TAP controller
mode1	Mode1 generation logic
mode2	Mode2 generation logic
si	so from previous boundary scan cell
pin_input	System input pin for input cells or IC output logic for output cells

Table 1-5 Port Connections for Synchronous Boundary Scan Chains (Continued)

DW_bc_9 Port Name	Connection
output_data	IC output logic
data_out	System output pin
so	si of next boundary scan cell

Related Topics

- Application Specific JTAG Overview
- DesignWare Building Block IP Documentation Overview

HDL Usage Through Component Instantiation - VHDL

```
library IEEE, DWARE;
use IEEE.std logic 1164.all;
use DWARE.DW_Foundation_comp_arith.all;
entity DW_bc_9_inst is
  port (inst_capture_clk : in std_logic;
        inst update clk : in std logic;
        inst_capture_en : in std_logic;
        inst_update_en : in std_logic;
        inst_shift_dr : in std_logic;
                        : in std_logic;
        inst_mode1
        inst_mode2
                        : in std_logic;
        inst si
                        : in std logic;
        inst_pin_input : in std_logic;
        inst_output_data : in std_logic;
        data out inst : out std logic;
                        : out std_logic );
        so_inst
end DW_bc_9_inst;
architecture inst of DW_bc_9_inst is
begin
  -- Instance of DW_bc_9
  U1 : DW bc 9
   port map (capture_clk => inst_capture_clk,
             update_clk => inst_update_clk,
              capture en => inst capture en,
              update_en => inst_update_en,
              shift dr => inst shift dr,
              mode1
                        => inst mode1,
              mode2
                        => inst_mode2,
              si
                        => inst_si,
              pin_input => inst_pin_input,
              output_data => inst_output_data,
              data out => data out inst,
                         => so_inst );
              SO
end inst;
-- pragma translate off
configuration DW_bc_9_inst_cfg_inst of DW_bc_9_inst is
  for inst
  end for; -- inst
end DW_bc_9_inst_cfg_inst;
-- pragma translate on
```

HDL Usage Through Component Instantiation - Verilog

```
module DW_bc_9_inst(inst_capture_clk, inst_update_clk, inst_capture_en,
                    inst_update_en, inst_shift_dr, inst_mode1, inst_mode2,
                    inst_si, inst_pin_input, inst_output_data, data_out_inst,
                    so inst );
  input inst_capture_clk;
  input inst_update_clk;
  input inst capture en;
  input inst_update_en;
  input inst_shift_dr;
  input inst_mode1;
  input inst_mode2;
  input inst_si;
  input inst pin input;
  input inst_output_data;
  output data_out_inst;
  output so_inst;
  // Instance of DW_bc_9
  DW bc 9
    U1 (.capture_clk(inst_capture_clk),
        .update_clk(inst_update_clk),
        .capture_en(inst_capture_en),
        .update_en(inst_update_en),
        .shift_dr(inst_shift_dr),
        .model(inst_model),
        .mode2(inst_mode2),
        .si(inst_si),
        .pin_input(inst_pin_input),
        .output_data(inst_output_data),
        .data_out(data_out_inst),
        .so(so_inst));
endmodule
```

Copyright Notice and Proprietary Information

© 2018 Synopsys, Inc. All rights reserved. This Synopsys software and all associated documentation are proprietary to Synopsys, Inc. and may only be used pursuant to the terms and conditions of a written license agreement with Synopsys, Inc. All other use, reproduction, modification, or distribution of the Synopsys software or the associated documentation is strictly prohibited.

Destination Control Statement

All technical data contained in this publication is subject to the export control laws of the United States of America. Disclosure to nationals of other countries contrary to United States law is prohibited. It is the reader's responsibility to determine the applicable regulations and to comply with them.

Disclaimer

SYNOPSYS, INC., AND ITS LICENSORS MAKE NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Trademarks

Synopsys and certain Synopsys product names are trademarks of Synopsys, as set forth at https://www.synopsys.com/company/legal/trademarks-brands.html.

All other product or company names may be trademarks of their respective owners.

Third-Party Links

Any links to third-party websites included in this document are for your convenience only. Synopsys does not endorse and is not responsible for such websites and their practices, including privacy practices, availability, and content.

Synopsys, Inc. 690 E. Middlefield Road Mountain View, CA 94043

www.synopsys.com