CS 224n Assignment #4

Yoshihiro Kumazawa

June 19, 2020

1. Neural Machine Translation with RNNs

- (a) See utils.py.
- (b) See model_embeddings.py.
- (c) See nmt_model.py.
- (d) See nmt_model.py.
- (e) See nmt_model.py.
- (f) See nmt_model.py.
- (g) The masked logits are made $-\infty$ and hence do not affect the softmax calculation of the other logits. Those masks are put on the hidden states from the padded words, which no attention should be paid to.
- (h) (Missing)
- (i) The model's corpus BLEU Score was 35.83.
- (j) One advantage of dot product attention compared to multiplicative attention is that it is less prone to overfitting since it does not have weight parameters. One disadvantage is its lower expressivity. One advantage of additive attention compared to multiplicative attention is that it can learn not to be affected by the hidden state very much by letting W_1 small. One disadvantage is that it is more prone to overfitting.

2. Analyzing NMT Systems

- (a) i. 1. "Aquí" is translated to "Here's" instead of "So". "favorite" is redundant.
 - 2. "Aqui" could be "Here", but the verb "is" is unnecessary anyway. A possible reason is that sentences with no verb were seldom fed during training time. The reason the NMT translated "otro" into "another favorite" instead of "another one" might be that NMT thought it could improve translation accuracy by understanding what such demonstrative words actually mean.
 - 3. For the first error, feeding more data without verbs might work. For the second error, penalizing redundancy might be a good idea.
 - ii. 1. The latter half of the translation does not make sense.
 - 2. Probably the model tried to directly translate the Spanish sentence word-by-word, which ended up producing the wrong sentence. Chances are the source sentence was inherently hard to translate due to some linguistic difference between Spanish and English.

- 3. To encourage the network to avoid unnatural direct translations, feeding more data where the reference translations are very different from possible direct translations might work.
- iii. 1. "Bolingbroke" is interpreted as unknown.
 - 2. This is simply because the model did not encounter the word "Boling-broke" during training time.
 - 3. One can either add such proper nouns to the vocabulary or let the network treat unseen words as they are (i.e. do not translate them). To implement the latter idea, imagine you have unknown words in the source sentence and you have got $\langle unk \rangle$ tokens during translation. You can use the attention vector to guess which word in the source language each of those unknown words corresponds to.
- iv. 1.
 - 2.
 - 3.
- v. 1.
 - 2.
 - 3.
- vi. 1.
 - 2.
 - 3.
- (b)
- (c) i.
 - ii.
 - iii.
 - iv.