Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications





Compatible with RBC17 APC Battery

BATT17-1209

Overview

Lead time Usually in Stock

Main

Mairi		
Product or component type	Replacement battery cartridge	
Number of cables	1	
Battery type	Lead-acid battery	
Provided equipment	All required connectors Battery recycling guide Reusable packaging Installation guide	
Range of product	Smart-UPS Battery Systems	

Batteries & Runtime

Battery location	Internal battery	
Number of battery free slots	0	
Number of battery filled slots	0	
Device mounting	Stand alone battery stack	
Number of battery replacement quantity	1	

Physical

Colour	Black
Height	6.5 cm
Width	9.4 cm
Depth	15.1 cm
Net weight	2.59 kg
Mounting mode	Not rack-mountable
USB compatible	No

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	010000 ft
Relative humidity	095 %
Ambient air temperature for storage	-1545 °C

Storage altitude	0.000000000015240.000000000 m
Storage Relative Humidity	0. 95 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.9 cm
Package 1 Width	21.3 cm
Package 1 Length	17.5 cm
Package 1 Weight	2.86 kg

Contractual warranty

Warranty 1 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	13
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
[™] Energy efficiency	
Optimized Energy Efficiency	Energy efficient product

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes