



APC Smart-UPS RC 1000VA, 230V, no battery, 4x India 3-pin 6A outlets

SRC1KUXI-INX

Overview

Lead time Usually in Stock

Main

mam		
Main Input Voltage	230 V	
Product or component type	Uninterruptible power supply (UPS)	
Main Output Voltage	230 V	
Other Output Voltage	220 V 240 V	
Rated power in W	800 W	
rated power in VA	1000 VA	
Input Connection Type	India 3-pin 6A	
output connection type	4 India 3-pin 6A	
Cable length	1.5 m	
Number of cables	1	
Provided equipment	Smart UPS signalling RS-232 cable User manual	

Batteries & Runtime

Battery type	External battery system	
Extended runtime	0	
Number of battery filled slots	0	
Number of battery free slots	0	

General

UPS type Double conversion online

Physical

Colour	Black
Height	22 cm
Width	14.5 cm
Depth	40 cm
Net weight	5.7 kg
Mounting preference	No preference

Mounting mode	Not rack-mountable	
Two post mountable	0	
USB compatible	No	

Input

Switching current capacity	10 A
Plug standard	India 3-pin 6A
Input voltage limits	110280 V half load
Network frequency	4070 Hz

Output

Crest factor	3:1
Harmonic distortion	Less than 2 %
Maximum configurable power in VA	1000 VA
Maximum configurable power in W	800 W
Wave type	Sine wave
Efficiency	90 % (full load) 88 % (half load)
Output frequency	50/60 Hz +/- 3 Hz sync to mains

Environmental

Operating altitude	03000 ft	
Ambient air temperature for operation	040 °C	
Ambient air temperature for storage	-2060 °C	
Storage altitude	0.00000000004572.0000000000 m	
Relative humidity	095 %	
Storage Relative Humidity	095 %	

Communications & Management

Alarm	Alarm when on battery: distinctive low battery alarm: overload continuous tone
	alarm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	34 cm
Package 1 Width	47.8 cm
Package 1 Length	23.5 cm
Package 1 Weight	6.3 kg

Contractual warranty

Warranty	2 years repair or replace
· · · · · · · · · · · · · · · · · · ·	2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

⊗ Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture		
Take-back	No	