

# Long title

**Ivan Toftul**, Your Colleagues, ...


Australian National University

`toftul.ivan@gmail.com`

August 29, 2022  
EVENT @ PLACE

# Introduction

- One
- Two



## Second slide in introduction

$$\int dx f(x)$$

# First slide with results

From<sup>1</sup> we have

$$\sin(x) \approx x$$

## Example

For  $x = 0.1$  we have

$$\sin(0.1) = 0.09983341664682815$$

---

<sup>1</sup>M. E. Muldoon, A. A. Ungar, *Math. Mag.* **69**, 3–14, ISSN: 0025-570X (Feb. 1996).

## Second slide with results

$$\sin(x) \approx x + \frac{x^3}{3!}$$

# Conclusions

1. One
2. Two

# References

1. M. E. Muldoon, A. A. Ungar, *Math. Mag.* **69**, 3–14, ISSN: 0025-570X (Feb. 1996).

# $\hat{\chi}_{2D}^{(2)} \text{ TMDC}$ tensor in cylindrical coordinates

$$\chi_{\{l n m\} \text{cyl}}^{(2)} = R_{li}^{-1} R_{nj}^{-1} R_{mk}^{-1} \chi_{\{i j k\} \text{cart}}^{(2)}, \quad R^{-1}(\varphi) = \begin{pmatrix} \cos(\varphi) & \sin(\varphi) & 0 \\ -\sin(\varphi) & \cos(\varphi) & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

$$\begin{aligned} \chi_{2D}^{(2)} \text{ TMDC} &= \tilde{\chi}_{2D}^{\text{TMDC}} \left[ \begin{bmatrix} 0 & -1 & 0 \\ -1 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix} \begin{bmatrix} -1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix} \begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix} \right]_{(\hat{x}\hat{y}\hat{z})} \\ &= \tilde{\chi}_{2D}^{\text{TMDC}} \left[ \begin{bmatrix} -\sin(3\varphi) & -\cos(3\varphi) & 0 \\ -\cos(3\varphi) & \sin(3\varphi) & 0 \\ 0 & 0 & 0 \end{bmatrix} \begin{bmatrix} -\cos(3\varphi) & \sin(3\varphi) & 0 \\ \sin(3\varphi) & \cos(3\varphi) & 0 \\ 0 & 0 & 0 \end{bmatrix} \begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix} \right]_{(\hat{r}, \hat{\varphi}, \hat{z})} \\ &= \tilde{\chi}_{2D}^{\text{TMDC}} \left[ \frac{1}{2} e^{-3i\varphi} (\hat{\varphi}\hat{\varphi}\hat{\varphi} + i\hat{\varphi}\hat{\varphi}\hat{r} + i\hat{\varphi}\hat{r}\hat{\varphi} - \hat{\varphi}\hat{r}\hat{r} + i\hat{r}\hat{\varphi}\hat{\varphi} - \hat{r}\hat{\varphi}\hat{r} - \hat{r}\hat{r}\hat{\varphi} - i\hat{r}\hat{r}\hat{r}) \right. \\ &\quad \left. + \frac{1}{2} e^{+3i\varphi} (\hat{\varphi}\hat{\varphi}\hat{\varphi} - i\hat{\varphi}\hat{\varphi}\hat{r} - i\hat{\varphi}\hat{r}\hat{\varphi} - \hat{\varphi}\hat{r}\hat{r} - i\hat{r}\hat{\varphi}\hat{\varphi} - \hat{r}\hat{\varphi}\hat{r} - \hat{r}\hat{r}\hat{\varphi} + i\hat{r}\hat{r}\hat{r}) \right] \end{aligned}$$