R&D Project Proposal

Object detection in adverse weather conditions using tightly-coupled data-driven multi-modal sensor fusion

Kevin Patel

Supervised by

Prof. Dr.-Ing. Sebastian Houben

M.Sc. Santosh Thoduka

February 2023

1 Introduction

1.1 Topic of This R&D Project

- Imagine driving on a winding mountain road at night, with fog and rain obscuring your view, your vehicle's self-driving system struggles to detect objects ahead due to the challenging weather conditions. Suddenly, a deer jumps out in front of your car, causing the system to issue an alert and apply the brakes in time to avoid a collision.

- This scenario highlights the importance of object detection in adverse weather conditions for self-driving cars. Visual cameras, which are commonly used for object detection, may be distorted or obscured by rain, fog, snow, or low light, making it difficult to accurately detect objects on the road [1] [2] [3].

- To address these challenges, this project aims to implement a multi-modal sensor fusion system that combines cameras, radar, and lidar sensors. By fusing data from multiple sensors and leveraging advanced machine learning algorithms, the goal is to enhance object detection's range, accuracy, and reliability in adverse weather conditions.

- The focus will also be on synchronizing multi-modal data, processing dense and sparse resolution sensor data, and using a data-driven approach to optimize object detection performance.

- However, this project also faces several challenges. For example, different sensors may have different resolutions and sampling rates and may require sophisticated calibration and alignment techniques to ensure the accurate fusion of their data. Furthermore, processing large volumes of sensor data with minimal latency requires efficient and scalable algorithms and hardware architectures.

- The proposed system will be trained on a diverse dataset to ensure robustness and adaptability in different weather and lighting conditions. The system's effectiveness will be evaluated by extensive experiments and by comparing existing state-of-the-art methods.

- Despite the challenges, the project has the potential to revolutionize object detection in adverse weather conditions, with applications ranging from self-driving cars to surveillance and security systems. By fusing multiple sensor data sources and optimizing their fusion, situational awareness can be enhanced, enabling safer and more efficient operations in various domains.

- This research aims to facilitate safe and efficient self-driving in adverse weather conditions, prioritizing the safety of passengers, other drivers, and pedestrians on the road. To accomplish this, the proposed approach is to develop a sensor fusion system that operates with minimal latency, enabling data processing from multiple sensors in near real-time.

- Topic naming convention:

  - Object detection

    * Refers to the task of detecting objects within an image or video stream.

    * In this project, the focus is on detecting 2D objects such as cars, trucks, pedestrians, and cyclists.

  - Adverse weather conditions

    * Refers to conditions such as fog, snow, rain, overcast skies, sleet, and dust.

    * These conditions can make object detection more challenging due to reduced visibility or other environmental factors.

  - Tightly-coupled

    * Refers to how different modalities of data are combined and integrated at different levels.

    * Rather than relying solely on early, mid, or late fusion techniques, a combination of features at different levels is employed to achieve optimal fusion results.

  - Data-driven

    * Refers to the use of previously collected data or publicly available datasets to improve object detection performance.

  - Multi-modal

    * Refers to the use of different data modalities to improve object detection performance.

    * Examples include sensors such as lidar, camera, IMU, GPS, infrared, and radar, with different datatypes such as point clouds, images, and time series data.

  - Sensor fusion

    * Refers to the process of fusing data from different sensors to get a better estimation of an environment and improve object detection performance.

1.2   Relevance of This R&D Project

- Weather phenomena have various negative influences on traffic and transportation. Averagely, global precipi- tation occurs 11.0% of the time [4]. It has been proven that the risk of accident in rain conditions is 70% higher than normal [5]. 77% of the countries in the world re- ceive snow.

- Take the United States national statistics as an example, each year over 30,000 vehicle crashes occur on snowy or icy roads or during snowfall or sleet [6], so the threat from snow is bona fide

- According to Federal Highway Administration(FHA), adverse weather-related vehicle crashes cause over 5,000 fatalities and over 418,000 injuries each year in the United States. [4]

- The IIHS also found that in snowy weather, the fatal crash rate is 21% higher than on clear roads, while during sleet and freezing rain, the rate is even higher at 37%.

- According to the European Commission, 25% of all road accidents in Europe happen due to adverse weather conditions, from highest to lowest: frost and ice, snow, and rain. [5]

- Autonomous vehicles: according to Marketsandmarkets, the sensor fusion market for autonomous vehicles is expected to reach $ 22.2 billion by 2030 at a CAGR of 25.4% [6]

- According to the Federal Highway Administration (FHWA), poor visibility is a contributing factor in over 7,000 annual crashes in the United States.

- According to the National Highway Traffic Safety Administration (NHTSA), poor visibility was a contributing factor in over 4,000 fatal crashes in the United States in 2018.

- According to the IIHS, in foggy weather, fatal crashes happen at a rate that is 6 times higher than in clear weather.

- According to European Transport Safety Council (ETSC), over 12,000 people die on European roads each year in weather-related accidents, from highest to lowest: frost and ice, snow, and rain.

- Not only this, there are other sectors, for example, healthcare for wearable sensors, precision agriculture, and environmental monitoring, that have also seen the fruitful impact of multi-modal sensor fusion.

- **Healthcare sector**: wearable sensors, estimated that the global wearable device market is expected to reach over $ 54 billion in revenue by 2027, growing at a CAGR of over 13%

- **Precision agriculture and environmental monitoring**: for better crop health and analyze deforestation, $45 billion by 2026, growing at a CAGR of over 20%

- **Aerospace and defense**: including aircraft navigation and control, missile guidance, and military logistics. Expected to reach $4.71 billion by 2025, at a CAGR of 8.2%

- **Industrial automation**: increase the efficiency and productivity of manufacturing processes, as well as reduce the risk of errors and accidents

2 Related Work

2.1 Survey of Related Work

- Bijelic et al. employed a deep learning-based transfer learning approach to address unseen adverse weather conditions [7]

  - 5 sensor modalities C-R-L-FIR-NIR

- K-radar: [8]

  - Released 4D radar dataset

  - Showed baseline network only, and mAP still 41.1%

– But not compared with other multi-modal architectures and does not use advanced NN techniques

- C-R Fusion: [9]

    – Model inspired by C-L fusion

    – Shows the importance of radar in object detection

2.2 Limitation and Deficits in the State of the Art

- Most existing works fuse RGB images from visual cameras with 3D LiDAR point clouds [10]

- There is no general guideline for network architecture design, and the below questions are still open[11]:

    – "what to fuse" - lidar, radar, color camera, thermal camera, event camera, ultrasonic

    – "how to fuse" - addition or mean, concatenate, ensemble, mixture of experts

    – "when to fuse" - early, mid, late, combination of all

- Previous studies lack comparison with alternative models or datasets

- showing only results for their own baseline models and custom datasets

- None of the multi-modal sensor fusion algorithms handle temporal information [7]

- Not much work available utilizing 4D imaging radar sensor [11]

3 Problem Statement

- Which of the deficits are you going to solve?

- What is your intended approach?

- A thorough analysis and practical implementation of state-of-the-art methods for object detection using multiple modalities including but not limited to camera, lidar, and radar

- Determining an appropriate fusion strategy to exploit the complementary characteristics of various sensors

  - How to fuse camera + 4D radar data

- Fusion of spatial and temporal information from multi-modal sensors

- If required, use CARLA or other simulators to validate the performance of a model

- Conduct experiments and compare outcomes with various models and adverse weather conditions datasets

  - Datasets: K-radar[8], DENSE[7], aiMotive[12]

- How will you compare you approach with existing approaches?

4   Project Plan

4.1   Work Packages

Planning is the replacement of randomness by error. (Einstein). Very much like you would never start a longer journey without a detailed travel plan, you should not start a project without a carefully though out work plan. A work package is a logical decomposition of a larger piece of work into smaller parts following a "divide and conquer" strategy. It is very specific to the problem that you are going to address. Refrain from a rather generic decomposition. If your work plan looks similar to those of your school mates, which may address completely different problems then you have not thought carefully enough about how you approach the problem. It is ok to have two generic work packages *Literature Study* and *Project Report*. Discuss your work packages in the ASW seminar.

The bare minimum will include the following packages:

WP1 Literature Study

WP2 ...

WP3 ...

    1. ...

WPy Evaluation of approach and comparison with similar approaches

WPz Project Report

4.2 Milestones

Milestones mark the completion of a certain activity or at least a major achievement in an activity. Milestones are also decision points, where you reflect on what you have achieved and what options you have for continuing your work in case you have not achieved what was planned. Above all, milestones have to be measurable. As above, if your milestones are the same as those of your school mates, then you may not have thought carefully enough about how your project shall progress.

M1 Literature review completed and best practice identified

M2 ...

M3 ...

M4 Report submission

4.3 Project Schedule

Include a Gantt chart here. It doesn't have to be detailed, but it should include the milestones you mentioned above. Make sure to include the writing of your report throughout the whole project, not just at the end.

4.4 Deliverables

Minimum Viable

- Project results required to get a satisfying or sufficient grade.

Object detection in adverse weather conditions using tightly-coupled data-driven multi-modal sensor fusion

Figure 1: My figure caption

Expected

- Project results required to get a good grade.

Desired

- Project results required to get an excellent grade.

Please note that the final grade will not only depend on the results obtained in your work, but also on how you present the results.

References

[1] Ekim Yurtsever, Jacob Lambert, Alexander Carballo, and Kazuya Takeda. A survey of autonomous driving: Common practices and emerging technologies. *IEEE access*, 8:58443–58469, 2020.

[2] Alexander Carballo, Ekim Yurtsever, and Kazuya Takeda. Libre: The multiple 3d lidar dataset. *2020 IEEE Intelligent Vehicles Symposium (IV)*, pages 1094–1101, 2020.

[3] University of Michigan. Getting traction: Tips for traveling in winter weather, 2020.

[4] Federal-Highway-Administration. How Do Weather Events Impact Roads? - FHWA Road Weather Management.

[5] Graham Cookson. Weather-Related Road Deaths in Europe £15bn+ Per Year — INRIX, 2 2022.

[6] Sensor fusion market.

[7] Mario Bijelic, Tobias Gruber, Fahim Mannan, Florian Kraus, Werner Ritter, Klaus Dietmayer, and Felix Heide. Seeing through fog without seeing fog: Deep multimodal sensor fusion in unseen adverse weather, 2020.

[8] Dong-Hee Paek, Seung-Hyun Kong, and Kevin Tirta Wijaya. K-Radar: 4D Radar Object Detection for Autonomous Driving in Various Weather Conditions, June 2022.

[9] Felix Nobis, Maximilian Geisslinger, Markus Weber, Johannes Betz, and Markus Lienkamp. A Deep Learning-based Radar and Camera Sensor Fusion Architecture for Object Detection, May 2020.

[10] Di Feng, Christian Haase-Schütz, Lars Rosenbaum, Heinz Hertlein, Claudius Glaeser, Fabian Timm, Werner Wiesbeck, and Klaus Dietmayer. Deep multi-modal object detection and semantic segmentation for autonomous driving: Datasets, methods, and challenges, 2020.

[11] Yi Zhou, Lulu Liu, Haocheng Zhao, Miguel López-Benítez, Limin Yu, and Yutao Yue. Towards Deep Radar Perception for Autonomous Driving: Datasets, Methods, and Challenges, May 2022.

[12] Tamás Matuszka, Iván Barton, Ádám Butykai, Péter Hajas, Dávid Kiss, Domonkos Kovács, Sándor Kunsági-Máté, Péter Lengyel, Gábor Németh, Levente Pető, Dezső Ribli, Dávid Szeghy, Szabolcs Vajna, and Bálint Varga. aiMotive Dataset: A Multimodal Dataset for Robust Autonomous Driving with Long-Range Perception, November 2022.

[13] Author Name. Book title. *Lecture Notes in Autonomous System*, 1001:900–921, 2003.

[14] Cristian Tangemann. Sensor fusion, 2022. Accessed on 29.09.2022.

[15] Markus Willems. A dsp for implementing high-performance sensor fusion on an embedded budget, Nov 2021.

[16] robert laganière. Sensor fusion for autonomous vehicles: Strategies, methods, and tradeoffs, 2022. Accessed on 18.12.2022.

[17] Dan Leibholz. Real-time sensor fusion challenge, 2022. Accessed on 29.09.2022.

[18] Ann Steffora Mutschler. Sensor fusion challenges, 2022. Accessed on 29.09.2022.

[19] Gregory-Koshmak et al. Challenges and issues in multisensor fusion approach, 2022. Accessed on 29.09.2022.

[20] Yuxiao Zhang, Alexander Carballo, Hanting Yang, and Kazuya Takeda. Autonomous Driving in Adverse Weather Conditions: A Survey, December 2021.