



Ms. RUTH NORGAH

PID NO: P36180021963

Age: 37 Year(s) Sex: Female

Reference:

Sample Collected At:  
GILEAD MEDICAL & DENTAL CENTER  
HOUSE NO BALB NO C896/3,KANDA  
HIGHWAY NORTH RIDGE,ACCRA-  
14911.  
**014911**

TEST REPORT

VID: 36180123012

Registered On:  
08/12/2018 11:39 AM  
Collected On:  
08/12/2018  
Reported On:  
14/12/2018 01:44 PM



INTERNATIONAL & NATIONAL  
SUBSPECIALTY PATHOLOGY

Breast Pathology  
Dermatopathology  
Gastrointestinal Pathology  
Genitourinary Pathology  
Gynecologic Pathology  
Head & Neck Pathology  
Hematolymphoid Pathology  
Hepatobiliary Pathology  
Neuropathology  
Paediatric & Perinatal Pathology  
Renal Pathology  
Soft tissue Pathology  
Transplant Pathology (Renal & Hepatic)

Senior Consultant &  
Vice President Operations

Dr Kirti Chadha

Global Reference Laboratory Faculty

Senior Consultants

Dr Anuradha Murthy  
Dr Vikas Kavishwar  
Dr Sushma Gurwale  
Dr Barodawala S.M

Consultants

Dr Kunjal Lila  
Dr Tejal Shah  
Dr Shital Munde  
Dr Aditi Raj  
Dr Ramrao Nilkanthe

PAP SMEAR EXAMINATION

Case Summary

CASE NO	18MLG17451
SPECIMEN	PAP SMEAR – LIQUID BASED CYTOLOGY
DIAGNOSIS	Negative For Intraepithelial Lesion or Malignancy (NILM)

Gross Examination Specimen received in PreservCyt solution vial

MICROSCOPIC EXAMINATION

SPECIMEN ADEQUACY Satisfactory for evaluation;endocervical/transformation zone component absent/insufficient

Superficial cells Present

Intermediate cells Present

Deep parabasal/ Basal cells -

Parabasal cells -

Metaplastic squamous cells -

Endocervical cells -

Others -

Inflammation Mild

ORGANISMS

Doderlein bacilli Present

Trichomonas Vaginilis -

Fungal organisms -

Others -

EPITHELIAL CELL ABNORMALITIES Not Detected

SQUAMOUS CELLS -

GLANDULAR CELLS -

Note :

"Cervical cytology is a screening test and has associated false negative and false positive results. Regular sampling and follow up is recommended".

Processing Method : ThinPrepTM 2000 System. Staining : Papanicolaou method

Clinical Application :

1. The smears are reported using the Bethesda System for Reporting Cervical Cytology (2014)
2. New Cervical Cancer Screening Recommendations from the U.S. Preventive Services Task Force and the American Cancer Society/American Society for Colposcopy and Cervical

Kunjal Lila

Dr. Kunjal Lila  
M.D (Pathology)

The tests marked with ( \* ) are outside the scope of the laboratory. Refer to conditions of reporting overleaf. Results relate only to the sample as received



Ms. RUTH NORGAN

PID NO: P36180021963

Age: 37 Year(s) Sex: Female

**Reference:**

Sample Collected At:  
GILEAD MEDICAL & DENTAL CENTER  
HOUSE NO BALB NO C896/3,KANDA  
HIGHWAY NORTH RIDGE,ACCRA-  
14911.  
**014911**

**TEST REPORT**

VID: 36180123012

Registered On:  
08/12/2018 11:39 AM  
Collected On:  
08/12/2018  
Reported On:  
14/12/2018 01:44 PM

Pathology/American Society for Clinical Pathology. March 15, 2012, issue of Annals of Internal Medicine



**INTERNATIONAL & NATIONAL  
SUBSPECIALTY PATHOLOGY**

Breast Pathology  
Dermatopathology  
Gastrointestinal Pathology  
Genitourinary Pathology  
Gynecologic Pathology  
Head & Neck Pathology  
Hematolymphoid Pathology  
Hepatobiliary Pathology  
Neuropathology  
Paediatric & Perinatal Pathology  
Renal Pathology  
Soft tissue Pathology  
Transplant Pathology (Renal & Hepatic)

**Senior Consultant &  
Vice President Operations**

Dr Kirti Chadha

**Global Reference Laboratory Faculty**

**Senior Consultants**

Dr Anuradha Murthy  
Dr Vikas Kavishwar  
Dr Sushma Gurwale  
Dr Barodawala S.M

**Consultants**

Dr Kunjal Lila  
Dr Tejal Shah  
Dr Shital Munde  
Dr Aditi Raj  
Dr Ramrao Nilkanthe

Population	USPSTF	ACS/ASCCP/ASCP
Younger than 21 years	Recommends against screening. Grade: D recommendation.	Women should not be screened regardless of the age of sexual initiation or other risk factors.
21–29 years	Recommends screening with cytology every 3 years. Grade: A recommendation	Screening with cytology alone every 3 years is recommended.
30–65 years	Recommends screening with cytology every 3 years or for women who want to lengthen the screening interval, screening with a combination of cytology and HPV testing every 5 years. Grade: A recommendation.	Screening with cytology and HPV testing ("co-testing") every 5 years (preferred) or cytology alone every 3 years (acceptable) is recommended.
Older than 65 years	Recommends against screening women who have had adequate prior screening and are not otherwise at high risk for cervical cancer. Grade: D recommendation.	Women with evidence of adequate negative prior screening and no history of CIN2+ within the last 20 years should not be screened. Screening should not be resumed for any reason, even if a woman reports having a new sexual partner.
After hysterectomy	Recommends against screening in women who have had a hysterectomy with removal of the cervix and who do not have a history of a high-grade precancerous lesion (ie, CIN 2 or 3) or cervical cancer. Grade: D recommendation	Women of any age following a hysterectomy with removal of the cervix who have no history of CIN2+ should not be screened for vaginal cancer. Evidence of adequate negative prior screening is not required. Screening should

*Kunjal Lila*

**Dr. Kunjal Lila**  
M.D (Pathology)

Consultant Surgical Pathologist, Metropolis -  
GRL Mumbai

Page 2 of 3

The tests marked with ( \* ) are outside the scope of the laboratory. Refer to conditions of reporting overleaf. \* Referred test Results relate only to the sample as received



Ms. RUTH NORGAN

PID NO: P36180021963

Age: 37 Year(s) Sex: Female

Reference:

Sample Collected At:  
GILEAD MEDICAL & DENTAL CENTER  
HOUSE NO BALB NO C896/3,KANDA  
HIGHWAY NORTH RIDGE,ACCRA-  
14911.  
**014911**

TEST REPORT

VID: 36180123012

Registered On:  
08/12/2018 11:39 AM  
Collected On:  
08/12/2018  
Reported On:  
14/12/2018 01:44 PM



INTERNATIONAL & NATIONAL  
SUBSPECIALTY PATHOLOGY

Breast Pathology  
Dermatopathology  
Gastrointestinal Pathology  
Genitourinary Pathology  
Gynecologic Pathology  
Head & Neck Pathology  
Hematolymphoid Pathology  
Hepatobiliary Pathology  
Neuropathology  
Paediatric & Perinatal Pathology  
Renal Pathology  
Soft tissue Pathology  
Transplant Pathology (Renal & Hepatic)

Senior Consultant &  
Vice President Operations

Dr Kirti Chadha

Global Reference Laboratory Faculty

Senior Consultants

Dr Anuradha Murthy  
Dr Vikas Kavishwar  
Dr Sushma Gurwale  
Dr Barodawala S.M

Consultants

Dr Kunjal Lila  
Dr Tejal Shah  
Dr Shital Munde  
Dr Aditi Raj  
Dr Ramrao Nilkanthe

		not be resumed for any reason, including if a woman reports having a new sexual partner.
HPV vaccinated	Women who have been vaccinated should continue to be screened.	Recommended screening practices should not change on the basis of HPV vaccination status.

-- End of Report --



Kunjal Lila

Dr. Kunjal Lila  
M.D (Pathology)

Consultant Surgical Pathologist, Metropolis -  
GRL Mumbai

Page 3 of 3

The tests marked with ( \* ) are outside the scope of the laboratory. Refer to conditions of reporting overleaf. Referred test Results relate only to the sample as received