



**Gilead Medical & Dental Centre**

[info@gileadmedical.com](mailto:info@gileadmedical.com)

House of Balm, C896/3, Kanda Highway, Accra-Ghana

Tel: 0302227196

[www.gileadmedicalgh.com](http://www.gileadmedicalgh.com)

Name: Prof. Edward Twum-Akwaboah

Age: 74yrs

Gender: Male

Clinical History: CKD

Type of Investigation: Abdomino-Pelvic Ultrasound

Investigation Date: 30/03/2018

### **ULTRASOUND REPORT**

#### **Abdomen**

The liver is of average size, measuring 12.6 cm MCL with homogenous echopattern. No focal mass or diffuse lesion noted. No intra or extrahepatic bile duct dilatation.

The gallbladder is contracted (?Post-prandial state)

The visualized portions of the pancreas is of normal sonographic appearance. No pancreatic calcification.

The spleen is normal in size and echopattern measuring 6.2cm. No focal mass or diffuse lesion

Both kidneys are of average size measuring, right (10.3x4.4) and left (10.6x5.5) mm respectively with good corticomedullary differentiation and normal renal sinus. No focal loss of renal parenchyma. No hydronephrosis, calculi or focal mass noted.

No ascites, abdominal mass or lymphadenopathy. There is normal abdominal aorta and IVC.

#### **Pelvic**

The prostate measures (4.9x3.6x3.5) cm approximately =33.2 cm<sup>3</sup> and has homogeneous echo pattern. No focal mass or calcifications noted.

The urinary bladder wall is not thickened. The Urinary bladder appears normal. No focal mass or calcifications were seen in it.

Post void residual bladder volume =247.5 cm<sup>3</sup>

Post void residual bladder volume = 40.9cm<sup>3</sup>

#### **Impression:**

- Normal Abdominal Ultrasound.  
No sonographic evidence of chronic kidney disease.
- An average size prostate of size 33g with Residual Urine Volume of 40.9cm<sup>3</sup>

**Sonographer:** Rosemond Adu-Sarkodie

