TABLE 32 100 Ω *Platinum RTD* — 0.00392 coefficient temperature in ${}^{\circ}\!F$

°F	0	1	2	3	4	5	6	7	8	9	10	°F
Resistance in Ohms												
-320 -310 -300	19.03 21.46 23.88	18.79 21.22 23.63	18.54 20.97 23.39	18.30 20.73 23.15	18.05 20.49 22.91	17.81 20.24 22.67	17.57 20.00 22.43	17.32 19.76 22.18	17.08 19.52 21.94	19.27 21.70	19.03 21.46	-320 -310 -300
-290	26.28	26.04	25.80	25.56	25.32	25.08	24.84	24.60	24.36	24.12	23.88	-290
-280	28.68	28.44	28.20	27.96	27.72	27.48	27.24	27.00	26.76	26.52	26.28	-280
-270	31.07	30.83	30.59	30.35	30.11	29.87	29.64	29.40	29.16	28.92	28.68	-270
-260	33.45	33.21	32.97	32.73	32.50	32.26	32.02	31.78	31.54	31.31	31.07	-260
-250	35.82	35.58	35.34	35.11	34.87	34.63	34.39	34.16	33.92	33.68	33.45	-250
-240	38.18	37.94	37.70	37.47	37.23	37.00	36.76	36.52	36.29	36.05	35.82	-240
-230	40.53	40.29	40.06	39.82	39.59	39.35	39.12	38.88	38.65	38.41	38.18	-230
-220	42.87	42.64	42.41	42.17	41.94	41.70	41.47	41.23	41.00	40.76	40.53	-220
-210	45.21	44.98	44.74	44.51	44.28	44.04	43.81	43.58	43.34	43.11	42.87	-210
-200	47.54	47.31	47.07	46.84	46.61	46.38	46.14	45.91	45.68	45.44	45.21	-200
-190	49.86	49.63	49.40	49.17	48.93	48.70	48.47	48.24	48.00	47.77	47.54	-190
-180	52.18	51.95	51.72	51.48	51.25	51.02	50.79	50.56	50.33	50.09	49.86	-180
-170	54.49	54.26	54.02	53.79	53.56	53.33	53.10	52.87	52.64	52.41	52.18	-170
-160	56.79	56.56	56.33	56.10	55.87	55.64	55.41	55.18	54.95	54.72	54.49	-160
-150	59.08	58.86	58.63	58.40	58.17	57.94	57.71	57.48	57.25	57.02	56.79	-150
-140	61.37	61.15	60.92	60.69	60.46	60.23	60.00	59.77	59.54	59.31	59.08	-140
-130	63.66	63.43	63.20	62.97	62.75	62.52	62.29	62.06	61.83	61.60	61.37	-130
-120	65.94	65.71	65.48	65.25	65.03	64.80	64.57	64.34	64.11	63.89	63.66	-120
-110	68.21	67.98	67.76	67.53	67.30	67.07	66.85	66.62	66.39	66.16	65.94	-110
-100	70.48	70.25	70.03	69.80	69.57	69.35	69.12	68.89	68.66	68.44	68.21	-100
-90	72.74	72.52	72.29	72.06	71.84	71.61	71.38	71.16	70.93	70.71	70.48	-90
-80	75.00	74.77	74.55	74.32	74.10	73.87	73.65	73.42	73.19	72.97	72.74	-80
-70	77.25	77.03	76.80	76.58	76.35	76.13	75.90	75.68	75.45	75.23	75.00	-70
-60	79.50	79.28	79.05	78.83	78.60	78.38	78.15	77.93	77.70	77.48	77.25	-60
-50	81.75	81.52	81.30	81.07	80.85	80.63	80.40	80.18	79.95	79.73	79.50	-50
-40	83.99	83.76	83.54	83.32	83.09	82.87	82.64	82.42	82.20	81.97	81.75	-40
-30	86.22	86.00	85.78	85.55	85.33	85.11	84.88	84.66	84.44	84.21	83.99	-30
-20	88.46	88.23	88.01	87.79	87.56	87.34	87.12	86.89	86.67	86.45	86.22	-20
-10	90.68	90.46	90.24	90.02	89.79	89.57	89.35	89.12	88.90	88.68	88.46	-10
0	92.91	92.69	92.46	92.24	92.02	91.80	91.57	91.35	91.13	90.91	90.68	0
0	92.91	93.13	93.35	93.57	93.80	94.02	94.24	94.46	94.68	94.91	95.13	0
10	95.13	95.35	95.57	95.79	96.02	96.24	96.46	96.68	96.90	97.12	97.34	10
20	97.34	97.57	97.79	98.01	98.23	98.45	98.67	98.89	99.12	99.34	99.56	20
30	99.56	99.78	100.00	100.22	100.44	100.66	100.88	101.10	101.33	101.55	101.77	30
40	101.77	101.99	102.21	102.43	102.65	102.87	103.09	103.31	103.53	103.75	103.97	40
50	103.97	104.19	104.41	104.63	104.85	105.07	105.29	105.51	105.73	105.95	106.17	50
60	106.17	106.39	106.61	106.83	107.05	107.27	107.49	107.71	107.93	108.15	108.37	60
70	108.37	108.59	108.81	109.03	109.25	109.47	109.69	109.91	110.13	110.35	110.57	70
80	110.57	110.79	111.01	111.23	111.45	111.66	111.88	112.10	112.32	112.54	112.76	80
90	112.76	112.98	113.20	113.42	113.63	113.85	114.07	114.29	114.51	114.73	114.95	90
100	114.95	115.17	115.38	115.60	115.82	116.04	116.26	116.48	116.69	116.91	117.13	100
110	117.13	117.35	117.57	117.79	118.00	118.22	118.44	118.66	118.88	119.09	119.31	110
120	119.31	119.53	119.75	119.96	120.18	120.40	120.62	120.84	121.05	121.27	121.49	120
130	121.49	121.71	121.92	122.14	122.36	122.57	122.79	123.01	123.23	123.44	123.66	130
140	123.66	123.88	124.10	124.31	124.53	124.75	124.96	125.18	125.40	125.61	125.83	140



°F	0	1	2	3	4	5	6	7	8	9	10	°F
Resistance in Ohms												
150	125.83	126.05	126.26	126.48	126.70	126.91	127.13	127.35	127.56	127.78	128.00	150
160	128.00	128.21	128.43	128.65	128.86	129.08	129.29	129.51	129.73	129.94	130.16	160
170	130.16	130.37	130.59	130.81	131.02	131.24	131.45	131.67	131.89	132.10	132.32	170
180	132.32	132.53	132.75	132.96	133.18	133.39	133.61	133.83	134.04	134.26	134.47	180
190	134.47	134.69	134.90	135.12	135.33	135.55	135.76	135.98	136.19	136.41	136.62	190
200	136.62	136.84	137.05	137.27	137.48	137.70	137.91	138.13	138.34	138.56	138.77	200
210	138.77	138.99	139.20	139.41	139.63	139.84	140.06	140.27	140.49	140.70	140.92	210
220	140.92	141.13	141.34	141.56	141.77	141.99	142.20	142.41	142.63	142.84	143.06	220
230	143.06	143.27	143.48	143.70	143.91	144.12	144.34	144.55	144.77	144.98	145.19	230
240	145.19	145.41	145.62	145.83	146.05	146.26	146.47	146.69	146.90	147.11	147.33	240
250	147.33	147.54	147.75	147.96	148.18	148.39	148.60	148.82	149.03	149.24	149.46	250
260	149.46	149.67	149.88	150.09	150.31	150.52	150.73	150.94	151.16	151.37	151.58	260
270	151.58	151.79	152.01	152.22	152.43	152.64	152.85	153.07	153.28	153.49	153.70	270
280	153.70	153.92	154.13	154.34	154.55	154.76	154.98	155.19	155.40	155.61	155.82	280
290	155.82	156.03	156.25	156.46	156.67	156.88	157.09	157.30	157.51	157.73	157.94	290
300	157.94	158.15	158.36	158.57	158.78	158.99	159.20	159.42	159.63	159.84	160.05	300
310	160.05	160.26	160.47	160.68	160.89	161.10	161.31	161.52	161.74	161.95	162.16	310
320	162.16	162.37	162.58	162.79	163.00	163.21	163.42	163.63	163.84	164.05	164.26	320
330	164.26	164.47	164.68	164.89	165.10	165.31	165.52	165.73	165.94	166.15	166.36	330
340	166.36	166.57	166.78	166.99	167.20	167.41	167.62	167.83	168.04	168.25	168.46	340
350	168.46	168.67	168.88	169.09	169.30	169.51	169.71	169.92	170.13	170.34	170.55	350
360	170.55	170.76	170.97	171.18	171.39	171.60	171.81	172.02	172.22	172.43	172.64	360
370	172.64	172.85	173.06	173.27	173.48	173.69	173.89	174.10	174.31	174.52	174.73	370
380	174.73	174.94	175.14	175.35	175.56	175.77	175.98	176.19	176.39	176.60	176.81	380
390	176.81	177.02	177.23	177.43	177.64	177.85	178.06	178.27	178.47	178.68	178.89	390
400	178.89	179.10	179.30	179.51	179.72	179.93	180.13	180.34	180.55	180.76	180.96	400
410	180.96	181.17	181.38	181.59	181.79	182.00	182.21	182.41	182.62	182.83	183.04	410
420	183.04	183.24	183.45	183.66	183.86	184.07	184.28	184.48	184.69	184.90	185.10	420
430	185.10	185.31	185.52	185.72	185.93	186.14	186.34	186.55	186.76	186.96	187.17	430
440	187.17	187.37	187.58	187.79	187.99	188.20	188.41	188.61	188.82	189.02	189.23	440
450	189.23	189.44	189.64	189.85	190.05	190.26	190.46	190.67	190.88	191.08	191.29	450
460	191.29	191.49	191.70	191.90	192.11	192.31	192.52	192.72	192.93	193.13	193.34	460
470	193.34	193.55	193.75	193.96	194.16	194.37	194.57	194.78	194.98	195.18	195.39	470
480	195.39	195.59	195.80	196.00	196.21	196.41	196.62	196.82	197.03	197.23	197.44	480
490	197.44	197.64	197.84	198.05	198.25	198.46	198.66	198.87	199.07	199.27	199.48	490
500 510 520 530 540	199.48 201.52 203.55 205.58 207.61	199.68 201.72 203.76 205.79 207.82	205.99		204.37 206.40		206.80	204.98 207.01		201.31 203.35 205.38 207.41 209.44	201.52 203.55 205.58 207.61 209.64	500 510 520 530 540
550 560 570 580 590	209.64 211.66 213.68 215.69 217.70	209.84 211.86 213.88 215.89 217.90	212.06 214.08 216.09	210.24 212.26 214.28 216.29 218.30	212.47 214.48 216.49	212.67 214.68	212.87 214.88 216.90	213.07 215.09	213.27 215.29 217.30	211.46 213.47 215.49 217.50 219.51	211.66 213.68 215.69 217.70 219.71	550 560 570 580 590
600	219.71	219.91	220.11	220.31	220.51	220.71	220.91	221.11	221.31	221.51	221.71	600
610	221.71	221.91	222.11	222.31	222.51	222.71	222.91	223.11	223.31	223.51	223.71	610
620	223.71	223.91	224.11	224.31	224.51	224.71	224.91	225.11	225.30	225.50	225.70	620
630	225.70	225.90	226.10	226.30	226.50	226.70	226.90	227.10	227.30	227.50	227.70	630
640	227.70	227.89	228.09	228.29	228.49	228.69	228.89	229.09	229.29	229.49	229.68	640



TABLE 32 100 Ω *Platinum RTD* — 0.00392 coefficient temperature in ${}^{\circ}F$

°F	0	1	2	3	4	5	6	7	8	9	10	°F
Resistance in Ohms												
650 660 670 680 690	229.68 231.67 233.65 235.63 237.60	229.88 231.87 233.85 235.82 237.80	230.08 232.07 234.05 236.02 238.00	230.28 232.26 234.24 236.22 238.19	230.48 232.46 234.44 236.42 238.39	230.68 232.66 234.64 236.61 238.59	230.88 232.86 234.84 236.81 238.78	231.07 233.06 235.03 237.01 238.98	231.27 233.25 235.23 237.21 239.18	231.47 233.45 235.43 237.40 239.37	231.67 233.65 235.63 237.60 239.57	650 660 670 680 690
700 710 720 730 740	239.57 241.54 243.50 245.46 247.42	239.77 241.73 243.70 245.66 247.61	239.96 241.93 243.89 245.85 247.81	240.16 242.13 244.09 246.05 248.00	240.36 242.32 244.28 246.24 248.20	240.55 242.52 244.48 246.44 248.39	240.75 242.72 244.68 246.63 248.59	240.95 242.91 244.87 246.83 248.78	241.14 243.11 245.07 247.02 248.98	241.34 243.30 245.26 247.22 249.17	241.54 243.50 245.46 247.42 249.37	700 710 720 730 740
750 760 770 780 790	249.37 251.32 253.26 255.20 257.14	249.56 251.51 253.46 255.40 257.33	249.76 251.71 253.65 255.59 257.53		250.15 252.09 254.04 255.98 257.91	250.34 252.29 254.23 256.17 258.11		250.73 252.68 254.62 256.56 258.49	250.93 252.87 254.81 256.75 258.69	251.12 253.07 255.01 256.95 258.88	251.32 253.26 255.20 257.14 259.07	750 760 770 780 790
800 810 820 830 840	259.07 261.00 262.93 264.85 266.77	259.27 261.20 263.12 265.05 266.97	259.46 261.39 263.32 265.24 267.16	259.65 261.58 263.51 265.43 267.35	259.85 261.78 263.70 265.62 267.54	260.04 261.97 263.89 265.81 267.73	260.23 262.16 264.09 266.01 267.92	260.43 262.35 264.28 266.20 268.12	260.62 262.55 264.47 266.39 268.31	260.81 262.74 264.66 266.58 268.50	261.00 262.93 264.85 266.77 268.69	800 810 820 830 840
850 860 870 880 890	268.69 270.60 272.51 274.42 276.32	268.88 270.79 272.70 274.61 276.51	269.07 270.98 272.89 274.80 276.70	269.26 271.17 273.08 274.99 276.89	269.45 271.37 273.27 275.18 277.08	269.65 271.56 273.46 275.37 277.27	269.84 271.75 273.65 275.56 277.46	270.03 271.94 273.84 275.75 277.65	270.22 272.13 274.03 275.94 277.84	270.41 272.32 274.23 276.13 278.02	270.60 272.51 274.42 276.32 278.21	850 860 870 880 890
900 910 920 930 940	278.21 280.11 282.00 283.89 285.77	278.40 280.30 282.19 284.07 285.96	278.59 280.49 282.38 284.26 286.15	278.78 280.68 282.57 284.45 286.33	278.97 280.87 282.75 284.64 286.52	281.05 282.94 284.83	283.13	279.54 281.43 283.32 285.20 287.09	279.73 281.62 283.51 285.39 287.27	279.92 281.81 283.70 285.58 287.46	280.11 282.00 283.89 285.77 287.65	900 910 920 930 940
950 960 970 980 990				290.09			294.39	294.57				950 960 970 980 990
1000 1010 1020 1030 1040	296.99 298.85 300.70 302.56 304.40	299.04 300.89	299.22 301.08 302.93	297.55 299.41 301.26 303.11 304.96	299.59 301.45 303.29	299.78 301.63 303.48	299.96	300.15 302.00 303.85	300.33 302.19 304.03	298.67 300.52 302.37 304.22 306.06	300.70 302.56	1000 1010 1020 1030 1040
1050 1060 1070 1080 1090	306.25 308.09 309.92 311.75 313.58	308.27 310.11 311.94	308.45 310.29 312.12	306.80 308.64 310.47 312.30 314.13	308.82 310.66 312.49	309.00 310.84 312.67	309.19 311.02 312.85	309.37 311.21 313.04	309.56 311.39 313.22		311.75	1050 1060 1070 1080 1090
1100 1110 1120 1130 1140	315.41 317.23 319.05 320.86 322.67	321.04	317.59 319.41 321.23	315.96 317.78 319.59 321.41 323.22	317.96 319.77 321.59	318.14 319.96 321.77	318.32 320.14 321.95	318.50 320.32 322.13	318.69 320.50 322.31	318.87 320.68 322.49	319.05 320.86 322.67	1100 1110 1120 1130 1140

TABLE 32	100 Ω <i>Platinum RTD</i> — 0.00392	coefficient
	temperature in °F	



°F	0	1	2	3	4	5	6	7	8	9	10	°F	
Resistance in Ohms													
1150 1160 1170 1180 1190	324.48 326.28 328.08 329.88 331.67	326.46 328.26 330.06	324.84 326.64 328.44 330.24 332.03	325.02 326.82 328.62 330.42 332.21	327.00 328.80 330.60	327.18 328.98 330.78	327.36 329.16 330.96	327.54 329.34 331.14	327.72 329.52 331.32	326.10 327.90 329.70 331.49 333.28	326.28 328.08 329.88 331.67 333.46	1150 1160 1170 1180 1190	
1200 1210 1220	333.46 335.25 337.03	333.64 335.43	333.82 335.60	334.00 335.78		334.36 336.14		334.71 336.50	334.89 336.67	335.07 336.85	335.25 337.03	1200 1210 1220	