# Staying Safe: Analyzing Crime in San Francisco 2020 Vision

Mihir Patel, Tina Xia, Leah Okamura, Kyra Cooperman

#### INTRODUCTION AND DATA

San Francisco is a city known for its strong economy and booming tech industry. In addition to Silicon Valley and San Jose, the Bay Area is home to many powerful companies such as Google, Tesla, Apple, and Cisco. Because of these many benefits, San Francisco is a popular destination for college graduates. In May 2020, San Francisco was ranked second as the best metro area for recent graduates. This especially took into consideration the "high wages, work from home ability, and a (mainly) pandemic-resilient economy" that many recent graduates worry about during this time [1].

However, with an overall crime rate in San Francisco that is 151% higher than the national average, is it also important to note that in recent years, San Francisco has not been the safest place to live. The SFChronicle reported that compared to 2019, "homicides increased by 21.4% in San Francisco from March to June of this year,"[2]. There is a 1 in 15 chance of becoming a victim of any type of crime. A quick search about travel in San Francisco includes many articles listing the "Places to Avoid After Dark" or "Most Dangerous Neighborhoods in SF."With the a high possibility of any of us moving to San Francisco after our time at Duke,and the recent popularity with college graduates, we wanted to analyze this dataset to obtain conclusions about specific factors that correlate to higher levels of crime, which will could then inform us of some key insights we can keep during future travels or moves.

Through our research, we plan to investigate what factors the general population can associate with local crime in order to be the safest while in San Francisco. Our main hypotheses are 1) a later time (e.g. nighttime hours) correlates to a higher level or rate of crime and 2) Location is correlated to levels of crime. We are interested in these two hypotheses because we believe they can then lead to other interesting relationships between variables within this dataset. For example, if there is a strong correlation between night and rate of crime, then is there a correlation between which night of the week (ex. Sunday night) and rate of crime? With location, are there certain districts that have a specific crime that is common there? By delving further and examining these relationships, we will be able to understand if crime has any specific pattern in San Francisco.

```
## Rows: 15,000
## Columns: 13
## $ IncidntNum <chr> "160074818", "166163532", "160697272", "160666750", "160...
## $ Category
                <chr> "ASSAULT", "LARCENY/THEFT", "NON-CRIMINAL", "NON-CRIMINA...
## $ Descript
                <chr> "THREATS AGAINST LIFE", "GRAND THEFT FROM LOCKED AUTO", ...
                <chr> "Tuesday", "Wednesday", "Sunday", "Tuesday", "Wednesday"...
## $ DayOfWeek
                <chr> "01/26/2016 12:00:00 AM", "06/15/2016 12:00:00 AM", "08/...
## $ Date
                <time> 13:45:00, 08:06:00, 12:55:00, 16:00:00, 06:30:00, 15:55...
## $ PdDistrict <chr> "NORTHERN", "BAYVIEW", "SOUTHERN", "CENTRAL", "NORTHERN"...
## $ Resolution <chr> "NONE", "NONE", "NONE", "NONE", "NONE", "NONE", "NONE", "NONE", ...
## $ Address
                <chr> "FRANKLIN ST / PACIFIC AV", "CESAR CHAVEZ ST / ILLINOIS ...
## $ X
                <dbl> -122.4249, -122.3866, -122.4136, -122.4065, -122.4197, -...
                <dbl> 37.79461, 37.75033, 37.77951, 37.79515, 37.78967, 37.719...
## $ Y
                <chr> "(37.7946072650051, -122.424873688619)", "(37.7503255046...
## $ Location
## $ PdId
                <dbl> 1.600748e+13, 1.661635e+13, 1.606973e+13, 1.606668e+13, ...
```

The observations in the dataset are of crime data in San Francisco from 2016. We found our dataset at https://www.kaggle.com/roshansharma/sanfranciso-crime-dataset. Each observation in this dataset is a crime whose various aspects have been recorded. There were originally 150,500 individual crimes/observations in this dataset. However, because of the nature of R Studio through OIT, we will be taking a random and reproducible sample from the larger dataset. We created this sample by using the function sample\_n() on sanfrancrimeBIG to randomly select 15,000 observations. We chose 15,000 because it is still large enough to get an accurate portrayal of the total data set, yet is much more manageable to process.

There are 13 variables in the dataset: IncidntNum (double): gives the Incident Number of the crime Category (character): gives category of crime Description (character): gives description of crime DayofWeek (character): gives day of week the crime occurred on Date (character): gives date (day, month, and year) of crime Time (double): gives time of crime (in military time) PdDistrict (character): gives police district crime occurred in Resolution (character): gives kind of punishment given to the criminal to resolve the case Address (character): gives address where the crime happened X (double): gives latitude of crime location Y (double): gives longitude of crime location Location (character): exact location using latitude and longitude PdId (double): ID of police officer

The curator of the dataset got it from the final assignment for Coursera and IBM's Data Visualization Course. The information in this dataset is most likely directly from the San Francisco Police Department for their reported crimes during 2016. This dataset was originally used to practice analyzing and visualizing data through geo spatial mapping by using folium maps for geographical understanding.

## **METHODOLOGY**

#### Variables

We will analyze the validity of our hypotheses using various statistical methods, including a Chi-square test, bootstrapping, and a logistic regression model, among others. Note: we plan on grouping violence based on violent vs nonviolent. The main variables we will be using in our analysis are Category, DayOfWeek, Date, Time, PdDistrict, and Resolution. We also created new variables to assist us in our data. This includes the variable timerange, that organizes the hour of the day into four times of day "night", "morning", "day", and "evening."


We also decided to categorize the all of the different types of crime that were reported. We organized the 39 types of crimes into variable crimetype, which consists of "Property", "Violent", "White Collar", "Drug/Alcohol", "Sex", "Suspicious", "Legal Violation", and "Miscellaneous".

# Visualizations

# 1- Relationship between crime type and time? Mihir

# The most property crime happens in the Evening


The most violent crime happens in the Evening



###2 - Relationship between time and crime? Tina

Question: Do more crimes generally occur at night in San Francisco? We will construct an effective, well-labeled visualization of the crime count and time.

# More Arceny/Theft, Assault and Non–Criminal Activity: the Relationship Between Category of Crime With Time of Day and Crime Faceted by Category of Crime



After constructing our visualization of crime count and time, a few things are clear: first, we can see that certain categories of crime are far more prominent than others. For example, larceny/theft is more common, along with non-criminal crimes, assault, and other crimes. Most crimes seem to happen during the afternoon and night, with the least happening in the hours from 0 to 6 (or in the early morning).


Out of all the categories of crime listed, larceny/theft is mostly conducted during the evening, or between hours 18 & 24, ie between 6pm and 12am. This makes sense, as this is usually when night begins to set in, and it's a bit darker out, thus lending to increased obscurity and decreased acuity and vision-related impairments. Overall, this visualization was quite interesting to dissect, as there does seem to be a correlation between crimes and their time of occurrence, as more crimes occur during afternoons and evenings.

```
## Simple feature collection with 10 features and 5 fields
## geometry type:
                    MULTIPOLYGON
## dimension:
                    XY
## bbox:
                    xmin: -122.5139 ymin: 37.7081 xmax: -122.357 ymax: 37.83329
##
   geographic CRS: WGS84(DD)
##
      company
                 district shape_area shape_le_1 shape_leng
## 1
            В
                 SOUTHERN
                            91344142
                                       100231.35
                                                    87550.28
## 2
            C
                  BAYVIEW
                           201384622
                                       144143.48
                                                   163013.80
## 3
            D
                  MISSION
                            80623840
                                        40518.83
                                                    40152.78
##
            Ε
                 NORTHERN
                            82781686
                                        50608.31
                                                    56493.86
            J TENDERLOIN
                            11072155
##
  5
                                        18796.78
                                                    12424.27
##
   6
            Α
                  CENTRAL
                            55950269
                                        67686.52
                                                    64025.13
##
  7
            F
                            84878956
                                        50328.91
                                                    46307.78
                     PARK
## 8
            G
                RICHMOND
                           137964024
                                        75188.63
                                                    69991.47
## 9
            Η
                           193580502
                                        74474.18
                                                    74737.94
               INGLESIDE
            Ι
                                        73470.42
## 10
                  TARAVAL
                           284676678
                                                    75350.22
##
                              geometry
      MULTIPOLYGON (((-122.3919 3...
```

```
## 2 MULTIPOLYGON (((-122.381 37...
## 3 MULTIPOLYGON (((-122.4095 3...
## 4 MULTIPOLYGON (((-122.4338 3...
## 5 MULTIPOLYGON (((-122.4022 3...
## 6 MULTIPOLYGON (((-122.4261 3...
## 7 MULTIPOLYGON (((-122.4396 3...
## 8 MULTIPOLYGON (((-122.4413 3...
## 9 MULTIPOLYGON (((-122.4045 3...
## 10 MULTIPOLYGON (((-122.4984 3...
```

# SF data with theme and aesthetics

# Certain SF counties have mo



links to use for the map: https://www.benjaminsorensen.me/project/sf\_police/ https://data.sfgov.org/Public-Safety/Current-Police-Districts/wkhw-cjsf https://r-spatial.github.io/sf/articles/sf5.html#geometry-with-attributes-sf-1


The purpose of this faceted barplot is to show which police districts have the highest rate of crime, as well as the highest proportion of violent crimes.

## 3- Which PD has the highest proportion of violent crime? Kyra

```
## # A tibble: 10 x 3
  # Groups:
               PdDistrict [10]
##
##
      PdDistrict
                      n perc
                  <int> <dbl>
##
      <chr>>
##
    1 INGLESIDE
                    199 17.2
    2 BAYVIEW
                    223 15.6
##
##
    3 TENDERLOIN
                    150 14.9
    4 MISSION
                    257 13.7
    5 SOUTHERN
                    367 12.6
##
```

```
##
    6 CENTRAL
                    174
                          9.98
##
    7 NORTHERN
                    200
                          9.88
                          9.74
##
    8 TARAVAL
                    109
    9 PARK
                          8.09
##
                     68
## 10 RICHMOND
                          6.60
```

# Ingleside, Mission, and Tenderloin Have Highest Violent Crime Rate




By looking at the table and bar plot, it is clear that Ingleside, Mission, and Tenderloin have the highest rates of violent crime. However, Mission, Southern, and Bayview have the highest number of violent crimes. Park and Richmond both have the lowest rates and total numbers of violent crimes. For all police districts, the percentage of violent crimes is lower than 18%.

# 5- Day of the week and category? Leah

```
## # A tibble: 15,000 x 2
  # Groups:
                DayOfWeek [1]
##
##
      DayOfWeek cpday
      <fct>
##
                 <int>
    1 <NA>
                 15000
##
##
    2 <NA>
                 15000
##
    3 <NA>
                 15000
                 15000
##
    4 <NA>
##
    5 <NA>
                 15000
##
    6 <NA>
                 15000
##
    7
      <NA>
                 15000
##
    8 <NA>
                 15000
    9 <NA>
                 15000
##
## 10 <NA>
                 15000
## # ... with 14,990 more rows
```


# Number of Crimes Per Day Suggest Equal Spread of Crime



One relationship we were interested in was if certain days had a higher rates of crime. We visualized this relationship by creating a bar graph that compares the day of the week and number of crimes each day during this time period. By looking at the visual, we are able to see that each has a relatively similar crime count compared to the other. In addition to this, there is no significant pattern that sticks out as well.

```
## # A tibble: 15,000 x 9
  # Groups:
               crimetype [8]
##
      Category DayOfWeek Date PdDistrict Resolution hour timerange crimetype
##
      <chr>
               <chr>
                         <chr> <chr>
                                           <chr>
                                                      <dbl> <chr>
                                                                       <chr>>
##
    1 ASSAULT Tuesday
                         01/2~ NORTHERN
                                           NONE
                                                         13 afternoon Violent
    2 LARCENY~ Wednesday 06/1~ BAYVIEW
                                           NONE
                                                          8 morning
                                                                       Property
##
    3 NON-CRI~ Sunday
                         08/2~ SOUTHERN
                                           NONE
                                                         12 afternoon Miscella~
    4 NON-CRI~ Tuesday
                         08/1~ CENTRAL
                                           NONE
                                                         16 afternoon Miscella~
##
    5 NON-CRI~ Wednesday 02/0~ NORTHERN
                                           NONE
                                                          6 morning
                                                                      Miscella~
    6 ROBBERY Monday
                         03/2~ INGLESIDE
                                           NONE
                                                         15 afternoon Violent
                         10/1~ SOUTHERN
    7 NON-CRI~ Monday
                                           NONE
                                                          8 morning
                                                                       Miscella~
##
                                                         11 morning
    8 NON-CRI~ Thursday
                         02/0~ SOUTHERN
                                           NONE
                                                                       Miscella~
    9 WARRANTS Wednesday 05/0~ NORTHERN
                                           ARREST, B~
                                                         22 night
                                                                       Legal Vi~
## 10 VEHICLE~ Friday
                         04/0~ INGLESIDE
                                           NONE
                                                         22 night
                                                                       Property
## # ... with 14,990 more rows, and 1 more variable: ctcount <int>
```

# The most property crime happens on Friday The most violent crime happens on Saturday



The faceted bar graph shows the frequency of each crime rate on a given day of the week. When looking at the visualization, it is easy to see the large difference between types of crime that exist. On each day, the number of property related crimes and miscellaneous crimes are significantly greater than the 5 other crime types. When looking at the frequency of crime types from day to day, every day has a similar pattern of frequency. This further supports the observation from the previous visualization where crime and day of the week do not necessarily have a relationship.

## #Chi-Square Test

#Mihir We will be performing a Chi-Squared test between these categorical variables to determine if there is the relationship between them is statistically significant.

 $H_0$ : NO relationship between the crime types created above and categories for time of day created above.

 $H_a$ : There IS a relationship between the crime types created above and categories for time of day created above.

## $\alpha$ of 0.05

##	-	ΓimeOfDay			
##	CrimeCategory	${\tt afternoon}$	${\tt dawn}$	morning	night
##	Drug/Alcohol	194	80	106	132
##	Legal Violation	354	135	173	280
##	Miscellaneous	1574	560	993	1103
##	Property	1994	788	1119	2343
##	Sex	32	5	3	31
##	Suspicious	239	126	235	210
##	Violent	508	365	346	586
##	White Collar	165	63	75	83

```
##
## Pearson's Chi-squared test
##
## data: table
## X-squared = 347.32, df = 21, p-value < 2.2e-16
#Logistic Regression</pre>
```

#Mihir By using logistic regression, we hope to answer the question of how much more likely a violent crime is to occur depending on the time range of the crime committed. This model below shows the predicted proportion of crimes that are violent given the predictor of time range. The three time ranges used are evening, morning, and night. We hypothesize that the highest proportion of violent crimes will occur at night because there are typically fewer witnesses at these hours.

```
## # A tibble: 10 x 5
##
      term
                          estimate std.error statistic
                                                            p.value
##
      <chr>
                                                   <dbl>
                                                              <dbl>
                              <dbl>
                                        <dbl>
##
    1 (Intercept)
                          -2.28
                                       0.0765
                                               -29.8
                                                         5.49e-195
##
    2 DayOfWeekMonday
                           0.0771
                                       0.0941
                                                  0.818
                                                         4.13e-
##
    3 DayOfWeekSaturday
                           0.228
                                       0.0903
                                                  2.52
                                                         1.16e-
                                                  1.59
##
    4 DayOfWeekSunday
                           0.148
                                       0.0937
                                                         1.13e-
##
    5 DayOfWeekThursday
                           0.00391
                                       0.0955
                                                  0.0410 9.67e-
##
    6 DayOfWeekTuesday
                           0.127
                                       0.0928
                                                  1.37
                                                         1.71e-
    7 DayOfWeekWednesday
                                       0.0950
                                                  0.367
##
                           0.0348
                                                         7.14e-
##
    8 timerangedawn
                           0.608
                                       0.0743
                                                  8.18
                                                         2.75e- 16
    9 timerangemorning
                                                  1.86
##
                           0.137
                                       0.0738
                                                         6.34e-
                                                                  2
                                                         4.14e-
## 10 timerangenight
                           0.227
                                       0.0643
                                                  3.53
   # A tibble: 10 x 5
##
##
      term
                          estimate std.error statistic
                                                          p.value
##
      <chr>
                              <dbl>
                                        <dbl>
                                                   <dbl>
                                                             <dbl>
##
    1 (Intercept)
                           -0.417
                                       0.0480
                                                  -8.69
                                                         3.64e-18
##
    2 DayOfWeekMonday
                            0.0351
                                       0.0610
                                                   0.576 5.65e- 1
##
    3 DayOfWeekSaturday
                            0.0453
                                       0.0603
                                                   0.752 4.52e- 1
##
    4 DayOfWeekSunday
                            0.0934
                                       0.0617
                                                   1.51
                                                         1.30e- 1
##
    5 DayOfWeekThursday
                           -0.193
                                       0.0616
                                                  -3.14
                                                         1.68e- 3
##
    6 DayOfWeekTuesday
                           -0.0138
                                       0.0608
                                                  -0.227 8.20e- 1
                                                  -0.760 4.47e- 1
##
    7 DayOfWeekWednesday
                           -0.0464
                                       0.0610
    8 timerangedawn
                           -0.109
                                       0.0535
                                                  -2.04 4.10e- 2
    9 timerangemorning
                           -0.115
                                       0.0474
                                                  -2.42
                                                         1.53e- 2
##
## 10 timerangenight
                            0.396
                                       0.0409
                                                         3.73e-22
```

#4- How does time range affect whether crimes are violent? Kyra

```
## # A tibble: 4 x 5
##
     term
                       estimate std.error statistic
                                                        p.value
##
     <chr>
                                               <dbl>
                                                          <dbl>
                          <dbl>
                                     <dbl>
## 1 (Intercept)
                         0.100
                                   0.00456
                                               22.0 1.29e-105
## 2 timerangedawn
                                                 8.53 1.59e- 17
                         0.0716
                                   0.00839
## 3 timerangemorning
                         0.0130
                                   0.00744
                                                 1.75 7.95e-
                                                 3.44 5.93e-
## 4 timerangenight
                         0.0225
                                   0.00655
```

## RESULTS

#Chi-Square Test

The test statistic is 359.84, which has a chi squared distribution with 18 df under  $H_0$ . The p-value is < 2.2e-16 which is less than the  $\alpha$  of 0.05. This means there is sufficient evidence to reject the null hypothesis.

As a result, I conclude that there is sufficient evidence to suggest that at the 0.05 significance level that there is a relationship between the crime types created above and categories for time of day created above.

```
#Logistic Regression  
#Mihir For Violent Crime:  
Predicted logit(p) = -2.280 + 0.077^* (Mon.) + 0.127^* (Tues.) + 0.035^* (Wed.) + 0.004^* (Thur.) + 0.228^* (Sat.) + 0.148^* (Sun.) + 0.137^* (morning) + 0.227^* (evening) + 0.608^* (night)  
For Property Crime:  
Predicted logit(p) = -0.417 + 0.035^* (Mon.) - 0.013^* (Tues.) - 0.046^* (Wed.) - 0.193^* (Thur.) + 0.045^* (Sat.) + 0.093^* (Sun.) - 0.114^* (morning) + 0.396^* (evening) - 0.109^* (night)  
#Kyra Predicted logit(yes_violent) = 0.10383 + 0.01188(evening) + 0.00227(morning) + 0.06939(night)
```

## **DISCUSSION**

This section is a conclusion and discussion. This will require a summary of what you have learned about your research question along with statistical arguments supporting your conclusions. Also, critique your own methods and provide suggestions for improving your analysis. Issues pertaining to the reliability and validity of your data and appropriateness of the statistical analysis should also be discussed here. A paragraph on what you would do differently if you were able to start over with the project or what you would do next if you were going to continue work on the project should also be included.

#mihir's discussion: After creating the the categoroical variables for time of day and also creating categorizing the types of crime within larger categories, we determined that there was a statistically significant relationship between the time of day and type of crime. As a result, I created a logistic model to calculate the log-odds of whether a violent crime occurred with the predictors of day of the week and time of day. I also created a model for with the same predictors for a property crime.

This model cannot be applied to all cities but the base concept should remain the same. Most cities will have liekly have crime peak during the night and during the weekends because more people will not be home.

I think if I were to continue to working the project I would likely break down the model to apply it specific districts By doing so, the characteristics of these individual districts could be identified. Hopefully, these characteristics allow us to potentially apply these models to districts with similar population density, population breakdown, etc.

#Tina's disc: After constructing the faceted visualization of crime count and time, we learned that certain categories of crime are far more prominent than others. For example, larceny/theft is more common, along with non-criminal crimes and assault. Most crimes happen during the afternoon and night, with the least happening in the hours from 0 to 6 (or in the early morning). Out of all the categories of crime listed, larceny/theft is mostly conducted during the evening, or between 6pm and 12am. This makes sense, as this is usually when night begins to set in, and it's a bit darker out, thus lending to increased obscurity and decreased acuity and vision-related impairments. Overall, this visualization displayed more crimes occurring during afternoons and evenings.

We understand that we cannot extrapolate our analysis to every city; however, our conclusions will be generalizable to similar cities to a moderate degree. Other cities with similar infrastructure and economic conditions are more likely to utilize the analysis we've found. This analysis will not be applicable to Durham, NC, for example, because of the population density and overall difference in cities (SF is a bustling city, while Durham is a smaller, quaint town).

If we were to continue work on the project, we would add to our analysis by introducing data from different cities that are comparable to SF. It would be interesting to see the parallels in crime rates, as for many college students, traveling to their first job post-grad will be their first taste of independence and financial freedom – thus, safety is an important factor to take into consideration. Ultimately, expanding the population of interest to citizens in multiple cities would give a better picture of how cases of crime occur differently by

region, state, country, or population density (urban vs. rural). Second, we would also adjust for additional potential confounding variables to improve the accuracy of our analysis and models. Finally, to learn more, we'd want to speak with current or past residents and police officers about their experiences. Data is a great way to create thoughtful questions but it may not provide the full or complete answer.

## #Kyra's discussion:

The bar graph that shows crime rates and violent crime proportions that is faceted by police districts shows valuable insight as to which police districts are faced with the highest crime rates. The police districts of Tenderloin, Mission, and Ingleside have the highest percentages of violent crime (17.7%, 16.6%, 16% respectively). However, it is Bayview, Northern, and Southern that have the highest total number of violent crimes (239, 202, 291 respectively). Park and Richmond were both consistent in having the lowest numbers of total violent crimes as well as proportion of violent crimes. Noting the success of these districts in maintaining low levels of crimes, it could be beneficial to restructure other districts to mirror their practices.

Given that factors such as poverty level and unemployment rates are main drivers for crime[1], it would be valuable to assess these numbers for each police district. It would be valuable to know the differences in these factors for districts with more and less crime so that next steps can be taken to lower crime rates. For example, should a future study conclude that Park's public education system has higher test scores than that of Bayview, improving schools could be the best step for mitigating crime.

An important factor that this analysis is lacking is the populations of each police district. Having a larger population size would likely contribute to greater numbers of crime, even if per capita crime is lower. This information is not present in the dataset we used, but would be necessary to extrapolate a greater conclusion regarding which police district is most dangerous.

#### REFERENCES

- [1] https://poets and quants for under grads. com/2020/05/15/are-these-the-50-best-metro-areas-for-recent-college-grads/
- [2] https://www.sfchronicle.com/bayarea/article/Which-crimes-are-up-down-in-SF-during-15408485.php
- $[3] \ https://www.sfchronicle.com/bayarea/philmatier/article/SF-ranks-high-in-property-crime-while-it-ranks-14439369.php$
- [4] https://ucr.fbi.gov/hate-crime/2011/resources/variables-affecting-crime

#### NOTES

-notes from OH: -connect to the next level -interpret coefficients -final repo should look like a paper from poli sci -need to change order of days of the week -need to add README file - fix important2