

Homework 4

Aaron W. Tarajos
February 11, 2025

Chapter 22 Problem 50

At some instant the velocity components of an electron moving between two charged parallel plates are $v_x = 1.5 \times 10^5$ m/s and $v_y = 3.0 \times 10^3$ m/s. Suppose the electric field between the plates is uniform and given by $\vec{E} = 120 \text{ N/C} \hat{\mathbf{j}}$. In unit-vector notation, what are (a) the electron's acceleration in that field and (b) the electron's velocity when its x coordinate has changed by 2.0 cm?

Solution

Part a: There is only a force in the $\hat{\mathbf{j}}$ direction and using Newton's second law we can say

$$\vec{a} = \frac{\vec{F}}{m} = \frac{120}{9.109 \times 10^{-31}} \frac{\text{N}}{\text{C kg}} = \boxed{1.317 \times 10^{32} \text{ m/s}^2 \hat{\mathbf{j}}}$$

Part b: We can solve for time in terms of v_x ;

$$\Delta x = v_x t \implies t = \frac{\Delta x}{v_x}$$

then the velocity is given by;

$$\begin{aligned} \vec{v} &= v_x \hat{\mathbf{i}} + (at + v_y) \hat{\mathbf{j}} \\ &= v_x \hat{\mathbf{i}} + \left(\frac{a\Delta x}{v_x} + v_y \right) \hat{\mathbf{j}} \\ &= 1.5 \times 10^5 \text{ m/s} \hat{\mathbf{i}} + \frac{120 \cdot 2}{9.109 \times 10^{-31} \cdot 3.0 \times 10^3} \text{ m/s} \hat{\mathbf{j}} \\ &= \boxed{1.5 \times 10^5 \text{ m/s} \hat{\mathbf{i}} + 8.783 \times 10^{28} \text{ m/s} \hat{\mathbf{j}}} \end{aligned}$$

Chapter 22 Problem 55

A uniform electric field exists in a region between two oppositely charged plates. An electron is released from rest at the surface of the negatively charged plate and strikes the surface of the opposite plate, 2.0 cm away, in a time 1.5×10^{-8} s. (a) What is the speed of the electron as it strikes the second plate? (b) What is the magnitude of the electric field \vec{E} ?

Solution

Part a:

$$a = \frac{2\Delta x}{t^2}$$

and

$$v_f = v_i + at \implies v_f = \frac{2\Delta x}{t}$$

so we have

$$v_f = \frac{2 \cdot 2.0}{1.5 \times 10^{-8}} = \boxed{2.667 \times 10^6 \text{ cm/s}}$$

Part b: We can use Newton's second law where

$$\begin{aligned} F &= ma \\ E &= ma \\ &= m \frac{2\Delta x}{t^2} \\ &= \frac{9.109 \times 10^{-31} \cdot 2 \cdot 0.02}{1.5 \times 10^{-16}} \\ &= \boxed{2.430 \times 10^{-16} \text{ N/C}} \end{aligned}$$

Chapter 22 Problem 59

How much work is required to turn an electric dipole 180° in a uniform electric field of magnitude $E = 46.0 \text{ N/C}$ if the dipole moment has a magnitude of $p = 3.02 \times 10^{-25} \text{ C} \cdot \text{m}$ and the initial angle is 64° ?

Solution

We start by finding the potential at the initial and final position and then take the difference between initial and final;

$$V = -\vec{p} \cdot \vec{E}$$

and

$$W = -\Delta V$$

so we have

$$\begin{aligned} W &= -(pE \cos(64 + 180) - pE \cos(64)) \\ &= -\left((3.02 \times 10^{-25})(46) \cos(64 + 180) - (3.02 \times 10^{-25})(46) \cos(64)\right) \\ &= \boxed{1.2180 \times 10^{-23} \text{ J}} \end{aligned}$$

Chapter 22 Problem 60

A certain electric dipole is placed in a uniform electric field \vec{E} of magnitude 40 N/C . Figure 22-63 gives the magnitude τ of the torque on the dipole versus the angle θ between the field \vec{E} and the dipole moment \vec{p} . The vertical axis scale is set by $\tau_s = 100 \times 10^{-28} \text{ N} \cdot \text{m}$. What is the magnitude of \vec{p} ?

Solution

Chapter 22 Problem 76

In Figure 22-67, an electric dipole swings from an initial orientation $\theta_1 = 20.0^\circ$ to a final orientation $\theta_2 = 20.0^\circ$ in a uniform external electric field \vec{E} . The electric dipole moment is $1.60 \times 10^{-27} \text{ C} \cdot \text{m}$; the field magnitude is $3.00 \times 10^6 \text{ N/C}$. What is the change in the dipole's potential energy?

Solution

Solution