

Nama : Kukuh Adhi Pratama


NIM : L200174185

Kelas : X

Laporan Praktikum Kegiatan

Modul 10

1. Topologi.



2. Konfigurasi IP pada Server0.

The screenshot shows the 'IP Configuration' window for 'Server0'. The window has tabs for Physical, Config, Services, Desktop, Programming, and Attributes. The 'Config' tab is active. Under 'IP Configuration', the 'Static' radio button is selected. The fields are filled with: IP Address: 192.168.123.1, Subnet Mask: 255.255.255.0, Default Gateway: 0.0.0.0, and DNS Server: 0.0.0.0. Under 'IPv6 Configuration', the 'Static' radio button is selected. The fields are: IPv6 Address: (empty), Link Local Address: FE80::200:SCFF:FE2A:4535, IPv6 Gateway: (empty), and IPv6 DNS Server: (empty). A 'Top' button is at the bottom left.

IP Configuration	
<input type="radio"/> DHCP <input checked="" type="radio"/> Static	
IP Address	192.168.123.1
Subnet Mask	255.255.255.0
Default Gateway	0.0.0.0
DNS Server	0.0.0.0
IPv6 Configuration	
<input type="radio"/> DHCP <input type="radio"/> Auto Config <input checked="" type="radio"/> Static	
IPv6 Address	
Link Local Address	FE80::200:SCFF:FE2A:4535
IPv6 Gateway	
IPv6 DNS Server	

☐ Top


3. Konfigurasi IP pada Server1.

The screenshot shows the 'IP Configuration' window for 'Server1'. The window has tabs for Physical, Config, Services, Desktop, Programming, and Attributes. The 'Config' tab is active. Under 'IP Configuration', the 'Static' radio button is selected. The fields are filled with: IP Address: 192.168.123.2, Subnet Mask: 255.255.255.0, Default Gateway: 0.0.0.0, and DNS Server: 0.0.0.0. Under 'IPv6 Configuration', the 'Static' radio button is selected. The fields are: IPv6 Address: (empty), Link Local Address: FE80::200:97FF:FE11:CC4E, IPv6 Gateway: (empty), and IPv6 DNS Server: (empty). A 'Top' button is at the bottom left.

IP Configuration	
<input type="radio"/> DHCP <input checked="" type="radio"/> Static	
IP Address	192.168.123.2
Subnet Mask	255.255.255.0
Default Gateway	0.0.0.0
DNS Server	0.0.0.0
IPv6 Configuration	
<input type="radio"/> DHCP <input type="radio"/> Auto Config <input checked="" type="radio"/> Static	
IPv6 Address	
Link Local Address	FE80::200:97FF:FE11:CC4E
IPv6 Gateway	
IPv6 DNS Server	

☐ Top

4. Konfigurasi IP pada PC0.




The screenshot shows the 'PC0' configuration window with the 'Config' tab selected. The 'IP Configuration' section is active, showing 'Static' IP settings. The IP Address is 192.168.123.1, Subnet Mask is 255.255.255.0, Default Gateway is 0.0.0.0, and DNS Server is 192.168.123.2. The 'IPv6 Configuration' section is also visible, showing 'Static' settings with a Link Local Address of FE80::20A:F3FF:FECS:1592.

IP Configuration	
<input type="radio"/> DHCP	<input checked="" type="radio"/> Static
IP Address	192.168.123.1
Subnet Mask	255.255.255.0
Default Gateway	0.0.0.0
DNS Server	192.168.123.2

IPv6 Configuration		
<input type="radio"/> DHCP	<input type="radio"/> Auto Config	<input checked="" type="radio"/> Static
IPv6 Address		
Link Local Address	FE80::20A:F3FF:FECS:1592	
IPv6 Gateway		
IPv6 DNS Server		

5. Konfigurasi DNS Server.




The screenshot shows the 'Server1' configuration window with the 'Services' tab selected. The 'DNS' service is configured. The 'DNS Service' is turned 'On'. The 'Resource Records' section shows a table with one record: 'tbandung.com' with an 'A Record' type and IP address '192.168.123.1'.

DNS Service	
DNS Service	<input checked="" type="radio"/> On <input type="radio"/> Off

Resource Records			
Name	Type: A Record		
Address			
Add Save Remove			
No.	Name	Type	Detail
0	tbandung.com	A Record	192.168.123.1

DNS Cache	

6. Mengganti isi HTML di Server0.



7. Melakukan Browsing HTTP ke Domain.

