

Formation and evolution of oxygen-vacancy clusters in lead and tin doped silicon

C. A. Londos,¹ D. Aliprantis,¹ E. N. Sgourou,¹ A. Chroneos,^{2,a)} and P. Pochet³¹University of Athens, Solid State Physics Section, Panepistimiopolis Zografos, Athens 157 84, Greece²Department of Materials, Imperial College London, London SW7 2AZ, United Kingdom³Laboratoire de Simulation Atomistique (L_Sim), SP2M, INAC, CEA-UJF, 38054 Grenoble Cedex 9, France

(Received 7 February 2012; accepted 16 May 2012; published online 19 June 2012)

Infrared spectroscopy (IR) measurements were used to investigate the effect of lead (Pb), tin (Sn), and (Pb, Sn) codoping on electron radiation-induced defects in silicon (Si). The study was mainly focused on oxygen-vacancy (VO_n) clusters and in particular their formation and evolution upon annealing. It was determined that Pb causes a larger reduction in the production of the VO defect than Sn. In (Pb, Sn) co-doped Si isochronal anneals revealed that the evolution of VO increases substantially at $\sim 170^\circ\text{C}$. This is attributed to the release of V from the SnV pair. Interestingly, in the corresponding evolution curves of VO in the Sn- and the Pb-doped samples, this inverse annealing stage is also present for the former while it is not present for the latter. This is attributed to the formation of PbV pairs that do not dissociate below 280°C . The partial capture of V by Sn in co-doped samples is rationalized through the higher compressive local strain around Pb atoms that leads to a retardation of vacancy diffusion. The conversion of VO to the VO_2 defect is substantially reduced in the Pb-doped sample. The evolution curves of VO and VO_2 clusters in the isovalent doped Si samples hint the production of VO_2 from other mechanisms (i.e., besides $VO + O_i \rightarrow VO_2$). For larger VO_n clusters ($n = 3, 4$), the signals are very weak in the Pb-doped sample, whereas for $n \geq 5$, they are not present in the spectra. Conversely, bands related with the VO_5 and VO_nC_s defects are present in the spectra of the Sn-doped and (Pb, Sn) codoped Si. © 2012 American Institute of Physics. [<http://dx.doi.org/10.1063/1.4729573>]

I. INTRODUCTION

Czochralski-grown Si (Cz-Si) is a mainstream material for numerous photovoltaic and microelectronic applications. The need to improve the quality of relative devices demands a comprehensive understanding of impurities and defects in Cz-Si.^{1–7} Oxygen is the main impurity in Cz-Si and is unintentionally introduced during growth. Oxygen is accommodated initially at interstitial sites (O_i) and is electrically inactive. Upon annealing O_i participates in a manifold of defect reactions, the products of which can affect the electrical and the optical properties of Si.⁸ Oxygen is a major trap for V forming the VO pair (also known as A-center), which is besides the divacancy (V_2) the most significant defect in irradiated Si. Due to its electrical activity, the A-center can act as an important recombination⁹ center, affecting the performance of Si-based devices. Due to this behavior, the A-center was studied with numerous experimental techniques.^{8–15} These results coupled with extensive theoretical investigations^{16,17} led to a detailed understanding of the VO pair with its electrical and optical behavior being characterized completely. Upon thermal treatments, oxygen participates in a number of reactions, some of which lead to the formation of VO_n clusters^{18–20} through the addition of O_i atoms in the initial VO pair. The next member of the family is the VO_2 cluster formed *via* the reaction $VO + O_i \rightarrow VO_2$. This center has been extensively studied due to its unique properties, includ-

ing its metastability.^{21,22} Importantly, it has been suggested²³ that VO_2 plays a key role in oxygen precipitation processes.

The need of radiation hard Si led to various strategies for defect engineering. In particular, isovalent doping in Si has been proven very important especially for the control and manipulation of oxygen-vacancy defects and oxygen aggregation processes. For example, germanium (Ge) affects^{24–26} the formation and the thermal stability of the VO pair and also its conversion to VO_2 . Sn has been determined^{27–29} to substantially reduce the formation of VO and its conversion to VO_2 defect. Due to the larger covalent radius than that of Si, both Ge and Sn have the tendency to capture vacancies and the formation of GeV and SnV pairs has been reported.^{24,27} Both GeV and SnV are optically inactive not giving bands in the IR spectra. At least four electrical levels are related³⁰ to the SnV pair. Pb another isovalent dopant in Si with covalent radius ($r_{\text{Pb}} = 1.44 \text{ \AA}$) even larger than that of Sn ($r_{\text{Sn}} = 1.41 \text{ \AA}$) is expected to form PbV pairs and affect the behavior of oxygen-vacancy defects. There is no indication^{31,32} of any electrical levels associated with Pb-related defects in Si. More specifically, there is no indication³² of any PbV related electrical levels in Si. Also, any optical signals related to the Pb presence in the Si lattice have not been reported so far, to the best of our knowledge. The Pb properties and behavior in Si are far from being complete, and the effect of its presence in the lattice on radiation-induced defects has not been fully investigated. Notably, the Pb introduction in the Si lattice is usually accompanied by the introduction of C. The reason is that Pb has a larger covalent radius than that of Si ($r_{\text{Si}} = 1.17 \text{ \AA}$), whereas the covalent radius of C is smaller ($r_{\text{C}} = 0.77 \text{ \AA}$). Their simultaneous introduction leads to a strain

^{a)}Author to whom correspondence should be addressed. Electronic mail: alexander.chroneos@imperial.ac.uk.

TABLE I. The concentrations of Sn and Pb ($[Sn]$ and $[Pb]$) and the concentrations of O_i and C_s before irradiation ($[O_i]_0$ and $[C_s]_0$). a_{VO} and a_{VO_2} are the absorption coefficients of VO and VO_2 , respectively, and a_{VO_2}/a_{VO} their ratio.

Sample name	$[Sn] \times 10^{17} \text{cm}^{-3}$	$[Pb] \times 10^{17} \text{cm}^{-3}$	$[O_i]_0 \times 10^{17} \text{cm}^{-3}$	$[C_s]_0 \times 10^{17} \text{cm}^{-3}$	$a_{VO} \text{cm}^{-1}$	$a_{VO_2} \text{cm}^{-1}$	a_{VO_2}/a_{VO}
Cz-Si:Pb		10	2.1	1.9	0.50	0.07	0.14
Cz-Si:Sn _L	3		9.6	4.7	1.20	0.43	0.36
Cz-Si:Sn _H	90		9.2	2	0.80	0.12	0.15
Cz-Si:SnPb	2	10	6.2	4.0	0.88	0.15	0.17

compensation stabilizing the Pb atoms at substitutional sites, thus preventing their precipitation.^{33–35} In that respect, codoping of Cz-Si with C and Sn has been suggested^{36,37} as a promising defect engineering strategy for improving the radiation hardness of Si. Similarly, it is interesting to investigate (C, Pb) codoped Si. Apparently, due to the ability of C to associate readily with various impurities and defects in Si,^{38–40} its presence in the lattice should be considered when investigating radiation-induced defects.

Strain engineering is an important strategy to improve the quality of semiconductor devices.⁴¹ The use of strained Si is accompanied with various challenges and its behavior is different compared to unstrained Si. For example, diffusion in strained Si is quite different^{5,42} than that in the unstrained material. The change in diffusion of intrinsic defects and impurities affects in turn reactions between radiation defects and the aggregation processes in Si. The substitutional introduction of isovalent impurities such as Sn and Pb in Si influences^{43,44} the aggregation processes of oxygen, as a result of the local strains introduced in the lattice. Since oxygen migration is affected by Sn,⁴³ Pb,⁴⁴ and C,⁴⁵ one expects that the formation of VO_n clusters would also be affected. Interestingly, the application of high hydrostatic pressure has been determined to exhibit a significant effect on radiation defects⁴⁶ in Si and on oxygen aggregation.^{47,48} In previous studies, pressure has been used to investigate and tune the properties of semiconductors.^{49,50} The similarities and the differences in the behavior of strained Si material (or material subjected to external pressure or having local strains due to isovalent doping) is expected to enhance the understanding of the behavior of Si and improve the yield of relative devices.

The aim of this study is to investigate the impact of Sn and Pb doping in Cz-Si on radiation induced defects and especially oxygen-vacancy complexes. A more specific target is to reach to an assessment of the Sn and Pb hardening potential in the Si material, by making comparisons between the two isovalent dopants.

II. EXPERIMENTAL METHODOLOGY

We used four groups of mechanically polished Cz-Si samples of ~ 2 mm thickness doped with Pb and/or Sn. In particular: (a) was Pb-doped with $[Pb] = 1 \times 10^{18} \text{cm}^{-3}$, (b) Sn-doped with $[Sn] = 3 \times 10^{17} \text{cm}^{-3}$, (c) Sn-doped with $[Sn] = 9 \times 10^{18} \text{cm}^{-3}$, and (d) codoped with Pb and Sn with $[Pb] = 1 \times 10^{18} \text{cm}^{-3}$ and $[Sn] = 2 \times 10^{17} \text{cm}^{-3}$. Hereafter, these samples will be labeled as Cz-Si:Pb, Cz-Si:Sn_L, Cz-Si:Sn_H, and Cz-Si:SnPb, respectively. The Pb and Sn concentrations were determined by secondary ion mass spectrometry (SIMS). The oxygen and carbon concentrations of

the samples are cited in Table I. The oxygen and carbon calibration coefficients were, respectively, $3.14 \times 10^{17} \text{cm}^{-2}$ for the 1107cm^{-1} oxygen band and $1.0 \times 10^{17} \text{cm}^{-2}$ for the 605cm^{-1} carbon band. The samples were irradiated with 2 MeV fast electrons at $\sim 80^\circ \text{C}$, using the Dynamitron accelerator at Takasaki-Jaeri (Japan). The irradiation fluence was $1 \times 10^{18} \text{cm}^{-2}$. After the irradiations, the samples were subjected to 20 min isochronal anneals in open furnaces in $\sim 10^\circ \text{C}$ steps, from room temperature up to 900°C . After each annealing step, the IR spectra were recorded with a FTIR spectrometer (Jasco-470 plus), with a resolution of 1cm^{-1} . The phonon contribution in the spectra was always removed by using a reference very pure float zone Si (Fz-Si) sample of equal thickness.

III. RESULTS AND DISCUSSION

Fig. 1 presents the IR spectra of the Cz-Si:Pb (a), the Cz-Si:Sn_L (b), Cz-Si:Sn_H (c), and the Cz-Si:SnPb (d) samples, at a range of temperatures in the course of the isochronal anneal sequence. Well-known bands of defects as those of VO (830cm^{-1}), C_iO_i (862cm^{-1}), C_iO_i/C_iC_s (546cm^{-1}), $C_iO_i(Si_i)$ ($936, 1020 \text{cm}^{-1}$), C_sO_i ($585, 637, 684 \text{cm}^{-1}$), C_sO_{2i} (1048cm^{-1}), VO_2 (888cm^{-1}), and $C_iO_i(Si_i)_n$ ($n > 1$) ($947, 967 \text{cm}^{-1}$) appear in the IR spectra of the samples (Ref. 29 and references therein). Additionally, above 400°C bands from the VO_3 ($904, 968, 1000 \text{cm}^{-1}$),^{18,19} VO_4 ($985, 1010 \text{cm}^{-1}$),^{18,19} VO_5 ($1037, 1051 \text{cm}^{-1}$),^{51,52} as well as the VO_nC_s ($967, 1005 \text{cm}^{-1}$) (Ref. 52) clusters are present. Interestingly, bands from the latter two clusters do not appear in the spectra of the Pb-doped Si samples. Even the bands from the VO_3 and VO_4 defects are very weak. In particular, from the three bands of the VO_3 cluster only that of 904cm^{-1} is clearly observed, whereas only traces from the other two are present. Similarly, from the two bands of VO_4 cluster only the 985cm^{-1} is clearly detected. The band at 762cm^{-1} belongs to the VO_nC_s family.

Fig. 2 presents the evolution of the VO, VO_2 , and VO_3 clusters in the Cz-Si:Pb (a), the Cz-Si:Sn_L (b), the Cz-Si:Sn_H (c), and the Cz-Si:SnPb (d) samples. Notably, the 904cm^{-1} band of VO_3 in Pb-doped sample is very weak to be depicted properly in Fig. 2(a) and it is, therefore, omitted. Fig. 3 presents the evolution of the VO_3 , VO_4 , VO_5 , and VO_nC_s clusters in the Cz-Si:Sn_L(a), the Cz-Si:Sn_H(b), and the Cz-Si:SnPb (c) samples. The evolution of the VO_3 cluster is depicted both in Figs. 2 and 3 in order to appreciate the relative amplitudes of the various VO_n clusters.

In the Cz-Si:Sn_H sample, SnV pairs are formed at the expense of VO centres and analogously one may consider the formation of PbV pairs. Since $r_{Pb} > r_{Sn}$ a larger number




FIG. 1. Segments of the IR spectra of the (a) Cz-Si:Pb, (b) Cz-Si:Sn_L, (c) Cz-Si:Sn_H, and (d) Cz-Si:SnPb (d) samples, at characteristic temperatures of the isochronal anneals sequence.

of vacancies are expected to be trapped by Pb than by Sn (i.e., to relieve the local strains induced by the introduction of the larger isovalent dopant) and therefore less VO centres would form in the Pb-doped Si, in agreement with the




FIG. 2. The evolution with temperature of the VO, VO₂, and the VO₃ IR related bands of the (a) Cz-Si:Pb, (b) Cz-Si:Sn_L, (c) Cz-Si:Sn_H, and (d) Cz-Si:SnPb samples. The complete figure with all the contributions to the absorption coefficient for VO₃ (denoted here “average”) is given in Ref. 58.

observations of Figs. 2(a) and 2(b). Although, there are strong indications about the existence of the SnV pairs,^{36,53,54} there are no experimental indications³² for the existence of PbV pairs. From a theoretical perspective, previous density




FIG. 3. The evolution with temperature of the VO_3 , VO_4 , VO_5 , and VO_nC_s IR related bands of the (a) Cz-Si:Sn_L, (b) Cz-Si:Sn_H, and (c) Cz-Si:SnPb samples. The complete figure with all the contributions to the absorption coefficients for all clusters (denoted here “average”) is given in Ref. 58.

functional theory calculations revealed that the PbV pair is strongly bound.⁵⁵ In fact its binding energy (energy of pair minus isolated defects) is found to be more negative (−1.37 eV) compared to the SnV pair (−1.17 eV) but still less negative compared to the A-center (−1.53 eV).⁵⁵ These binding energies strongly indicate the stability and thus the existence of PbV pairs. These pairs should also be more stable than the corresponding SnV pairs.

In Figure 2, we observe that the production of the VO defect after irradiation is substantially reduced in the Cz-Si:Pb sample (Fig. 2(a)) in comparison with Cz-Si:Sn_L sample (Fig. 2(b)). Moreover, the reduction is lower than the one observed

in the Cz-Si:Sn_H sample (Fig. 2(c), considering the [VO] at 250 °C). Following our previous analysis on Sn doped samples,⁵⁵ this reduction is attributed to the oversized-dopant-induced recombination of Frenkel pairs during irradiation. Notably, the Pb concentration in Cz-Si:Pb sample is 3 times bigger than the Sn concentration in Cz-Si:Sn_L and almost one order of magnitude smaller than in Cz-Si:Sn_H. Interestingly, the same Pb concentration in Cz-Si:Pb and Cz-Si:SnPb lead to the same reduction of VO after irradiation also in line with the oversized-dopant-induced recombination mechanism.

At this point, it is reasonable to focus on the thermal evolution of VO defect and especially on the presence of an inverse annealing stage in the VO defect at ~170 °C in the (Pb, Sn)-doped Si sample (Cz-Si:SnPb), although this stage is absent in both the Pb and the Sn_L doped samples. Interestingly, the inverse annealing stage also appears in the case of the Sn_H sample.²⁹ In the Sn_H sample, this stage is attributed to the release of V through the dissociation of the SnV pair leading to an increase of the VO concentration at a threshold temperature labeled T_{za} in Ref. 55.

The absence of an inverse annealing stage in the Cz-Si:Pb sample can be rationalized, in the view of the DFT results, by an increase of T_{za} above the T_{ab} temperature⁵⁵ where the VO signal starts to vanish (280 °C). However, it is notable that for almost the same Sn concentration, the inverse annealing stage is present in Cz-Si:SnPb and not present in the Cz-Si:Sn_L sample. This is puzzling as the Pb concentration in the Cz-Si:Pb sample and in the Cz-Si:SnPb sample are the same.

This apparent discrepancy only underlines the limitation of our previous analysis⁵⁵ only based on thermodynamics arguments (binding energy). Indeed starting from isolated dopants and vacancies, to reach the 2NN position, a vacancy first needs to diffuse in the lattice around the corresponding impurity. Here, the diffusion barrier should be similar to that in pure silicon. However, the strain field induced by the neighbouring impurity will always retard the diffusion. In particular, the diffusion can be either retarded or enhanced depending on the type (tensile or compressive) of an externally applied strain.⁵ More interestingly, the higher the compressive strain, the higher the diffusion barrier (see Fig. 17 of Ref. 56). In the case of oversized-dopant, the surrounding lattice is compressively strained and obviously more strained around Pb atoms than around Sn atoms. This effect should then favour the diffusion of V in the direction of Sn atoms rather than in the direction of Pb atoms when both atoms compete as V traps. The relative concentration of each trap is also important. In the Cz-Si:SnPb sample, the Pb concentration is 5 times higher than the Sn concentration. Thus preferred formation of SnV as compared to PbV will be only partial. The observed reverse annealing stage in Cz-Si:SnPb would then correspond to a distribution (such as 10% of Sn atoms are close enough to Pb) favouring the formation of SnV as opposed to PbV.

The lower production of VO pairs in Pb-doped Si and the absence of any increase of [VO] upon annealing clearly indicates a potential of radiation hardening of Si, at least regarding vacancy-oxygen defects. This is further supported by the fact that no Pb-related electrical levels have been

reported in Pb-doped Si. Conversely, for Sn-doped Si, the SnV pairs are electrically active.³⁰

Regarding the conversion of the VO to the VO₂ defect, it is observed that the ratio a_{VO_2}/a_{VO} is substantially reduced in the Cz-Si:Pb sample than in the Cz-Si:Sn_L sample [compare Figs. 2(a) and 2(b)]. The main reactions participating in the disappearance of the VO defect are $VO + O_i \rightarrow VO_2$ (1) and $VO + Si_i \rightarrow O_i$ (2). In a previous work,⁵² the influence of Ge on the VO to the VO₂ conversion in Ge-doped Si was discussed. The reduction of the corresponding ratio in the Cz-Si:Ge sample in comparison with Ge free material was attributed to the local strains induced in the Si lattice by the presence of the larger Ge atoms. It was argued that these strains have a profound effect on the balance between the above two reactions of VO. The presence of Ge can facilitate the release of self-interstitials, which increase the contribution of reaction (2) over reaction (1), thus resulting in a reduction of the VO₂ defects. A similar argument could be put forward here, and since Pb has a larger covalent radius than that of Sn, one expects a larger reduction in the Pb samples than the Sn samples, in agreement with our results. Note that in the case of the Cz-Si:Sn_H sample, the ratio a_{VO_2}/a_{VO} is largely reduced in comparison to that of the Cz-Si:Sn_L sample. However, in the Cz-Si:Sn_H sample many VO pairs (upon annealing) are trapped by Sn atoms to form SnVO clusters.

By inspection of Fig. 2 and in particular Fig. 2(a), it is immediately observed that the VO₂ cluster continues to grow in the spectra even after the disappearance of VO pair. This implies the existence of another mechanism operating in parallel with the usual ($VO + O_i \rightarrow VO_2$) for the VO₂ formation. Similar observations have been made previously⁵⁷ in Ge-doped Si where we suggested that oxygen dimmers, divacancies, and self-interstitials are possibly involved in an alternative reaction scheme leading to the VO₂ formation.

Importantly, the VO₂ clusters formed are quite low in concentration in the Pb-doped Si sample. Consequently, the next members of the VO_n family that is the VO₃ and the VO₄ clusters have very weak signals and only traces of some of the related bands could be seen (Fig. 1(a)), and therefore, their evolution could not be depicted (Fig. 2(a)). Traces from other members of the VO_n with $n > 4$ are not detected in the spectra of the Cz-Si:Pb sample. For the case of the Cz-Si:(Pb, Sn) sample, where the inverse annealing stage leads to a larger concentration of VO pairs, resulting to a larger concentration of VO₂ clusters. Thus, signals from the VO_n clusters with $n = 5$ are clearly detected in the spectra (Fig. 1(d)), and their evolution is depicted (Fig. 3(c)). Two bands at 1037 and 1051 cm⁻¹ and another two bands at 967 and 1005 cm⁻¹ have been previously attributed⁵² to the VO₅ and VO_nC_s structures, respectively. In our case, both in the Sn-doped (Sn_L, Sn_H) and the (Sn, Pb) codoped Si material, another band at 762 cm⁻¹ showing the same annealing behavior with that of the 967 and 1005 cm⁻¹ bands is tentatively attributed to the VO_nC_s cluster as well.

IV. CONCLUSIONS

Using IR spectroscopy, we present a systematic study of the effect of the Sn and Pb doping, as well as the (Sn, Pb)

codoping on the production and evolution of the VO_n ($n \leq 5$) defects in Cz-Si. The main aim was to make an assessment on the hardening potential of both isovalent impurities regarding oxygen-vacancy clusters in Si. First, it is determined that the production of the VO pair is smaller in the Pb than in the Sn-doped Si. The phenomenon was attributed to the larger tendency of Pb in comparison with Sn to pair with V at the expense of VO centers and form PbV and SnV pairs, respectively. The PbV pairs are more stable as they do not dissociate below 280 °C while SnV pairs dissociate at 170 °C. The partial capture of vacancies by Sn in co-doped samples is rationalized through the higher compressive strain around Pb atoms that leads to a retardation of vacancy diffusion. The presence of PbV pairs cannot be experimentally confirmed. Second, we discussed the absence of an inverse annealing stage in the evolution of VO pair around 170 °C in the Sn_L and Pb-doped Si, although the stage is present in the Pb,Sn-doped Si. The SnV pairs, upon dissociation at 170 °C release vacancies leading to the increase of the VO. The lower production of VO in the Cz-Si:Pb sample clearly indicates the perspectives of Si radiation hardening by Pb doping. Third, the evolution curves of VO and VO₂ clusters clearly demonstrate the existence of additional mechanisms involved in the formation of the VO₂ cluster besides $VO + O_i \rightarrow VO_2$. Finally, we verified the detection of two bands at 1037 and 1051 cm⁻¹ of the VO₅ defect, as well as of three bands at 762, 967, and 1005 cm⁻¹ attributed to VO_nC_s clusters. The results provide a promising perspective regarding radiation hardening by Sn, Pb, and (Sn,Pb) codoping of Si and motivate the study of Sn containing group IV alloys.⁵⁹

¹Y. Smimizu, M. Uematsu, and K. M. Itoh, *Phys. Rev. Lett.* **98**, 095901 (2007).

²D. Caliste and P. Pochet, *Phys. Rev. Lett.* **97**, 135901 (2006); G. D. Watkins, *J. Appl. Phys.* **103**, 106106 (2008); A. Chroneos, R. W. Grimes, and C. Tsamis, *Mater. Sci. Semicond. Process.* **9**, 536 (2006); A. Chroneos, H. Bracht, R. W. Grimes, and B. P. Uberuaga, *Mater. Sci. Eng. B* **154–155**, 72 (2008).

³A. Chroneos, R. W. Grimes, and H. Bracht, *J. Appl. Phys.* **105**, 016102 (2009); A. Chroneos and C. A. Londos, *J. Appl. Phys.* **107**, 093518 (2010).

⁴D. Caliste, P. Pochet, T. Deutsch, and F. Lancon, *Phys. Rev. B* **75**, 125203 (2007).

⁵K. Z. Rushchanskii, P. Pochet, and F. Lancon, *Appl. Phys. Lett.* **92**, 152110 (2008); D. Caliste, K. Z. Rushchanskii, and P. Pochet, *Appl. Phys. Lett.* **98**, 031908 (2011).

⁶K. Murata, Y. Yasutake, K. Nittoh, S. Fukatsu, and K. Miki, *AIP Adv.* **1**, 032125 (2011); H. Bracht and A. Chroneos, *J. Appl. Phys.* **104**, 076108 (2008); A. Chroneos, *Phys. Status Solidi B* **244**, 3206 (2007).

⁷C. A. Londos, E. N. Sgourou, A. Chroneos, and V. V. Emtsev, *Semicond. Sci. Technol.* **26**, 105024 (2011).

⁸*Oxygen in Silicon, Semiconductors and Semimetals*, edited by F. Shimura (Academic, San Diego, 1994), Vol. **42** (and references therein).

⁹S. D. Brotherton and P. Bradley, *J. Appl. Phys.* **53**, 5720 (1982).

¹⁰G. D. Watkins and J. W. Corbett, *Phys. Rev.* **121**, 1001 (1961).

¹¹J. L. Lindstrom and B. G. Svensson, in *MRS Symposia Proceeding No. 59* (Materials Research Society, Pittsburgh, 1986), p. 45.

¹²L. C. Kimerling, *Inst. Phys. Conf. Ser.* **31**, 221 (1977).

¹³H. G. Grimeiss, *Mater. Res. Soc. Symp. Proc.* **46**, 39 (1985).

¹⁴C. A. Londos, *Phys. Status Solidi A* **113**, 503 (1989).

¹⁵C. A. Londos, *Phys. Status Solidi A* **92**, 609 (1985).

¹⁶J. Coutinho, R. Jones, P. R. Briddon, and S. Oberg, *Phys. Rev. B* **62**, 10824 (2000).

¹⁷M. Pesola, J. von Boehm, T. Mattila, and R. M. Nieminen, *Phys. Rev. B* **60**, 11449 (2000).

¹⁸J. W. Corbett, G. D. Watkins, and R. S. McDonald, *Phys. Rev.* **135**, 5A (1964).

¹⁹C. A. Londos, L. G. Fytros, and G. J. Georgiou, *Defect and Diffus. Forum* **171–172**, 1 (1999).

- ²⁰V. J. B. Torres, J. Coutinho, R. Jones, M. Barroso, S. Oberg, and P. R. Briddon, *Physica B*, **376-377**, 109 (2006).
- ²¹J. L. Lindstrom, L. I. Murin, B. G. Svensson, V. P. Markevich, and T. Hallberg, *Physica B* **340-342**, 509 (2003).
- ²²C. A. Londos, N. Sarlis, L. Fytros, and K. Papastergiou, *Phys. Rev. B* **53**, 6900 (1996).
- ²³V. V. Voronkov and R. Falster, *J. Appl. Phys.* **91**, 5802 (2001).
- ²⁴A. Brelot and J. Charlemagne, *Radiat. Eff.* **9**, 65 (1971).
- ²⁵C. A. Londos, A. Andrianakis, V. V. Emtsev, and H. Ohya, *Semicond. Sci. Technol.* **24**, 075002 (2009).
- ²⁶C. A. Londos, A. Andrianakis, E. N. Sgourou, V. V. Emtsev, and H. Ohya, *J. Appl. Phys.* **107**, 093520 (2010).
- ²⁷G. D. Watkins, *Phys. Rev. B* **12**, 4383 (1975).
- ²⁸B. G. Svensson, J. Svensson, G. Davies, and J. W. Corbett, *Appl. Phys. Lett.* **51**, 2257 (1987).
- ²⁹A. Chronos, C. A. Londos, and E. N. Sgourou, *J. Appl. Phys.* **110**, 093507 (2011).
- ³⁰E. Simoen, C. Clays, V. B. Neimash, A. Kraitichinscii, N. Kra'sko, O. Puzenko, A. Blondeel, and P. Clauws, *Appl. Phys. Lett.* **76**, 2838 (2000).
- ³¹M. L. David, E. Simoen, C. Clays, V. B. Neimash, N. Kra'sko, A. Kraitichinscii, V. Voytovych, V. Tishchenko, and J. F. Barbot, in *Proceedings of the High Purity Silicon VIII*, Electrochem. Soc. Ser. Proc. **2004-05**, 395 (2004).
- ³²M. L. David, E. Simoen, C. Clays, V. B. Neimash, M. Kra'sko, A. Kraitichinscii, V. Voytovych, A. Kabaldin, and J. F. Barbot, *J. Phys.: Condens. Matter* **17**, S2255 (2005).
- ³³M. L. David, E. Simoen, C. Clays, V. B. Neimash, M. Kra'sko, A. Kraitichinscii, V. Voytovych, A. Kabaldin, and J. F. Barbot, *Solid State Phenom.* **108-109**, 373 (2005).
- ³⁴K. Milants, J. Verheyden, T. Balancira, W. Deweerdt, H. Pattyn, S. Bukshpan, D. L. Williamson, F. Vermeiren, G. Van Tendeloo, C. Vieken, S. Libbrecht, and C. Van Haesendonck, *J. Appl. Phys.* **81**, 2148 (1997).
- ³⁵I. T. Canham, M. R. Dyball, and K. G. Barraclough, *Mater. Sci. Eng., B* **4**, 95 (1989).
- ³⁶A. Brelot, *IEEE Trans. Nucl. Sci.* **19**, 220 (1992).
- ³⁷E. V. Lavrov, M. Funciulli, M. Kaukonen, R. Jones, and P. R. Briddon, *Phys. Rev. B* **64**, 125212 (2001).
- ³⁸G. Davies and R. C. Newman, in *Handbook in Semiconductors*, edited by S. Mahajan (Elsevier, Amsterdam, 1994), Vol. 3, p. 1557.
- ³⁹C. A. Londos, *Phys. Rev. B* **35**, 6295 (1987).
- ⁴⁰C. A. Londos, *Jpn. J. Appl. Phys., Part 1* **27**, 2089 (1988).
- ⁴¹M. L. Lee, E. A. Fitzgerald, M. T. Bulsara, M. T. Currie, and A. Lochtefeld, *J. Appl. Phys.* **97**, 011101 (2005).
- ⁴²Z. Zeng, J. D. Murphy, R. J. Falster, X. Ma, D. Yang, and P. R. Wilshaw, *J. Appl. Phys.* **109**, 063532 (2011).
- ⁴³C. Clays, E. Simoen, V. B. Neimash, A. Kraitichinscii, M. Kra'sko, O. Puzenko, A. Blondeel, and P. Clauws, *J. Electrochem. Soc.* **148**, G738 (2001).
- ⁴⁴M. Kra'sko, V. V. Voytovych, V. B. Neimash, and A. M. Kraitichinscii, *Ukr. J. Phys.* **49**, 691 (2004).
- ⁴⁵F. Shimura, T. Higushi, and R. S. Hockett, *Appl. Phys. Lett.* **53**, 69 (1988).
- ⁴⁶C. A. Londos, G. J. Antonaras, M. S. Potsidi, A. Misiuk, I. V. Antonova, and V. V. Emtsev, *J. Phys.: Condens. Matter* **17**, S2349 (2005).
- ⁴⁷V. V. Emtsev, Jr., C. A. J. Ammerlaan, V. V. Emtsev, G. A. Oganessian, B. A. Andreev, D. F. Kuritsyn, A. Misiuk, B. Surma, and C. A. Londos, *Phys. Status Solidi B* **235**, 75 (2003).
- ⁴⁸A. Misiuk, J. Bac Misiuk, A. Barch, A. Romano, M. Rodriguez, I. V. Antonova, V. P. Popov, C. A. Londos, and J. Jun, *Int. J. Hydrogen Energy* **26**, 483 (2001).
- ⁴⁹C. N. Koumelis, G. E. Zardas, C. A. Londos, and D. K. Leventouri, *Acta Crystallogr. A* **32**, 306 (1976).
- ⁵⁰H. Tahini, A. Chronos, R. W. Grimes, and A. Dimoulas, *J. Phys.: Condens. Matter* **24**, 195802 (2012).
- ⁵¹L. I. Murin, J. L. Lindstrom, B. G. Svensson, V. P. Markevich, A. R. Peaker, and C. A. Londos, *Solid State Phenom.* **108-109**, 267 (2005).
- ⁵²C. A. Londos, A. Andrianakis, E. N. Sgourou, V. V. Emtsev, and H. Ohya, *J. Appl. Phys.* **109**, 033508 (2011).
- ⁵³B. G. Svensson, J. Svensson, G. Davies, and J. W. Corbett, *Appl. Phys. Lett.* **51**, 2257 (1987).
- ⁵⁴A. Brelot, in *Radiation Damage and Defects in Semiconductors*, edited by J. E. Whitehouse (Institute of Physics, London, and Bristol 1973) Conference Series no 16, p. 191.
- ⁵⁵A. Chronos, C. A. Londos, E. N. Sgourou, and P. Pochet, *Appl. Phys. Lett.* **99**, 241901 (2011).
- ⁵⁶P. Pochet and D. Caliste, *Mat. Sci. Semicond. Proc.* (to be published).
- ⁵⁷C. A. Londos, A. Andrianakis, V. V. Emtsev, G. A. Oganessian, and H. Ohya, *Mater. Sci. Eng. B* **154-155**, 133 (2008).
- ⁵⁸See supplementary material at <http://dx.doi.org/10.1063/1.4729573> for Figs. 2(b), 2(d), and Figs. 3(a)–3(c).
- ⁵⁹A. Chronos, C. Jiang, R. W. Grimes, U. Schwingenschlögl, and H. Bracht, *Appl. Phys. Lett.* **94**, 252104 (2009); *ibid.* **95**, 112101 (2009).