

Math for the Social Sciences Module - Young Researchers Fellowship

Lecture 1 - Introduction and foundational concepts

Daniel Sánchez Pazmiño

Laboratorio de Investigación para el Desarrollo del Ecuador

2024

Introduction: Mathematics and the Social Sciences

- Mathematics per se **not** a distinct field in the social sciences
- We use mathematics **as an approach** to study reality
- It is not hard to think about social science models which were initially not mathematical
 - Freud's model of the id, ego, and superego
 - Downs' of rational voting through utility maximization
 - Schumpeter's model of creative destruction
- Modern researchers represent models using math
 - Allows to extend the model using mathematical "laws"
 - Makes models less subject to interpretation
 - Allows for statistical testing of hypotheses

Is it so challenging?

- Math is often feared because of its complexity
- Often the reason people fail is poor foundations
- Must master basic concepts before moving to more complex ones
 - This means that math takes time and few have the patience for it
 - Comparing yourself to others is **not useful**
 - Some have better foundations, some have inherent talent, some have more time

Order of operations

- The order of operations defines the priority of operations in an expression
- This is a consensus which everyone agreed to so we can all understand each other
 - Calculators and statistical software follow this order
 - As basic as this is, this is tested on the GRE (graduate school entrance exam)
- **PEMDAS: P**arentheses, **E**xponents, **M**ultiplication and **D**ivision, **A**ddition and **S**ubtraction
- If two operations have the same priority, we go from left to right.
- No sign means multiplication

Exercise

Order of operations

Calculate the following expression:

$$3 + 4 \times 2^2(3 + 1 \times 3 \div 3) + 4 - 5 + 5$$

Solution

Order of operations

- Start with the parentheses. Apply PEMDAS within too.

$$4 \times 1 = 4$$

- Substitute into the full expression, follow order, and solve

$$3 + 4 \times 2^2(4) + 4 - 5 + 5$$

$$3 + 4 \times 4(4) + 4 - 5 + 5$$

$$3 + 4 \times 16 + 4 - 5 + 5$$

$$3 + 64 + 4 - 5 + 5$$

$$67 + 4 - 5 + 5$$

$$71 - 5 + 5$$

$$71$$

Thoughts

- As useless this might be with numbers, it is crucial when working with variables
 - E.g. What does $\lambda_1(x_1 + x_2) \times \lambda_1 x_1 + x_2^2(\tau \cdot \gamma)$ simplify to?
- Calculators typically don't work with variables
- Not understanding PEMDAS may lead you to code the wrong formula in your software
 - It is hard to debug this as it not a syntax error

Variables and the greek alphabet

- Variables are used to represent unknowns in equations
 - Technically, they are placeholders for numbers
- x is commonly used, y and z are common too
- Scientists need more variables as they study more complex systems
 - The greek alphabet is used for this
- Get comfortable seeing and using the greek alphabet

The Greek alphabet

Alpha - Α α	Eta - Η η	Nu - Ν ν	Tau - Τ τ
Beta - Β β	Theta - Θ θ	Xi - Ξ ξ	Upsilon - Υ υ
Gamma - Γ γ	Iota - Ι ι	Omicron - Ο ο	Phi - Φ φ
Delta - Δ δ	Kappa - Κ κ	Pi - Π π	Chi - Χ χ
Epsilon - Ε ε	Lambda - Λ λ	Rho - Ρ ρ	Psi - Ψ ψ
Zeta - Ζ ζ	Mu - Μ μ	Sigma - Σ σ/ς	Omega - Ω ω

Figure 1: Greek alphabet. Source: University of Northern Colorado

- Commonly, the same letter is used for different purposes in different fields and contexts
 - β represents the slope coefficient, but also the discount factor in finance

Working with percentages and proportions

- Percentages are a way to express a fraction of a whole (the symbol being %)
- The word “percent” means “per hundred”; meaningful for calculation

$$\text{Percentage}\% = \frac{\text{Part}}{\text{Whole}} \times 100\%$$

- A useful way of thinking about percentages is as *proportions*: the decimal representation of the percentage
 - Divide by 100 and drop the % sign
 - 50% is 0.50, 25% is 0.25, 100% is 1.00
- This is useful for calculations so you don't use the above formula all the time
- Example: A 25% discount on a \$75 item is $0.25 \times 75 = 18.75$

Working with percentages and proportions

- Example: What is the final price of a \$75 item with a 25% discount?
- You may be tempted to use the rule of three, but this is not necessary (it takes longer)
- Use proportions to understand that 1 represents the full price (the \$75) and 0.25 represents the discount.

$$\$75 \cdot (1 - 0.25) = \$75 \cdot 0.75 = \$56.25$$

- Notice that the new final price is 75% of the original price, so this makes sense!
 - Don't be afraid to use your intuition
 - Social scientists are not math machines, we use intuition to guide us

Percentage change and subindices

- It is common to express increases and decreases in percentages
- This involves introducing the concept of **variation**
 - Typically, we express change or variation as Δ
- Often, we use subindices to represent the old and new values
 - E.g. x_0 is the old value, x_1 is the new value
- The formula for percentage change is

$$\Delta\% = \frac{\text{New} - \text{Old}}{\text{Old}} \times 100\% = \frac{x_1 - x_0}{x_0} \times 100$$

- A shorthand for this is dividing the final value by the initial value and subtracting 1
 - A negative value means a decrease, a positive value means an increase

Solving for a final value after a percentage change

- Example: The central government has proposed a 10% increase in the minimum wage. If the current minimum wage is \$460, what would be the new minimum wage?
- Typically, one would calculate the 10% of \$460 and add it to the original value.

$$x_0 + (x_0 \cdot \Delta\%) = x_1$$

- It is faster to represent $\Delta\%$ as a proportion, add it to 1, and multiply by the original value ($1 + 0.10 = 1.10$)
- Doing this is a simplification from the formula above
- However, it is also intuitive, since you're simply finding a value which is 10% larger than the whole (which is 1).
- So, the new minimum wage is $\$460 \times 1.10 = \506

Solving for a final value after a percentage change

- The same can be done for percentage *decreases*
- Example: The average wage of an economics graduate has decreased by 5%. If the average wage was \$500, what is the new average wage?
- The new average wage is $\$500 \times (1-0.05) = \$500 \times 0.95 = \$475$
- Once again, this is intuitive: the new wage is only 95% of the original wage

An exercise for you

- Example: A Juan Valdez iced matcha latte costs \$3.50. What is the added value tax being paid by the consumer?

Solution

- The current tax is 15% of the price
- In Ecuador, law mandates that the tax is included in the price
- The price after tax can be calculated as $P_{bf} \cdot 1.15 = 3.50$, so it is $3.50/1.15 \approx 3.04$
- The tax is the difference between the price before and after tax, so it is $3.50 - 3.04 = 0.46$
- Notice that if I had calculated 15% of \$3.50, I would have gotten \$0.525, which is not the same
- This is because the tax is calculated on the price before tax, not the price after tax.
- You have to be very careful when defining the “whole” in the percentage formula!

Ratios

- Ratios are a way to express the relationship between two parts of a whole
 - Not the same as the percentage, which is the relationship of a part to the whole
- They are often expressed as 1 to 2, 1:2.
- These can be a bit confusing, but context is helpful.
 - A ratio of 1:2 means that for every 1 unit of the first part, there are 2 units of the second part
- Example: A production function using a ratio of 1:2 for labor and capital means that for every 1 unit of labor, 2 units of capital are used.

Application: tax rate changes and percentage change interpretations

- Recently, the Ecuadorian government increased the value-added tax (VAT) rate from 12% to 15%
- Question for you: which the following statements is correct?
 - 1 There was a 3% increase in the VAT rate
 - 2 There was a 25% increase in the VAT rate
 - 3 There was a 15% increase in the VAT rate

Percentage points and percent changes

- When we are analyzing something is measured in percentages itself, we need to be careful
- We call the the absolute change for these cases a **percentage point change**
- This is different from a **percent change**, which is the relative change from a value
- It might or might not be useful to use percentage changes for these cases, as it can be misleading
- This is when expressing everything as a proportion might be useful.

Ratios

- You can work out the the relationship from one part to the whole by adding the parts of the ratio.
 - This may or may not make sense depending on the context
- With a ratio of 1:2 for labor and capital, the whole is 3 units, but this is not meaningful
- However, if you're told that in a hospital the ratio of doctors to nurses is 1:2, then doctors are $\frac{1}{3}$ of the whole staff

Equations

- An equation is a statement that two expressions are equal, typically with an unknown.
 - E.g. $x + 2 = 5$
- We often care about solving equations, which means finding the value of the unknown that makes the equation true (i.e. satisfies the equation)
 - For above, $x = 3$ will make the equation true ($5 = 5$)
- Equations can be solved by isolating the unknown on one side of the equation, and doing the math.

Equations

- There are rules for solving equations:
 - You can add or subtract the same value to both sides
 - You can multiply or divide both sides by the same value
 - Exponents must be raised to the same power on both sides
 - You can take the square root of both sides by adding \pm
 - We will see more rules as we go along

Functions

- A function is a rule that assigns a unique output to each input
 - Think of it as a machine that takes an input and gives an output
 - We stop caring about solving for the unknown, and care about the relationship between the input and output
- Functions are often represented as $f(x)$, where f is the function and x is the input
 - The value of the function at x is $f(x)$
- A function doesn't necessarily have to be a mathematical formula, but it is often represented as one
- Social scientists use functions to represent social phenomena
 - E.g. the relationship between income and happiness
 - E.g. the relationship between education and income
- Functions can be linear, quadratic, exponential, logarithmic, etc.

Application: returns to scale in a production function

- A production function is a mathematical model of how a country, a firm or any economic agent transform resources (inputs) into goods and services (outputs)
- In certain contexts, researchers care about whether the production function can be scaled
 - This means asking whether doubling the inputs will double the outputs?
 - This is called **returns to scale**
- This can be worked out by combining all of our knowledge so far