1

Assignment 1

AI1110: Probability and Random Variables INDIAN INSTITUTE OF TECHNOLOGY, HYDERABAD

LAHARI GUNTI AI22BTECH11008

11.16.3.5: Given that a fair coin is marked 1 on one face and 6 on the other and a fair die are tossed.find the probability sum turns up to be 3 and 12

Solution: Let the random variable *X,Y* denote the toss of a coin and roll of a dice.

(a) The generating function of X is

$$M_X(z) = E\left[z^{-X}\right] = \sum_{n=-\infty}^{\infty} p_X(n) z^{-n}$$
(1)

(b) Let us define a random variable Z,Let X and Y are independent random variables then

$$M_{Z}(z) = E\left[z^{-(X+Y)}\right] = E\left[z^{-X}z^{-Y}\right] = E\left[z^{-X}\right]E\left[z^{-Y}\right]$$
(2)

$$= M_X(z)M_Y(z) \tag{3}$$

(c) We have

$$M_X(z) = (z^{-1})(\frac{1}{2}) + (z^{-6})(\frac{1}{2})$$
 (4)

$$M_Y(z) = \frac{z^{-1} + z^{-2} + z^{-3} + z^{-4} + z^{-5} + z^{-6}}{6} = \frac{z^{-1} \left(1 - z^{-6}\right)}{6(1 - z^{-1})}$$
 (5)

$$M_Z(z) = \left[\frac{z^{-1} + z^{-6}}{2}\right] \left[\frac{z^{-1} \left(1 - z^{-6}\right)}{6\left(1 - z^{-1}\right)}\right]$$
(6)

(7)

(d) pmf of X,Y and Z

$$p_X(n) = \frac{1}{2}$$
 for $n = \{1, 6\}$ (8)

$$p_Y(n) = \frac{1}{6} \qquad \qquad \text{for } 1 \le n < 7 \tag{9}$$

$$p_{Z}(n) = \begin{cases} \frac{1}{12} & \text{if } 2 \le n < 7, \\ \frac{1}{6} & \text{if } n = 7, \\ \frac{1}{12} & \text{if } 8 \le n < 13 \end{cases}$$
 (10)

(e) from $p_Z(n)$ we get the required probabilities

$$\Pr(Z=3) = \frac{1}{12} \tag{11}$$

$$\Pr(Z=12) = \frac{1}{12} \tag{12}$$




Fig. (d): pmf of the sum when coin and die are rolled simultaneously