CS 639A Progress Report 1

Sumit Lahiri 19111274 Group No

Amit Kumar Sharma 20111012

First & Second Sprint: Brief Progress Report

We started working on the **debloating project** in **three splits** for our **Pre-RL Stage 1 Work**. The most **time-consuming** part was to migrate the outdated packages used in some the tools chosen by us for delivering the project. We gained a fair idea on how **embedding spaces** are used and the novelty in **inst2vec** tool as modelling an LLVM IR as **XFG** & mapping to an **NLP** like **skip-gram** model. We started running the **inst2vec** tool to generate an embedding for our debloating C++ sample space, like **call-site** information, **function arguments**, **type parameters** etc as described in **Paper 2**. We are reporting the highlights from sprint of **Commit-1 01/11/2020** to **Commit-22 09/11/2020** which is **Week-1**: **November 2020**.

Proposed Stage 1 Milestones : Pre RL Stage :: Week 1 & 2

- Start with LLVM IR of the code and use Inst2Vec as outlined in Paper 2 to extract feature information as outlined in the paper before RL stage
- Finding more sites other than the ones listed for **Program Specialization** in Paper 2.
- Understanding Chisel & Trimmer tool as implemented in Paper 1 in terms of how markov decision process enhances delta debugging. This steps helps in Stage 2.
- Collect and prepare bloated code samples for analysis, this is the input to our tool infrastructure. We will explore the use of fuzzing here.

We list below the progress on the above points that we have been able to achieve so far.

Stage 1: Split 1

- Completed the setup for LLVM-IR generation, clang tool, **inst2vec** tool.
- Completed the setup for **OCCAM** tool, **Trimmer** tool & **Chisel** tool. All setup & build related issues were **resolved** and **ran** once as per the expected guidelines mentioned in the respective repository of the tool.
- We are in the middle of running the **inst2vec** tool and using the **public data- sets** available to train it. This isn't a strict requirement, but gives us a better understanding of the tool.
- We are using the pre-trained embeddings from **inst2vec** repository for the starting point for the **DeepOCCAM** tool we are developing.

Stage 1: Split 2

• We found 2 more features where **program debloating** may be possible, namely redundant arguments & some load instructions. We are not completely sure

of it as of now. We have to run some specialization examples on the **Stage 2 RL Model** to see if it really works as we are thinking.

- We understood how to write specification for the script used by **Chisel** tool as in Paper 1 in terms of the three parts of the scripts namely compile(), desired() & undesired().
- Chisel tool works by learning a policy for delta debugging by reinforcement learning which guarantees 1-minimal P^* & $O(|P|^2)$ runtime. The abstraction is that a markov decision process is being used to model the reinforcement learning problem for meaningful guidance to learn the policy in a better way.
- We spend time understanding how **OCCAM** tool, **Trimmer** tool & **Chisel** tool are working.

Stage 1: Split 3

- Bloated Sample collection and preparation started, We are targetting bitcoin1-src & eth-solidity. Past experience tells that the code is most probably bloated. We may have to change it later to publicly available samples. [This needs some more work].
- We found this **video** useful to understand how **program debloating** can be improved using **Stochastic Optimization**, which we intend to explore as **extra work** if time permits.

We are almost ready to move to the next **Stage 2** of modelling and developing the reinforcement learning model using **PyTorch**. We intend to wrap up any left over tasks from **Stage 1** and move on to working on **Stage 2** tasks in the next couple of days.

Our first task now will be to start pre-processing the embedding output for features vector extraction & develop the reinforcement learning model hand-in-hand so that we can start analysis and see some debloated samples as a part of the **Stage 2** task. We have resorted to a **pipe-and-filter** like approach in-order to complete the project. In-sense, we take in **bloated C++** programs and produce debloated C++ code, processing **stage-by-stage** where intermediate from the previous step moves to the next step for more processing.

In the Stage 2 report, we shall describe the full architecture and modelling formulation we used for **DeepOCCAM** and show some results on how it works currently. In **Stage 3** we do the full comparison and share a complete project report with **targetted features** we used and how it fairs against **Chisel** tool. For **Stage 1**, the setup and running the tools took more than expected time. We are maintaining our progress on **GitHub** as a **private repository**.

New References:

- Program Debloating via Stochastic Optimization: https://www.youtube.com/ watch?v=hC4zIwyv1bg
- Trimmer Tool Paper : http://www.csl.sri.com/users/gehani/papers/ ASE-2018.Trimmer.pdf
- JavaScript Debloating : http://web.cs.ucla.edu/~miryung/Publications/ SSSS2020_JShrink_Draft_FSE2020.pdf