Chapter 1 Exercise Solutions

Samuel Lair

September 2022

Contents

1	Exe	ercis	e :	2_4	ı																																	4
	1.1	(a)																																				4
	1.2	(b)																																				4
	1.3	(c)																																				4
	1.4	(d)																																				4
	1.5	(e)																																				4
	1.6	(f)																																				4
	1.0 1.7	()																																				
	1.1	(g)	•	٠	•	•	٠	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	4
2	Exe	ercis	e :	2 5	5																																	5
	2.1	(a)																																				5
	2.2	(b)																																				5
	2.3	(c)																																				5
	2.4	(d)																																				5
	2.5	()																																				5
	$\frac{2.6}{2.6}$	(f)																																				5
	$\frac{2.0}{2.7}$	(\mathbf{g})																																				5
	2.8	(0)																																				5 5
		(h)																																				
	2.9	(i)	•	•	•	٠	٠	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	5
3	Exe	ercis	e :	26	3																																	6
	3.1	(a)																																				6
	3.2	(b)																																				6
	3.3	(c)																																				6
	3.4	(d)												_																								6
	3.5	(e)																																				6
	3.6	(f)																																				6
	$\frac{3.7}{3.7}$	(\mathbf{g})																																				6
	3.8	(b)																																				6
	3.9	(:)	•																																			6

4	Exercise 27	7					
	4.1 (a)	7					
	4.2 (b)	7					
	4.3 (c)	7					
	4.4 (d)	7					
	4.5 (e)	7					
5	Exercise 28	8					
	5.1 (a)	8					
	5.2 (b)	8					
	5.3 (c)	8					
	5.4 (d)	8					
	5.5 (e)	8					
6	Exercise 29	9					
	6.1 (a)	9					
	6.2 (b)	9					
	6.3 (c)	9					
7	Exercise 30	10					
•	7.1 (a)	10					
	7.2 (b)	10					
	7.3 (c)	10					
8	Exercise 42	11					
Ŭ							
9	Exercise 43	12					
10	Exercise 44	13					
11	Exercise 45	14					
12	Exercise 47	15					
	12.1 (a)	15					
	12.2 (b)	15					
	12.3 (c)	15					
	12.4 (d)	16					
13	8 Exercise 48	16					
	13.1 (a)	16					
	13.2 (b)	16					
	13.3 (c)	17					
	13.4 (d)	17					
14 Exercise 49 18							
15	Exercise 50	19					
டிப	LACTORO UU	10					

16 Exercise 51	20
17 Exercise 52	21

1.1 (a)

If you got promoted, then you washed the boss's car.

1.2 (b)

If there are winds from the south, then there will be a spring thaw.

1.3 (c)

If you bought the computer less than a year ago, then the warranty is good.

1.4 (d)

If Willy cheats, then he gets caught.

1.5 (e)

If you can access the website, then you paid a subscription fee.

1.6 (f)

If you know the right people, then you'll get elected.

$1.7 \quad (g)$

If Carol is on a boat, then she gets seasick.

2.1 (a)

If the wind blows from the northeast, then it snows.

2.2 (b)

If it stays warm for a week, then the apple trees will bloom.

2.3 (c)

If the Pistons win the championship, then they beat the Lakers.

2.4 (d)

If you got to the top of Long's Peak, then you walked eight miles.

2.5 (e)

If you are world famous, then you will get tenure as a professor.

2.6 (f)

If you drive more than 400 miles, then you will need to buy gasoline.

$2.7 \quad (g)$

If your guarantee is good, then you bought your CD player less than 90 days ago.

2.8 (h)

If the water isn't too cold, then Jan will go swimming.

2.9 (i)

If people believe in science, then we will have a future.

3.1 (a)

If I remembered to send you the address, then you sent me an e-mail message.

3.2 (b)

If you were born in the United States, then you are a citizen of this country.

3.3 (c)

If you keep your textbook, then it will be a useful reference in your future courses.

3.4 (d)

If their goalie plays well, then the Red Wings will win the Stanley Cup.

3.5 (e)

If you get the job, then you had the best credentials.

3.6 (f)

If there is a storm, then the beach erodes.

$3.7 \quad (g)$

If you log on to the server, then you have a valid password.

3.8 (h)

If you don't begin your climb too late, then you will reach the summit.

3.9 (i)

If you are among the first 100 customers tomorrow, then you will get a free ice cream cone.

4.1 (a)

It is hot outside if and only if you buy an ice cream cone.

4.2 (b)

You win the contest if and only if you have the only winning ticket.

4.3 (c)

You get promoted if and only if you have connections.

4.4 (d)

You watch television if and only if your mind will decay.

4.5 (e)

The trains run late if and only if it is a day when I take the train.

5.1 (a)

You get an A in this course if and only if you learn how to solve discrete mathematics problems.

5.2 (b)

You will be informed if and only if you read the newspaper every day.

5.3 (c)

It rains if and only if it is a weekend day.

5.4 (d)

The wizard is not in if and only if you can see him.

5.5 (e)

My airplane flight is late if and only if I have to catch a connecting flight.

6.1 (a)

Original: If it snows today, then I will ski tomorrow.

Converse: If I will ski tomorrow, then it snows today.

Contrapositive: If I won't ski tomorrow, then it doesn't snow today.

Inverse: If it doesn't snow today, then I won't ski tomorrow.

$6.2 \quad (b)$

Original: If there is going to be a quiz, then I come to class.

Converse: If I come to class, then there is going to be a quiz.

Contrapositive: If I don't come to class, then there isn't going to be a quiz.

Inverse: If there isn't going to be a quiz, then I don't come to class.

6.3 (c)

Original: If a positive integer is prime, then it has no divisors other than 1 and itself.

Converse: If a positive integer has no divisors other than 1 and itself, then it is prime.

Contrapositive: If a positive integer has divisors other than 1 and itself, then it isn't prime.

Inverse: If a positive integer isn't prime, then it has divisors other than 1 and itself.

7.1 (a)

Original: If it snows tonight, then I will stay at home. Converse: If I will stay at home, then it snows tonight.

Contrapositive: If I won't stay at home, then it doesn't snow tonight.

Inverse: If it doesn't snow tonight, then I won't stay at home.

7.2 (b)

Original: If it is a sunny summer day, then I go to the beach. Converse: If I go to the beach, then it is a sunny summer day.

Contrapositive: If I don't go the beach, then it isn't a sunny summer day. Inverse: If it isn't a sunny summer day, then I don't go to the beach.

7.3 (c)

Original: If I stay up late, then I sleep until noon.

Converse: If I sleep until noon, then I stay up late.

Contrapositive: If I don't sleep until noon, then I don't stay up late.

Inverse: If I don't stay up late, then I don't sleep until noon.

Let

$$(p \vee \neg q) \tag{1}$$

$$(q \vee \neg r) \tag{2}$$

$$(r \vee \neg p) \tag{3}$$

$$(1) \wedge (2) \wedge (3) \tag{4}$$

- (1) is true if and only if p is true or q is false.
- (2) is true if and only if q is true or r is false.
- (3) is true if and only if r is true or p is false.
- (4) is true if and only if (1), (2), and (3) are all true.

Therefore, when p, q, r have the same truth value, (1), (2), (3), and (4) are all true. However, when one of p, q, r has a different truth value from the other two, two of (1), (2), and (3) are true while the other is false. (4) is false in this case.

Hence, (4) is true when p, q, and r have the same truth value and false otherwise.

Let

$$(p \lor q \lor r) \tag{5}$$

$$(\neg p \lor \neg q \lor \neg r) \tag{6}$$

$$(5) \land (6) \tag{7}$$

$$(\neg p \lor \neg q \lor \neg r) \tag{6}$$

$$(5) \wedge (6) \tag{7}$$

- (5) is true if and only if at least one of p, q, r is true.
- (6) is true if and only if at least one of p, q, r is false.

Hence, (7) is true if and only if at least one of p, q, r is true and at least one of p, q, r is false. I.e. (7) is true if at least one of p, q, r is true and at least one is false, but is false when all three variables have the same truth value

If $p_1, p_2, ..., p_n$ are n propositions explain why

$$\bigwedge_{i=1}^{n-1} \bigwedge_{j=i+1}^{n} (\neg p_i \vee \neg p_j) \tag{8}$$

is true if and only if at most of $p_1, p_2, ..., p_n$ is true.

(8) is a conjunction of disjuncts of the form

$$\neg p_i \vee \neg p_j \tag{9}$$

Due to the limits of the conjunctions, there is exactly one disjunct for every pair (i,j) such that $1 \le i < j \le n$. Therefore, if more than one of the p_k 's are true, then there exists a pair (i',j') such that both $p_{i'}$ and $p_{j'}$ are true and the corresponding disjunct (9) is false. A single false disjunct is enough to cause (8) to evaluate to false.

If no more than 1 of the p_k 's is true, then (9) is true. If (9) is true, then no more 1 of the p_k 's is true. Our claim follows.

$$\bigvee_{h=1}^{n} p_h \tag{10}$$

is true if and only if at least one of the p_k 's are true. Therefore,

$$\left(\bigwedge_{i=1}^{n-1} \bigwedge_{j=i+1}^{n} (\neg p_i \vee \neg p_j)\right) \wedge \left(\bigvee_{h=1}^{n} p_h\right)$$
(11)

is true if and only if exactly one of the p_k 's is true.

12.1 (a)

101 1110	
<u>010 0001</u>	
111 1111	(bitwise OR)
000 0000	(bitwise AND)
111 1111	(bitwise XOR)

12.2 (b)

1111 0000	
<u>1010 1010</u>	
1111 1010	(bitwise OR)
1010 0000	(bitwise AND)
0101 1010	(bitwise XOR)
0101 1010	,

12.3 (c)

00 0111 0001	
10 0100 1000	
10 0111 1001	(bitwise OR)
00 0100 0000	(bitwise AND)
10 0011 1001	(bitwise XOR)

12.4 (d)

13 Exercise 48

13.1 (a)

13.2 (b)

 $\begin{array}{c} 0 \ 1111 \\ \wedge \ \underline{1} \ 0101 \\ 0 \ 0101 \\ \\ 0 \ 0101 \\ \\ \vee \ \underline{0} \ 1000 \\ 0 \ 1101 \ \leftarrow \text{answer} \end{array}$

13.3 (c)

0 1010

 $\oplus \ \underline{1} \ \underline{1011}$

1 0001

1 0001

 $\oplus \ \underline{0} \ \underline{1000}$

 $1~1001~\leftarrow answer$

13.4 (d)

1 1011

 $\vee \ \underline{0} \ 1010$

1 1011

1 0001

 $\vee \ \underline{1} \ \underline{1011}$

1 1011

 $1\ 1011$

 $\wedge \ \underline{1\ 1011}$

 $1\ 1011\ \leftarrow answer$

The truth value of "Fred is not happy" is 1-0.8=0.2. The truth value of "John is not happy" is 1-0.4=0.6.

The truth value of "Fred and John are happy" is min(0.8, 0.4) = 0.4. "Neither Fred nor John is happy" is equivalent to "Fred is not happy and John is not happy". Therefore, the truth value of "Neither Fred nor John is happy" is min(0.2, 0.6) = 0.2.

The truth value of "Fred is happy or John is happy" is $\max(0.8,0.4)=0.8$. The truth value of "Fred is not happy or John is not happy" is $\max(0.2,0.6)=0.6$.

"This statement is false" is not a proposition. It is a declarative sentence but it doesn't have a definite truth value. It is, in fact, a logical paradox. Regardless of whether you assume it is true or false, you reach a contradiction.