



[Curso](#) > [Week 4...](#) > [Proble...](#) > [Proble...](#)

Audit Access Expires 5 de ago de 2020

You lose all access to this course, including your progress, on 5 de ago de 2020.

Problem 7 - You and your Computer

Problem Set due Jul 16, 2020 20:30 -03 *Completo*

Problem 7 - You and your Computer

20/20 points (graded)

Now that your computer can choose a word, you need to give the computer the option to play. Write the code that re-implements the `playGame` function. You will modify the function to behave as described below in the function's comments. As before, you should use the `HAND_SIZE` constant to determine the number of cards in a hand. Be sure to try out different values for `HAND_SIZE` with your program.

Sample Output and Hints

[Here is how the game output should look...](#)



Enter n to deal a new hand, r to replay the last hand, or e to end game: n

Enter u to have yourself play, c to have the computer play: u

Current Hand: a s r e t t t

Enter word, or a "." to indicate that you are finished: tatters

"tatters" earned 99 points. Total: 99 points

Run out of letters. Total score: 99 points.

Enter n to deal a new hand, r to replay the last hand, or e to end game: r

Enter u to have yourself play, c to have the computer play: c

Current Hand: a s r e t t t

"stretta" earned 99 points. Total: 99 points

Total score: 99 points.

Enter n to deal a new hand, r to replay the last hand, or e to end game: x
Invalid command.

Enter n to deal a new hand, r to replay the last hand, or e to end game: n

Enter u to have yourself play, c to have the computer play: me
Invalid command.

Enter u to have yourself play, c to have the computer play: you
Invalid command.

Enter u to have yourself play, c to have the computer play: c

Current Hand: a c e d x l n

"axled" earned 65 points. Total: 65 points

Current Hand: c n

Total score: 65 points.

Enter n to deal a new hand, r to replay the last hand, or e to end game: n

Enter u to have yourself play, c to have the computer play: u

Current Hand: a p y h h z o

Enter word, or a "." to indicate that you are finished: zap

"zap" earned 42 points. Total: 42 points

Current Hand: y h h o

Enter word, or a "." to indicate that you are finished: oy

"oy" earned 10 points. Total: 52 points



Current Hand: h h

Enter word, or a "." to indicate that you are finished: .

Goodbye! Total score: 52 points.

Enter n to deal a new hand, r to replay the last hand, or e to end game: r

Enter u to have yourself play, c to have the computer play: c

Current Hand: a p y h h z o

"hypha" earned 80 points. Total: 80 points

Current Hand: z o

Total score: 80 points.

Enter n to deal a new hand, r to replay the last hand, or e to end game: e

Hints about the output

Be sure to inspect the above sample output carefully - very little is actually printed out in this function specifically. Most of the printed output actually comes from the code you wrote in `playHand` and `compPlayHand` - be sure that your code is modular and uses function calls to these helper functions!

You should also make calls to the `dealHand` helper function. You shouldn't make calls to any other helper function that we've written so far - in fact, this function can be written in about 15-20 lines of code.

Here is the above output, with the output from `playHand` and `compPlayHand` obscured:



Enter n to deal a new hand, r to replay the last hand, or e to end game: r
You have not played a hand yet. Please play a new hand first!

Enter n to deal a new hand, r to replay the last hand, or e to end game: n

Enter u to have yourself play, c to have the computer play: u

<call to playHand>

Enter n to deal a new hand, r to replay the last hand, or e to end game: r

Enter u to have yourself play, c to have the computer play: c

<call to compPlayHand>

Enter n to deal a new hand, r to replay the last hand, or e to end game: x
Invalid command.

Enter n to deal a new hand, r to replay the last hand, or e to end game: n

Enter u to have yourself play, c to have the computer play: me
Invalid command.

Enter u to have yourself play, c to have the computer play: you
Invalid command.

Enter u to have yourself play, c to have the computer play: c

<call to compPlayHand>

Enter n to deal a new hand, r to replay the last hand, or e to end game: n

Enter u to have yourself play, c to have the computer play: u

<call to playHand>

Enter n to deal a new hand, r to replay the last hand, or e to end game: r

Enter u to have yourself play, c to have the computer play: c

<call to compPlayHand>

Enter n to deal a new hand, r to replay the last hand, or e to end game: e

Hopefully this hint makes the problem seem a bit more approachable.

A Note On Runtime

You may notice that things run slowly when the computer plays. This is to be expected.

If you want (totally optional!), feel free to investigate ways of making the computer's turn go faster - one way is to preprocess the word list into a dictionary (string -> int) s



looking up the score of a word becomes much faster in the `compChooseWord` function.

Be careful though - you only want to do this preprocessing *one time* - probably right after we generate the wordList for you (at the bottom of the file). If you choose to do this, you'll have to modify what inputs your functions take (they'll probably take a word dictionary instead of a word list, for example).

IMPORTANT: Don't worry about this issue when running your code in the checker below! We load a very small sample wordList (*much* smaller than 83667 words!) to avoid having your code time out. Your code will work even if you don't implement a form of pre-processing as described.

Entering Your Code

Be sure to only paste your definition for `playGame` from `ps4b.py` in the following box. Do not include any other function definitions.

```

1 def playGame(wordList):
2     """
3     Allow the user to play an arbitrary number of hands.
4
5     1) Asks the user to input 'n' or 'r' or 'e'.
6         * If the user inputs 'e', immediately exit the game.
7         * If the user inputs anything that's not 'n', 'r', or 'e', keep asking th
8
9     2) Asks the user to input a 'u' or a 'c'.
10        * If the user inputs anything that's not 'c' or 'u', keep asking them aga
11
12    3) Switch functionality based on the above choices:
13        * If the user inputted 'n', play a new (random) hand.
14        * Else, if the user inputted 'r', play the last hand again.
15        But if no hand was played, output "You have not played a hand yet.
16        Please play a new hand first!"

```

Press ESC then TAB or click outside of the code editor to exit

Correta

Test results

Hide output

CORRECT

Function call: `playGame(<edX internal wordList>)`

Test 1: Playing a single user game, then quitting.

Output:



```
Enter n to deal a new hand, r to replay the last hand, or e to
end game:n
Enter u to have yourself play, c to have the computer play:u
Hand passed to playHand:  b c a
<playHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:e
None
```

Function call: playGame(<edX internal wordList>)

Test 2: Playing a single computer game, then quitting.

Output:

```
Enter n to deal a new hand, r to replay the last hand, or e to
end game:n
Enter u to have yourself play, c to have the computer play:c
Hand passed to compPlayHand:  z x y
<compPlayHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:e
None
```

Function call: playGame(<edX internal wordList>)

Test 3: Playing three user games, then quitting.

Output:



```

Enter n to deal a new hand, r to replay the last hand, or e to
end game:n
Enter u to have yourself play, c to have the computer play:u
Hand passed to playHand:  z a
<playHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:n
Enter u to have yourself play, c to have the computer play:u
Hand passed to playHand:  i q
<playHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:n
Enter u to have yourself play, c to have the computer play:u
Hand passed to playHand:  o d
<playHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:e
None

```

Function call: playGame(<edX internal wordList>)

Test 4: Playing three computer games, then quitting.

Output:

```

Enter n to deal a new hand, r to replay the last hand, or e to
end game:n
Enter u to have yourself play, c to have the computer play:c
Hand passed to compPlayHand:  a a m
<compPlayHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:n
Enter u to have yourself play, c to have the computer play:c
Hand passed to compPlayHand:  r c
<compPlayHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:n
Enter u to have yourself play, c to have the computer play:c
Hand passed to compPlayHand:  l l e
<compPlayHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:e
None

```

Function call: playGame(<edX internal wordList>)

Test 5: Replaying a hand.



Output:

```
Enter n to deal a new hand, r to replay the last hand, or e to
end game:n
Enter u to have yourself play, c to have the computer play:u
Hand passed to playHand: b o a t
<playHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:r
Enter u to have yourself play, c to have the computer play:c
Hand passed to compPlayHand: b o a t
<compPlayHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:e
None
```

Function call: playGame(<edX internal wordList>)

Test 6: Replaying a hand.

Output:

```
Enter n to deal a new hand, r to replay the last hand, or e to
end game:n
Enter u to have yourself play, c to have the computer play:c
Hand passed to compPlayHand: r t a a m
<compPlayHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:r
Enter u to have yourself play, c to have the computer play:u
Hand passed to playHand: r t a a m
<playHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:e
None
```

Function call: playGame(<edX internal wordList>)

Test 7: Replaying a hand.

Output:


```
Enter n to deal a new hand, r to replay the last hand, or e to
end game:n
Enter u to have yourself play, c to have the computer play:u
Hand passed to playHand:  l o z f b t t e e
<playHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:r
Enter u to have yourself play, c to have the computer play:u
Hand passed to playHand:  l o z f b t t e e
<playHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:r
Enter u to have yourself play, c to have the computer play:c
Hand passed to compPlayHand:  l o z f b t t e e
<compPlayHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:r
Enter u to have yourself play, c to have the computer play:u
Hand passed to playHand:  l o z f b t t e e
<playHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:e
None
```

Function call: playGame(<edX internal wordList>)

Test 8: Nothing should break if I call 'r' first - you should just print a message to the user if they do this. User should be able to enter 'r' endlessly and the message should always display. (Hint: use a loop for this!)

Output:



Enter n to deal a new hand, r to replay the last hand, or e to end game:r

You have not played a hand yet. Please play a new hand first!

Enter n to deal a new hand, r to replay the last hand, or e to end game:r

You have not played a hand yet. Please play a new hand first!

Enter n to deal a new hand, r to replay the last hand, or e to end game:r

You have not played a hand yet. Please play a new hand first!

Enter n to deal a new hand, r to replay the last hand, or e to end game:r

You have not played a hand yet. Please play a new hand first!

Enter n to deal a new hand, r to replay the last hand, or e to end game:r

You have not played a hand yet. Please play a new hand first!

Enter n to deal a new hand, r to replay the last hand, or e to end game:r

You have not played a hand yet. Please play a new hand first!

Enter n to deal a new hand, r to replay the last hand, or e to end game:e

None

Function call: playGame(<edX internal wordList>)

Test 9: Invalid input test. If the input is invalid, a message - 'Invalid command.' - should print out.

Output:



```

Enter n to deal a new hand, r to replay the last hand, or e to
end game:x
Invalid command.
Enter n to deal a new hand, r to replay the last hand, or e to
end game:y
Invalid command.
Enter n to deal a new hand, r to replay the last hand, or e to
end game:z
Invalid command.
Enter n to deal a new hand, r to replay the last hand, or e to
end game:k
Invalid command.
Enter n to deal a new hand, r to replay the last hand, or e to
end game:s
Invalid command.
Enter n to deal a new hand, r to replay the last hand, or e to
end game:w
Invalid command.
Enter n to deal a new hand, r to replay the last hand, or e to
end game:e
None

```

Function call: playGame(<edX internal wordList>)

Test 10: Invalid input test. If the input is invalid, a message - 'Invalid command.' - should print out.

Output:

```

Enter n to deal a new hand, r to replay the last hand, or e to
end game:n
Enter u to have yourself play, c to have the computer play:x
Invalid command.
Enter u to have yourself play, c to have the computer play:y
Invalid command.
Enter u to have yourself play, c to have the computer play:z
Invalid command.
Enter u to have yourself play, c to have the computer play:k
Invalid command.
Enter u to have yourself play, c to have the computer play:s
Invalid command.
Enter u to have yourself play, c to have the computer play:w
Invalid command.
Enter u to have yourself play, c to have the computer play:c
Hand passed to compPlayHand: j v s q t i i a a a
<compPlayHand execution not shown for grading brevity>
Enter n to deal a new hand, r to replay the last hand, or e to
end game:e
None

```



[Hide output](#)

Note: the `input` function on Spyder may print an extra newline. That's ok. Do not try to move text backwards using `end='\b'` in a print statement


Enviar

You have used 4 of 30 attempts

✓ Correct (20/20 points)

Verified Certificates

Interested in using an edX certificate to bolster a college application or to advance your career? With an edX verified certificate, you can demonstrate to colleges, employers, and colleagues that you successfully completed a challenging edX course, while helping to support the edX non-profit mission. You can register to earn a Verified Certificate directly [here](#).



Problem 7 - You and your Computer

[Ocultar discussão](#)

Topic: Problem Set 4 / Problem 7

Show all posts ▼

por atividade recente ▼

? What Happened to compPlayHand?

3

The instructions describe this as a function we wrote previously. Was this removed from the course?...

© All Rights Reserved

