

# Rajalakshmi Engineering College

Name: LAL SHIVAAN S L  
Email: 240701285@rajalakshmi.edu.in  
Roll no: 240701285  
Phone: 8608375254  
Branch: REC  
Department: I CSE AH  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

### REC\_DS using C\_Week 2\_COD\_Question 4

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Ravi is developing a student registration system for a college. To efficiently store and manage the student IDs, he decides to implement a doubly linked list where each node represents a student's ID.

In this system, each student's ID is stored sequentially, and the system needs to display all registered student IDs in the order they were entered.

Implement a program that creates a doubly linked list, inserts student IDs, and displays them in the same order.

##### ***Input Format***

The first line contains an integer N the number of student IDs.

The second line contains N space-separated integers representing the student IDs.

### **Output Format**

The output should display the single line containing N space-separated integers representing the student IDs stored in the doubly linked list.

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: 5

10 20 30 40 50

Output: 10 20 30 40 50

### **Answer**

```
#include <stdio.h>
```

```
#include <stdlib.h>
```

```
typedef struct Node {  
    int id;  
    struct Node* prev;  
    struct Node* next;  
} Node;
```

```
void append(Node** head, Node** tail, int id) {  
    Node* newNode = (Node*)malloc(sizeof(Node));  
    newNode->id = id;  
    newNode->next = NULL;  
    newNode->prev = *tail;
```

```
    if (*tail)  
        (*tail)->next = newNode;  
    else  
        *head = newNode;
```

```
    *tail = newNode;
```

```
}
```

```
void printList(Node* head) {
    while (head) {
        printf("%d ", head->id);
        head = head->next;
    }
    printf("\n");
}

int main() {
    int N;
    scanf("%d", &N);

    Node *head = NULL, *tail = NULL;
    int id;

    for (int i = 0; i < N; i++) {
        scanf("%d", &id);
        append(&head, &tail, id);
    }

    printList(head);

    return 0;
}
```

**Status :** Correct

**Marks : 10/10**