CODE OF ORDINANCES

Chapter 1

GENERAL PROVISIONS

- Sec. 1-1. How Code designated and cited.
- Sec. 1-2. Definitions and rules of construction.
- Sec. 1-3. Computation of time.
- Sec. 1-4. Catchlines of sections; history notes; references.
- Sec. 1-5. Effect of repeal of ordinances.
- Sec. 1-6. Amendments to Code; effect of new ordinances; amendatory language.
- Sec. 1-7. Supplementation of Code.
- Sec. 1-8. General penalty; continuing violations.
- Sec. 1-9. Severability.
- Sec. 1-10. Provisions deemed continuation of existing ordinances.
- Sec. 1-11. Code does not affect prior offenses or rights.
- Sec. 1-12. Certain ordinances not affected by Code.

Sec. 1-1. How Code designated and cited.

The ordinances embraced in this and the following chapters shall constitute and be designated the "Grant, Minnesota City Code" and may be so cited. Such ordinances may also be cited as the "Grant City Code."

State Law References: Codification of ordinances, Minn. Stats. § 415.021.

Sec. 1-2. Definitions and rules of construction.

The following definitions and rules of construction shall apply to this Code and to all ordinances and resolutions unless the context requires otherwise:

Generally. When provisions conflict, the specific shall prevail over the general. All provisions shall be liberally construed so that the intent of the city council may be effectuated. Words and phrases shall be construed according to the common and approved usage of the language, but technical words, technical phrases and words and phrases that have acquired peculiar and appropriate meanings in law shall be construed according to such meanings. Grammatical errors shall not vitiate, and a transposition of words and clauses may be resorted to when the sentence or clause is without meaning as it stands.

City. The term "city" means the City of Grant, Washington County, Minnesota. The term includes designated representatives of the city.

City council, council. The term "city council" or "council" means the council of the City of Grant, Minnesota.

Code. The term "Code" means the Grant, Minnesota City Code, as designated in section 1-1.

Conjunctions. In a provision involving two or more items, conditions, provisions or events, which items, conditions, provisions or events are connected by the conjunction "and," "or" or "either . . . or," the conjunction

shall be interpreted as follows, except that when appropriate from the context, the terms "and" and "or" are interchangeable:

- (1) The term "and" indicates that all the connected terms, conditions, provisions or events apply.
- (2) The term "or" indicates that the connected terms, conditions, provisions or events apply singly or in any combination.
- (3) The term "either . . . or" indicates that the connected terms, conditions, provisions or events apply singly but not in combination.

County. The term "county" means Washington County, Minnesota.

Delegation of authority. A provision that authorizes or requires a city officer or city employee to perform an act or make a decision authorizes such officer or employee to act or make a decision through subordinates.

Following. The term "following" means next after.

Gender. Words of one gender include all other genders.

Includes. The term "includes" does not limit a term to a specified example.

Joint authority. Words giving a joint authority to three or more persons give such authority to a majority of such persons.

May. The term "may" is to be construed as being permissive and not mandatory.

May not. The term "may not" states a prohibition.

Minn. Rules. The abbreviation "Minn. Rules" means the Minnesota Rules, as amended.

Minn. Stats. The abbreviation "Minn. Stats." means the Minnesota Statutes, as amended.

Month. The term "month" means a calendar month.

Must. The term "must" shall be construed as being mandatory.

Number. Words in the singular include the plural. Words in the plural include the singular.

Oath. A solemn affirmation is the equivalent to an oath and a person shall be deemed to have sworn if such person makes such an affirmation.

Officers, departments, etc. References to officers, departments, board, commissions or employees are to city officers, city departments, city boards, city commissions and city employees.

Owner. The term "owner," as applied to property, includes any part owner, joint owner, tenant in common,

tenant in partnership, joint tenant or tenant by the entirety of the whole or part of such property.

Person. The term "person" means any human being, any governmental or political subdivision or public agency, any public or private corporation, any partnership, any firm, association or other organization, any receiver, trustee, assignee, agent, or other legal representative of any of the foregoing or any other legal entity.

Personal property. The term "personal property" means any property other than real property.

Preceding. The term "preceding" means next before.

Premises. The term "premises," as applied to real property, includes lands and structures.

Property. The term "property" includes real property, personal property and mixed property.

Public property, public place. The terms "public property" and "public place" mean any place, property or premises dedicated to public use, owned by the city, occupied by the city as a lessee, or occupied by the city as a street by reason of an easement, including, but not limited to, streets, parks or parking lots so owned or occupied.

Real property, real estate, land, lands. The terms "real property," "real estate," "land" and "lands" include lands, buildings, tenements and hereditaments and all rights and interests therein except chattel interests.

Shall. The term "shall" is to be construed as being mandatory.

Sidewalk. The term "sidewalk" means that portion of a street between the curbline, or the lateral lines of a roadway where there is no curb, and the adjacent property line, intended for the use of pedestrians. If there is no public area between the lateral lines of the roadway and the abutting property line, then the area immediately abutting the street line shall be construed as the sidewalk.

Signature or subscription by mark. The term "signature" or "subscription" includes a mark when the signer or subscriber cannot write. In such situations, such person's name shall be written near the mark by a witness who writes his own name near such person's name.

State. The term "state" means the State of Minnesota.

Street. The term "street" means the entire area dedicated to public use, or contained in an easement or other conveyance or grant to the city, and shall include, but not be limited to, roadways, boulevards, sidewalks, alleys, and other public property between lateral property lines in which a roadway lies.

Tenant, occupant. The term "tenant" or "occupant," as applied to a building or land, includes:

- (1) Any person holding either alone or with others a written or oral lease of such building or land.
- (2) Any person who either alone or with others occupies such building or land.

Tenses. The present tense includes the past and future tenses. The future tense includes the present tense.

Will. The term "will" is to be construed as being mandatory and not permissive.

Writing. The term "writing" includes any form of recorded message capable of comprehension by ordinary visual means.

Year. The term "year" means a calendar year.

Sec. 1-3. Computation of time.

- (a) When the term "successive weeks" is used in any ordinance providing for the publication of notices, the term "weeks" shall be construed as calendar weeks. The publication upon any day of such weeks shall be sufficient publication for that week, but at least five days shall elapse between each publication. At least the number of weeks specified in "successive weeks" shall elapse between the first publication and the day for the happening of the event for which the publication is made.
- (b) When in any ordinance the lapse of a number of months before or after a certain day is required, such number of months shall be computed by counting the months from such day, excluding the calendar month in which such day occurs, and including the day of the month in which the last month so counted having the same numerical order as the day of the month from which the computation is made, unless there be not so many days in the last month so counted, in which case the period computed shall expire with the last day of the month so counted.
- (c) Where the performance or doing of any act, duty, matter, payment or thing is ordered or directed, and the period of time or duration for the performance or doing thereof is prescribed and fixed by law or ordinance, the time, except as otherwise provided in subsections (a) and (b) of this section, shall be computed so as to exclude the first and include the last day of the prescribed or fixed period or duration of time. When the last day of the period falls on a Saturday, Sunday or legal holiday, that day shall be omitted from the computation.
- (d) When an application, payment, return, claim, statement or other document is to be delivered to or filed with a department, agency or instrumentality of the city on or before a prescribed date and the prescribed date falls on a Saturday, Sunday or legal holiday, it is timely delivered or filed if it is delivered or filed on the next succeeding day which is not a Saturday, Sunday or legal holiday.

State Law References: Similar provisions, Minn. Stats. §§ 645.13--645.151.

Sec. 1-4. Catchlines of sections; history notes; references.

- (a) The catchlines of the several sections of this Code printed in boldface type are intended as mere catchwords to indicate the contents of the section and are not titles of such sections, or of any part of the section, nor unless expressly so provided shall they be so deemed when any such section, including the catchline, is amended or reenacted.
- (b) The history or source notes appearing in parenthesis after sections in this Code have no legal effect and only indicate legislative history. Editor's notes and state law references and other footnotes that appear in this Code after sections or subsections or that otherwise appear in footnote form are provided for the convenience of the user of this Code and have no legal effect.
 - (c) Unless specified otherwise, all references to chapters or sections are to chapters or sections of this

Code.

State Law References: Similar provisions, Minn. Stats. § 645.49.

Sec. 1-5. Effect of repeal of ordinances.

- (a) Unless specifically provided otherwise, the repeal of an ordinance does not revive any repealed ordinance.
- (b) The repeal or amendment of an ordinance does not affect any punishment or penalty incurred before the repeal took effect, nor does such repeal or amendment affect any suit, prosecution or proceeding pending at the time of the amendment or repeal.

State Law References: Similar provisions, Minn. Stats. §§ 645.35, 645.36.

Sec. 1-6. Amendments to Code; effect of new ordinances; amendatory language.

- (a) All ordinances adopted subsequent to this Code that amend, repeal or in any way affect this Code may be numbered in accordance with the numbering system of the Code and printed for inclusion in the Code. Portions of this Code repealed by subsequent ordinances may be excluded from this Code by omission from reprinted pages affected thereby.
- (b) Amendments to provisions of this Code may be made with the following language: "Section (chapter, article, division or subdivision, as appropriate) ______ of the Grant, Minnesota City Code is hereby amended to read as follows:"
- (c) If a new section, subdivision, division, article or chapter is to be added to the Code, the following language may be used: "Section (chapter, article, division or subdivision, as appropriate) _____ of the Grant, Minnesota City Code is hereby created to read as follows:"
- (d) All provisions desired to be repealed should be repealed specifically by section, subdivision, division, article or chapter number, as appropriate, or by setting out the repealed provisions in full in the repealing ordinance.

Sec. 1-7. Supplementation of Code.

- (a) Supplements to this Code shall be prepared and printed whenever authorized or directed by the city. A supplement to this Code shall include all substantive permanent and general parts of ordinances adopted during the period covered by the supplement and all changes made thereby in the Code. The pages of the supplement shall be so numbered that they will fit properly into the Code and will, where necessary, replace pages that have become obsolete or partially obsolete. The new pages shall be so prepared that when they have been inserted, the Code will be current through the date of the adoption of the latest ordinance included in the supplement.
- (b) In preparing a supplement to this Code, all portions of the Code that have been repealed shall be excluded from the Code by the omission thereof from reprinted pages.
- (c) When preparing a supplement to this Code, the person authorized to prepare the supplement may make formal, nonsubstantive changes in ordinances and parts or ordinances included in the supplement, insofar as

necessary to do so in order to embody them into a unified code. For example, the person may:

- (1) Arrange the material into appropriate organizational units.
- (2) Supply appropriate catchlines, headings and titles for chapters, articles, divisions, subdivisions and sections to be included in the Code and make changes in any such catchlines, headings and titles or in any such catchlines, headings and titles already in the Code.
- (3) Assign appropriate numbers to chapters, articles, divisions, subdivisions and sections to be added to the Code.
- (4) Where necessary to accommodate new material, change existing numbers assigned to chapters, articles, divisions, subdivisions or sections.
- (5) Change the words "this ordinance" or similar words to "this chapter," "this article," "this division," "this subdivision," "this section" or insert section numbers to indicate the sections of the Code that embody the substantive sections of the ordinance incorporated in the Code.
- (6) Make other nonsubstantive changes necessary to preserve the original meaning of the ordinances inserted in the Code.

Sec. 1-8. General penalty; continuing violations.

- (a) In this section, the term "violation of this Code" means any of the following:
- (1) Doing an act that is prohibited or made or declared unlawful, an offense, a violation, a misdemeanor or a petty misdemeanor by ordinance or by rule or regulation authorized by ordinance.
- (2) Failure to perform an act that is required to be performed by ordinance or by rule or regulation authorized by ordinance.
- (3) Failure to perform an act if the failure is prohibited or is made or declared unlawful, an offense, a violation, a misdemeanor or a petty misdemeanor by ordinance or by rule or regulation authorized by ordinance.
- (4) Counseling, aiding or abetting a violation of this Code as defined above.
- (b) In this section, the term "violation of this Code" does not include the failure of a city officer or city employee to perform an official duty unless it is specifically provided that the failure to perform the duty is to be punished as provided in this section.
- (c) Except as otherwise provided by law or ordinance, a person convicted of a violation of this Code shall be guilty of a misdemeanor punished by a fine of not more than \$1,000.00, imprisonment for a term not exceeding 90 days, or any combination thereof; provided, however, that if the violation is declared to be a petty misdemeanor, the penalty shall be a fine not exceeding \$300.00. In any case a person convicted of a violation of

this Code shall pay the costs of prosecution.

- (d) Except as otherwise provided by law or ordinance:
- (1) With respect to violations of this Code that are continuous with respect to time, each day that the violation continues is a separate offense.
- (2) With respect to violations that are not continuous with respect to time, each act is a separate offense.
- (e) The imposition of a penalty does not prevent suspension or revocation of a license, permit or franchise or other administrative sanctions.
- (f) Violations of this Code that are continuous with respect to time are a public nuisance and may be abated by injunctive or other equitable relief. The imposition of a penalty does not prevent injunctive relief.

 State Law References: Authorized penalty for ordinance violations, Minn. Stats. §§ 410.33, 412.231, 609.0332, 609.034.

Sec. 1-9. Severability.

The sections, subsections, paragraphs, sentences, clauses and phrases of this Code and all provisions adopted by reference in this Code are severable so that if any section, subsection, paragraph, sentence, clause and phrase of this Code or of any provision adopted by reference in this Code is declared unconstitutional or invalid by a valid judgment of a court of competent jurisdiction, such judgment shall not affect the validity of any other section, subsection, paragraph, sentence, clause and phrase of this Code or of any provision adopted by reference in this Code, for the council declares that it is its intent that it would have enacted this Code and all provisions adopted by reference in this Code without such invalid or unconstitutional provisions. If any provision of this Code is declared to be inapplicable to specific property by a valid judgment of a court of competent jurisdiction, such judgment shall not restrict the applicability of such provision to other property.

Sec. 1-10. Provisions deemed continuation of existing ordinances.

The provisions of this Code, insofar as they are substantially the same as legislation previously adopted by the city relating to the same subject matter, shall be construed as restatement and continuation thereof and not as new enactments.

Sec. 1-11. Code does not affect prior offenses or rights.

Nothing in this Code or the ordinance adopting this Code affects any offense or act committed or done, any penalty or forfeiture incurred, or any contract or right established before the effective date of the ordinance adopting this Code. Nothing in this Code or the ordinance adopting this Code creates or eliminates any preexisting nonconforming uses.

Sec. 1-12. Certain ordinances not affected by Code.

Nothing in this Code or the ordinance adopting this Code affects the validity of any ordinance or portion of an ordinance listed below. Such ordinances continue in full force and effect to the same extent as if published at length in this Code.

- (1) Annexing property into the city.
- (2) Deannexing property or excluding property from the city.
- (3) Providing for salaries or other employee benefits not codified in this Code.
- (4) Promising or guaranteeing the payment of money or authorizing the issuance of bonds or other instruments of indebtedness.
- (5) Authorizing or approving any contract, deed, or agreement.
- (6) Making or approving any appropriation or budget.
- (7) Fixing or establishing any fee or charge.
- (8) Granting any right or franchise.
- (9) Vacating any easement or parkland.
- (10) Adopting or amending the comprehensive plan.
- (11) Levying or imposing any special assessment.
- (12) Creating a special district that is not codified in this Code.
- (13) Dedicating, establishing, naming, locating, relocating, opening, paving, widening, repairing or vacating any street.
- (14) Establishing the grade of any street or sidewalk.
- (15) Dedicating, accepting or vacating any plat or subdivision.
- (16) Levying, imposing or otherwise relating to taxes not codified in this Code.
- (17) Establishing traffic regulations for specific locations not codified in this Code.
- (18) Rezoning specific property.
- (19) That is temporary, although general in effect.
- (20) That is special, although permanent in effect.
- (21) The purpose of which has been accomplished.

Chapter 2

ADMINISTRATION*

* State Law References: Statutory cities, Minn. Stats. ch. 412.

Article I. In General

Secs. 2-1--2-18. Reserved.

Article II. City Council

Secs. 2-19--2-39. Reserved.

Article III. Officers and Employees

Sec. 2-40. City clerk and city treasurer.

Secs. 2-41--2-68. Reserved.

Article IV. Finance

Sec. 2-69. Adoption of fee schedule.

Sec. 2-70. Escrow accounts. Secs. 2-71--2-98. Reserved.

Article V. Ordinance Violations

Sec. 2-99. Findings and purpose.

Sec. 2-100. General applicability.

Sec. 2-101. Hearing requirements.

Sec. 2-102. Civil sanctions.

Sec. 2-103. Payment of fines.

Sec. 2-104. Revocation or suspension.

ARTICLE I.

IN GENERAL

Secs. 2-1--2-18. Reserved.

ARTICLE II.

CITY COUNCIL

Secs. 2-19--2-39. Reserved.

ARTICLE III.

OFFICERS AND EMPLOYEES

Sec. 2-40. City clerk and city treasurer.

(a) City clerk. The separate office of city clerk is hereby reestablished. The city clerk shall be

responsible for the duties provided by law as well as those duties directed by the city council.

- (b) *City treasurer*. The separate office of city treasurer is hereby reestablished. The city treasurer shall be responsible for the duties provided by law as well as those duties directed by the city council.
- (c) *Term of office*. The city clerk and the city treasurer shall be appointed by the city council for a term beginning on the first Monday of January in each year until a successor city clerk and city treasurer is sworn in to take the office. The appointment shall be made at the first city council meeting of each year.
- (d) *Resignation or termination.* The city council shall appoint a new city clerk or city treasurer upon the resignation, termination or expiration of the term of the city clerk or city treasurer.
- (e) *Compensation*. The city council shall determine the compensation to be paid to the city clerk and city treasurer.

(Ord. No. 2005-115, §§ 2--6, 6-7-2005)

State Law References: Authority to combine or uncombine officers of clerk and treasurer, Minn. Stats. § 412.591; duties of clerk, Minn. Stats. § 412.151; duties of treasurer, Minn. Stats. § 412.141.

Secs. 2-41--2-68. Reserved.

ARTICLE IV.

FINANCE*

* State Law References: Municipal finance and taxation, Minn. Stats. ch. 426.

Sec. 2-69. Adoption of fee schedule.

The 2009 Master Fee and Escrow Schedule which is attached to Ord. No. 2009-06 is incorporated herein by reference as exhibit A and is hereby adopted. (Ord. No. 2009-06, § 2, 1-6-2009)

Sec. 2-70. Escrow accounts.

- (a) Applicants may be required to escrow money with the city in order to pay for the fees charged to the city by the city attorney, engineer or planner for review of an application or license.
- (b) In those cases where an escrow account is required, the applicant shall be required to replenish the escrow account when the balance in the escrow account contains \$1,000.00 or less, unless the city council by formal motion determines that the project is complete or this requirement is waived by formal action of the city council.
- (c) Any project, application or request made to the city which has a negative escrow balance will not be further reviewed by the city until the escrow account is current or will be denied for failure to keep the escrow account current.

(Ord. No. 2009-06, § 3, 1-6-2009)

ARTICLE V.

ORDINANCE VIOLATIONS

Sec. 2-99. Findings and purpose.

- (a) The city regulates many types of activities. For many of these activities, the city issues licenses or permits. Licenses or permits are issued for those activities which have the most profound effect (or potential effect) upon the health, safety and welfare of the citizens.
- (b) From time to time, the city is also called upon to determine if the holder of a license or a permit has violated the terms of that license or permit. Similarly, there are sometimes allegations that the license or permit holder has violated a statute, ordinance or rule which also regulates the proper operation of that activity.
- (c) This article shall delineate what remedies are available to the city to ensure that licenses and permits are properly followed in the future so as to properly protect the health, safety and welfare of the city's residents.
- (d) This article is designed to establish a uniform method of determining whether or not violations of any ordinance have occurred. It is the intent of the city council to establish a system which would provide fair and adequate notice of the alleged violation to the permit/license holder or person accused of the violation and a hearing before the city council. The possible penalties which are provided for are designed to protect the public from future violations. Specifically, the sanctions should deter a violator from engaging in future violations and should serve as a warning to other individuals engaged in the same types of activities that the city council will respond appropriately to proven violations.

 (Ord. No. 1996-70, § 70.10, 6-4-1996)

Sec. 2-100. General applicability.

The terms of this article shall apply to all licenses and permits of any kind issued by the city and to violations of any ordinance. (Ord. No. 1996-70, § 70.20, 6-4-1996)

Sec. 2-101. Hearing requirements.

- (a) All hearings as envisioned within this article shall take place before the city council at the city hall or at such other place as is convenient and proper, given the nature of the matter under consideration.
- (b) None of the civil sanctions authorized herein shall be imposed by the city council until the license/permit holder or accused has been given an opportunity for a hearing before the city council.
- (c) Hearings shall be conducted in accordance with the provisions found in Minn. Stats. §§ 14.57--14.69.

(d) This article does not require the city to conduct its hearing before an employee of the office of administrative hearings. Rather, it is intended that hearings will take place before the city council. (Ord. No. 1996-70, § 70.30, 6-4-1996)

Sec. 2-102. Civil sanctions.

If the city council finds that a license or permit holder has failed to comply with his license or permit, or has failed to comply with any applicable statute, rule or ordinance related to the operation of the activity for which a license or permit has been granted by the city, then the city council may revoke the license or permit, suspend the license or permit for a period of up to 60 days, impose a civil penalty of up to \$2,000.00 for each violation, or impose any combination of these sanctions. (Ord. No. 1996-70, § 70.40, 6-4-1996)

Sec. 2-103. Payment of fines.

- (a) If the council imposes a civil fine, the council shall also allow the license/permit holder a reasonable time to pay the fine. A reasonable time to pay means that all fines shall be paid within 60 days unless the council determines that a longer period of time is justified under the circumstances of the case.
- (b) Failure of a license/permit holder to pay a fine within 60 days (or within the time otherwise allowed by the council) shall cause that license or permit to become immediately suspended until full payment is received by the city clerk.

(Ord. No. 1996-70, § 70.50, 6-4-1996)

Sec. 2-104. Revocation or suspension.

Any license/permit holder who has had his license or permit suspended or revoked pursuant to any of the terms of this article shall not be allowed to operate the activity which required the license or permit until the license or permit is reinstated. Any operation during a period of suspension or revocation shall be deemed to be an additional violation of the terms of the permit or license. (Ord. No. 1996-70, § 70.60, 6-4-1996)

Chapter 4

ALCOHOLIC BEVERAGES*

* State Law References: Alcoholic beverages, Minn. Stats. ch. 340A; local restrictions on sale of alcohol, Minn. Stats. § 340A.509.

Article I. In General

Sec. 4-1. Definitions.

Sec. 4-2. Provisions of state law adopted.

Sec. 4-3. Restrictions on purchase and consumption.

Secs. 4-4--4-24. Reserved.

Article II. Dealers

Division 1. Generally

Secs. 4-25--4-51. Reserved.

Division 2. License

Sec. 4-52. Required.

Sec. 4-53. Application.

Sec. 4-54. Fees.

Sec. 4-55. Granting procedure.

Sec. 4-56. Ineligible places.

Sec. 4-57. Conditions.

Sec. 4-58. Suspension and revocation.

Secs. 4-59--4-89. Reserved.

Division 3. Sales to Underage Persons

Sec. 4-90. Definitions.

Sec. 4-91. Purpose and scope.

Sec. 4-92. Inspection and compliance checks.

Sec. 4-93. Enforcement and penalties.

Sec. 4-94. Alcohol awareness training.

ARTICLE I.

IN GENERAL

Sec. 4-1. Definitions.

All terms used in this chapter shall have the meanings prescribed by Minn. Stats. ch. 340A unless specifically indicated otherwise.

(Ord. No. 1997-76, § 2, 4-1-1997)

Sec. 4-2. Provisions of state law adopted.

The provisions of Minn. Stats. ch. 340A, relating to the definitions of terms, licensing, consumption, sales, financial responsibility of licensees, hours of sale, and all matters pertaining to the retail sale, distribution, and

consumption of intoxicating liquor and nonintoxicating malt liquor are adopted and made a part of this chapter as if set out in full.

(Ord. No. 1997-76, § 1, 4-1-1997)

Sec. 4-3. Restrictions on purchase and consumption.

- (a) Intoxicating liquor or 3.2 percent malt liquor on unlicensed places. No person shall mix or prepare intoxicating liquor for sale in any public place of business unless it has a license to sell intoxicating liquor on-sale or a consumption and display permit from the commissioner of public safety, and no person shall consume intoxicating liquor or 3.2 percent malt liquor in such a place.
- (b) Consumption in public places. No person shall consume intoxicating liquor or 3.2 percent malt liquor on a public highway, public park, or other public space, or on the premises of an off-sale license holder, without the written consent of the city council.

(Ord. No. 1997-76, § 11, 4-1-1997)

State Law References: Consumption and display permits, Minn. Stats. § 340A.414; alcohol and underage persons, Minn. Stats. § 340A.503.

Secs. 4-4--4-24. Reserved.

ARTICLE II.

DEALERS

DIVISION 1.

GENERALLY

Secs. 4-25--4-51. Reserved.

DIVISION 2.

LICENSE*

Sec. 4-52. Required.

- (a) General restriction. No person, except a wholesaler or manufacturer to the extent authorized under state license, shall directly or indirectly deal in, sell, or keep for sale in the city any intoxicating liquor or 3.2 percent malt liquor without a license to do so as provided in this division. Intoxicating liquor and 3.2 percent malt liquor licenses shall be of nine kinds:
 - (1) On-sale intoxicating liquor.
 - (2) Club on-sale.

^{*} State Law References: Intoxicating liquor and 3.2 percent malt liquor licenses, Minn. Stats. § 340A.401 et seq.

- (3) On-sale Sunday.
- (4) One-day permit.
- (5) On-sale wine.
- (6) Consumption and display.
- (7) On-sale 3.2 percent malt liquor.
- (8) Off-sale 3.2 percent malt liquor.
- (9) Off-sale intoxicating liquor.
- (b) *Consumption and display licenses.* A consumption and display license shall be considered the approval of a consumption and display permit by the council under law.
- (c) On-sale Sunday licenses. A special on-sale license for the sale of intoxicating liquor on Sundays may be issued only to a restaurant having a seating capacity for at least 30 persons holding a regular on-sale license.
- (d) On-sale 3.2 percent malt liquor. On-sale 3.2 percent malt liquor licenses shall only be granted to clubs, 3.2 percent malt liquor stores, drugstores, restaurants, hotels, and bowling centers where food is prepared and served for consumption on the premises.
- (e) Off-sale 3.2 percent malt liquor. Off-sale 3.2 percent malt liquor licenses shall only permit the sale of 3.2 percent malt liquor at retail, in the original package for consumption off the premises of the licensee. Off-sale 3.2 percent malt liquor licenses shall only be granted to grocery stores, convenience stores selling food and drink for consumption off the premises, and persons holding on-sale intoxicating liquor or on-sale 3.2 percent malt liquor licenses for use on the same premises as their on-sale license. (Ord. No. 1997-76, § 3, 4-1-1997)

State Law References: On-sale intoxicating liquor licenses, Minn. Stats. § 340A.403; off-sale intoxicating liquor licenses, Minn. Stats. § 340A.405; 3.2 percent malt liquor licenses, Minn. Stats. § 340A.403; local approval of sale and consumption permits, Minn. Stats. § 340A.414, subd. 6.

Sec. 4-53. Application.

(a) Form. Every application for license to sell intoxicating liquor or 3.2 percent malt liquor shall be in the form prescribed by the city and include the name of the applicant, his age, representations as to the applicant's character (with such references as the council may require), citizenship, the type of license applied for, the business or organization in connection with which the proposed license will operate and its location, whether the applicant is owner and operator of the business, how long the business has been at that location, and such other reasonable and/or necessary information as the council may require from time to time. Every application shall also include a copy of each summons received by the applicant under Minn. Stats. § 340A.802 during the preceding year.

(b) Accuracy of application. No person shall knowingly make a false or misleading statement on any application for an intoxicating liquor or 3.2 percent malt liquor license, or in any proceeding regarding the issuing of an intoxicating liquor, 3.2 percent malt liquor or wine license. (Ord. No. 1997-76, § 4, 4-1-1997)

Sec. 4-54. Fees.

- (a) Established. The fees for licenses issued under this division shall be as established by ordinance.
- (b) *Payment*. Each application for a license shall be accompanied by a receipt from the city for payment in full of the license fee and the fixed investigation fee under section 4-55, if any. All fees shall be paid into the general fund. If any application for a license is rejected, the city shall refund the amount paid as the license fee.
- (c) License terms and pro rata fees. Each license, except one-day permits, shall be issued for a period of one year. If an application is made during the license year, a license may be issued for the remainder of the year for a pro rata fee. Such pro rata fee is to be determined on the number of months remaining in the year, with each unexpired fraction of a month being counted as one month. Every license shall expire on December 31 of each year.
 - (d) *Refunds*. Refunds of license fees shall be made only if:
 - (1) The business ceases to operate because of destruction or damage not caused by the unlawful actions of the licensee, and such damage made the business unusable;
 - (2) The licensee dies; or
 - (3) The business loses its lawful authority to operate due to an act of legislature or local option election.

The refund shall be based on a pro rata basis determined by the number of months remaining until the end of the license year, with any fraction of a month remaining not being credited as part of the refund. Refunds shall be made only after the business ceases to operate.

(Ord. No. 1997-76, § 6, 4-1-1997)

State Law References: License fees, Minn. Stats. § 340A.408.

Sec. 4-55. Granting procedure.

- (a) New licenses; investigation fee. On an initial application for an on-sale intoxicating liquor or off-sale intoxicating liquor license and on application for transfer of an existing on-sale or off-sale intoxicating liquor license, the applicant shall pay with his application an investigation fee in the amount established by ordinance.
- (b) *Renewals*. Applications for renewal of a license issued in accordance with this division shall be the same, in form and procedure, as an initial application, except an initial investigation fee shall only be charged only if the council determines that such an investigation is warranted.

- (c) Hearing and issuance. The city council shall investigate all facts set out in the application and not investigated in the preliminary background and financial investigation conducted pursuant to subsection (a) of this section. Opportunity shall be given to any person to be heard for and against the granting of the license. After investigation and hearing, the council shall, at its discretion, grant or refuse the application.
- (d) Assignability and transferability. Each license shall be issued only to the applicant and for the premises described in the application. No license may be transferred to another person or place without city council approval. Any transfer of stock of a corporate license is deemed a transfer of the license, and transfer of stock without prior council approval is a ground for revocation of the license. In case a licensee dies, his personal representative may continue operation of the business within the terms of the license for a period not to exceed 90 days.

(Ord. No. 1997-76, § 7, 4-1-1997)

State Law References: Persons eligible for licenses, Minn. Stats. § 340.402; limitations on issuance of intoxicating liquor licenses, Minn. Stats. § 340A.412; restrictions on number of intoxicating liquor licenses, Minn. Stats. § 340A.413.

Sec. 4-56. Ineligible places.

No license shall be granted or renewed for operation on any premises on which taxes, assessments, or other financial claims of the city are delinquent or unpaid. (Ord. No. 1997-76, § 9, 4-1-1997)

Sec. 4-57. Conditions.

- (a) *Generally*. Every license is subject to the conditions specified in this division and of any other applicable ordinance, state law or regulation.
- (b) Closing hours. Every holder of any on-sale license shall cause the premises to be vacated of all persons except the owner or manager within one hour after the licensed premises closes. All intoxicating liquor or 3.2 percent malt liquor shall be stored out of public view after closing time. No licensee shall give or sell intoxicating liquor or 3.2 percent malt liquor to any employee while such employee is working on the premises. All customers or persons not employed by a licensee shall vacate the premises within one-half hour after the established closing time.
- (c) *Inspections*. Every licensee shall allow any peace officer, health officer, or properly designated officer or employee of the city to enter, inspect, and search the premises of the licensee during business hours without a warrant.
- (d) *Display*. No establishment shall display intoxicating liquor to the public during hours when the sale of intoxicating liquor is prohibited.
- (e) Employment of minors. No person under the age of 18 years shall be employed on the premises of any establishment selling intoxicating liquor or 3.2 percent malt liquor when such beverages are on display and offered for sale. This prohibition shall not apply to restaurants. In no case may a person under 18 years of age offer for sale, mix, or serve intoxicating liquor or 3.2 percent malt liquor in any licensed establishment. (Ord. No. 1997-76, § 10, 4-1-1997)

State Law References: General conditions of license, Minn. Stats. § 340A.410; responsibility of licensee, Minn. Stats. § 340A.501; days and hours of sale, Minn. Stats. § 340A.504.

Sec. 4-58. Suspension and revocation.

Lapse of required dram shop insurance, any required bond, or withdrawal of a required deposit of cash or securities shall effect an immediate suspension of any license issued pursuant to this division without further action of the city council. Notice of cancellation or lapse of a current intoxicating liquor liability policy or bond, or withdrawal of deposited cash or securities shall constitute notice to the licensee of suspension of license. The holder of a license who has received notice of lapse of required insurance or bond, or withdrawal of a required deposit, or of suspension or revocation of a license, may request a hearing thereon and if such request is made in writing to the city clerk, a hearing shall be granted within ten days or such longer period as may be requested. Any suspension under this section shall continue until the city council determines the financial responsibility requirements have been met.

(Ord. No. 1997-76, § 12, 4-1-1997)

State Law References: License suspension or revocation, Minn. Stats. § 340A.415.

Secs. 4-59--4-89. Reserved.

DIVISION 3.

SALES TO UNDERAGE PERSONS*

* State Law References: Sales to underage persons, Minn. Stats. § 340A.503.

Sec. 4-90. Definitions.

The following words, terms and phrases, when used in this division, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Licensed establishment means any place of business where alcoholic beverages are available for sale to the general public. Licensed establishments shall include, but not be limited to, bars, restaurants and clubs.

Licensed premises means the premises described in the approved license application, subject to the provision of Minn. Stats. § 340A.410, subd. 7. In the case of a restaurant, club or exclusive liquor store licensed for on-sale of alcohol located on a golf course, the term "licensed premises" means the entire golf course except for areas where motor vehicles are regularly parked or operated.

Licensee means any person, individual, firm, corporation, partnership, association, limited liability company, government agency, club or organization of any kind licensed by the city under the authority contained in Minn. Stats. ch. 340A.

Retail means sale for consumption.

Sale means any transfer for money, trade, barter or other consideration.

Underage person means a person under the age of 21 years. (Ord. No. 2002-92, § 2, 3-12-2002)

Sec. 4-91. Purpose and scope.

- (a) *Purpose*. The city recognizes many persons under the age of 21 years attempt to purchase or otherwise obtain, possess and use alcohol. In order to more strictly enforce the prohibitions against the sale of alcohol to underage persons, the council enacts this provision imposing civil penalties on licensees and establishing license suspension and revocation procedures for violations of the prohibitions contained in this division. The prohibitions created and sanctions imposed by this provision are not exclusive and are in addition to any other sanctions available to the city under any other statute, rule or ordinance.
- (b) *Scope*. This division applies to any establishment licensed by the city under the authority contained in Minn. Stats. ch. 340A.
- (c) State law adopted. The provisions of Minn. Stats. § 340A.503 are adopted by reference. (Ord. No. 2002-92, §§ 1, 4, 3-12-2002)

Sec. 4-92. Inspection and compliance checks.

To ensure that alcohol is not sold to underage persons, law enforcement officers or other designated employees or independent contractors of the city shall periodically perform inspections and compliance checks. Additional inspections and compliance checks may be performed as a result of failed inspections or failed compliance checks.

- (1) *Inspections*. All licensed premises shall be open to inspection by any law enforcement officer, or other designated officer, employee or contractor of the city, at any time there are persons within the licensed premises. The city shall from time to time perform compliance checks to determine if retailers are in compliance with state statute and local ordinance.
- (2) Compliance checks. The city shall conduct compliance checks by using underage persons over the age of 16 years to enter the licensed premises to attempt to purchase alcohol. Minors may be used for compliance checks with the written consent of the minor's parent or guardian. Designated law enforcement personnel shall supervise underage persons used for compliance checks. Underage persons used for compliance checks shall not be guilty of the unlawful purchase or attempted purchase, nor the unlawful possession of alcohol when such alcohol is obtained or attempted to be obtained as part of the compliance check. No underage person used in the compliance check shall attempt to use a false identification misrepresenting the underage person's age and all underage persons lawfully engaged in a compliance check shall answer all questions about the underage person's age asked by the licensee or his employee and shall produce any identification, if any exists, for which he is asked. Nothing in this section shall prohibit compliance checks authorized by state or federal laws for educational, research or training purposes or required for the enforcement of a particular state or federal law.

(Ord. No. 2002-92, § 5, 3-12-2002)

Sec. 4-93. Enforcement and penalties.

(a) Enforcement. Violations of the prescriptions established in this division may be enforced through

criminal and/or civil sanctions. The administrative penalty provisions of this division shall be enforced pursuant to chapter 2, article V.

- (b) Administrative penalties. The city may issue the following administrative penalties for violations of this division:
 - (1) *First violation*. Any licensee found to have violated this division shall be charged an administrative penalty of \$500.00; the sum of \$250.00 will be waived if all employees attend alcohol awareness training within three months of the violation.
 - (2) Second violation. Any licensee found to have violated this division two times within a 12-month period will be subject to a \$1,000.00 administrative penalty.
 - (3) *Third violation.* Any licensee found to have violated this division three times within a 12-month period will be subject to a \$2,000.00 administrative penalty. In addition, a one-day suspension of the liquor license shall be imposed.
 - (4) Fourth violation. Any licensee found to have violated this division four times within a 12-month period will be subject to a \$2,000.00 administrative penalty. In addition, a ten-day suspension of the liquor license shall be imposed.
 - (5) *Fifth violation*. Any licensee found to have violated this division five times within a 12-month period shall have his liquor license revoked.
 - (c) Appeal.
 - (1) The licensee shall appeal the imposition of an administrative penalty pursuant to chapter 2, article V.
 - (2) A licensee may appeal a suspension or revocation of a license to the city council pursuant to Minn. Stats. §§ 14.57--14.69. No suspension or revocation shall take effect until the time for appeal has run; or, if appeal is brought, until the city council has rendered a decision.

(Ord. No. 2002-92, § 6, 3-12-2002)

Sec. 4-94. Alcohol awareness training.

- (a) Required. License holders are encouraged to train all employees authorized to serve or sell alcoholic beverages on the licensed premises through an alcohol awareness program approved by the licensing agency or its designee.
- (b) Alcohol awareness checklist. Every employee authorized to serve or sell alcoholic beverages is encouraged to use an alcohol awareness checklist. Alcohol awareness checklists are available through the city. (Ord. No. 2002-92, § 7, 3-12-2002)

Chapter 6

ANIMALS*

* State Law References: Animal health, Minn. Stats. ch. 35; dogs and cats, Minn. Stats. ch. 347; cruelty to animals, Minn. Stats. § 343.20 et seq.

Article I. In General

Secs. 6-1--6-18. Reserved.

Article II. Wild, Dangerous or Undomesticated Animals

Sec. 6-19. Purpose; prohibited ownership.

Sec. 6-20. Definitions.

Sec. 6-21. Conditional use permit required; exceptions.

Sec. 6-22. Impounding of wild animals.

Secs. 6-23--6-47. Reserved.

Article III. Dogs

Division 1. Generally

Sec. 6-48. Definitions.

Sec. 6-49. Exemptions.

Sec. 6-50. Interference with enforcement.

Sec. 6-51. Rabies inoculation.

Sec. 6-52. Nuisances.

Sec. 6-53. Animal bites and animals exposed to rabies.

Sec. 6-54. Running at large prohibited.

Sec. 6-55. Females in heat.

Sec. 6-56. Abandonment prohibited.

Sec. 6-57. Sanitation. Secs. 6-58--6-87. Reserved.

Division 2. Administration and Enforcement

Sec. 6-88. Enforcement officer.

Sec. 6-89. Seizure of dogs; impounding. Sec. 6-90. Impounding and boarding fees.

ARTICLE I.

IN GENERAL

Secs. 6-1--6-18. Reserved.

ARTICLE II.

WILD, DANGEROUS OR UNDOMESTICATED ANIMALS

Sec. 6-19. Purpose; prohibited ownership.

To protect the health, safety and welfare of the citizens of the city, it shall be unlawful to keep any wild,

dangerous or undomesticated animal within the corporate limits of the city, except as permitted pursuant to the provisions of this article.

(Ord. No. 66, § 1, 12-3-1991)

Sec. 6-20. Definitions.

The following words, terms and phrases, when used in this article, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Wild animal means and includes any mammal, amphibian, or reptile which is of a species which is wild by nature or of a species which, due to size, vicious nature or other characteristic, is inherently dangerous to human beings. Examples of wild animals considered capable of inflicting severe bodily harm to humans include but are not limited to:

- (1) Any large cat of the family Felidae, such as lions, tigers, jaguars, leopards, cougars and ocelots, except commonly accepted domesticated house cats.
- (2) Any member of the family Canidae, such as wolves, coyotes, dingos, and jackals, except domesticated dogs.
- (3) Any crossbreed such as crossbreeds between dogs and coyotes, or dogs and wolves, but does not include crossbred domesticated animals.
- (4) Any poisonous snake such as a rattlesnake, coral snake, water moccasin, puff adder or cobra.
- (5) Any snake or reptile which by its size, vicious nature or other characteristic is dangerous to human beings.
- (6) Any skunk, raccoon, fox, or ferret, unless certified by a veterinarian to be free of rabies, and kept pursuant to a valid DNR permit, said certification to be obtained within seven days of receipt of the animal.
- (7) Any bear, ape, gorilla, monkey (except as exempted by this article), or badger.
- (8) Any other animal or reptile which is commonly considered wild and not domesticated, excluding wild horses.

(Ord. No. 66, § 2, 12-3-1991)

Sec. 6-21. Conditional use permit required; exceptions.

(a) Any person desiring to keep an animal prohibited by this article may apply for a temporary conditional use permit from the city council. Such permit may be issued for a period not to exceed 30 days and shall specify conditions under which such animals shall be kept; provided, however, that no such permit shall be issued unless such prohibited animal is brought into the city for entertainment, exhibition or show purposes only, or by persons keeping animals for a public zoo as volunteers, docents or otherwise. A public zoo or other institution engaged in a permanent display of animals, any bona fide research institution or veterinary hospital

may be issued a permanent conditional use permit provided applicable zoning requirements are met.

- (b) Nonpoisonous snakes or snakes not prohibited by this article, birds kept indoors, hamsters, mice, rabbits, lizards and similar small animals capable of being kept in cages continuously are also exempt and do not require a permit.
- (c) Persons with handicaps may keep monkeys trained as personal helpers by conditional use permit subject to annual review.
- (d) The raising of wild animals for pelts may be permitted by conditional use permit provided all applicable zoning requirements and all applicable state requirements are met.
- (e) Before issuance of any temporary or permanent conditional use permit, the applicant shall provide the city with proof of insurance, including public liability insurance with limits of not less than \$1,000,000.00. The insurance shall provide coverage for liability resulting from the ownership or possession of the specific animals being permitted.

(Ord. No. 66, § 3, 12-3-1991)

Sec. 6-22. Impounding of wild animals.

Any wild animal kept in violation of this article may be impounded by the city unless such impounded animal is reclaimed and removed from the city or issued a permit to allow it to remain in the city, or unless the owner petitions the district court for a determination that the animal is exempt from the provisions of this article. The animal may be destroyed or sold five days following notice to the owner of such animal of its impoundment and the provisions of this article.

(Ord. No. 66, § 4, 12-3-1991)

Secs. 6-23--6-47. Reserved.

ARTICLE III.

DOGS*

* State Law References: Dangerous dogs, Minn. Stats. § 347.50 et seq.

DIVISION 1.

GENERALLY

Sec. 6-48. Definitions.

The following words, terms, and phrases, when used in this article, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning.

Abandoned means to leave a dog or other domestic animal at large within the city without intending to

return to or recover it. It shall also mean to purposefully leave a dog or other domestic animal in the possession of the enforcement officer to avoid paying impoundment and/or boarding costs.

Altered means any female dog that has been spayed or any male dog that has been castrated.

At large means off the premises of the owner and not under the physical control (by leash or by voice) of the owner, a member of the owner's immediate family, or a person designated by the owner.

Enforcement officer means the person designated to enforce the provisions of this article.

Kennel, commercial, means any place where four or more of any type of dog over four months of age, are boarded, bred, trained or offered for sale.

(Ord. No. 98-84, § 84.1, 10-6-1998)

Sec. 6-49. Exemptions.

Except where duties are expressly stated, this article does not apply to hospitals, clinics, and other premises operated by licensed veterinarians exclusively for the care and treatment of dogs. (Ord. No. 98-84, § 84.2, 10-6-1998)

Sec. 6-50. Interference with enforcement.

No unauthorized person shall break open the pound or attempt to do so, or to take or let out any animals therefrom, or to take or attempt to take from any enforcement officer any dog taken up by him in compliance with the city ordinances or statutes, or in any manner to interfere with or hinder such enforcement officer in the discharge of duties.

(Ord. No. 98-84, § 84.5, 10-6-1998)

Sec. 6-51. Rabies inoculation.

- (a) All dogs in the city over the age of six months shall be inoculated for rabies and shall be reinoculated according to standard veterinary practices thereafter. Such vaccination must be performed by or under the direct supervision of a veterinarian duly licensed to practice veterinary medicine in the state in which the vaccine is administered. A certificate from the veterinarian inoculating said dogs shall be exhibited to the enforcement officer upon demand as written proof of such vaccination.
- (b) Each dog shall wear a sturdy collar for aid in identification with the veterinarian's metal tag showing proof of said current rabies inoculation. At the owner's discretion, an implanted microchip may be used in lieu of the collar and tag if the microchip identification numbers are placed on file at the American Kennel Club.

(Ord. No. 98-84, § 84.7, 10-6-1998)

State Law References: Rabies control generally, Minn. Stats. § 35.67 et seq.

Sec. 6-52. Nuisances.

(a) *Declared.* The following are public nuisances and unlawful:

- (1) Any dog that damages property (that is not the property of the owner), including plantings, lawns or structures, or that deposits fecal matter off of the owner's property that the owner fails to remove promptly.
- (2) Any dog that, without provocation, chases, molests or approaches any person in a threatening manner upon the streets, sidewalks, rights-of-way, or any public property, or habitually chases automobiles on the public streets or highways.
- (3) Any dog that is kept under unsanitary and/or inhumane conditions such that the maintenance or keeping of the animal creates odors to the annoyance of the public in the vicinity.
- (4) Any dog that kills or attacks another animal or livestock without provocation while off the owner's property.
- (5) The owning, keeping, or harboring of any dog which shall by any noise unreasonably and/or excessively disturb the peace and quiet of any reasonable person in the vicinity. The phrase "unreasonably and/or excessively disturb the peace and quiet" shall include, but is not limited to, the creation of any noise by a dog which can be heard by any person, including an enforcement officer or law enforcement officer, from a location off the dog owner's property where the dog is being kept, and which noise occurs repeatedly over at least a five-minute period of time with one minute or less lapse of time between each animal noise during the five-minute period. This provision shall not apply to dogs that are responding to trespassers or to dogs that are teased or similarly provoked to bark.
- (b) *Complaint*. Any person may, by telephone, notify the city clerk, enforcement officer, or law enforcement officer of an alleged violation of this article. A telephone call does not, however, constitute a formal complaint to initiate the citation process. All formal complaints shall be submitted in writing to the attention of the city clerk, or other elected city official, and shall describe the dog, state the acts committed by the dog, the name and address of the person owning or harboring the dog, and the name and address of the person making the complaint. The city clerk shall then promptly notify the person owning or harboring the dog of the acts complained of, either by letter or door tag, and shall request that the nuisance be abated or eliminated within a specified time period. The city clerk shall also cause the enforcement officer or law enforcement officer to investigate and file a report on the complaint.
- (c) *Notification.* Upon receipt of a second complaint of a violation of this article, the city clerk, or other elected city official, shall cause the enforcement officer or law enforcement officer to investigate and file a second report on the complaint. If the offense is corroborated by the investigation, the city clerk shall, by certified letter, notify the person owning or harboring the dog of the violations complained of, and require that the nuisance be abated or eliminated within 24 hours or some other reasonable time specified in the letter. A copy of the letter shall be mailed to the enforcement officer and a copy shall be mailed to the person making the complaint.
- (d) Failure to comply. If the owner fails to take corrective action within 24 hours or within the time specified in the letter, the city clerk shall contact the appropriate law enforcement agency and/or the city attorney, inform them of the alleged violation, and request that the owner be cited. (Ord. No. 98-84, § 84.11, 10-6-1998)

Sec. 6-53. Animal bites and animals exposed to rabies.

- (a) Right of entry. Any law enforcement officer or enforcement officer may enter upon the private property of any person while in pursuit of any dog under probable cause to believe that such dog has bitten a person or animal, or that such dog is rabid.
- (b) Quarantine required. Subsection (a) of this section notwithstanding, whenever any person who owns, possesses or harbors any dog within the city learns that the dog has bitten any human being, such person shall immediately quarantine such dog for a period of at least ten days, keeping it apart from other animals until it is determined whether the dog has rabies. The quarantine may be by the person owning the dog if such dog has a current rabies vaccination at the time the bite occurred. If the dog does not have a current rabies vaccination at the time the bite occurred, the dog must be impounded at a licensed pound or with a licensed veterinarian at the owner's expense. After the required ten-day quarantine, the dog shall be examined by a licensed veterinarian to ensure that there are no clinical signs of rabies. If the dog is found to be rabid, it shall be humanely euthanized.
- (c) Unclaimed dogs. If the dog owner cannot be located or advised of the dog bite within eight hours of the occurrence, or if the owner fails to quarantine the dog as required by this article, the enforcement officer shall cause the dog to be impounded and so quarantined. After the required ten-day quarantine, if the dog is still unclaimed, the dog shall be humanely euthanized and tested for rabies; if claimed, the dog shall be examined by a licensed veterinarian to ensure there are no clinical signs of rabies. If no signs of rabies are observed, the dog can be released to the owner. If the dog is found to be rabid, it shall be humanely euthanized.
- (d) *Monitoring and ending quarantine*. The enforcement officer, or other designate of the city shall have the authority to verify if the dog is properly quarantined. Any veterinarian quarantining an animal shall notify the enforcement officer before the release of such animal.
- (e) Exposure to rabies. Any dog known to have been bitten by a rabid dog or exposed to rabies shall be impounded. If, however, the dog is at large and cannot be apprehended after reasonable effort, the dog may be immediately destroyed. After impoundment, if proof of rabies immunization is furnished and booster injections are given by a licensed veterinarian at the expense of the owner, the dog may be released to the owner. If it cannot be proven that the animal has a current rabies immunization, the owner may, at his discretion, make provision for a suitable quarantine for a period of not less than six months.

 (Ord. No. 98-84, § 84.8, 10-6-1998)

Sec. 6-54. Running at large prohibited.

No person shall allow a dog to run at large at any time. (Ord. No. 98-84, § 84.9, 10-6-1998)

Sec. 6-55. Females in heat.

Every female dog in heat shall be confined in a building or other secure enclosure in such manner that such female cannot come in contact with another dog, except for the express purpose of planned breeding, or shall be controlled on a leash while being exercised. (Ord. No. 98-84, § 84.13, 10-6-1998)

Sec. 6-56. Abandonment prohibited.

No person shall abandon any dog, or other domestic animal, within the city. (Ord. No. 98-84, § 84.10, 10-6-1998)

Sec. 6-57. Sanitation.

Any person who owns, keeps or harbors any dog must remove all dog feces, on a daily basis, from all enclosed dog runs or kennels, and must remove, on a daily basis, any accumulations of dog feces which are visible from any location outside the borders of that person's property. (Ord. No. 98-84, § 84.15, 10-6-1998)

Secs. 6-58--6-87. Reserved.

DIVISION 2.

ADMINISTRATION AND ENFORCEMENT

Sec. 6-88. Enforcement officer.

The enforcement officer shall have police powers necessary for enforcement of this article, including authority to issue complaints for violations. (Ord. No. 98-84, § 84.3, 10-6-1998)

Sec. 6-89. Seizure of dogs; impounding.

Any person may seize, impound, or restrain any dog found running at large. Any person or officer (other than the enforcement officer) impounding or restraining such dog shall immediately deliver the same to the enforcement officer. If the animal is collarless, the enforcement officer shall immediately ascertain whether the dog has a tattoo or embedded microchip as a means of identification. The enforcement officer shall thereupon give notice of the impoundment to the owner or, if the owner is unknown, or cannot reasonably be reached, shall post notice of the impoundment at the city hall (and at such other places as may be designated by the city council). If such dog is not claimed within five calendar days of such posted notice and all fees and charges paid, the enforcement officer shall deliver said dog to the custody of the city designated animal shelter. Any dog restrained or impounded shall receive humane treatment and sufficient food, water and shelter. (Ord. No. 98-84, § 84.14, 10-6-1998; Ord. No. 2004-108, § 1, 3-3-2004)

Sec. 6-90. Impounding and boarding fees.

(a) The enforcement officer may charge such reasonable impounding fees for the care and council of any dog restrained or impounded and any and all such fees so imposed shall be paid to the enforcement officer at the time of reclaiming the dog. The city council shall annually review all fees so imposed by the enforcement officer to determine their reasonableness, and may, by resolution, impose such additional fees reasonably related to the necessary and reasonable expenses incurred by the city for the capture, transportation, and/or care of impounded dogs. All such fees must be paid to the enforcement officer prior to release of the animal. The

enforcement officer shall issue a receipt to the owner evidencing such payment.

(b) In the case where any dog has been impounded whose rabies vaccination is not current, said dog shall not be released unless the owner first obtains written evidence, from a licensed veterinarian, that arrangements have been made to have the dog vaccinated upon its release. Any written evidence submitted pursuant to this provision shall be deemed inadmissible in any criminal court action against the owner of the dog. (Ord. No. 98-84, § 84.16, 10-6-1998)

Chapter 8

BUILDINGS AND BUILDING REGULATION*

* State Law References: Authority to regulate building construction, Minn. Stats. § 412.221, subd. 28.

Article I. In General

Secs. 8-1--8-18. Reserved.

Article II. Building Code

Sec. 8-19. Code adopted by reference.

Sec. 8-20. Application, administration and enforcement.

Sec. 8-21. Permit issuance and fees.

Sec. 8-22. Violations.

ARTICLE I.

IN GENERAL

Secs. 8-1--8-18. Reserved.

ARTICLE II.

BUILDING CODE*

* State Law References: State building code, Minn. Stats. ch. 326B.

Sec. 8-19. Code adopted by reference.

The Minnesota State Building Code, as adopted by the commissioner of administration pursuant to Minn. Stats. ch. 326B, including all of the amendments, rules and regulations established, adopted and published from time to time by the state commissioner of administration through the building codes and standards division is hereby adopted by reference with the exception of the optional appendix chapters, unless specifically adopted in this article. The Minnesota State Building Code is hereby incorporated in this article as if fully set forth herein. (Ord. No. 2005-113, § 1, 3-8-2005)

Sec. 8-20. Application, administration and enforcement.

- (a) The application, administration, and enforcement of the code shall be in accordance with the state building code. The code shall be enforced within the extraterritorial limits permitted by Minn. Stats. § 326B.121, subd. 2 when so established by this article.
- (b) The code enforcement agency of the city is called the building inspector. The zoning administrator for the city is the council.

(c) This code shall be enforced by the state-certified building official (building inspector) designated by the city to administer the code pursuant to Minn. Stats. § 326B.133, subd. 1. (Ord. No. 2005-113, § 2, 3-8-2005)

Sec. 8-21. Permit issuance and fees.

- (a) The issuance of permits and the collection of fees shall be as authorized by Minn. Stats. § 326B.121, subd. 1.
- (b) Permit fees shall be assessed for work governed by the state building code pursuant to the fee schedule established by ordinance. In addition, a surcharge fee shall be collected on all permits issued for work governed by this code in accordance with Minn. Stats. § 326B.148. (Ord. No. 2005-113, § 3, 3-8-2005)

Sec. 8-22. Violations.

A violation of the state building code is a misdemeanor. (Ord. No. 2005-113, § 4, 3-8-2005)

Chapter 10

EMERGENCY MANAGEMENT AND EMERGENCY SERVICES*

* State Law References: Emergency management, Minn. Stats. ch. 12; local emergencies, Minn. Stats. § 12.29.

Article I. In General

Secs. 10-1--10-18. Reserved.

Article II. Alarm Systems

Sec. 10-19. Definitions.

Sec. 10-20. Response to false alarms. Sec. 10-21. False alarm reports.

Sec. 10-22. Audible alarm requirements.

Sec. 10-23. Dishonored checks.

ARTICLE I.

IN GENERAL

Secs. 10-1--10-18. Reserved.

ARTICLE II.

ALARM SYSTEMS*

* State Law References: Alarm transmission telephone devices, Minn. Stats. § 237.47.

Sec. 10-19. Definitions.

The following words, terms, and phrases, when used in this article, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning.

Alarm system means an assembly of equipment and devices (or a single device such as a solid state unit which plugs directly into a 110-volt AC line) arranged to signal the presence of a hazard requiring urgent attention and to which public safety personnel are expected to respond.

Audible alarm means a device designed for the detection of unauthorized entry on premises, and which, when actuated, generates an audible sound on or near the premises.

Criminal activity means entrance upon or into the property of another, taking the property of another, or damaging the property of another without permission. The term "criminal activity" includes burglary, robbery, assault, theft, damage to property, or other crimes as defined by state law.

False alarm means any alarm system triggered by some reason other than the activity the alarm is designed to detect. It does not include activation of the alarm by acts of God or by utility company power outages.

Public safety personnel means any law enforcement officer, fire department member, emergency medical response personnel, or other individuals responding in the aid of public safety or rescue. (Ord. No. 1997-79, § 79.01, 10-20-1997)

Sec. 10-20. Response to false alarms.

- (a) A fee, as established by ordinance, shall be paid to the city for the fourth response and each subsequent response by the city's public safety personnel within one calendar year to a false alarm.
- (b) The city may collect such fee by whatever means necessary, including the institution of a civil action against the person responsible for the payment of such fee or certifying the fee on the property tax. (Ord. No. 1997-79, § 79.02, 10-20-1997)

Sec. 10-21. False alarm reports.

- (a) The chief of police, the sheriff, the fire chief and/or fire marshal may require the person in control of the alarm system to submit a written report after any false alarm. The report shall contain information specified by the chief making the request.
- (b) The chief of police, the sheriff, the fire chief and/or fire marshal may excuse false alarms associated with their respective departments when there is evidence that they are the result of an effort or order to upgrade, install, or maintain an alarm system if one or more false alarms result from the same malfunction within a seven-day period.

(Ord. No. 1997-79, § 79.03, 10-20-1997)

Sec. 10-22. Audible alarm requirements.

- (a) All audible alarms shall meet the requirements of this section.
- (b) Every person maintaining an audible alarm shall post a notice containing the name and telephone number of the persons to be notified to render repairs or service during any hour of the day or night that the alarm sounds. Such notice shall be posted at the main entry to such premises or near the alarm in such a position as to be legible from the ground level adjacent to the building or kept currently corrected on file with the police department, the sheriff's office, and/or the fire marshal's office.
 - (c) Audible alarms that sound like police and fire sirens are forbidden.
- (d) Audible alarms shall have an automatic shut-off which will silence the audible alarm within a period not to exceed 20 minutes and such alarms shall not sound for more than 20 minutes during any hour. (Ord. No. 1997-79, § 79.04, 10-20-1997)

Sec. 10-23. Dishonored checks.

In addition to the requirements of Minn. Stats. § 609.535 pertaining to the issuance of dishonored checks, whenever restitution is made by the issuer by means of a dishonored check after service of a notice of dishonor by the city, an administrative fee, as established by council ordinance, shall be paid to the city by cashier's check or money order, made payable to the city.

(Ord. No. 1997-79, § 79.05, 10-20-1997)

State Law References: Service charge for dishonored checks authorized, Minn. Stats. § 604.113.

Chapter 12

ENVIRONMENT

Article I. In General

Secs. 12-1--12-18. Reserved.

Article II. Junk and Abandoned Property

Division 1. Generally

Sec. 12-19.	Definitions.		
Sec. 12-20.	Movable property declared a public nuisance.		
Sec. 12-21.	Conflict with statute.		
Sec. 12-22.	Written notice for nuisance movable property.		
Sec. 12-23.	Storage, parking, etc., of movable property prohibited; exceptions.		
Sec. 12-24.	Fully screened area.		
Sec. 12-25.	Parking, storage, repair, or maintenance on junk cars or other movable property.		
Sec. 12-26.	Abandonment.		
Sec. 12-27.	Partially dismantled, wrecked, junked, discarded, or nonoperating movable property on public		
or private prope	erty.		
Secs. 12-2812-57. Reserved.			

Division 2. Impoundment

Sec. 12-58.	Impounding, removal, and release.	
Sec. 12-59.	Notification to the owner.	
Sec. 12-60.	Removal and storage charges.	
Sec. 12-61.	Release of impounded movable properties.	
Sec. 12-62.	Report by impounding official; receipt by removal contractor.	
Sec. 12-63.	Sale of movable properties.	
Sec. 12-64.	Owner of movable property unknown.	
Secs. 12-6512-86. Reserved.		

Article III. Open Burning

Sec. 12-87.	Definitions.	
Sec. 12-88.	General prohibition.	
Sec. 12-89.	Restrictions related to salvage operations.	
Sec. 12-90.	Permit issued by city.	
Sec. 12-91.	Criteria for permits; attached conditions.	
Sec. 12-92.	Denial.	
Sec. 12-93.	Revocation.	
Sec. 12-94.	Liability.	
Sec. 12-95.	Conflicting laws.	
Sec. 12-96.	Recreational fires.	
Sec. 12-97.	Diseased shade tree open burning site.	
Sec. 12-98.	Permit fees.	
Secs. 12-9912-124. Reserved.		

CD12:1

GRANT CODE

Article IV. Individual Sewage Treatment Systems

Sec. 12-125.	Definitions.
Sec. 12-126.	Violations.
Sec. 12-127.	Intent and purpose.
Sec. 12-128.	Administration.
Sec. 12-129.	Prohibitions.
Sec. 12-130.	Permits required; application and plans; duration; revocation.
Sec. 12-131.	Inspections.
Sec. 12-132.	General requirements.
Sec. 12-133.	Site evaluation.
Sec. 12-134.	Soil testing.
Sec. 12-135.	Sewage flow determination.
Sec. 12-136.	Sewage tank specifications, design, access requirements.
Sec. 12-137.	Distribution systems, standards and types; effluent treatment.
Sec. 12-138.	Dosing of effluent.
Sec. 12-139.	Final treatment and disposal.
Sec. 12-140.	Alternative systems.
Sec. 12-141.	Experimental systems.
Sec. 12-142.	Maintenance requirements.
Sec. 12-143.	System abandonment.
Sec. 12-144.	Washington County Regulations relating to sewage treatment.
Secs 12-1/512	160 Reserved

Article V. Excavation of Sand, Gravel or Other Soil

Division 1. Generally

Sec. 12-170. Gravel contractor inspection fee.

Secs. 12-171--12-193. Reserved.

Division 2. Permit

Sec. 12-194.	Required; exception.
Sec. 12-195.	Application.
Sec. 12-196.	Fees and application expenses.
Sec. 12-197.	Insurance requirements.
Sec. 12-198.	Restrictions on special use permits.
Sec. 12-199.	Bond.
Secs. 12-20012	2-221. Reserved.

Article VI. Tree Disease and Tree Protection

Sec. 12-222.	Intent.
Sec. 12-223.	Tree inspector.
Sec. 12-224.	Pest control program.
Sec. 12-225.	Nuisances declared.
Sec. 12-226.	Unlawful to permit nuisance to remain.
Sec. 12-227.	Inspections authorized; removal of specimens.
Sec. 12-228.	Report of nuisance; notice; failure to abate; costs.
Sec. 12-229.	Transporting diseased wood.

ENVIRONMENT

Sec. 12-230. Unlawful to interfere with performance of duties by inspector.

Secs. 12-231--12-253. Reserved.

Article VII. Shoreland Zoning and Protection

Sec. 12-254.	Definitions.
Sec. 12-255.	Intent and purpose.
Sec. 12-256.	Scope and applicability.
Sec. 12-257.	Shoreland classification system.
Sec. 12-258.	Uses permitted for districts with lakes and streams.
Sec. 12-259.	Lot requirements.
Sec. 12-260.	Structure and sewer setback and other design criteria.
Sec. 12-261.	Shoreland alterations.
Sec. 12-262.	Land adjacent to waters.
Sec. 12-263.	Agricultural use standards.
Sec. 12-264.	Forest management standards.
Sec. 12-265.	Conditional uses.
Sec. 12-266.	Certificate of compliance.
Sec. 12-267.	Water supply.
Sec. 12-268.	Sewage disposal.
Sec. 12-269.	Fences.
Sec. 12-270.	Nonconforming situations.
Sec. 12-271.	Land suitability for subdivision.
Sec. 12-272.	Notifications to the department of natural resources.

ARTICLE I. IN GENERAL

Secs. 12-1--12-18. Reserved.

ARTICLE II. JUNK AND ABANDONED PROPERTY*

DIVISION 1. GENERALLY

Sec. 12-19. Definitions.

The following words, terms and phrases, when used in this article, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Agricultural equipment means any motor-powered vehicle on which rubber tires are mounted and any accessory components therefor and which is used exclusively for the operation and maintenance of farms and households. Typical uses for such agricultural equipment include but are not limited to the following: plowing fields, maintaining driveways, cutting hay and grass, planting, and harvesting. This definition shall not include any motor-powered vehicle such as a bulldozer, scraper, dump truck, semi-tractor and trailer, or backhoe, which is primarily used for excavation, construction, hauling, or any other form of nonagricultural commercial use.

Authorized city official means any city police officer, firefighter, or any other duly authorized person.

City police officer means the city constable or peace officer, any county police deputy, or any other police officer authorized by the city council to provide police services for the city.

Fully screened area means a direct visual barrier that prevents any movable property within its confines from being seen at any time from any adjoining private properties or public place.

Junk car means any motor vehicle which is inoperable, partially dismantled, used for repair of parts, or as a source of repair or replacement parts for other vehicles, or kept for scrapping, dismantling, burning or salvage of any kind, or which is not properly licensed for operation in the state.

Motor vehicle means any motor-powered vehicle having motor-driven wheels, tracks, or any other mechanical form of propulsion which is used for transportation of goods, people, or animals; for digging or any form of movement of dirt or any other natural or manmade material; or for pulling or pushing any form of load; and any accessory components thereon.

Movable property means any form of property which can be moved on or off any private or public land either under its own power or through pushing, towing or carrying by a vehicle, person, or animal. This definition includes all forms of motor vehicles.

Nuisance movable property means any movable property declared to be a public nuisance under section 12-20.

Public place means any street, avenue, alley, road, highway, boulevard, parking lot or facility, park, or any other public property or premises.

Recreational equipment means any movable property used solely for recreational purposes.

^{*} State Law References: Abandoned motor vehicles, Minn. Stats. ch. 168B.

Setback means the minimum horizontal distance between a structure and street right-of way, lot line, or other reference point as provided by ordinance. Distances are to be measured perpendicularly from the property line to the most outwardly extended portion of the structure.

Unclaimed movable property means any impounded movable property not claimed by or for any reason not released to the owner thereof within 24 hours after notice is either received by the owner or notice mailed to him as provided herein.

(Ord. No. 63, § 1, 11-1-1988)

Sec. 12-20. Movable property declared a public nuisance.

- (a) Conditions for declaration as nuisance. Any motor vehicle or other movable property that is found stopped, standing, or parked in violation of the traffic regulations and provisions or zoning restrictions of the city or that is violating the conditions of any conditional or special use permit issued by the city or that is reported stolen, or that is found impeding firefighting, snow removal, road maintenance, or the flow of traffic, or that is a junk car on any public place or on any private land or premises, unless it shall be in a building or fully screened area or that is otherwise located on any public place or private premises in violation of the terms of this article shall be deemed and declared a public nuisance and such nuisance may be abated in the manner hereinafter set forth.
- (b) Removal and impounding. Any authorized city official may immediately order such nuisance motor vehicle removed and impounded in the manner hereinafter provided and it shall be surrendered to the duly identified owner thereof by the removal contractor only upon payment of the fees hereinafter provided which are declared to be the movable property pound fees covering such movable property.
- (c) Verbal warning; citation. Any city police officer may issue a verbal warning to the owner of any movable property suspected of being in violation of this article. This verbal warning shall be reported to the city clerk who shall duly record said warning in permanent records of the city. Any city police officer may issue a citation, upon the direction of the city council, for the removal of any nuisance removable property from any public place or private land that is in violation of any aspect of section 12-23. (Ord. No. 63, § 2, 11-1-1988)

Sec. 12-21. Conflict with statute.

In the event of a conflict between this article and Minn. Stats. ch. 168B, the more restrictive provision shall control.

State Law References: Abandoned motor vehicles, Minn. Stats. ch. 168B.

Sec. 12-22. Written notice for nuisance movable property.

Upon issuance of a citation for the removal of any nuisance movable property or any nuisance junk car from any public place or private property by any authorized city official, the city clerk shall give written notice to the owner of said nuisance movable property thereof as shown by the records of the county tax assessor or in records of the state registrar of motor vehicles or other pertinent registering agency. Such notice shall be sent by registered or certified mail or delivered by any city police officer to the address as indicated on said records. Such notice shall include a description of said movable property. (Ord. No. 63, § 8, 11-1-1988)

Sec. 12-23. Storage, parking, etc., of movable property prohibited; exceptions.

In all zoning districts within the city, no person shall store, park, keep, place, or permit the parking or storage of, or repair of any movable property on any public or private land except:

- (1) For temporary outdoor use; or
- (2) Within a permanent building or fully screened area and subject to the following exceptions:
 - a. Properly licensed motor vehicles, including recreational vehicles or any other form of movable recreation equipment, provided that such movable property is less than 40 feet in length and is owned and licensed in the name of the current resident of the property on which it is parked, stored, or placed.
 - b. Construction and landscaping equipment currently being used on the premises. The term "currently being used" is defined as the period of time that construction is actively occurring on the premises. In no case may this period of time exceed a period of 200 continuous days in any annual period without a conditional use permit for such purpose being issued by the city council.
 - c. Unoccupied licensed trailers which are owned and licensed in the name of the current resident of the property on which it is parked, stored, or placed, less than 25 feet in length, which are used only for agricultural purposes.
 - d. Agricultural equipment owned and licensed in the name of the current resident of the property on which it is parked, stored, kept, and placed and used exclusively on the premises and which conform to all terms of this article and are not stored, parked, kept, and placed on any public or private land located between any lot line, street, or other reference point and the closest established setback line.
 - e. Within all areas contained within the general business (GB) zoning district of the city, any motorized vehicle, trailer, construction equipment, or any other vehicle not having been permitted through a conditional use permit issued by the city council and having hauling capacity of one ton or greater or having a gross weight exceeding 12,000 pounds or length greater than 25 feet so long as such movable property is parked on the premises for loading or unloading purposes and in no case longer than any period of seven continuous days.
 - f. Laundry drying.
 - g. Patio furniture or any other form of outdoor furnishings or decoration and woodpiles (except diseased wood from tree removal governed by county ordinances and state statutes).

Movable property shall be deemed stored, parked, placed, or kept for temporary outdoor use only if the movable property is not a junk car and is located on the premises outside of a building or fully screened area for a period aggregating no more than 72 hours in a calendar week or a period aggregating no more than 14 days in a calendar year.

(Ord. No. 63, § 3, 11-1-1988)

Sec. 12-24. Fully screened area.

Screening shall in combination or singularly consist of earth mounds, berms or ground forms, fences and walls, landscaping fixtures (such as timbers), or living evergreen trees or bushes of sufficient height and density to prevent any movable property contained within the fully screened area from being seen at any time from any adjoining public place or private property. (Ord. No. 63, § 4, 11-1-1988)

Sec. 12-25. Parking, storage, repair, or maintenance on junk cars or other movable property.

No person shall park, keep, place, store or permit the parking or storage of or repair or replace parts or do maintenance work on any junk car on any public place or on any private lands or premises unless such movable property shall be within a building or fully screened area on such private premises so as not to be visible from any adjoining private properties or public place. (Ord. No. 63, § 5, 11-1-1988)

Sec. 12-26. Abandonment.

No person shall abandon any junk car or any movable property or any part thereof upon any public place in the city. (Ord. No. 63, § 6, 11-1-1988)

Sec. 12-27. Partially dismantled, wrecked, junked, discarded, or nonoperating movable property on public or private property.

It shall be unlawful for any person in charge or in control of any property within the city to allow any junk car or other partially dismantled, nonoperating, wrecked, junked or discarded movable property, including any parts thereof or therefrom, to remain on any public or private property for any period longer than 72 hours unless the junk car or other movable property is located within an enclosed building or fully screened area. (Ord. No. 63, § 7, 11-1-1988)

Secs. 12-28--12-57. Reserved.

DIVISION 2. IMPOUNDMENT

Sec. 12-58. Impounding, removal, and release.

The city removal contractor shall take immediate possession of any nuisance motor vehicle or any nuisance movable property duly ordered impounded and ticketed by any city police officer for any traffic or parking violation and shall tow such movable property to the designated storage pound. The city removal contractor shall take possession of any nuisance movable property from any public place or private properties after a citation has been issued by any city police officer and the police officer has ordered the removal and impoundment of such nuisance movable property and 72 hours after written notification has been sent to the address of the owner of said nuisance movable property, and shall tow such movable property to the designated storage pound. No such movable property shall thereafter be released without authorization of the city clerk or any city police officer. The removal contractor shall immediately after impounding said movable property notify the city clerk and the city police officer who orders the impoundment of all such impounded movable

properties including description, license number, and any other pertinent information. (Ord. No. 63, § 10, 11-1-1988)

Sec. 12-59. Notification to the owner.

The city clerk shall give notice of the impounding of any such movable property to the owner thereof as shown upon or in records of the state registrar of motor vehicles or other pertinent registering agency. Such notice shall be by registered or certified mail and shall be sent or delivered by any city police officer to the address as indicated on said records. Such notice shall include a description of the movable property impounded and a statement of the intent of the city to dispose of such movable property after 30 days unless such movable property is released.

(Ord. No. 63, § 11, 11-1-1988)

Sec. 12-60. Removal and storage charges.

The removal and storage charges in connection with impounding or any movable property shall not exceed the amount agreed upon in the contract between the city and the duly appointed removal contractor. (Ord. No. 63, § 12, 11-1-1988)

Sec. 12-61. Release of impounded movable properties.

The removal contractor during the time the movable property is impounded shall not permit the movable property to be removed or released to the owner until the impounding and storage fees hereinafter provided have been paid. At the time of the return of the movable property the removal contractor shall release the same by a release in writing which shall state the date of such release together with the charges enumerated thereon and the purpose for which such charges were made. (Ord. No. 63, § 13, 11-1-1988)

(014:110:05, § 15, 11 1 1700)

Sec. 12-62. Report by impounding official; receipt by removal contractor.

Any authorized city official directing the impounding of any nuisance movable property shall prepare written report of such movable property which report shall among other things include the following: make and type of movable property, license number, motor number, number of tires or other form of propulsion, tools, and other separate articles of personal property, general description of the movable property with regard to condition, damaged parts, and other such information as may be necessary to describe adequately the movable property and such property delivered to the removal contractor. The removal contractor shall receipt for and verify such report and his signature thereon shall be considered a receipt for the movable property and the property described therein.

(Ord. No. 63, § 14, 11-1-1988)

Sec. 12-63. Sale of movable properties.

Any movable property which is impounded, pursuant to this article or any other ordinance or statute and which is not released within 30 days of mailed notice to the owner, may be sold by the city to the highest bidder at public auction or sale following reasonable published notice thereof. The proceeds of such sale shall first be applied towards the cost of handling, storing, and sale of such movable property. The net proceeds shall be placed in the general fund. If within six months of such sale the former owner applies to the city clerk for payment of such net proceeds and if satisfactory proof of ownership is presented, the net proceeds shall be paid

to the former owner. (Ord. No. 63, § 15, 11-1-1988)

Sec. 12-64. Owner of movable property unknown.

If any such movable property is found and removed under circumstances which do not give the authorized city official directing the impoundment or the removal contractor knowledge or means of inquiry as to the true owner thereof, the authorized city official shall immediately report such facts to the city clerk. Any such movable property or property unclaimed or abandoned by any owner for a period of 30 days from and after such impounding shall be sold by the city clerk or the city at a public sale. (Ord. No. 63, § 16, 11-1-1988)

Secs. 12-65--12-86. Reserved.

ARTICLE III. OPEN BURNING*

Sec. 12-87. Definitions.

The following words, terms and phrases, when used in this article, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Approved waste burner means an incinerator or other burner constructed of fire-resistant material having a capacity of not less than three bushels, a cover which is closed when in use, and maximum openings in the top or sides no greater than one inch in diameter.

Building material means lumber, wood shakes, and other wood products but shall not include composite shingles, tar paper, insulation, wall board wiring, or other similar smoke producing materials.

Diseased shade tree means any tree infected by Dutch elm disease or oak wilt disease or any tree constituting a hazard to a disease control program established by the department of agriculture.

Disposal facility means a facility or site permitted by the state pollution control agency for the intermediate or final disposal of solid waste.

Garbage means discarded material resulting from the handling, processing, storage, preparation, serving, and consumption of food.

Open burning means the burning of any matter whereby the resultant combustion products are emitted directly to the atmosphere without passing through an adequate stack, duct, or chimney.

Refuse collection service means a public or private operation engaged in solid waste collection and transportation.

Rubbish means nonputrescible solid waste, such as paper, card board, yard clippings, and other natural matter not including garbage.

^{*} State Law References: Open burning, Minn. Stats. § 88.171.

Wetland means natural marsh where water stands near, at, or above the soil surface during a significant portion of most years.

(Ord. No. 64, pt. 1-7005.0700, 4-4-1989)

Sec. 12-88. General prohibition.

No person shall cause, allow, or permit open burning. (Ord. No. 64, pt. 2-7005.0710, 4-4-1989)

Sec. 12-89. Restrictions related to salvage operations.

- (a) Generally. No person shall conduct, cause, or permit salvage operations by open burning.
- (b) *Motor vehicles and scrap metals reduced by burning.* No person shall possess, transport, or process motor vehicles or scrap metals which have been reduced by open burning or incineration in a device or equipment which has not received an operating permit from the state pollution control agency. (Ord. No. 64, pt. 4-7005.0730, 4-4-1989)

Sec. 12-90. Permit issued by city.

Open burning may be conducted if an open burning permit issued by the city is obtained pursuant to this article and the open burning is conducted in accordance with the requirements of this article and the conditions of the permit.

(Ord. No. 64, pt. 5-7005.0740, 4-4-1989)

Sec. 12-91. Critera for permits; attached conditions.

- (a) *Criteria*. Application for open burning permits may be made in cases where fires are proposed to be set for the following purposes:
 - (1) Bona fide instruction and training of firefighting personnel and for the testing of fire extinguishing equipment;
 - (2) Elimination of fire or health hazards which cannot be abated by any other practicable means;
 - (3) Activities in accordance with accepted forest or game management;
 - (4) Ground thawing for utility repair and construction;
 - (5) The disposal of trees, brush, grass, and other vegetative matter in the development of land and right-of-way maintenance;
 - (6) The disposal of diseased shade trees;
 - (7) The disposal of trees and brush in areas outside the metropolitan area;
 - (8) Activities in accordance with accepted agricultural practices;
 - (9) The disposal of building material generated by construction; and
 - (10) The disposal of building material generated by the demolition of noncommercial or noninstitutional structures.
 - (b) Conditions. A burning permit shall be issued on a prescribed form to the applicant if the

burning is for one of the purposes set forth in subsection (a) of this section and the applicant agrees that all burning shall be conducted under the following circumstances:

- (1) The prevailing wind at the time of the burning shall be away from nearby residences.
- (2) The burning shall be conducted as far away as practical from any highway or public road and controlled so that a traffic hazard is not created.
- (3) The burning may not be conducted during the duration of an air pollution alert, warning, or emergency.
- (4) The recipient of the permit or his authorized representative shall be present for the duration of any fire authorized by the permit.
- (5) Prior notice shall be given to the local department of natural resources forest officer, local fire marshal, or local fire chief of the time and location of any fire authorized by the permit.
- (6) Open burning for ground thawing shall be conducted in accordance with the following additional restrictions:
 - a. Fuels and starting materials shall be of a kind which do not generate appreciable smoke.
 - b. Coke used for ground thawing within 500 feet of dwellings or occupied buildings shall contain less than one percent sulfur.
 - c. Ambient air quality standards for sulfur dioxide and carbon monoxide shall not be exceeded at occupied residences other than those located on the property on which the burning is being conducted.
 - d. Propane gas thawing torches or other devices causing minimal pollution shall be used when practicable.
- (7) Open burning of materials pursuant to subsection (a) of this section shall be conducted in accordance with the following additional restrictions:
 - a. The location of the burning shall not be within 600 feet of an occupied residence other than those located on the property on which the burning is conducted.
 - b. Oils, rubber, and other similar smoke producing materials shall not be burned or used as starting materials.
 - c. The burning shall not be conducted within one mile of any airport or landing strip.
- (8) Open burning of materials pursuant to subsection (a)(1) of this section shall also only be conducted under controlled burning methods approved by the director.
- (9) The burning is conducted under such other reasonable conditions as the permit issuing authority may impose.

(Ord. No. 64, pt. 6-7005.0750, 4-4-1989)

Sec. 12-92. Denial.

Any permit application submitted pursuant to this article shall be denied if:

(1) A reasonable, practical alternative method of disposal of the material is available; or

(2) A nuisance condition would result from the burning. (Ord. No. 64, pt. 8-7005.0760, 4-4-1989)

Sec. 12-93. Revocation.

Any permit is subject to revocation at the discretion of the director, the local fire marshal or fire chief, or the permit issuer, if:

- (1) A reasonable practical method of disposal of the material is found;
- (2) A fire hazard exists or develops during the course of the burning; or
- (3) Any of the conditions of the permit are violated.

(Ord. No. 64, pt. 9-7005.0790, 4-4-1989)

Sec. 12-94. Liability.

Exemption to conduct open burning or the granting of an open burning permit under any provisions of this article does not excuse a person from the consequences, damages, or injuries which may result therefrom. (Ord. No. 64, pt. 10-7005.0790, 4-4-1989)

Sec. 12-95. Conflicting laws.

Nothing in this article shall be construed to allow open burning in those areas in which open burning is prohibited by other laws, regulations, or ordinances. (Ord. No. 64, pt. 11-7005.0800, 4-4-1989)

Sec. 12-96. Recreational fires.

Fires set for recreational, ceremonial, food preparation, or social purposes are permitted provided only wood, coal, or charcoal is burned.

(Ord. No. 64, pt. 12-7005.0610, 4-4-1989)

Sec. 12-97. Diseased shade tree open burning site.

- (a) Conditions. Open burning of diseased shade trees shall be permitted provided no reasonable alternate method of disposal exists as determined by the state pollution control agency, a permit is obtained pursuant to this article; and the open burning is conducted in accordance with the requirements of this article and the conditions of the permit.
- (b) Site location. The site shall be located in accordance with the following conditions or as approved by the director of air quality:
 - (1) Not less than 1,000 feet from an occupied building;
 - (2) Not less than 1,000 feet from a public roadway;
 - (3) Not less than one mile from an airport or landing strip;
 - (4) Not less than 300 feet from a stream; and
 - (5) Not within wetlands.

- (c) Site preparation. The site shall be prepared in accordance with the following:
- (1) Access to the site shall be controlled by a gate which shall be locked when an attendant is not on duty.
- (2) Approach roads to the disposal site and access roads on the site shall be maintained so that they shall be passable at all specified times.
- (3) A permanent sign identifying the operation indicating the hours and days the site is open for use, rates, the penalty for nonconforming dumping, and other pertinent information shall be posted at the site entrance.
- (4) Surface water drainage shall be diverted around and away from the operating area and ash storage areas.
- (d) Site operation. The site shall be operated in accordance with the following conditions:
- (1) Only diseased shade trees and/or tree trimmings shall be disposed of on the site.
- (2) Qualified personnel for general direction and operation of the site shall be on duty at all times while the site is open for use and for the duration of any fire on the site.
- (3) Burning shall be conducted only when weather conditions are such that a nuisance, health or safety hazard will not be created.
- (4) Prior notice shall be given to the local fire authority of the time and duration of each fire.
- (5) Adequate dust control shall be provided on the site and on the roads leading to the site.
- (6) Ash residue shall be collected on a periodic basis and disposed of in an agency-permitted sanitary landfill.
- (e) Site termination. The site shall be terminated in accordance with the following: All materials extraneous to the site shall be removed and disposed of in an appropriate manner. The site shall be returned to a state equal to its original condition.

(Ord. No. 64, pt. 13-7005.0620, 4-4-1989)

Sec. 12-98. Permit fees.

The city council hereby authorizes the collection of reasonable permit fees in the amount established by ordinance for activities under this article. (Ord. No. 64, pt. 14, 4-4-1989)

Secs. 12-99--12-124. Reserved.

ARTICLE IV. INDIVIDUAL SEWAGE TREATMENT SYSTEMS*

Sec. 12-125. Definitions.

The following words, terms and phrases, when used in this article, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Absorption area means the areas below a mound that is designed to absorb sewage tank effluent.

Additive, individual sewage treatment system, means a product which is added to the wastewater or to the system to improve the performance of an individual sewage treatment system (ISTS).

Aerobic tank means any sewage tank which uses the principle of oxidation to decompose sewage by introducing air into the sewage.

Alternative site means that portion of real property that is designated by a licensed individual sewage treatment system (ISTS) professional and approved by the department to be protected from all vehicular traffic, construction and other disturbances. The site must be maintained in its original, natural soil condition so a future individual sewage treatment system or device may be constructed which meets all requirements when the original ISTS malfunctions, becomes nonrepairable or when it fails to comply with the regulations.

Alternative system means an individual sewage treatment system employing the methods and devices presented in section 12-140.

As-builts means drawings and documentation specifying the final in-place location, size, and type of all system components. These records identify the results of materials testing and describe the conditions during construction. As-builts also contain a certified statement.

At-grade system means a pressurized soil treatment system where sewage tank effluent is dosed to a drainfield rock bed which is constructed on original soil at the ground surface and covered by loamy soil materials.

Baffle means a device installed in a septic tank for proper operation of the tank and to provide maximum retention of solids, and includes vented sanitary tees and submerged pipes in addition to those devices that are normally called baffles.

Bedrock means that layer of parent material which is consolidated and unweathered. Bedrock also includes layers of which greater than 50 percent by volume consists of unweathered in-place consolidated bedrock fragments.

Bedroom means any room or unfinished area within a dwelling that might reasonably be used as a sleeping room.

Building means any structure, either temporary or permanent, having a roof and used or built for the shelter or enclosure of any person, animal or property of any kind. For purposes of this article, the term "building" includes any structure whose foundation could be damaged and structural integrity jeopardized by the seepage of sewage or sewage tank effluent.

^{*} State Law References: Individual sewage treatment systems, Minn. Stats. § 115.55 et seq.

Building drain means that part of the lowest piping of the draining system which receives the sewage discharge inside the walls of the building and conveys it to the building sewer beginning at least one foot outside the building footings.

Building sewer means that part of the drainage system which extends from the end of the building drain and conveys its discharge to an individual sewage treatment system.

Certified statement means a statement signed by a licensed installer or qualified employee certifying that work was completed in accordance with applicable requirements.

Cesspool means an underground pit or seepage tank into which raw household sewage or other untreated liquid waste is discharged and from which the liquid seeps into the surrounding soil, bedrock or other soil materials.

Chambered system means a soil treatment system where sewage tank effluent is discharged to a buried structure creating an enclosed open space with the original soil surface to act as a surface for the infiltration of sewage tank effluent.

Clean sand means a soil texture composed by weight of at least 25 percent very coarse, coarse, and medium sand varying in size from 2.00 millimeters (sieve size ten) to 0.25 millimeter (sieve size 60), less than 40 percent fine or very fine sand ranging in size between 0.25 millimeter and 0.05 millimeter (sieve size 270) and no more than ten percent smaller than 0.05 millimeter and no larger than 2.00 millimeters. The term "clean sand" also means a soil texture which meets American Society for Testing and Materials (ASTM) specification C-33 (fine aggregate for concrete) or state department of transportation (MNDOT) specification 3126 (fine aggregate for Portland cement concrete). The ASTM specification is found in the 1994 Annual Book of ASTM Standards, volume 4.02, which is incorporated by reference. This document is provided by the American Society for Testing and Materials located at 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959. The MNDOT specification is found in the MNDOT Standard Specifications for Construction, 1988 Edition, and the May 2, 1994, Supplemental Specifications which are incorporated by reference. These documents are provided by the state department of transportation located at 395 John Ireland Boulevard, St. Paul, MN 55155. All references can be found at the Minnesota State Law Library, Judicial Center, 25 Constitution Avenue, St. Paul, MN 55155. These documents are not subject to frequent change.

Compliance inspection means any evaluation, investigation, inspection or other such process to make conclusions, recommendations, or statements regarding an individual sewage treatment system to reasonably ensure an individual sewage treatment system is in compliance with regulations.

Department means the Washington County Department of Health, Environment and Land Management.

Disclosure means any conclusions or statements regarding an individual sewage treatment system (ISTS) made by the owner of a property with or served by an ISTS to fulfill the requirements of Minn. Stats. § 115.55, subd. 6.

Distribution box means a device designed to concurrently and equally distribute sewage tank effluent by gravity to a soil treatment system.

Distribution device means a device used to receive and transfer effluent from a supply pipe to distribution pipes or downslope supply pipes, or both. These devices may also be known as drop boxes, valve boxes, distribution boxes or manifolds.

Distribution medium means the material used to distribute the sewage tank effluent within a soil treatment system. This medium includes drainfield rock, graveless drainfield pipe in a geotextile wrap or a chambered system.

Distribution pipes means perforated pipes that are used to distribute sewage tank effluent into a distribution medium.

DNR means the Minnesota Department of Natural Resources.

Dosing chamber, pump pit or wet well means a tank or separate compartment following the sewage tank which serves as a reservoir for the dosing device.

Dosing device means a pump, siphon, or other device that discharges sewage tank effluent from the dosing chamber to the soil treatment system.

Drainfield rock means igneous rock, or similar insoluble, durable, and decay-resistant material between three-fourths inch and 2 1/2 inches in size with no more than five percent by weight passing a three-fourths inch sieve and no more than one percent by weight passing a number 200 sieve. Materials greater than 2 1/2 inches in size shall not exceed five percent by weight.

Drop box means a distribution device used for the serial gravity application of sewage tank effluent to a soil treatment system.

Dwelling means any building or place used or intended to be used by human occupants as a single-family or two-family residence.

Experimental system means any system which is considered new technology with limited data on reliability.

Failing system means any system that discharges sewage to a seepage pit, cesspool, drywell, or leaching pit and any system with less than three feet of soil or sand between the bottom of the distribution medium and the saturated soil level or bedrock. In addition, any system posing an imminent threat to public health or safety shall be considered failing.

Gas deflecting baffle means an obstructing device on the septic tank outlet that limits the escape of solids that are carried by septic tank gases.

Graveless drainfield pipe means a distribution medium consisting of a corrugated distribution pipe encased in a geotextile wrap installed in a trench.

Greywater means sewage that does not contain toilet wastes. Liquid waste from a dwelling or other establishment produced by bathing, laundry, culinary operation, and from floor drains associated with these sources are considered greywater.

Hazardous waste means any substance which, when discarded, meets the definition of hazardous waste in Minn. Rules ch. 7045.

Holding tank means a watertight tank for storage of sewage until it can be transported to a point of approved treatment and disposal.

Imminent threat to public health or safety means situations with the potential to immediately and adversely impact or threaten public health or safety. At a minimum, cesspools, ground surface or surface water discharges and any system causing sewage backup into a dwelling or other establishment shall constitute an imminent threat.

Individual sewage treatment system (ISTS) means a sewage treatment system, or part thereof, serving a dwelling, or other establishment, or group thereof, and using sewage tanks or advanced treatment followed by

soil treatment and disposal.

Invert means the lowest point of a channel inside a pipe.

Liquid capacity means the liquid volume of a sewage tank below the invert of the outlet pipe.

Mottling means a zone of chemical and reduction activity, appearing as splotchy patches of red, brown or gray in the soil. In subsoils with a color value of four or more, the term "mottling" also includes soil having matrix colors with a chroma of two or less as described in Keys to Soil Taxonomy, 5th Edition, 1992 Soil Management Support Services, Technical Monograph No. 19, which is incorporated by reference. This document is provided by the Agency for International Development, United States Department of Agriculture Soil Conservation Service, Soil Management Support Services. The document was printed by Pocahontas Press, Inc., P.O. Drawer F, Blacksburg, Virginia 24063-1020. It can be found at the Minnesota State Law Library, Judicial Center, 25 Constitution Avenue, St. Paul, MN 55155. This document is not subject to frequent change.

Mound system means a system where the soil treatment area is built above the natural elevation of the soil to overcome limits imposed by proximity to saturated soil or bedrock, or by rapidly or slowly permeable soils.

New construction means installing or constructing a new individual sewage treatment system in its entirety; or altering, extending or adding capacity to an existing individual sewage treatment system.

Notice of noncompliance means a document written and signed by a qualified employee or licensee after a compliance inspection which gives notice that an individual sewage treatment system in not in compliance with these regulations.

Ordinary high-water level means, at the boundary of water basins, watercourses, public waters and wetlands, an elevation delineating the highest water level that has been maintained for a sufficient period of time to leave evidence upon the landscape, commonly the point where the natural vegetation changes from predominantly aquatic to predominantly terrestrial, except for watercourses, where the ordinary high-water level is the elevation of the top of the bank of the channel; and for reservoirs and flowages, where the ordinary high-water level is the operating elevation of the normal summer pool.

Original soil means naturally occurring, inorganic soil that has not been moved, smeared, compacted, nor manipulated with construction equipment.

Other establishment means any public or private structure, other than a dwelling, which generates sewage.

Owner means any person having possession of, control over, or title to property with an individual sewage treatment system.

Percolation rate means the timed rate of drop of a water surface in a test hole as specified in section 12-134(i).

Permit means a building, construction, sanitary, planning, zoning or other such permit issued for new construction, replacement, repair, alteration or extension of an individual sewage treatment system. The term "permit" also means a permit issued for the addition of a bedroom or bathroom on property served by an individual sewage treatment system.

Permittee means any person who is named on a permit issued pursuant to the provisions of this article.

Permitting authority means any unit of government, state agency, or any authorized representative who administers or enforces these regulations through permitting.

Plastic limit means a soil moisture content below which the soil may be manipulated for purposes of installing a soil treatment system, and above which manipulation will cause compaction and puddling. The soil moisture content at the plastic limit can be measured by American Society for Testing and Materials (ASTM) test number D4318-84.

Previously developed site means land already containing a dwelling or other establishment.

Privy means an aboveground structure with an underground cavity meeting the requirements of section 12-140(e), which is used for the storage or treatment and disposal of toilet wastes, specifically excluding water for flushing and greywater.

Public health nuisance means any activity or failure to act that adversely affects the public health.

Public waters means any public waters or wetlands as defined in Minn. Stats. § 103G.005, subds. 15 and 19, or identified as public waters or wetlands by the inventory prepared pursuant to Minn. Stats. § 103G.201.

Qualified employee means an employee of the department who meets the minimum criteria for employment as an ISTS professional and who conducts site evaluations or inspects individual sewage treatment systems as part of employment duties.

Replacement means the replacement of an existing sewage tank, holding tank, dosing chamber, artificial drainage, privy, collector system or soil treatment system.

Required absorption width means that width, measured in the direction of the original land slope and perpendicular to the original contours, which is required for the sewage tank effluent to infiltrate into the original soil according to the allowable loading rates in section 12-139(f), table V.

Restaurant means any place where food is prepared and intended for individual portion service regardless of whether consumption is on or off the premises or whether there is a charge for the food. This definition does not include private homes.

Saturated soil means the highest elevation in the soil where periodically depleted oxygen levels occur because of soil voids being filled with water. Saturated soil is evidenced by presence of soil mottling or other information.

Seepage bed means an excavated area larger than 36 inches in width which contains drainfield rock and has more than one distribution pipe.

Seepage pit, leaching pit or dry well means an underground pit into which a sewage tank discharges effluent and from which the liquid seeps into the surrounding soil.

Septage means solids and liquids removed during periodic maintenance of an individual sewage treatment system, or solids and liquids which are removed from toilet waste treatment devices or a holding tank.

Septic tank means any watertight, covered receptacle designed and constructed to receive the discharge of sewage from a building sewer, separate solids from liquid, digest organic matter, and store liquids through a period of detention, and allow the clarified liquids to discharge to a soil treatment system.

Setback means a separation distance measured horizontally.

Sewage means any water-carried domestic waste, exclusive of footing and roof drainage and chemically treated hot tub or pool water, from any industrial, agricultural, or commercial establishment, or any

dwelling or other structure. Domestic waste includes liquid waste produced by toilets, bathing, laundry, culinary operations, and the floor drains associated with these sources. Animal waste and commercial or industrial waste are not considered domestic waste.

Sewage flow means flow as determined by measurement of actual water use of, if actual measurements are not available, by the best available data provided.

Sewage tank means a watertight tank used in the treatment of sewage and includes, but is not limited to, septic tanks and aerobic tanks.

Sewage tank effluent means that liquid which flows from a septic or aerobic tank under normal operation.

Shoreland means land located within the following distances from public waters: 1,000 feet from the ordinary high-water mark of a lake, pond or flowage; and 300 feet from a river or stream or the landward extent of a floodplain designated by ordinance on such river or stream, whichever is greater.

Site means the area bounded by the dimensions required for the proper location of the soil treatment system.

Slope means the ratio of the vertical rise or fall to horizontal distance.

Soil characteristics, limiting, means those soil characteristics which preclude the installation of a standard system, including evidence of water table or bedrock and percolation rates faster than one-tenth or slower than 60 minutes per inch.

Soil textural classification means soil particle sizes or textural classification as specified in the Soil Survey Manual, Handbook No. 18, United States Department of Agriculture, 1993, incorporated by reference.

Soil treatment area means the area of trench, at-grade rock bed, or seepage bed bottom which is in direct contact with the distribution medium of the soil treatment system. For mounds, the term "soil treatment" means that area to the edges of the required absorption width and extending five feet beyond the ends of the rock layer.

Soil treatment system means a system where sewage tank effluent is treated and disposed of into the soil by percolation and filtration, and includes trenches, seepage beds, drainfields, at-grade systems, and mound systems.

St. Croix River land use district means those lands designated by the commissioner of the department of natural resources as the protected land corridor along the Saint Croix River.

Standard system means an individual sewage treatment system employing a building sewer, sewage tank, and the soil treatment system consisting of trenches, seepage beds, or mounds.

Supply pipe means any nonperforated pipe whose purpose is the transport of sewage tank effluent. Supply pipes must meet or exceed the requirements established in these regulations.

Surface water flooding means the 100-year floodplain along rivers and streams as defined by the DNR or, in the absence of such data, as defined by the largest flood of record; on lakes, the term "surface water flooding" means high-water levels as determined or recorded by the DNR or, in the case of no DNR record, by local records or experience. Other surface water flooding or high-water areas will be determined based on local information.

Ten-year flood means that flood which can be expected to occur on an average of once in ten years or

the elevation to which floodwaters have a ten percent chance of rising in any given year.

Toilet waste means waste commonly disposed of in toilets including fecal matter, urine, toilet paper, and any water used for flushing and specifically excluding sanitary napkins, tampons and disposable diapers.

Toilet waste treatment devices means privies and other devices including incinerating, composting, biological, chemical, recirculating, or holding toilets.

Trench means an area excavated from 18 to 36 inches in width which contains drainfield rock or other distribution medium.

Valve box means a watertight structure designed for alternate distribution of effluent to a soil treatment system.

Water table means the highest elevation in the soil where all voids are filled with water, as evidenced by presence of water or soil mottling or other information.

Watertight device means a device constructed so that no water can get into or out of the device except through designed inlets and outlets. (Ord. No. 2002-95, § 2, 10-9-2002)

Sec. 12-126. Violations.

- (a) In the event of a violation or threatened violation of this article, the department, in addition to other remedies, may request appropriate actions or proceedings to prevent, restrain, correct or abate such violations or threatened violations. In addition, written notice in the form of a license complaint may be made to the commissioner of the state pollution control agency.
- (b) In cases where a public health nuisance has been determined to exist, the department may institute enforcement action under the Local Public Health Act (Minn. Stats. ch. 145A). (Ord. No. 2002-95, § 19, 10-9-2002)

Sec. 12-127. Intent and purpose.

This article is adopted for the following purposes:

- (1) To protect the public health and safety of the residents of the community.
- (2) To regulate the location, design, installation, use and maintenance of individual sewage treatment systems so as to prevent contamination of the surface waters and groundwaters within the community.
- (3) To protect individual water supply wells of the community from contamination by inadequate, improperly designed, located, installed or maintained individual sewage treatment systems.
- (4) To provide for the orderly development of areas of the community which are not served by central public waste treatment systems and to reduce the need to install central public systems in areas where they are not now currently planned.

(Ord. No. 2002-95, § 1, 10-9-2002)

Sec. 12-128. Administration.

(a) Administrator designated. The city hereby appoints the county department of health,

environment and land management to be the administrator of these regulations.

- (b) Required qualifications; certification. The department or its agent shall be qualified and certified by the state pollution control agency as competent in the design, evaluation, and inspection of individual on-site sewage treatment systems.
 - (c) Variances; appeals; state approval.
 - (1) If the department finds that, by reason of exceptional circumstances, the strict enforcement of any provisions of this article would cause undue hardship or that strict conformity with the standards would be unreasonable, impractical, or not feasible under the circumstances, the department may permit modifications in individual cases based on conditions it may prescribe for prevention, control or abatement of pollution.
 - (2) The city council shall hear and decide appeals of any order, decision or determination made by the department regarding the enforcement of this article. Appeals of any administrative decision or determination may be filed by any person, county department, or township.
 - (3) The city council shall hear and decide all requests for variance to the requirements of this article. Pursuant to Minn. Rules pt. 7080.0305, variances to decrease the three feet of vertical separation required beneath the distribution medium and the saturated soil or bedrock must be approved by the commissioner of the state pollution control agency in accordance with Minn. Rules pt. 7080.0030, subpt. 3.
- (d) Exemptions from standards. The standards in this article are not intended to cover waste systems treating industrial or animal waste or other waste that may contain hazardous materials.
- (e) Applicability of requirements. All individual sewage treatment systems installed subsequent to the adoption of the ordinance from which this article is derived and all alterations, extensions, modifications or repairs to existing systems irrespective of the date of original installation shall be regulated in accordance with all requirements of this article.
- (f) Nuisances; abatement. Any existing system which is a cesspool or leaching pit or which shows evidence of sewage discharge to surface water, sewage discharge to ground surface, sewage backup, or any other situation with the potential to immediately and adversely affect or threaten public health or safety is hereby declared to be a public health nuisance and shall be considered an imminent threat to public health and safety and shall be repaired, upgraded, replaced or its use discontinued within 30 days of notice and order to comply by the department. Any further discharge of effluent must be stopped immediately (by such methods as reducing or stopping all water use or pumping the tank as necessary) until such time as the system is corrected.
- (g) Compliance. Any individual sewage treatment system or component thereof, irrespective of the date of original installation, which is not located, constructed, installed or maintained in accordance with the provisions of this article shall be replaced or otherwise brought into compliance within 90 days of notice and order to comply by the department. An existing system that is not otherwise considered an imminent threat to public health and which was constructed under a permit need not be upgraded, repaired, replaced, or its use discontinued notwithstanding the fact that at the time of a compliance inspection, there appears to be less than the required three-foot separation between the system bottom and mottled soil.
- (h) Conformance by establishments, facilities regulated by city. Individual sewage treatment systems serving establishments or facilities licensed or otherwise regulated by the city shall conform to the requirements of this article.
- (i) Systems under federal regulation. Industrial wastewater systems and individual sewage treatment systems serving more than 20 persons (1,200 gallons per day) are regulated by the United States

Environmental Protection Agency as class V injection wells under 40 CFR 144.

- (j) State permit required--Design flows greater than 10,000 gallons per day. When a single individual sewage treatment system or group of individual sewage treatment systems is located on adjacent properties and under single ownership, the owner shall make application for and obtain a state disposal system permit from the state pollution control agency if the individual sewage treatment system or group of systems is designed to treat an average design flow of greater than 10,000 gallons per day.
- (k) Same--Discharges to surface waters or ground surface. Any new or existing system which discharges to surface waters or the ground surface must obtain either an NPDES or an SDS permit from the state pollution control agency and shall comply with all NPDES or SDS requirements.
- (l) Extended compliance required. Any individual sewage treatment system requiring approval by the state shall also comply with this article and all local codes and ordinances.
- (m) Stop work order. Where work requiring a permit under this article has commenced without first having obtained a permit, work shall be ordered to stop until all permit requirements have been met and a permit for installation of a system has been approved.
- (n) Right of entry. To enforce this article, the department or its authorized agent may enter a building, property or a place where there is reason to suspect a system is failing to properly treat or dispose of sewage.
- (o) Fees. Fees for permits, inspections, or other services rendered under this article shall be established by the city council. (Ord. No. 2002-95, § 3, 10-9-2002)

Sec. 12-129. Prohibitions.

- (a) Discharge into wells or borings. Sewage, sewage tank effluent, or seepage from a soil treatment system shall not be discharged into any well or boring as defined in Minn. Rules ch. 4725 or any other excavation in the ground.
- (b) Drainage from roofs, pools, etc. Footing or roof drainage and chemically treated hot tub and pool water shall not enter any part of the system.
- (c) *Hazardous substances*. Products containing hazardous waste and hazardous substances must not be discharged to a system other than in normal amounts of household products and cleaners designed for household use. Substances not intended for use in household cleaning, including solvents, pesticides, flammables, photo-finishing chemicals, and dry cleaning chemicals must not be discharged to the system.
- (d) Discharge to ground surface or surface water unless permit issued. Unless specifically permitted by the state pollution control agency, sewage, sewage tank effluent or seepage from a soil treatment system shall not be discharged to the ground surface or to surface water.
- (e) Certain handling of wastewater relating to geothermal installations. Uncontaminated clear water waste from geothermal heat pump installations shall not be introduced into individual sewage treatment systems. Such waste may be discharged to the ground surface or to a body of water; however, in no case shall surface discharge be permitted where such discharge encroaches on adjoining property or a public way. Where subsurface disposal is provided, such installation shall be separated from the required sewage treatment site and shall be designed and sized as prescribed for a standard soil treatment system.
 - (f) Cesspools, seepage pits, dry wells and leaching pits. Cesspools, seepage pits, dry wells and

leaching pits shall not be installed and shall not remain in operation.

- (g) Installation in certain low-lying areas. Installation of systems in low swampy areas, drainage swales, or areas subject to recurrent flooding is prohibited.
- (h) Installation within easements, rights-of-way unless approved. Systems shall not be located within utility or drainage easements nor within dedicated public or private rights-of-way without proper approvals.

(Ord. No. 2002-95, § 4, 10-9-2002)

Sec. 12-130. Permits required; application and plans; duration; revocation.

- (a) *Issuance to precede construction*. No construction shall be allowed until the permit required for the individual septic system has been issued.
- (b) Approval required before significant alterations of structure. No additions, enlargements, improvements, or remodeling involving 50 percent or more of the structure, or alterations that would affect the water use, such as bedrooms, bathrooms or additions to living space (excluding such areas as screen porches, entry ways, decks, attics, patios, or nonhabitable storage space) shall be allowed until the sewage treatment system has been determined to be both adequate and conforming, or a permit for a new treatment system has first been issued.
- (c) When permits are required. Permits shall be required for individual sewage treatment systems as follows:
 - (1) All new installations of sewage tanks, treatment systems and components thereof.
 - (2) All repair, extension, replacement or modification of existing systems and components.
 - (3) Any change in use of a facility served by an existing sewage treatment system.
- (d) When permits are not required. Permits shall not be required for normal routine inspection and maintenance of approved individual septic treatment systems.
- (e) *Applications*. Permit applications shall be made in writing on forms provided by the department and shall contain data including, but not limited to, the following:
 - (1) Correct legal description of the property on which the proposed work is to take place.
 - (2) Site plan, drawn to scale, showing the location of all proposed and existing structures, property lines, water supply wells within 100 feet, terrain features such as blufflines, water bodies or waterways, buried utilities, easements and other unique features of the site.
 - (3) Soil test date, including soil boring logs, percolation test data with field notes (where required) and location and identification of test area.
 - (4) Plans and details of the proposed installation of work, including engineering data and final design.
 - (5) Building plans showing existing and proposed room arrangement and uses.
 - (6) For other than dwellings, calculated or measured water use rates, occupancy and occupant load.

- (7) In certain cases, a property survey may be required identifying property characteristics and including such items as elevations, contour lines, normal high-water marks, and ten-year and 100-year flood elevations.
- (8) Evidence of compliance with state or other jurisdiction regulations where applicable.
- (f) Other requirements. No permit will be issued until a detailed system design is submitted for the current proposed construction, including site plan and at least one current soil boring if there is reason to believe soil conditions have been altered since the original soil testing.
- (g) *Duration*. Permits shall be valid upon issuance and shall continue for a period of one year. After one year, the permit may be renewed if no changes are proposed. Such renewal shall require reapplication and payment of the established fee.
- (h) *Revocation*. Permits issued under this article may be revoked upon written notice by the department when such permit has been issued based on erroneous or inaccurate data supplied by the applicant or erroneous interpretation of the law by a building official. (Ord. No. 2002-95, § 5, 10-9-2002)

Sec. 12-131. Inspections.

- (a) Inspections as required to determine compliance with this article shall be performed by the department or its authorized agent under the following circumstances:
 - (1) Site inspections to verify and evaluate soil and site conditions and to determine the suitability of soils and system design.
 - (2) Necessary investigation to determine compliance of existing systems at the time of remodeling, alteration or additions.
 - (3) For all new ISTS construction or replacement.
 - (4) Mound systems require a minimum of three construction inspections:
 - a. When the original soil under the mound has been roughened, but prior to placement of the sand fill. Enough of the proposed sand fill must be present to be viewed.
 - b. After placement of rock and piping, but prior to cover.
 - c. When job is completed.
 - (b) Installation inspections shall be made prior to any work having been covered by backfill.
- (c) The licensed installer shall be responsible for notifying the department a minimum of 24 hours prior to the time work is ready for inspection or reinspection.
- (d) Work which is backfilled prior to required inspection may be ordered to be uncovered whenever necessary to determine compliance.
- (e) If upon inspection any part of the system is determined not to be in compliance with this article, written notice shall be provided by the department indicating the deficiency and the required corrections. Noted deficiencies shall be properly corrected and reinspected before any other work on the project is continued.

- (f) No system shall be placed or replaced in service until final inspection has been completed and the system installation has been approved.
- (g) The owner or occupant of a property shall be responsible to provide access at reasonable time to the department or its agent for the purpose of performing inspections required under this article.
- (h) The contractor, upon completion of installation, shall file with the department as-built drawings indicating the location of system components dimensioned from a permanent reference point.
- (i) If an inspection is conducted as a part of preparation of the disclosure required by Minn. Stats. § 115.55, subd. 6, and such inspection is conducted by a party who is not the property owner, such party must be licensed in accordance with MPCA rules and regulations and the notice of compliance or noncompliance provided to the property owner must also be provided to the city within 30 days of the inspection. (Ord. No. 2002-95, § 6, 10-9-2002)

Sec. 12-132. General requirements.

- (a) Adequacy of system. An individual septic treatment system (ISTS) shall be designed to receive all sewage from the dwelling, building or other establishment served.
- (b) Location and installation standards. Sewage treatment systems and each component thereof shall be located and installed to ensure that, with proper maintenance, it will function in a sanitary manner and will not create a nuisance nor contaminate any domestic water supply well. Location shall consider lot size and configuration, proposed structures and other improvements, topography, surface drainage, soil conditions, depth to ground water, geology, existing and proposed water supply wells, accessibility for maintenance, and potential expansion or replacement of the system.
- (c) Design, construction and materials standards. The design, construction, and location of, and the materials for use in building sewers shall be in accordance with the state building code, Minn. Rules. ch. 1300, which incorporates by reference portions of the state plumbing code, Minn. Rules ch. 4715, and specific provisions of the state rules relating to wells and borings, Minn. Rules ch. 4725.
- (d) *Meters, counters required.* An individual sewage treatment system defined as a collector, an alternative system, or a system intended to serve other establishments shall not be installed unless a water meter is provided to measure the flow to the treatment system. For metered systems that have sewage tank effluent pumped to a soil treatment area, an electrical event counter must also be installed. (Ord. No. 2002-95, § 7, 10-9-2002)

Sec. 12-133. Site evaluation.

- (a) Required in advance of permit. Prior to the issuance of a building permit for new construction, remodeling or alterations that would affect water use, such as bedrooms, bathrooms or additions to living space; or the issuance of a permit to install, upgrade, repair or alter an individual sewage treatment system; or approval for subdivision of land, a site evaluation shall be made of all proposed sites for sewage treatment systems and a report of same shall be completed by the applicant and reviewed and approved by the department. Such site evaluation shall consist of a preliminary and field evaluation.
 - (b) Evaluation information components. A preliminary evaluation shall consist of:
 - (1) Flow determination for the dwelling or other establishment;
 - (2) The investigation of the proposed or existing location of water supply wells within 100 feet of the proposed ISTS, existing and proposed buildings on the lot, and existing and proposed

buried water pipes within 50 feet of the proposed system;

- (3) Easements on the lot;
- (4) Ordinary high-water level of public waters;
- (5) Ten-year floodplain designation and flood elevation from published data as available or from data which is acceptable to and approved by the permitting authority or the DNR;
- (6) Property lines;
- (7) All required setbacks from the system;
- (8) The soils map unit, applicable soil characteristics, and soil suitability as determined by soil borings and percolation tests for each proposed site or installation;
- (9) Legal description and lot dimensions; and
- (10) Names of property owners.
- (c) Field evaluation. A field evaluation shall consist of:
- (1) Identifying lot lines, lot improvements, and easements;
- (2) A description of the percent and direction of the slope at the proposed system location, vegetation type, any evidence of disturbed or compacted soil or flooding or run-on potential, and landscape position;
- (3) Depth to the highest known or calculated groundwater table or bedrock;
- (4) The existence of lowlands, local surface depressions, and rock outcrops;
- (5) All legal setback requirements from existing and proposed buildings; property lines; sewage tanks; soil treatment systems; water supply wells; buried water pipes and utility lines; the ordinary high-water level of public waters; and the location of all soil treatment systems and water supply wells on adjoining lots within 100 feet of the proposed soil treatment system, sewage tank and water supply well.
- (d) *Contents of written report.* A written report on the site evaluation shall be prepared covering, at a minimum, the following:
 - (1) All of subsections (b) and (c) of this section;
 - (2) Dates of preliminary and field evaluations;
 - (3) A map drawn to scale or dimension, with a north arrow, and including the following:
 - A horizontal and vertical reference point of soil observation and percolation tests and distance to all required setbacks, lot improvements, easements, ordinary high-water mark of public waters, property lines, direction and percent slope;
 - b. The location of any unsuitable, disturbed/compacted areas; and

- c. The access route for tank maintenance:
- (4) Estimated depth of seasonally saturated layer, bedrock, or flood elevation, if appropriate;
- (5) Proposed elevation of the bottom of the soil treatment system;
- (6) Final soil sizing factor;
- (7) Anticipated construction-related issues; and
- (8) Name, address, telephone number and signature of the individual conducting the site evaluation.

(Ord. No. 2002-95, § 9, 10-9-2002)

Sec. 12-134. Soil testing.

- (a) Data required. Applicants for sewage treatment system permits, site or subdivision approvals will be required to submit soil test data derived from soil borings and percolation tests for each proposed site or installation. The minimum testing shall be that necessary to verify suitable conditions for two complete soil treatment systems. Large systems designed for 1,200 gallons per day or more shall require a hydrogeologic investigation in accordance with section 12-140(g)(3).
- (b) Conduct of testing. All testing shall be conducted in accordance with the requirements of this article and shall be done by qualified personnel, certified under the MPCA training and certification program and licensed by the MPCA.
- (c) Protection of soil conditions. All proposed sites for sewage treatment systems shall be protected by fence or other methods as necessary to avoid excavations, construction equipment or other traffic that could affect the soil conditions.
- (d) Quantity and types of tests. For subdivision testing, enough soil borings must be done to ensure that suitable soils exist for each lot for long-term sewage treatment. Percolation tests are not required unless the permeability cannot be estimated or there is reason to believe the soil is not original or has been compacted.
- (e) *Individual lots*. Complete testing on each individual lot will be required prior to permit issuance independent of any prior approved subdivision testing. A minimum of four satisfactory soil borings outlining an area of 5,000 square feet are required. Larger areas may be required where conditions of use, soils, topography or vegetation require.
- (f) Test design. Where soil tests require a mound, testing and design must clearly show suitable area for installation of two complete mounds. Where site conditions are such that the only backup mound will likely be disturbed, the department, at its discretion, may require both mounds to be constructed at once.
 - (g) Test methodology for borings. Soil borings shall be made as follows:
 - (1) Borings shall be by auger or excavation and shall be staked and protected until notification that the field evaluation has been completed. Flite augers which are continuous or disturb extracted soil samples are not allowed. Borings shall be made to a depth of at least three feet deeper than the bottom of the proposed system or until bedrock or a water table is encountered, whichever is less.
 - (2) Any evidence of disturbed or compacted soil must be disclosed and may result in the prohibition of utilizing that test area.

- (3) Particular effort shall be made to determine the highest known water table by recording the first occurrence of mottling observed in the hole, or, if mottling is not encountered, the open holes in clay or loam soils shall be observed after standing undisturbed a minimum of 16 hours, and depth to standing water, if present, shall be measured.
- (h) *Evaluation*. A soil description shall be written for each soil observation at the proposed site. Soils should be evaluated under adequate light conditions with the soil in a moist state and including the following:
 - (1) The depth of each soil horizon measured from the ground surface. Soil horizons are differentiated by changes in soil structure, soil texture, soil color, mottling, bedrock, or any other characteristic which may affect water percolation or treatment of effluent.
 - (2) The soil matrix and mottled color described per horizon by the Munsell Soil Color Charts, 1992 Revised Edition, which is incorporated by reference. This document is available from Macbeth Division, Kollmorgen Instruments Corporation, Munsell Color, PO Box 230, Newburgh, New York 12551-0230. It can be found at the Minnesota State Law Library, Judicial Center, 25 Constitution Avenue, St. Paul, MN 55155. This document is not subject to frequent change.
 - (3) The soil texture described using the United States Department of Agriculture (USDA) soil classification system as modified here:

Clay=clay, sand clay, silty clay

Clay loam=clay loam, sandy clay loam, silty clay loam

Loam=loam

Sandy loam=sandy loam

Silt loam=silt loam, silt

Loamy sand=loamy sand

Coarse sand-coarse sand

Medium sand=medium sand

Find sand=fine and very fine sand

- (i) Methodology for percolation tests. After soil borings have outlined the minimum area of suitable soils, percolation tests shall be made. The only exception to this requirement is for sandy soils clearly in the five mpi range. The design for sizing of systems is such soils shall be 1.27 square feet per gallon. The requirements for percolation tests are as follows:
 - (1) Each test hole shall be six to eight inches in diameter, have vertical sides, and be bored or dug to a depth of the bottom of the proposed individual sewage treatment system. Soil texture descriptions shall be recorded noting depths where texture changes occur.
 - (2) The bottom and sides of the hole shall be carefully scratched to remove any smearing and to provide a natural soil surface into which water may penetrate.

- (3) All loose material shall be removed from the bottom of the test hole and two inches of one-fourth-inch to three-fourths-inch gravel shall be added to protect the bottom from scouring.
- (4) The hole shall be carefully filled with clear water to a minimum depth of 12 inches over the soil at the bottom of the test hole and maintained for no less than four hours. Failure to adequately saturate the test hole may result in rejection of the test.
- (5) The soil shall then be allowed to swell for at least 16 but no more than 30 hours. In sandy soils, the saturation and swelling procedure shall not be required and the test may proceed if one filling of the hole has seeped away in less than ten minutes.
- (6) Measure the percolation rate as follows:
 - a. In sandy soils, adjust the water depth to eight inches over the soil at the bottom of the test hole. From a fixed reference point, a drop in water level shall be measured in inches to the nearest one-sixteenths inch at approximately ten-minute intervals.
 Measurement can also be made by determining the time it takes for the water level to drop one inch from an eight-inch reference point. If eight inches of water seeps away in less than ten minutes, a shorter interval between measurements shall be used, but in no case shall the water depth exceed eight inches. The test shall continue until three consecutive percolation rate measurements vary by a range of no more than ten percent.
 - b. In other soils, adjust the water depth to eight inches over the soil at the bottom of the test hole. From a fixed reference point, the drop in water level shall be measured in inches to the nearest one-sixteenths inch at approximately 30-minute intervals, refilling between measurements to maintain an eight-inch starting head. The test shall continue until three consecutive percolation rate measurements vary by a range of no more than ten percent. The percolation rate can also be made by observing the time it takes the water level to drop one inch from an eight-inch reference point if a constant water depth has been maintained for at least four hours prior to the measurement.
- (7) Calculate the percolation rate by dividing the time interval by the drop in water level to obtain the percolation rate in minutes per inch. The percolation rates which are within the ten percent provision determined for each test hole shall be averaged to determine the final percolation rate for that hole.
- (8) The slowest final percolation rate for all holes within the soil treatment area shall be used for design.
- (9) A percolation test shall not be run where frost exists below the depth of the proposed soil treatment system.

(Ord. No. 2002-95, § 9, 10-9-2002)

Sec. 12-135. Sewage flow determination.

- (a) Aniticipated need. Where the construction of additional bedrooms, the installation of mechanical equipment, or other factors likely to affect the operation of the system can be reasonably anticipated, the installation of a system for the anticipated need shall be required.
- (b) Estimated sewage flow, dwellings. For dwellings, the average daily sewage flow and the measured percolation rate of the soil shall be used to size the soil treatment system. Acceptable methods for

estimating sewage flow are given in table I. The minimum daily sewage flow estimated for any dwelling shall provide for at least two bedrooms. For multiple residential units, the estimated daily sewage flow shall consist of the sum of the flows of each individual unit. If a greywater system is employed, estimated sewage flow shall equal 60 percent of the amount provided in table I:

Table I. Estimated Daily Sewage Flow

Number of Bedrooms	Gallons per Day
Two	300
Three	450
Four	600
Five	750
Six	900

- (c) Design flow, nondwellings. For other establishments, average design flow shall be used to size soil treatment systems. Maximum design flow shall be used to size sewage tanks. Design flows shall be calculated using estimated or measured values for other establishments according to the following:
 - (1) Estimated average and maximum design flows. The best available data as provided by the department shall be used if estimating the average and maximum design flows.
 - (2) Measured average and maximum design flows.
 - a. The average design flow shall be determined by averaging the measured daily flows for a consecutive seven-day period in which the establishment is at maximum capacity or use; and
- b. The maximum design flow shall be the anticipated peak daily flow. (Ord. No. 2002-95, \S 10, 10-9-2002)

Sec. 12-136. Sewage tank specifications, design, access requirements.

- (a) Specifications. All tanks, regardless of material or method of construction, must:
- (1) Be watertight;
- (2) Be designed and constructed to withstand all lateral earth pressures under saturated soil conditions with the tank empty;
- (3) Be designed and constructed with adequate tensile and compressive strength to withstand a minimum of seven feet of saturated earth cover above the tank top and manhole cover;
- (4) Not be subject to corrosion or decay;
- (5) Have the manufacturer's name, model number, and tank capacity in gallons permanently displayed on the tank above the outlet pipe;
- (6) Not be constructed on site when saturated soil conditions during construction are closer than three inches to the bottom of the excavation;
- (7) Be protected against flotation under high-water table conditions; and

- (8) Have a written and graphic label affixed to maintenance hole covers of sewage tanks warning of the hazardous conditions inside the tanks.
- (b) Design. All tanks, regardless of material or method construction, shall conform to the following criteria:
 - (1) The liquid depth of any septic tank or compartment thereof shall not be less than 24 inches.
 - (2) No tank or compartment thereof shall have an inside horizontal dimension less than 24 inches.
 - (3) Baffles shall be installed at each inlet and outlet of the tank and each compartment.
 - (4) The space in the tank between the liquid surface and the top of the inlet and outlet baffles shall be not less than 20 percent of the total required liquid capacity, except that in horizontal cylindrical tanks, this space shall be not less than 15 percent of the total required liquid capacity.
 - (5) Inlet and outlet baffles shall be constructed of acid-resistant concrete, acid-resistant fiberglass, or plastic not subject to corrosion or decay. Inlet baffles not conducive to the movement of solids shall not be used.
 - (6) Baffles must be integrally cast with the tank, affixed with a permanent waterproof adhesive, or affixed with stainless steel connectors, top and bottom. Sanitary tees, which are used as baffles, shall be affixed to the inlet or outlet pipes with a permanent waterproof adhesive.
 - (7) The inlet baffle shall extend at least six inches but not more than 20 percent of the total liquid depth below the liquid surface and at least one inch above the crown of the inlet sewer.
 - (8) The outlet baffle and the baffles between compartments shall extend below the liquid surface a distance equal to 40 percent of the liquid depth except that the penetration of the indicated baffles or sanitary tees for horizontal cylindrical tanks shall be 35 percent of the total liquid depth. They also shall extend above the liquid surface as required in subsection (b)(4) of this section. In no case shall they extend less than six inches above the liquid surface. Gasdeflecting baffles shall be installed on the outlet of the final septic tank which services another establishment.
 - (9) The top of the inlet baffle may extend through the top of the tank or maintenance hole cover. The cap must be easily accessible.
 - (10) In a single compartmented tank, the inlet invert shall be at least two inches above the outlet invert.
 - (11) The inlet and outlet shall be located opposite each other along the axis of maximum dimension. The horizontal distance between the nearest points of the inlet and outlet baffles shall be at least four feet.
 - (12) Inlet baffles, other than sanitary tees, shall be no less than six inches or no more than 12 inches from the end of the inlet pipe to the nearest point on the baffle. Outlet baffles, other than sanitary tees, shall be six inches measured from beginning of the outlet pipe to the nearest point on the baffle. Sanitary tees used as inlet or outlet baffles shall be at least four inches in diameter.
 - (c) Septic tank access. Access to a septic tank shall be as follows:

- (1) There shall be one or more manholes, at a minimum of 20 inches least dimension, and located within six feet of all walls of the tank. The manhole shall extend through the tank cover to a point within six inches of finished grade. If the manhole is covered with less than six inches of soil, the cover must be secured to prevent unauthorized access.
- (2) There shall be an inspection pipe of at least four inches in diameter over both the inlet and outlet baffles. The inspection pipe shall extend through the tank cover or the maintenance hole cover, be secured, and be capped flush with or above the finished grade. A downward projection of the centerline of the inspection pipe shall be directed in line with the center line of the inlet or outlet device.
- (3) An inspection pipe at least four inches in diameter must be located between the inlet and outlet baffles for the purpose of evaluating scum and sludge accumulations. The inspection pipe must extend through either the tank cover or manhole cover and must be capped flush with or above finished grade.
- (d) *Multiple compartment requirements for large tanks*. A septic tank larger than 3,000 gallons shall be divided into two or more compartments.
 - (1) When a septic tank is divided into two compartments, the volume of the first compartment shall be between one-half and two-thirds of the total tank volume.
 - When a septic tank is divided into three or more compartments, one-half of the total volume shall be in the first compartment and the other half equally divided in the other compartments.
 - (3) Connections between compartment shall be baffled to obtain effective retention of scum and sludge. The submergence of the inlet and outlet baffles of each compartment must be as specified in subsections (b)(7) and (8) of this section.
 - (4) Adequate venting shall be provided between compartments by baffles or by an opening of at least 50 square inches near the top of the compartment wall.
 - (5) Adequate access to each compartment shall be provided by one or more maintenance holes, at least 20 inches in diameter, and located within six feet of all walls of the tank. The maintenance hole shall extend through the top of the tank compartment cover to a point between zero and a six-inch depth below finished grade. If the maintenance hole is between zero and six inches below finished grade, the maintenance hole cover must be secured to prevent unauthorized access.
- (e) *Multiple tanks*. Where more than one tank is used to obtain the required liquid volume, the tanks shall be connected in series. No more than four tanks in a series can be used to obtain the required liquid volume. The first tank shall be equal to or larger than any subsequent tank in the series.
- (f) Outlet pipe specifications. The outlet pipe extending from the septic tank must not be of cast iron, but must be of sound and durable construction, not subject to corrosion or decay. The outlet pipe must meet the strength requirements of American Society for Testing and Materials (ASTM), schedule 40 plastic pipe and must be supported in a manner that there is no deflection during the backfilling and subsequent settling of the soil between the edge of the septic tank and the edge of the excavation. The soil around the pipe must be compacted to al least original density for a length of three feet beyond the edge of the tank excavation.
- (g) Liquid capacity. Any liquid depth which is greater than 78 inches shall not be used when calculating the septic tank capacity. Liquid capacity of septic tanks is described as follows:

(1) For dwellings there shall be two septic tanks in series with the liquid capacity based on the number of bedrooms contemplated in the dwelling; such tanks shall be at least as large as the capacities in table II. The only exception to this requirement is for the upgrade of an existing conforming system if the primary tank capacity is met and there is no garbage disposal or sewage pump. System replacement shall require two tanks in series.

Table II. Required Liquid Capacities by Number of Bedrooms

Number of Bedrooms	Tank Liquid Capacities	
	(Gallons)	
Two or less	1,000 and 500	
Three or four	1,000 and 1,000	
Five or six	1,500 and 1,000	
Seven, eight or nine	2,000 and 1,000	
Ten or more	Septic tank shall be	
	sized as another	
	establishment with the	
	second tank in series	
	being at least 50 percent	
	of the capacity of the	
	first tank.	
Multiple-family	Size shall be the sum of	
dwelling containing two	the individual dwelling	
or more units	unit requirements.	

- The liquid capacity of septic tanks serving other establishments shall be sufficient to provide a sewage detention period of not less than 36 hours in the tank for maximum design flows of less than 1,500 gallons per day, but in no instance shall the liquid capacity be less than 750 gallons. For maximum design flows greater than 1,500 gallons per day, the minimum liquid capacity shall equal 1,125 gallons per day plus 75 percent of the maximum design flow. For restaurants and laundromats, twice the liquid capacity detailed above must be provided. For laundromats, the outlet baffle of the septic tank must be submerged to a depth of 50 percent.
- (h) Use of pumps. A sewage pump must not deliver sewage to a one tank system if the pump cycle delivers more than one percent of the liquid capacity of the tank. For systems with multiple tanks, at least two tanks in series must be used, each having at least the liquid capacity specified in this section. The volume of sewage delivered in each pump cycle must not exceed five percent of the liquid capacity of the first tank.
- (i) Placement of tank. The sewage tank shall be placed so that it is easily accessible for the removal of liquids and accumulated solids. The soil cover over a tank shall not exceed five feet. The sewage tank shall be placed on firm and settled soil capable of bearing the weight of the tank and its contents. Sewage tanks shall be setback as specified in table III of section 12-136(i). Sewage tanks shall not be placed in areas subject to flooding or in floodplains delineated by local regulations adopted in compliance with Minn. Rules ch. 6120 or in areas for which regional flood information is available from the DNR, except that in areas where tenyear flood information is available from and/or approved by the DNR, sewage tanks may be installed as an alternative system in accordance with all provisions of section 12-140(c).

Table III. Minimum Setback Distances (Feet)

Feature Sewage Tank	Soil Treatment Area
---------------------	---------------------

Water supply well less than 50 feet deep and not encountering at least ten feet of impervious material Any other water supply well or buried water suction pipe Buried pipe distributing water under pressure Occupied buildings and buildings with basements or crawl spaces Unoccupied structures 5 10 Property lines 10* 10 Aboveground swimming 10 10 Inground swimming 10 10 Inground swimming 10 10 The ordinary high-water mark of: Natural environment lakes and streams Recreation development lakes and streams General development lakes and streams All unclassified waters 75* 75* St. Croix River rural districts St. Croix River urban districts Blufflines: St. Croix River urban districts Shoreland blufflines 20* 20* *These standards may be modified through the variance process.		I	ı
not encountering at least ten feet of impervious material Any other water supply well or buried water suction pipe Buried pipe distributing water under pressure Occupied buildings and buildings with basements or crawl spaces Unoccupied structures 5 10 Property lines 10* 10* Aboveground swimming 10 10 Inground swimming 10 10 pools The ordinary high-water mark of: Natural environment lakes and streams Recreation development lakes and streams General development lakes and streams All unclassified waters 75* 75* St. Croix River rural districts Blufflines: St. Croix River urban districts Blufflines: St. Croix River blufflines Shoreland blufflines Shoreland blufflines Shoreland blufflines Source 100 50 50 50 50 50 50 50 50 50	Water supply well less	50	100
ten feet of impervious material Any other water supply well or buried water suction pipe Buried pipe distributing water under pressure Occupied buildings and buildings with basements or crawl spaces Unoccupied structures 5 10 10 10			
material Any other water supply well or buried water suction pipe Buried pipe distributing water under pressure Occupied buildings and buildings with basements or crawl spaces Unoccupied structures 5 10 Property lines 10* 10* Aboveground swimming 10 10 Inground swimming 10 10 Inground swimming 10 10 Inground swimming 10 10 Inground swimming 10 150* Inground swimming 150* 150* Istatural environment 150* 150* Iakes and streams Recreation development 1akes and streams General development 150* Ist Croix River rural 150* Ist Croix River urban 100* Ist Croix River 100* Ist Croix Ri			
Any other water supply well or buried water suction pipe Buried pipe distributing water under pressure Occupied buildings and buildings with basements or crawl spaces Unoccupied structures Unoccupied structures Inground swimming pools Inground swimming pools The ordinary high-water mark of: Natural environment lakes and streams Recreation development lakes and streams General development lakes and streams All unclassified waters St. Croix River rural districts Blufflines: St. Croix River urban districts St. Croix River urban districts St. Croix River urban districts St. Croix River du* Shoreland blufflines Shoreland blufflines Shoreland blufflines Shoreland blufflines Sociation 10 10 20 10 10 10 10 10 10 10 10 10 10 10 10 10			
well or buried water suction pipe Buried pipe distributing water under pressure Occupied buildings and buildings with basements or crawl spaces Unoccupied structures 5 10 Property lines 10* 10 pools Inground swimming 10 10 pools The ordinary high-water mark of: Natural environment lakes and streams Recreation development lakes and streams General development lakes and streams All unclassified waters 75* 75* St. Croix River rural districts Blufflines: St. Croix River urban districts St. Croix River blufflines Shoreland blufflines 20* 20*	material		
suction pipe Buried pipe distributing water under pressure Occupied buildings and buildings with basements or crawl spaces Unoccupied structures Unoccupied structures Troperty lines Aboveground swimming pools Inground swimming 10 Inground swimming 10 The ordinary high-water mark of: Natural environment lakes and streams Recreation development lakes and streams General development lakes and streams All unclassified waters St. Croix River rural districts Blufflines: St. Croix River urban districts St. Croix River urban districts St. Croix River lakes land stream lates Shoreland blufflines Shoreland blufflines Shoreland blufflines	Any other water supply	50	50
Buried pipe distributing water under pressure Occupied buildings and buildings with basements or crawl spaces Unoccupied structures 5 10 10 10 10 10 10 10 10 10 10 10 10 10	well or buried water		
water under pressure Occupied buildings and buildings with basements or crawl spaces Unoccupied structures 5 10 10 10* Aboveground swimming 10 10 10 pools Inground swimming 10 10 pools The ordinary high-water mark of: Natural environment lakes and streams Recreation development lakes and streams General development lakes and streams All unclassified waters 75* St. Croix River rural districts St. Croix River urban districts Blufflines: St. Croix River blufflines Shoreland blufflines Shoreland blufflines St. Croix River blufflines Shoreland blufflines Source 10 20 10 20 10 10 10 10 10 10 10 10 10 10 10 10 10	suction pipe		
Occupied buildings and buildings with basements or crawl spaces Unoccupied structures 5 10 10	Buried pipe distributing	10	10
buildings with basements or crawl spaces Unoccupied structures 5 10 Property lines 10* 10* Aboveground swimming 10 10 Inground swimming 10 10 The ordinary high-water mark of: Natural environment 150* 150* lakes and streams Recreation development 15* lakes and streams General development 15* All unclassified waters 75* 75* St. Croix River rural districts St. Croix River urban districts Blufflines: St. Croix River 40* Shoreland blufflines 20* 10* 10 10 10 10 10 10 10 10	water under pressure		
basements or crawl spaces Unoccupied structures 5 10 Property lines 10* 10* Aboveground swimming 10 10 10 pools Inground swimming 10 10 10 The ordinary high-water mark of: Natural environment 150* 150* 150* 14kes and streams Recreation development 18kes and streams General development 18kes and streams All unclassified waters 75* 75* 150* 150* 150* 150* 150* 150* 150* 15	Occupied buildings and	10	20
Spaces Unoccupied structures 5	buildings with		
Unoccupied structures 5 10 Property lines 10* 10* Aboveground swimming pools 10 10 Inground swimming pools 10 10 The ordinary high-water mark of: 150* 150* Natural environment lakes and streams 75* 75* Recreation development lakes and streams 75* 75* General development lakes and streams 75* 75* All unclassified waters 75* 75* St. Croix River rural districts 150* 150* St. Croix River urban districts 100* 100* Blufflines: 5t. Croix River blufflines 40* 40* Shoreland blufflines 20* 20*	basements or crawl		
Property lines 10* 10* Aboveground swimming pools 10 10 Inground swimming pools 10 10 The ordinary high-water mark of: 150* Natural environment lakes and streams 150* 150* Recreation development lakes and streams 75* 75* General development lakes and streams 75* 75* All unclassified waters 75* 75* St. Croix River rural districts 150* 150* St. Croix River urban districts 100* 100* Blufflines: 40* 40* Shoreland blufflines 20* 20*	spaces		
Aboveground swimming pools Inground swimming 10 10 10 pools The ordinary high-water mark of: Natural environment 150* 150* 150* 14kes and streams Recreation development 150* 75* 15* 14kes and streams General development 150* 150* 150* 150* 150* 150* 150* 150*	Unoccupied structures		10
Inground swimming pools The ordinary high-water mark of: Natural environment 150* 150* 150* 14kes and streams Recreation development 150* 75* 15* 14kes and streams General development 150* 150* 150* 150* 150* 150* 150* 150*	Property lines	10*	10*
Inground swimming pools The ordinary high-water mark of: Natural environment 150* 150* 150* 150* 150* 150* 150* 150*	Aboveground swimming	10	10
The ordinary high-water mark of: Natural environment 150* 150* Iakes and streams 75* 75* General development 75* 75* Iakes and streams 75* 75* All unclassified waters 75* 75* St. Croix River rural 150* 150* districts 5t. Croix River urban 100* districts 5t. Croix River 40* Blufflines 5t. Croix River 40* Blufflines 5t. Croix River 40* Shoreland blufflines 20* 20*	pools		
The ordinary high-water mark of: Natural environment 150* 150* Iakes and streams 75* 75* General development 75* 75* Iakes and streams 75* 75* All unclassified waters 75* 75* St. Croix River rural 150* 150* districts 5t. Croix River urban 100* 100* districts Blufflines: St. Croix River 40* 40* blufflines Shoreland blufflines 20* 20*	Inground swimming	10	10
Natural environment lakes and streams Recreation development lakes and streams General development lakes and streams All unclassified waters 75* 75* St. Croix River rural later	pools		
lakes and streams Recreation development 75* 75* General development 75* 75* Iakes and streams 75* 75* All unclassified waters 75* 75* St. Croix River rural 150* 150* districts 100* 100* districts Blufflines: St. Croix River 40* 40* blufflines Shoreland blufflines 20* 20*	The ordinary high-water r	nark of:	
Recreation development lakes and streams General development 75* 75* Iakes and streams All unclassified waters 75* 75* St. Croix River rural 150* 150* districts St. Croix River urban 100* 100* districts Blufflines: St. Croix River 40* blufflines Shoreland blufflines 20* 20*	Natural environment	150*	150*
lakes and streams 75* General development lakes and streams 75* All unclassified waters 75* St. Croix River rural districts 150* St. Croix River urban districts 100* Blufflines: 40* St. Croix River blufflines 20* Shoreland blufflines 20*	lakes and streams		
To To To To To To To To	Recreation development	75*	75*
lakes and streams 75* All unclassified waters 75* St. Croix River rural 150* districts 100* St. Croix River urban districts 100* Blufflines: 40* St. Croix River blufflines 40* Shoreland blufflines 20*	lakes and streams		
lakes and streams 75* All unclassified waters 75* St. Croix River rural districts 150* St. Croix River urban districts 100* Blufflines: 40* St. Croix River blufflines 40* Shoreland blufflines 20*	General development	75*	75*
St. Croix River rural districts 150* St. Croix River urban districts 100* Blufflines: 40* St. Croix River blufflines 40* Shoreland blufflines 20*	_		
districts St. Croix River urban 100* 100* districts Blufflines: St. Croix River 40* 40* blufflines Shoreland blufflines 20* 20*	All unclassified waters	75*	75*
St. Croix River urban districts Blufflines: St. Croix River 40* 40* 40* blufflines Shoreland blufflines 20* 20*	St. Croix River rural	150*	150*
districts Blufflines: St. Croix River 40* 40* 40* blufflines Shoreland blufflines 20* 20*	districts		
Blufflines: St. Croix River 40* 40* blufflines Shoreland blufflines 20* 20*	St. Croix River urban	100*	100*
St. Croix River 40* 40* blufflines 20* 20*	districts		
blufflines Shoreland blufflines 20* 20*	Blufflines:		
Shoreland blufflines 20* 20*	St. Croix River	40*	40*
	blufflines		
	Shoreland blufflines	20*	20*
	*These standards may be	modified through the varia	nce process.

- (j) *Aerobic systems*. Aerobic tank treatment systems shall comply with the general requirements for sewage tanks set forth in this article, and with the following:
 - (1) The treatment system including each individual unit or compartment shall be easily accessible for inspection and maintenance and shall be provided with secured covers.
 - (2) Aerobic tanks shall comply with National Sanitation Foundation Standard (NSF) No. 40 (November 1990) which is incorporated by reference. Effluent quality shall meet or exceed NSF Class II standards.
 - (3) No additional reduction in soil treatment or absorption area shall be allowed with the use of an aerobic tank.

(4) An effective maintenance contract, approved by the permitting authority, shall be maintained at all times.

(Ord. No. 2002-95, § 11, 10-9-2002)

Sec. 12-137. Distribution systems, standards and types; effluent treatment.

- (a) *Protection of all systems.* Supply pipes must be protected from freezing where the pipe passes under driveways, sidewalks, roadways, or other areas where deep frost penetration is expected.
 - (b) Gravity distribution.
 - (1) Serial distribution must be used to distribute effluent to individual trenches in a soil treatment system unless the necessary elevation differences between trenches for drop boxes cannot be achieved by natural topography or by varying the excavation depths, in which case parallel distribution shall be used. If drop boxes are used, they must meet the following standards:
 - a. The drop box shall be watertight and constructed of durable materials not subject to corrosion or decay.
 - b. The invert of the inlet pipe shall be at least one inch higher than the invert of the outlet pipe to the next drop box.
 - c. The invert of the outlet pipe to the next trench shall be no greater than two inches higher than the crown of the outlet pipe of the trench in which the box is located.
 - d. When sewage tank effluent is delivered to the drop box by a pump, the pump discharge shall be directed against a wall or side of the box on which there is no outlet.
 - e. The drop box shall be covered by a minimum of six inches of soil and it shall be placed on firm and settled soil.
 - f. An inspection pipe at least four inches in diameter must be provided and capped flush with or above finished grade.
 - (2) Systems using valve boxes shall comply with the following requirements:
 - a. The valve boxes shall be watertight and constructed of durable materials not subject to corrosion or decay.
 - b. The invert of the inlet pipe shall be at least one inch higher than the inverts of the outlet pipes to the trenches.
 - c. When sewage tank effluent is pumped to a valve box, either a baffle wall must be installed in the valve box or the pump discharge must be directed against a wall or side of the box on which there is no outlet. The baffle must be secured to the box and extend at least one inch above the crown of the inlet pipe.
 - d. The valve box shall be covered by a minimum of six inches of soil and it shall be placed on firm and settled soil.
 - e. An inspection pipe at least four inches in diameter must be provided and capped flush with or above the finished grade.

- (3) Distribution boxes must meet the following standards:
 - a. The box must be watertight and must be constructed of durable materials not subject to corrosion or decay.
 - b. The distribution box shall be covered by a minimum of six inches of soils and it shall be placed on firm and settled soil. An inspection pipe must be provided and capped flush with or above the finished grade.
 - c. The inverts of all outlets must be set and maintained at the same elevation.
 - d. The inlet invert must be either at least one inch above the outlet inverts or be sloped such that an equivalent elevation above the outlet invert is obtained within the last eight feet of the inlet pipe.
 - e. Each drainfield trench line must be connected separately to the distribution box and must not be subdivided. Distribution boxes must not be connected to one another if each box has distribution pipes.
 - f. When sewage tank effluent is delivered by pump, either a baffle wall must be installed in the distribution box or the pump discharge must be directed against a wall or side of the box on which there is no outlet. The baffle must be secured to the box and must extend at least one inch above the crown of the inlet pipe.

(4) Distribution pipes.

- a. Distribution pipes used in trenches or beds for gravity distribution must be at least four inches in diameter and must be constructed of sound and durable material not subject to corrosion or decay or to loss of strength under continuously wet conditions. Distribution pipes must have a load-bearing capacity of not less than 1,000 pounds per lineal foot.
- b. Distribution pipes used for gravity distribution must have one or more rows of holes of no less than one-half inch in diameter spaced no more than 40 inches apart. Holes must be spaced to prevent failure due to loads.
- c. The distribution pipes for gravity distribution must be laid level or on a uniform slope away from the distribution device of no more than four inches per 100 feet.
- d. Gravity distribution pipes in seepage beds must be uniformly spaced no more than five feet apart and not more than 30 inches from the side walls of the seepage bed.
- (c) Pressure distribution.
- (1) Pressure distribution must be used for the following soil treatment systems:
 - a. All mound systems;
 - b. All at-grade systems; and
 - c. Systems where the soil percolation rate is 0.1 to five minutes per inch if the effluent is pumped to a seepage bed or to trenches that are all at the same elevation.

- (2) Distribution pipes used for pressure distribution must be constructed of sound and durable material not subject to corrosion or decay or to loss of strength under continuously wet conditions.
- (3) All pipes and associated fittings used for pressure distribution must be properly joined together. The pipe and connections must be able to withstand a pressure of at least 40 pounds per square inch.
- (4) Perforations must be no smaller than three-sixteenths-inch diameter and no larger than one-quarter-inch diameter. The number of perforations, perforation spacing and pipe size for pressure distribution laterals must be as shown in table IV. The friction loss in any individual perforated lateral must not exceed 20 percent of the average head pressure on the perforations.

Table IV. Maximum Allowable Number of One-Fourth Inch Diameter or Smaller Perforations Per Lateral

	Pipe DiameterNormal and Inside				
Perforation Spacing	1 inch	1 1/4 inches	1 1/2 inches	2 inches	
(Feet)					
1.049	1.380	1.610	2.067		
2.5	8	14	18	28	
3	8	13	17	26	
3.3	7	12	16	25	
4	7	11	15	23	
5	6	10	14	22	

- (5) Perforation holes must be drilled straight into the pipe and not at an angle. The perforated pipe laterals must be installed level with the perforations downward. Perforation holes must be free of burrs.
- (6) Laterals must be spaced no further than 60 inches apart in seepage beds and mound rock beds and must be spaced no further than a horizontal distance of 30 inches from the outside edge of a drainfield rock layer.
- (7) Laterals must be connected to a header or manifold pipe that is of a diameter such that the friction loss in the header or manifold will be no greater than five percent of the average head at the perforations. The header or manifold pipe must be connected to the supply pipe from the pump.
- (8) Perforated laterals must be designed and installed in such a way that no perforations are located closer than 12 inches from the edge of the drainfield rock.

 (Ord. No. 2002-95, § 12, 10-9-2002)

Sec. 12-138. Dosing of effluent.

- (a) *Use of devices*. A dosing device is not necessary in all situations but, where used, shall comply with the following requirements:
 - (1) The dosing chamber shall be watertight and constructed of sound and durable materials not subject to excessive corrosion or decay, vented, and must be designed and constructed to withstand lateral pressures when the tank is empty.
 - (2) There shall be one or more maintenance holes, at least 20 inches least dimension and located

- directly above the dosing device. The maintenance hole shall extend through the dosing chamber cover to final grade and shall be so constructed as to prevent unauthorized entry.
- (3) The dosing chamber shall either include an alternating two-pump system or have a minimum capacity of 500 gallons or 100 percent of the average design flow, whichever is greater.
- (4) A dosing device must employ an alarm device to warn of failure.
- (5) Pumps shall be elevated from the bottom of the dosing chamber to protect the pump from settled solids. The pump, pump controls, and pump discharge line shall be installed so as to be accessible for servicing without entering the dosing chamber.
- (6) Electrical installations shall comply with applicable laws and ordinances including the latest codes, rules and regulations of public authorities having jurisdiction and with Minn. Rules pt. 1315.0200, incorporating the National Electrical Code.
- (b) Dosing device for gravity distribution.
- (1) Where a dosing device is employed, a pump or siphon shall deliver the dose to the soil treatment system for gravity distribution over the soil treatment area.
- (2) For dwellings, the dosing device shall discharge at least 600 gallons per hour, but no more than 2,700 gallons per hour.
- (3) For other establishments, the dosing device should discharge at a rate at least ten percent greater than the water supply flow rate but no faster than the rate at which effluent will flow out of the distribution device.
- (4) If the dosing device is a siphon, a maintenance inspection shall be made every six months by the owner or the owner's agent. The siphon shall be maintained in proper operating condition.
- (5) If the dosing device is a pump, it shall be cast iron or bronze-fitted and with stainless steel screws or constructed of other sound, durable, and corrosion-resistant materials.
- (6) Where the soil treatment area is at a higher elevation than the pump, sufficient dynamic head shall be provided for both the elevation difference and friction loss.
- (7) Where the dosing device is a pump, an alarm device shall be installed to warn of pump failure.
- (c) Dosing devices for pressure distribution.
- (1) The dosing device shall be a pump which is cast iron or bronze-fitted and with stainless steel screws or constructed of sound, durable and corrosion-resistant materials.
- (2) The pump discharge capacity shall be based upon the perforation discharges for an average head of 1.0 foot for dwellings and 2.0 feet for other establishments. Perforation discharge will be determined by the following formula:

 $q=19.65 \text{ cd}^2$

where:

q=discharge in gallons per minute;

c=0.60=co-efficient of discharge;

d=perforation diameter in inches; and

h=head in feet.

- (3) The pump discharge head shall be at least five feet greater than the head required to overcome pipe friction losses and the elevation difference between the pump and the distribution device.
- (4) The quantity of effluent delivered for each pump cycle shall be no greater than 25 percent of the average design flow.
- (5) A siphon will not be allowed as a dosing device to deliver effluent to a pressure distribution system.
- (6) An alarm device shall be installed to warn of pump failure. (Ord. No. 2002-95, § 13, 10-9-2002)

Sec. 12-139. Final treatment and disposal.

- (a) Discharge into oil treatment system required. Final treatment and disposal of all sewage tank effluent shall be by discharge into the soil treatment system. The required soil treatment area shall be determined by the daily sewage flow and the measured percolation rate of the soil.
- (b) Sewage flow estimation. Acceptable methods for estimating sewage flow for dwellings are given in section 12-135(b), table I. Methods for measuring percolation rate of the soil are given in section 12-134(i). The required soil treatment area size is determined in accordance with subsection (f), table V, of this section.
 - (c) *Distribution*. Distribution shall be made in accordance with section 12-137.
 - (d) Location of trenches and seepage beds.
 - (1) On slopes greater than 12 percent, the soil profile shall be carefully evaluated in the location of the proposed soil treatment system and downslope to identify the presence of layers with different permeabilities that may cause sidehill seepage. In no case shall a trench be located within 15 feet of where such a layer surfaces on the downslope.
 - (2) Seepage bed construction shall be limited to areas having natural slopes of less than six percent. Beds shall not be placed in soils with percolation rates slower than 60 minutes per inch or in floodplain areas.
 - (3) Soil treatment systems shall be located in accordance with setbacks established in section 12-136(i), table III.
 - (4) Soil treatment areas shall not be placed in areas subject to flooding or in floodplains delineated by local ordinances adopted in compliance with the Statewide Standards and Criteria for Management of Floodplain Areas of Minnesota, chapter 6120, or in areas for which regional flood information is available from the DNR, except that in areas where tenyear flood information is available from and/or approved by the DNR, soil treatment systems may be installed in accordance with the provisions of section 12-140(c).

- (e) *Distribution medium for trenches and seepage beds.* Distribution medium shall consist of drainfield rock, graveless drainfield pipe or a chambered system.
 - (1) Drainfield rock shall meet the requirements of section 12-125, definition for drainfield rock. There shall be a layer of at least 12 but no more than 24 inches of drainfield rock below the distribution pipe. The drainfield rock shall completely encase the top and sides of the distribution pipes to a depth of at least two inches. The total thickness of rock-filled trenches shall not exceed 30 inches.
 - (2) Graveless drainfield pipe including appurtenances shall be:
 - Of commercially fabricated corrugated pipe completely encased by the manufacturer in a geotextile wrap specific to this purpose;
 - An eight-inch or ten-inch nominal ID pipe that conforms to the requirements of this section and meets the requirements of American Society of Testing Materials
 (ASTM) F667, which is incorporated by reference. Requirements under this section also include the following:
 - 1. The pipes must be marked with an alignment stripe visible through the geotextile wrap and installed with this stripe at top center; and
 - The pipes shall contain a row or rows of cleanly cut three-eighths-inch to
 one-half-inch diameter holes located in such a manner to provide storage of
 solids. Each row shall contain a hole in every other corrugation valley,
 staggered such that every corrugation valley contains one hole;
 - c. Geotextile wraps specifically designed and tested for use with graveless pipe and for installation and use in individual sewage treatment systems and designed to transmit sewage at a long-term acceptance rate which corresponds to the sizing factor as prescribed in subsection (f)(2) of this section;
 - d. Protected from heat and ultraviolet rays prior to installation.
 - (3) Chamber media including all piping and appurtenances shall be constructed:
 - a. Of commercially fabricated materials specific to this purpose;
 - b. Of materials resistant to sewage tank effluent;
 - c. With an open bottom;
 - d. To support the load of overburden and sidewalk soil;
 - e. With slotted or perforated sides to allow sewage to move laterally into the soil and prevent soil penetration into the chamber;
 - f. No greater than three feet in width; and
 - g. With vertical outside dimensions less than 30 inches.
 - (f) Sizing of trenches and seepage beds.

- (1) Drainfield rock media. Table V of subsection (f)(3) of this section gives the required trench bottom assuming 12 inches below the distribution pipe. The required bottom area may be reduced, for trenches only, by the following percentages: 20 percent for 18 inches of drainfield rock below the distribution pipe; 34 percent for 24 inches. Unless pressure distribution is used, all seepage bed bottom areas must be 1.7 times the soil treatment areas required in table V. With pressure distribution, the bottom area must be 1.2 times the soil treatment area required in table V.
- (2) Graveless drainfield pipe media. Sizing shall be based on a factor of 1.2 times the soil treatment area required in table V, except that no reduction shall be given as specified in subsection (e)(1) of this section. An eight-inch ID pipe shall be equivalent to a two-foot wide rock-filled trench with six inches of drainfield rock below the distribution pipe and a ten-inch ID pipe shall be equivalent to a three-foot wide rock filled trench with six inches of drainfield rock below the distribution pipe.
- (3) *Chambered media.* Sizing shall be based on table V, with the depth of slatted sidewalls being equivalent to the corresponding depth of rock below the distribution pipe.

TABLE V

Percolation Rate (minutes per inch)		0.15	615	1630	3145	4660	
Number of	Tank size	Gallons per	Square feet				
bedrooms		day					
2	1,000 + 500	300	250	380	500	600	660
3	1,000 + 1,000	450	380	570	750	900	990
4	1,000 + 1,000	600	500	760	1,000	1,200	1,320
5	1,500 + 1,000	750	630	950	1,250	1,500	1,650
6	1,500 + 1,000	900	750	1,140	1,500	1,800	1,980
7	2,000 + 1,000	1050	870	1,330	1,750	2,100	2,310
8	2,000 + 1,000	1200	990	1,520	2,000	2,400	2,640
Square feet per gallon		.83	1.27	1.67	2	2.20	

Percolation Rate,	Soil Texture	Square Feet Per Gallon	Gallons Per Day Per
Minutes Per Inch (MPI)		Per Day	Square Foot
Faster than 0.1^1	Coarse sand		
$0.1 \text{ to } 5^2$	Sand	0.83	1.20
0.1 to 5	Fine sand ³	1.67	0.60
6 to 15	Sandy soam	1.27	0.79
16 to 30	Loam	1.67	0.60
31 to 45	Silt soam	2.00	0.50
46 to 60	Clay soam	2.20	0.45
Slower than 60^4	Clay		

¹Soil too coarse for sewage treatment. ²Distribution of sewage effluent shall be by pressure flow over the treatment area or by dividing treatment area into a minimum of four equal parts connected serially, by means of drop boxes. ³For soils having more than 50 percent of very fine sand by weight, plus fine sand having a particle size range of 0.05 millimeters (sieve size 270) to 0.25 millimeters (sieve size 60), the required soil treatment area is 1.67 square feet per gallon of sewage flow per day. ⁴Soil with too high a percentage of clay for installation of an in ground standard system.

(g) Design and construction of trenches and seepage beds.

- (1) The bottom and sides of trenches and beds shall be in original soils at least three feet above the saturated soil or bedrock. In no case shall the bottom of the distribution medium be deeper than 42 inches from the final grade.
- (2) The trenches shall not be less than 18 inches nor more than 36 inches wide. Any excavation wider than 36 inches shall be considered a bed. No bed may be wider than 25 feet and parallel beds must be at least ten feet apart. The width of the excavation for graveless drainfield pipe and chambered systems shall be installed per manufacturer's recommendation.
- (3) Drainfield rock must be used as the distribution medium in seepage beds.
- (4) There shall be a layer of at least 12 but no more than 24 inches of drainfield rock in the bottom of trenches. The drainfield rock shall completely encase the top and sides of the distribution pipes to a depth of at least two inches. The top of the drainfield rock in trenches, beds and mounds must be level in all directions.
- (5) The bottom and side of the soil treatment system to the top of the distribution medium shall be excavated in such a manner as to expose the original soil structure in an unsmeared and uncompacted condition. Excavation into the soil treatment area shall be made only when the soil moisture content is at or less than the plastic limit.
- (6) Excavation equipment or other vehicles shall not be driven on the soil treatment area. Once the trench or seepage bed is excavated, it shall not be exposed to rainfall prior to placement of the final backfill.
- (7) A vertical inspection pipe at least 1 1/2 inches in diameter shall be installed and secured in the distribution medium of every trench or seepage bed. The inspection pipe must be located at an end opposite from where the sewage tank effluent enters the medium. The inspection pipe must have three-eighths inch or larger perforations spaced vertically no more than six inches apart. At least two perforations must be located in the distribution medium. No perforations shall be located above the geotextile cover or wrap. The inspection pipe must extend to the bottom of the distribution medium and must be capped flush with or above finished grade.
- (8) The top and bottom of the distribution medium shall be level in all directions.
- (9) Drainfield rock must be covered by a durable non-woven geotextile cover specific to this purpose. The cover must be of sufficient strength to undergo installation without rupture. In addition, the cover must permit passage of water without allowing the passage of overlying soil material into drainfield rock.
- (10) The minimum depth of cover over the distribution medium shall be at least six inches. The maximum depth of cover over the distribution pipes shall be no more than 24 inches.
- (11) The trenches or beds shall be backfilled and crowned above finished grade to allow for settling. The top six inches of soil shall have the same texture as the adjacent soil.
- (12) A vegetative cover shall be established over the soil treatment system. The soil treatment system shall be protected until a vegetative cover is established. The vegetative cover shall not interfere with the hydraulic performance of the system and shall provide adequate frost and erosion protection.
- (13) All joints for graveless drainfield pipes or chambered systems must be secured as recommended by the manufacturer.

- (14) Backfilling for graveless drainfield pipes and chambered systems shall not crush or damage the medium.
- (h) Dual field systems.
- (1) Dual field systems shall be used only where the percolation rate is slower than five minutes per inch unless a liner or pressure distribution system is employed as specified in section 12-138(c).
- (2) Dual field systems shall be sized, designed and constructed as set forth in subsection (g) of this section for standard systems except as follows:
 - a. The soil treatment area shall be divided into two or more parts.
 - b. Alternating soil treatment areas shall each be connected to a valve box outlet.
- (3) A part of the soil treatment area shall be used no more than one year unless the effluent level indicates that a longer duration can be used.
- (i) Rapidly permeable soils. Soil treatment systems placed in soils with a soil sizing factor of 0.83 gallons per day per square foot must provide at least one of the following treatment techniques.
 - (1) Distribute the sewage tank effluent by pressure flow over the treatment area as specified in section 12-138(c).
 - (2) Divide the total soil treatment area into at least four parts with no part larger than 25 percent of the area required by subsection (f) of this section and the parts constructed for serial application.
 - (i) Mounds.
 - (1) Location of mounds.
 - a. Mounds must be constructed on original soils so that there is at least 36 inches of separation between the drainfield rock layer and limiting soil characteristics as defined in section 12-125, soil characteristics.
 - b. There must be at least 18 inches of original soil with a percolation rate faster than 60 minutes per inch above the limiting soil characteristics as defined in section 12-125, soil characteristics.
 - c. Exceptions are provided to subsections (1)a and b of this section for previously developed sites: a depth of 12 inches of original soil may be used, and a 61 to 120 minutes per inch percolation rate may be used.
 - d. If original soil conditions do not exist on a site proposed for a mound, as defined in section 12-125, original soils, the site is deemed unsuitable for a mound.
 - e. Setbacks for mounds shall be as established in table III of section 12-136(i) and shall be measured from the absorption area.
 - f. Absorption areas shall not be placed in areas subject to flooding as described in section 12-140(c)(4).

- g. On slopes of one percent or greater, and where the percolation rate in the top foot of original soil is in the 61 to 120 minutes per inch range, mounds shall not be located where the ground surface contour lines directly below the long axis of the rock bed represent a swale or draw, unless the contour lines have a radius of curvature greater than 100 feet. Mounds must never be located in swales or draws where the radius of curvature of the contour lines is less than 50 feet. In no case shall mounds be placed on slopes greater than 12 percent.
- (2) Design of mounds. Drainfield rock must be used as the distribution medium in mounds.
 - a. The bottom area of the rock bed shall be calculated by multiplying the average design flow by 1.0 square feet per gallon per day.
 - b. The width of a single rock bed must not exceed ten feet.
 - c. A minimum of 12 inches of clean sand must be placed where the rock bed is located.
 - d. The required absorption width is calculated by multiplying the rock bed width by the absorption ratio. The absorption ratio shall be determined according to table VI of this article, using percolation rate of the upper 12 inches of soil in the proposed absorption area.

Table VI. Absorption Ratio by Percolation Rate

Percolation Rate of	Absorption Ratio
Original Soil Under	
Sand Layer, Minutes per	
Inch	
Faster than 5	1.00
6 to 15	1.50
16 to 30	2.00
31 to 45	2.40
46 to 60	2.67
61 to 120	5.00

- e. The required absorption width for mounds constructed on slopes from zero to one percent shall be centered under the rock bed width. The required absorption width for mounds constructed on slopes greater than one percent shall be measured downslope from the downslope edge of the rock bed width and measured in the direction of the original land slope and perpendicular to the original contours.
- f. The side slopes on the mound must not be steeper than three horizontal units to one vertical unit and shall extend beyond the required absorption area, if necessary.
- g. On slopes of one percent or greater, the upslope edge of the level drainfield rock must be placed on the contour.
- h. Whenever mounds are located on slopes greater than one percent, a diversion must be constructed immediately upslope from the mound to intercept and direct runoff.

- i. A maximum of two ten-foot wide beds may be installed side by side in a single mound if the original soil percolation rate is between five and 60 minutes per inch to a depth of at least 24 inches below the sand layer. The beds must be separated by at least four feet of clean sand.
- j. Distribution of effluent over the rock bed must be by level perforated pipe under pressure. A pump must be used as specified in section 12-138(c).
- k. The rock bed shall completely encase the top and sides of the distribution pipes to a depth of at least two inches above the pipe. The rock shall extend nine inches below the pipe.
- 1. A vertical inspection pipe at least 1 1/2 inches in diameter shall be installed and secured at each rock bed/sand interface of every mound. The inspection pipe must have three-eighths inch or larger perforations spaced vertically no more than six inches apart. At least two perforations must be located in the rock bed. No perforations shall be located above the permeable synthetic fabric. The inspection pipe must extend to the bottom of the rock bed and must be capped flush with or above finished grade.
- m. The rock bed must be covered with a durable non-woven geotextile cover specific to this purpose. The cover must be of sufficient strength to undergo installation without rupture. In addition, the cover must permit passage of water without passage of overlying soil material into the drainfield rock.
- n. Sandy to loamy soil material must be placed on the rock bed to a depth of one foot in the center of the mound and to a depth of six inches at the sides. When two rock beds are installed side by side, the soil material must be 18 inches deep at the center of the mound and six inches deep at the sides.
- o. Six inches of top soil must be placed over the entire mound. Topsoil does not include peat soil textures.
- (3) *Surface preparation for mounds.*
 - a. The supply pipe from the pump to the mound area must be installed before mound soil surface preparation. The trench excavated for the supply pipe must be carefully backfilled and compacted to prevent seepage of effluent.
 - b. All vegetation in excess of two inches in length and dead organic debris must be removed from the absorption area. Trees must be cut nearly flush with the ground and stumps should not be removed.
 - c. All surface preparation must take place when the upper 12 inches of soil has a moisture content of less than plastic limit and soil conditions allow field testing of soil properties and these properties are maintained throughout installation.
 - d. The absorption area must be roughened by backhoe teeth or moldboard, or chiselplowed to a depth of eight inches. Disking is allowed if the upper eight inches of soil
 has a texture of sandy loam or coarser. If plowed, furrows must be thrown uphill and
 there must not be a dead furrow in the absorption area. A rubber-tired tractor may be
 used for plowing or disking. Rototilling or pulverizing the soil is not allowed. The
 original soil must not be excavated or moved more than one foot from its original
 location during soil surface preparation.

e. Prior to placement of six inches of clean sand, no vehicle shall be driven on the absorption area after the surface preparation is completed. If rainfall occurs on the prepared surface, the site must be allowed to dry below the plastic limit and roughened as specified in subsection (j)(3)d of this section.

(4) Mound construction.

- a. The clean sand must be placed by using a construction technique that minimizes compaction. If the clean sand is driven on for construction, a crawler or track-type tractor must be used for mound construction. At least six inches of sand must be kept beneath equipment to minimize compaction of the prepared surface.
- b. The sand layer upon which the rock bed is placed must be level in all directions.
- c. The top of the rock bed must be level in all directions.
- d. Construction vehicles must not be allowed on the rock bed until backfill is placed.
- e. A vegetative cover must be established over the entire area of the mound. The soil treatment system mound shall be protected until a vegetative cover is established. The established vegetative cover shall not interfere with the hydraulic performance of the system and shall provide adequate frost and erosion protection.
- f. Shrubs must not be planted on the top of the mound. Shrubs may be placed at the foot and side slopes of the mound.
- (k) At-grade systems.
- (1) Location of at-grade systems.
 - At-grade systems must be constructed on original soils so that there is at least 36 inches of separation between the bottom of the rock bed and saturated soil or bedrock.
 - b. Percolation tests shall be conducted in the upper 12 inches of original soil. At-grade systems are only allowed if constructed on soils with percolation rates faster than 61 minutes per inch.
 - c. At-grade systems shall not be installed in areas with slopes greater than 12 percent.
 - d. Setbacks must be in accordance with table III of section 12-136(i). Setbacks shall be measured from the edge of the rock bed.
- (2) Design of at-grade system.
 - a. Rock bed absorption width shall be calculated by multiplying the linear loading rate by the soil sizing factor as identified in table V of section 12-139(f)(3), using the percolation rate of the upper 12 inches of soil in the proposed absorption area. The linear loading rate shall be between two and eight gpd/ft. as determined by the relationship between vertical and horizontal water movement in the soil. Total rock bed width for sloping ground shall consist of the rock bed absorption width plus enough rock on the upslope side to provide stability.

- b. Rock bed length shall be calculated by multiplying the soil sizing factor by the average design flow and dividing by the rock bed width.
- c. At-grade systems shall be pressurized in accordance with sections 12-137(c) and 12-138(c). Distribution pipe shall be installed in the center of the rock bed on slopes less than one percent and on the upslope edge of the rock bed absorption width on slopes one percent or greater.
- (3) Construction of at-grade systems.
 - a. Surface preparation for at-grade systems shall be the same as for mound construction, subsection (k)(2)a-c of this section.
 - b. Drainfield rock must be used as the distribution medium in at-grade systems.
 - c. The upslope edge of an at-grade system shall be installed along the natural contour.
 - d. The rock bed shall completely encase the top and sides of the distribution pipe to a depth of at least two inches above the pipe. There shall be at least nine inches of rock below the distribution pipe.
 - e. The entire rock bed shall be covered with a durable nonwoven geotextile cover specific to this purpose. The cover must be of sufficient strength to undergo installation without rupture. In addition, the cover must permit passage of water without allowing the passage of overlying soil material into the drainfield rock.
 - f. One foot of loamy or sandy cover material shall be installed over the rock bed. Cover shall extend at least five feet from the ends of the rock bed and be sloped to divert surface water. Side slopes shall not be steeper than four horizontal units to one vertical unit. The upper six inches of the loamy soil cover must be topsoil. Topsoil must be of a quality that provides a good vegetative cover on the at-grade system and must exclude peaty material.
 - g. Three vertical inspection pipes of at least 1.5 inches in diameter shall be installed and secured along the downslope portion of the rock bed. These pipes shall be located within three feet of the downslope edge of the rock bed at the middle and one-sixth of the total rock bed length and placed as measured from the ends of the rock bed. The inspection pipes shall have three-eighths inch or larger perforations spaced vertically no more than six inches apart. No perforations shall exist above the permeable synthetic fabric. The inspection pipes must extend to the rock bed/soil interface and must be stabilized and capped flush with or above finish grade.
 - h. A vegetative cover must be established over the entire area of the at-grade system. The soil treatment at-grade system shall be protected until a vegetative cover is established. The established vegetative cover shall not interfere with the hydraulic performance of the system and shall provide adequate frost and erosion protection.

(Ord. No. 2002-95, § 14, 10-9-2002)

Sec. 12-140. Alternative systems.

(a) *Standards*. The intent of this section is to provide standards for the location, design, installation, use and maintenance of alternative sewage treatment systems. Alternative systems must meet the requirements below and can only be used when a standard system cannot be installed or is not the most suitable

treatment. They may be employed provided:

- (1) Reasonable assurance of performance of the system is presented to the permitting authority;
- (2) The engineering design of the system is first approved by the permitting authority;
- (3) There is no discharge to the ground surface or to surface waters; systems designed with a ground surface or surface water discharge are not covered under this article and must obtain a national pollutant discharge elimination permit (NPDES) or state disposal system (SDS) permit from the state pollution control agency;
- (4) A three-foot minimum separation is provided between the bottom of the distribution medium and the saturated soil or bedrock;
- (5) Treatment and disposal of wastes is completed in a manner that protects the public health and general welfare;
- (6) The system complies with all local codes and ordinances and is subject to periodic inspections by the permitting authority to ensure adherence to specifications;
- (7) A mitigative plan is provided to the permitting authority indicating what will be done if the system fails to provide treatment and disposal; and
- (8) A water meter is provided, located downflow of any outside sillcocks, to verify water use.
- (b) Artificial drainage.
- (1) Where natural drainage does not provide three feet of separation, artificial drainage may be used to intercept the high-water table provided the water table has a slope of at least two feet per hundred feet and that drainage exists upslope of the soil treatment system. There shall be at least ten feet of undisturbed soil between the sidewall of the soil treatment unit and the artificial drainage. Monitoring may be required.
- (2) Where required, water table measuring piezometers shall be strategically placed, capped and extend at least three feet lower than the bottom of the soil distribution medium. Monitoring shall occur by measuring water table depths prior to installation and overtime, including during wet periods. Monitoring records must be maintained. If the artificial drain includes a dedicated surface discharge, periodic sampling as approved by the permitting authority must occur.
- (3) In all cases, the greatest practicable vertical separation distance from the system bottom to saturated soil shall be provided, with a minimum of three feet.
- (c) Floodplain areas.
- (1) There shall be no pipe or other installed opening between the distribution medium and the soil surface.
- (2) Trench systems shall be located on the highest feasible area of the lot and shall have location preference over all other improvements except the water supply well. The bottom of the distribution medium shall be at least as high as the elevation of the ten-year flood. The sewage tank may be located so as to provide gravity flow to the trenches.

- (3) If a dosing chamber is used to move effluent from the sewage tank to the trenches, provisions shall be made to prevent the pump from operating when inundated with floodwaters.
- (4) When it is necessary to raise the elevation of the soil treatment area, a mound system as specified in section 12-139(j) may be used with the following additional requirement: In no case shall the sand fill for the mound exceed 48 inches below the rock bed. The elevation of the mound shall be such that the elevation of the bottom of the rock bed shall be at least one-half foot above the ten-year flood elevation. Inspection pipes shall not be installed unless the top of the mound is above the elevation of the regional flood.
- (5) When the top of a sewage tank is inundated, the dwelling must cease discharging sewage into it. This may be accomplished by either temporarily evacuating the structure until the system again becomes functional, or by diverting the sewage into a holding tank sized and installed according to subsection (h) of this section.
- (6) The building sewer shall be designed to prevent backflow of liquid into the building when the system is inundated. If a holding tank is used, the building sewer shall be designed to permit rapid diversion of sewage into the holding tank when the system is inundated.
- (7) Whenever the water level has reached a stage above the top of a sewage tank, the tank shall be pumped to remove all solids and liquids after the flood has receded before use of the system is resumed.
- (d) *Greywater systems.* A toilet waste treatment device shall be used in conjunction with a greywater system. In all cases, only toilet wastes shall be discharged to toilet waste treatment devices. Greywater or garbage shall not be discharged to the device except as specifically recommended by a manufacturer.
 - (1) Plumbing. The drainage system in new dwellings or other establishments shall be based on a pipe diameter of two inches to prevent installation of a water flush toilet. There shall be no openings or connections to the drainage system, including floor drains, larger than two inches in diameter. For repair or replacement of an existing system, the existing drainage system may be used. Toilets or urinals of any kind shall not be connected to the drainage system. Toilet waste or garbage shall not be discharged to the drainage system. Garbage grinders shall not be connected to the drainage system.
 - (2) Building sewer. The building sewer shall meet all requirements of section 12-132 except that the building sewer for a greywater system shall be no greater than two inches in diameter.
 - (3) Sewage tank. Greywater septic tanks shall meet all requirements of section 12-136(a). The sewage tank for a greywater system shall be a single tank in accordance with the first tank shown in section 12-136(g), table II.
 - (4) Soil treatment area. The soil treatment area shall be 60 percent of the amount calculated in section 12-139(f), table V.
 - (5) Distribution and dosing. Distribution and dosing of greywater shall meet all requirements of sections 12-137 and 12-138.
 - (6) Final treatment and disposal. A standard greywater system shall meet all requirements of section 12-139.
 - (e) Privies.

- (1) Privies shall be considered only when there is no water supplied to the dwelling.
- (2) Pit privies shall not be installed where the bottom of the pit is less than three feet above the saturated soil or bedrock. A vault privy shall be used in areas not meeting the three-foot separation. The vault of a vault privy shall be constructed in the same manner as a sewage tank.
- (3) Privies shall be set back from surface waters, buildings, property lines, and water supply wells as prescribed in table III of section 12-136(i).
- (4) Pits or vaults shall be of sufficient capacity for the dwelling they serve, but shall have at least 50 cubic feet of capacity. The sides of the pit shall be curbed to prevent cave-in. The privy shall be constructed so as to be easily maintained and it shall be insect-proof. The door and seat shall be self-closing. All exterior openings, including vent openings, shall be screened.
- (5) Privies shall be adequately vented.
- (6) When the privy is filled to within one foot of the top of the pit, the solids shall be removed.
- (7) Abandoned pits shall have the solids removed and be filled with clean earth and slightly mounded to allow for settling. Removed solids shall be disposed of in accordance with section 12-142(h).
- (f) Other toilet waste treatment devices.
- (1) Other waste toilet treatment devices may be used where reasonable assurance of performance is provided.
- (2) All devices shall be vented.
- (3) All electrical, gas, and water connections shall conform to all local ordinances and codes.
- (4) Operation and maintenance shall follow the manufacturer's recommendations.
- (g) Collector systems.
- (1) Where site and soil conditions do not allow for final treatment and disposal on an individual lot, a soil treatment system located on another lot may be employed.
- (2) Except for systems designed for 1,200 gallons per day or less, collector systems shall be designed by a registered professional engineer, licensed in the state, and certified by the MPCA as competent in the field of on-site system design.
- (3) Hydrogeologic study. Due to the effect large flows have on groundwater quality and groundwater mounding, a hydrologist shall determine site suitability based on the following:
 - a. Identification of the depth to the static groundwater level and any perched water or areas likely to be seasonally saturated;
 - b. Identification of the depth to bedrock;
 - c. Identification of the proposed depth of the distribution medium;
 - d. Determination of the direction of groundwater flow, both horizontally and vertically;
 - e. Determination of the background water quality at the location;
 - f. Estimation of the height of groundwater mounding from the proposed system to confirm adequate vertical separation;
 - g. Determination whether drinking water standards can be met at the property boundary;
 - h. Estimation of the impact of water quality on existing or future downstream wells.

Depending on this estimate, piezometer and/or monitoring wells may be required.

A hydrogeologic study may not be required for a collector system designed for 1,200 gallons per day or less.

- (4) Application to the department shall be accompanied by the hydrogeologic study and engineering drawings and specifications and shall demonstrate compliance with all applicable local ordinances, the plumbing code and issues related to joint ownership of land, joint system maintenance responsibilities, homeowners associations, easements, covenants, and such other items as may apply to the specific proposal.
- (5) Design standards.
 - a. Sewer systems shall be designed based on the sum of the areas required for each dwelling or other establishment being served. Flows shall be increased to allow for 200 gallons of infiltration per inch of pipe diameter per mile per day.
 - b. The system shall be designed with each dwelling or other establishment having a sewage tank or with a common sewage tank. In the case of a common tank, the capacity of the tank shall be the sum of the tanks sized according to section 12-136(g).
 - c. The sum of a common soil treatment system shall be based on the sum of the areas required for each dwelling unit or establishment being served.
 - d. The sewer for systems with common sewage tanks shall be constructed to give mean velocities, when flowing full, or not less than two feet per second. The sewer for systems with individual sewage tanks shall be so constructed and designed to hydraulically conduct the flow for which they were designed. In no case shall a gravity sewer be less than four inches in diameter. The diameter and grade line should be based on a flow equal to 50 percent of the average design flow occurring in a one-hour period.
 - e. Infiltration or exfiltration shall not exceed 200 gallons per inch of pipe diameter per mile per day.
 - f. Cleanouts, brought flush with or above finished grade, shall be provided wherever a common sewer joins an individual building sewer or piping from an individual sewer tank, or every 100 feet, whichever is less, unless maintenance hole access is provided.
 - g. There shall be no physical connection between sewers and water supply systems. Sewers shall be set back from water supply systems and piping as required for building sewers. Where it is not possible to obtain proper separation distances, the sewer connections shall be watertight and pressure tested.
 - h. Pipes and pipe joints shall be watertight.
 - i. Dosing chambers shall meet all requirements in section 12-138(a).
 - j. Pumps and dosing chambers shall be sized to handle 50 percent of the average design flow in a one-hour period. Common pump tanks shall have a pumpout capacity of ten percent of average design flow and two alternating pumps.
 - k. A separate alarm system for each pump shall be provided for all pumping stations to warn of pump failure, overflow, or other malfunction.
 - 1. For systems with individual septic tanks, a stilling tank of at least 1,500 gallons liquid capacity or ten percent of the average design flow, whichever is greater, should be provided before the soil treatment system.
 - m. Pump stations shall have maintenance holes flush with or above finished grade for

- cleaning and maintenance. Maintenance covers shall be secured so as to prevent unauthorized entry.
- n. All persons using a common individual sewage system shall ensure, by contract with maintenance personnel or other equivalent means, that the system will be maintained throughout its useful life. The system so maintained includes common soil treatment systems, common sewage tanks, common pumps, common pump stations, common sewers, and all individual tanks connected to the common system.
- (h) Holding tanks.
- (1) Sewage holding tanks may be considered for installation on previously developed sites as a temporary method for periods of up to one year, during which time measures are taken to provide municipal sewer service or the installation of an approved system as provided in this article. Holding tanks may be considered on a permanent basis for nonresidential, low water use establishments generating less than 150 gallons per day of waste, subject to the approval of the department. Holding tanks may also be considered for floor drains for vehicle parking areas and existing facilities potentially generating a hazardous waste.
- (2) A holding tank shall be constructed of the same materials and by the same procedures as specified in this article for sewage tanks, section 12-136.
- (3) A cleanout pipe of at least six inches diameter shall extend to the ground surface and be provided with seals to prevent odor and to exclude insects and vermin. A maintenance hole of at least 20 inches least dimension shall extend through the cover to a point no less than six inches below the finished grade. If the maintenance hole is covered with less than six inches of soil, the cover must be secured to prevent unauthorized access.
- (4) When installed in areas of high groundwater within six feet of the ground surface, holding tanks shall be installed entirely above the groundwater level or shall be installed according to an engineer's design to prevent flotation.
- (5) For a dwelling, the minimum size shall be 1,200 gallons or 400 times the number of bedrooms, whichever is greater. For other establishments, the minimum capacity shall be based on measured or estimated flow rates. Minimum capacity shall be equal to at least eight times the average design flow.
- (6) Holding tanks shall be located as specified for sewage tanks in table III of section 12-136(i); in an area readily accessible to the pump truck under all weather conditions; and where accidental spillage during pumping will not create a nuisance.
- (7) A contract for disposal and treatment of the septage shall be maintained by the owner with a pumper, municipality, or firm established for that purpose.
- (8) Holding tanks shall be monitored to minimize the chance of accidental sewage overflows by installation of an alarm or warning device which will activate a signal when the tank reaches 75 percent of its capacity.
- (9) The permitting authority shall be provided right of access to perform periodic maintenance and operational inspections of the system.

(Ord. No. 2002-95, § 15, 10-9-2002)

Sec. 12-141. Experimental systems.

(a) *Conditions when permissible.* Utilizing innovative techniques or methods may be considered for new or existing development under the following conditions:

- (1) The permit for experimental systems shall be recorded in the county recorder/registrar of titles office setting forth the fact that this is an experimental system, including the details of the performance monitoring, mitigation plan, and mitigation cost agreement.
- (2) Reasonable assurance of performance of the system is presented to the permitting authority.
- (3) The system being proposed is supported by engineering data and approved by the permitting authority.
- (4) The system is in compliance with state pollution control agency rules.
- (5) Experimental systems will not be allowed in areas where a new system or modifications to a new system are not feasible if failure occurs; unless adequate area for long-term sewage treatment by suitable soils, as required for standard systems, is defined and reserved on the site. For the purposes of this section, long-term sewage treatment is considered space for two standard on-site soil treatment systems.
- (6) Performance monitoring of the system, including, but not limited to, water use metering, effluent quality and system inspection and maintenance as defined by the permitting authority, is provided.
- (7) A mitigative plan must be provided to deal with possible system failure. Such plan must include the planned corrections and/or replacement, an agreement among the parties clarifying who will pay the cost of mitigation, and a statement of indemnification holding the county harmless from any damages arising out of a system failure.
- (b) *Failure of system.* Failure of an experimental system to function or to properly treat waste to a standard equivalent to a standard drainfield system will require discontinuation of use of the experimental system until modifications can be made or the system replaced with a standard system.
- (c) *Variance*. Proposed experimental systems which do not provide the three feet minimum separation must obtain a variance from the state pollution control agency as specified in Minn. Rules pt. 7080.0305, subpt. 3. (Ord. No. 2002-95, § 16, 10-9-2002)

Sec. 12-142. Maintenance requirements.

- (a) All individual sewage treatment systems, both currently existing as well as those installed under this article, and all components must be maintained in compliance with this section and other manufacturer requirements.
- (b) The owner of an individual sewage treatment system or the owner's agent shall regularly, but in no case less frequently than every three years, have the tanks pumped. As an alternative, the owner may inspect and measure the accumulations of scum, which includes grease and other floating materials at the top of each septic tank and compartment along with the sludge, which includes the solids denser than water.
- (c) The owner of a septic tank or the owner's agent must arrange for the removal and proper disposal of septage from all tanks or compartments in which the top of the sludge layer is less than 12 inches below the bottom of the outlet baffle or whenever the bottom of the scum layer is less than three inches above the bottom of the outlet baffle.
- (d) All accumulations of sludge, scum and liquids must be removed through the maintenance hole. The owner or the owner's agent shall install maintenance holes in sewage tanks in accordance with section 12-136(a) to allow for maintenance to take place through the maintenance hole.
- (e) Individual sewage additives must not be used as a means to reduce the frequency of proper maintenance and removal of septage from the septic tank.
- (f) Individual sewage treatment system additives which contain hazardous substances must not be used in individual sewage treatment systems.

- (g) Any accumulation of solids in pump stations, distribution devices, valve boxes, or drop boxes shall be considered septage. Whenever inspection of pump stations, distribution devices, valve or drop boxes indicates accumulation of solids, such devices shall be promptly cleaned.
- (h) Septage shall be disposed of in accordance with state, federal or local requirements. If septage is disposed into a municipal sewage treatment facility, a written agreement must be provided between the accepting facility and the septage disposal firm.
- (i) Any maintenance activity used to increase the acceptance of effluent to a soil treatment system must:
 - (1) Not be used on failing systems;
 - (2) Not decrease the separation to the saturated soil or bedrock;
 - (3) Not cause preferential flow from the system bottom to the saturated soil or bedrock; and
 - (4) Be conducted by a qualified employee or under an installer license.
- (j) Licensed pumping contractors shall maintain accurate records of pumping activity in the city and shall report such data annually to the department on forms provided.

(Ord. No. 2002-95, § 17, 10-9-2002)

Sec. 12-143. System abandonment.

- (a) Tank abandonment procedures for sewage tanks, cesspools, leaching pits, dry wells, seepage pits, privies, and distribution devices are as follows: All solids and liquids shall be removed and disposed of in accordance with section 12-142(h), and abandoned chambers shall be removed or filled with soil material.
 - (b) Access for future discharge to the system shall be permanently denied.
- (c) If soil treatment systems are removed, contaminated materials shall be properly handled to prevent human contact and shall be disposed of in a manner ensuring that public health and the environment are protected.

(Ord. No. 2002-95, § 18, 10-9-2002)

Sec. 12-144. Washington County Regulations relating to sewage treatment.

The City adopts by reference the most current Washington County Regulations related to Individual Sewage Treatment Systems; and all systems shall meet the standards as stated in Section 12-128. If conflicts occur between the county regulations and those identified in this Article, the County Regulations shall govern.

Secs. 12-145--12-169. Reserved.

ARTICLE V. EXCAVATION OF SAND, GRAVEL OR OTHER SOIL

DIVISION 1. GENERALLY

Sec. 12-170. Gravel contractor inspection fee.

Gravel contractors shall pay to the city a fee established by ordinance on the basis of the amount of gravel hauled, the fee and the amount hauled to be submitted to the city on an annual basis. The purpose of this fee is to cover all costs incurred by the city regarding inspection and supervision of the gravel operation, it being anticipated that an inspector will inspect the gravel operation on a weekly basis. (Ord. No. 40, § 2(G), 2-4-1975)

Secs. 12-171--12-193. Reserved.

DIVISION 2. PERMIT

Sec. 12-194. Required; exception.

- (a) Activities requiring permit. No person shall do any of the following acts within the city without first obtaining a permit therefor from the city:
 - (1) Open, operate or maintain any sand, gravel or other pit or place or grounds for the excavation of sand, gravel or other soil.
 - (2) Excavate, remove, or store any sand, gravel, rock, dirt, clay or any other material deposits.
- (b) Exception. No permit shall be required by the owner of land to take gravel or sand for the use on the premises or to take products which are to be used on said premises. Such permits shall be renewable annually and shall expire one year from the date of issuance. Failure to comply with the conditions of such permit as hereinafter set forth shall be grounds for revocation of the same or for refusal to renew the same upon expiration thereof.

(Ord. No. 40, § 1, 2-4-1975)

Sec. 12-195. Application.

Prior to the issuance of such a permit, the following requirements shall be complied with:

- (1) The application for special use permit shall contain the following:
 - a. A legal description of the lands from which it is proposed to remove earthly deposits.
 - b. The name and address of the applicant and the owner of the land.
 - c. Copies of any agreements contemplated or entered into between the owner of such lands and any other person, firm or corporation for the operation of maintenance of such removal of earthly deposits.
 - d. The purpose of the removal. Soil-boring samples may be required to determine the nature of the materials to be mined or extracted and the extent of the deposits.
 - e. The estimated time required to complete the removal.
 - f. The highways, streets, or other public ways within the city upon and along which the material removal shall be transported.
 - g. In the event that water is used in the operation of a pit, then in that event approval from the state department of health shall be obtained as to the type, location and depth of said well and included with said application.
- (2) The applicant shall also submit a plan showing the following:
 - a. The nature and location of the processing of earthly deposits.
 - b. The area, depth and grade of such processing and the estimated quantity of earthly deposits to be added to or removed from the premises.
 - c. The drainage of surface water at all stages of processing.
 - d. The distance of the processing from the lot lines and from any structures in the immediate vicinity.

e. The proposed finished elevations as compared to the elevations prior to the extraction based on sea level readings.

(Ord. No. 40, § 2(A), (B), 2-4-1975)

Sec. 12-196. Fees and application expenses.

- (a) Except as hereinafter provided, the annual fee for such permit shall be as established by ordinance and shall accompany the application. In the event that such application is denied, the city council shall retain such amount of said fee as shall be necessary to defray the costs of engineering and legal services incurred by the city council in connection with such application, and the balance, if any, shall be returned to the applicant.
- (b) In the event the cost of engineering and legal services exceed said sum, then in that event the applicant shall, upon notice from the city, reimburse the city for the same. The application shall be in such form and shall furnish such information as shall be required by the city council. (Ord. No. 40, § 2(E), 2-4-1975)

Sec. 12-197. Insurance requirements.

- (a) Casualty insurance; certificate required. The gravel contractor or lessor of the land involved shall secure and maintain such insurances from an insurance company authorized to write casualty insurance in the state as will protect himself and his agents and the city from claims for bodily injury, death or property damage which may arise from operations under a gravel permit duly issued under this article. A gravel contractor shall not commence work under this article and under a permit duly issued by the city until he has obtained all insurance required under this section and shall have filed a certificate of insurance or the certified copy of an insurance policy with the city. Each insurance policy shall contain a clause providing that it shall not be cancelled by the insurance company without ten days' written notice to the city of intention to cancel.
 - (b) *Insurance levels*. The amounts of such insurance shall not be less than the following:
 - (1) Worker's compensation and employer's liability insurance shall be secured and maintained as required by the state.
 - (2) Public liability, personal injury, and property damage:
 - a. Injury or death of one person--\$250,000.00.
 - b. Injury to more than one person in a single accident--\$500,000.00.
 - c. Property damage--\$200,000.00.
 - (3) Automobile and truck public liability, personal injury and property damage, including owned and nonowned vehicles:
 - a. Injury or death of one person--\$250,000.00.
 - b. Injury to more than one person in a single accident--\$500,000.00.
 - c. Property damage--\$100,000.00.
- (c) *Insurance for other hazards*. The gravel contractor is responsible for any damage as a result of the work, operations, acts, omissions, neglect, equipment failure or other clauses arising out of this contract,

including such damage as may be caused by or result from water. Insurance for hazards other than protected by insurance specified in this section is at the contractor's option. (Ord. No. 40, § 2(F), 2-4-1975)

Sec. 12-198. Restrictions on special use permits.

The city council may impose the following restrictions and requirements in agreement form upon the applicant for a special use permit or any other person interested in the issuance of such permit, either as a prerequisite to the granting of said permit, or after such permit has been granted as follows:

- (1) Fencing. That the owner or applicant properly fence any pit so that said pit or any standing waters therein may not be a hazard to children.
- (2) Slope limitations, maintenance. That the applicant or owner slope the banks and otherwise guard and keep any pit in such condition as not to be dangerous to persons or property because of sliding or caving banks; provided, however, that the maximum slopes shall be as follows: Slopes on interior or working portions of the pit shall be at one foot horizontal to one foot vertical; slopes or any edge contiguous to property owned by others or railroads shall be four feet horizontal to one foot vertical.
- (3) *Prevention of runoff.* That the owner or applicant prevent water runoff damage, including erosion on adjacent property and the deposit of material by water runoff on adjacent property.
- (4) *Dust and noise prevention*. That the owner or applicant employ all reasonable means to reduce dust, noise and nuisances, including, but not limited to, spraying the material that is being processed with water.
- (5) Screening. That the applicant or owner shall plant suitable and fast-growing screening trees which shall be a minimum of six feet high placed in two rows staggered with trees not more than ten feet apart in each row, when necessary to eliminate unsightly view of the operations.
- (6) Restoration of site. On completion of the operation, the applicant shall properly drain and level off any pit and restore the contour of the site of the operation to a condition that is reasonably similar to the condition that existed prior to the commencement of the operation. Such condition must not adversely affect the surrounding land/or future development of the site on which the operation was conducted. Upon closing operations or leaving any particular excavation or area in the site, the applicant shall regrade that area which was excavated or disturbed in order that no slopes are in excess of three feet horizontal to one foot vertical.
- (7) Removal of material. The applicant or owner shall remove any extracted material upon and along the highways, streets, and other public ways in the city as the city engineer shall order and direct.
- (8) *Inspections; costs.* The applicant or owner shall reimburse the city for the cost of periodic inspections by the city engineer or other city employee for the purpose of seeing that the terms under which the permit has been issued are being complied with.
- (9) Compliance with other requirements. The applicant or owner shall satisfy such other requirements as the city council shall from time to time deem proper and necessary for the general welfare and for the protection of the citizens of the city.
- (10) Map of removal transportation route. The applicant and/or owner shall submit to the city council a detailed map of the highways, streets, roads and other public ways within the city upon and along which the material removed shall be transported. The city engineer shall

inspect such roads proposed to be used by the applicant and/or owner and shall recommend to the city council necessary upgrading or repairing of such roads prior to their use as haul roads by the applicant and/or owner. The city council shall designate haul roads and shall incorporate the recommendations of the engineer into the permit issued to the applicant; it shall be the responsibility of the applicant and/or owner to maintain such haul roads in accordance with the terms as set forth in the permit. The city engineer shall make periodic inspections of such haul roads to ensure compliance with the permit, and upon completion of the operational period of the gravel pit, the owner and/or operator shall make any necessary repairs to the haul roads as recommended by the city engineer. All costs of the inspections described shall be borne by the owner and/or operator. Dust control shall be the continuous obligation of the owner and/or operator during any operational period on all haul roads, and the use of such roads shall further be subject to any road and weight restrictions imposed by the city. The city council shall further designate the maximum speed limit which the trucks of the owner and/or operator shall be driven over said haul roads.

- (11) Other conditions imposed. The city council may at its discretion attach such other additional conditions to said permits as they may deem necessary in the interest of public health, welfare and safety of the community.
- (12) Distance from other property and rights-of-way. No material may be removed or excavated from or stockpiled upon an area contiguous to private property or roadway rights-of-way closer than 100 feet.
- (13) Hours of operation. The hours of operation shall be limited to 7:00 a.m. to 7:00 p.m. daily, provided, however, that no excavation or processing work shall be conducted on Sundays or legal holidays as set forth in the state statutes. The term "operation" shall be defined to include the driving of all hauling trucks or equipment into or out of a gravel pit; loading, repairing; roadwork; or engine start-up of any kind. No drainage pumps of whatsoever kind or other similar units shall be run at any time other than during those hours specified in this subsection. It is the specific intent of this section that no activity of any kind shall take place on or upon any gravel pit area other than during those hours specified in this subsection.
- (14) Annual report. The applicant shall submit annually in writing to the city council the estimated quantity of gravel to be removed, the anticipated route over which the trucks are to travel, the beginning and completion time for the operation, and the area in the pit which will be used for excavation. It is understood that this information may not at all times be submitted with certainty, but it is the intent of this provision to keep the city as well-informed as possible regarding the anticipated operation for the year in question.
- (15) Lake development. In the event that a development plan is submitted which anticipates a lake about which lots will be platted, said lake must be planned for at least a 15-foot depth. Any development plan indicating a lake development shall provide a means for level control or computations which proves that the lake can contain drainage directly to it by freeboard storage utilizing 100-year storm data. It is understood that the water table in the area in question is unstable and any problems arising regarding the depth of the lake created shall be referred to the city consulting engineer.
- (16) *Nearby wells*. The operation of the gravel pit shall not affect the safety or quantity of any well within one-quarter mile from the pit. Proof that the hydraulic or static effect is not detrimental to any such well shall be provided by the applicant.
- (17) Equipment muffler. All equipment run by fossil fuels and used in the operation of any gravel pit in the city shall be equipped at all times with a muffler in good working order which

blends the exhaust noise into the overall noise of said equipment and is in constant operation to prevent excessive or unusual noise. The exhaust system of such equipment shall not emit or produce a sharp, popping, or crackling sound.

(Ord. No. 40, § 2(C), 2-4-1975)

Sec. 12-199. Bond.

The applicant must file with the city clerk a surety bond, in such form and sum as the city council may require, running to the city, conditioned to pay the city the cost and expense of repairing any highways, streets, or other public ways within the city, made necessary by the special burden resulting from the hauling and transporting of earthly deposits thereon by the applicant. The amount of such cost and expense shall be determined by the city engineer. The surety bond shall be further conditioned to comply with all the requirements of this article and the particular permit, and to save the city free and harmless from any and all suits and claims for damages resulting from the negligent removal or storage of earthly deposits within the city. (Ord. No. 40, § 2(D), 2-4-1975)

Secs. 12-200--12-221. Reserved.

ARTICLE VI.

TREE DISEASE AND TREE PROTECTION

Sec. 12-222. Intent.

The city has determined that there are many trees growing on public and private premises within the city, the loss of which would substantially depreciate the value of public and private premises and impair the safety, good order, general welfare and convenience of the public. The city council has determined that the health and life of such trees is threatened by fatal diseases such as Dutch elm, oak wilt and others. The city council hereby declares its intention to control and prevent the spread of such diseases and the insect pests and vectors which carry such diseases and declares them a public nuisance. (Ord. No. 41, § 1, 5-6-1975)

Sec. 12-223. Tree inspector.

The position of tree inspector is hereby created. It is the duty of the tree inspector to coordinate, under the direction and control of the city council, all activities of the town relating to the control and prevention of Dutch elm, oak wilt, or similar plant pests or plant diseases. He shall recommend to the city council the details of a program for the control of Dutch elm disease, oak wilt, or similar plant pests or plant diseases, and perform the duties incident to such program adopted by the city council. (Ord. No. 41, § 2, 5-6-1975)

Sec. 12-224. Pest control program.

It is the intention of the city council to conduct a program of plant pest control. The program is directed specifically at the control and elimination of Dutch elm disease, oak wilt, fungus, and elm bark beetles and other epidemic diseases of shade trees, and is undertaken at the recommendation of the commissioner of agriculture. The tree inspector shall act as coordinator between the commissioner of agriculture and the city council in the conduct of this program.

(Ord. No. 41, § 3, 5-6-1975)

Sec. 12-225. Nuisances declared.

The following things are public nuisances whenever they may be found within the city:

- (1) Any living or standing elm tree or part thereof infected to any degree with the Dutch elm disease fungus, Ceratocystis ulmi Moreau; or which harbors any of the elm bark beetles, Scolytus multistraitus (Eich.) or Hylurgopinus rufipes (Marsh);
- (2) Any living or standing oak tree or part thereof infected to any degree with the oak wilt fungus, Ceratocystis fagacerarum;
- (3) Any dead elm or oak tree or part thereof, including logs, branches, stumps, firewood or other material from which the bark has not been removed and burned.

(Ord. No. 41, § 4, 5-6-1975)

Sec. 12-226. Unlawful to permit nuisance to remain.

It is unlawful for any person to permit any public nuisance as defined in section 12-225 to remain on any premises owned or controlled by him within the city. Such nuisance may be abated in the manner prescribed by section 12-223.

(Ord. No. 41, § 5, 5-6-1975)

Sec. 12-227. Inspections authorized; removal of specimens.

- (a) The tree inspector, or his authorized agent, shall inspect all premises and places within the city as often as practical to determine whether any condition described in section 12-225 exists thereon. He shall investigate all reported incidents of infestation by Dutch elm fungus, elm bark beetles and oak wilt disease. The tree inspector, or his duly authorized officers, employees or agents, may enter upon private premises at any reasonable time for the purpose of carrying out any of the duties assigned to them under this article.
- (b) Whenever necessary to determine the existence of Dutch elm disease, elm bark beetles or oak wilt in any tree, the person inspecting such tree may remove or cut specimens from the tree in such manner as to avoid permanent injury thereto and may forward such specimens to the state department of agriculture for analysis to determine the presence of such nuisances. No action to remove living trees or wood shall be taken until positive diagnosis of the nuisance has been made or upon written consent by the owner if positive diagnosis is in doubt.

(Ord. No. 41, § 6, 5-6-1975)

Sec. 12-228. Report of nuisance; notice; failure to abate; costs.

- (a) Whenever the tree inspector has reason to believe that a nuisance, as defined in section 12-225, exists on any private property in the city, he shall report his findings to the city council. If the city council determines that a nuisance exists, the owner or person in control of such property on which the nuisance is found shall be notified by certified mail of the infestation and the notice shall direct that the infestation be removed or otherwise effectively treated in an approved manner by such owner or person in charge within 20 days of receipt of such notice, or provision for the abatement made. The notice shall also state that if such nuisance shall not have been abated within the time provided, nor provision for the abatement satisfactorily made, the city may abate the nuisance at the expense of the owner, and the unpaid charge or a portion thereof for such work will be made a special assessment against the property concerned.
- (b) If the owner or person in control of any private premises fails to have such a tree so removed or otherwise effectively treated within 20 days after receipt of notification by mail, or when the owner or person in control cannot be located, the tree inspector may proceed to have the tree removed and burned or otherwise effectively treated, and any expense incurred by the town in so doing may be a charge and lien upon said property and shall be collected as a special assessment against the property concerned.
 - (c) The tree inspector shall keep a record of the cost of abatement done under this section and

shall report to the city council all work done for which assessments are to be made, stating and certifying the description of the lots and parcels involved and the amount chargeable to each lot and parcel.

- (d) As soon as the abatement has been completed and the cost determined, the tree inspector shall prepare a bill and mail it to the owner, and thereupon the amount shall be immediately due and payable at the town hall.
- (e) On or before September 1 of each year, the tree inspector shall list the total unpaid charges for each lot or parcel to which they are attributable under this article. The city council may then spread the charges against the property benefited as a special assessment under Minn. Stats. § 429.101 and other pertinent statutes for certification to the county auditor and collection the following year along with current taxes. (Ord. No. 41, § 7, 5-6-1975)

Sec. 12-229. Transporting diseased wood.

It shall be unlawful for any person to transport within the city any diseased or infected bark-bearing elm wood or oak wood, known to be infected, without having obtained a written permit from the tree inspector. The said inspector shall grant such permits only when the purpose of this article shall be served thereby. (Ord. No. 41, § 8, 5-6-1975)

Sec. 12-230. Unlawful to interfere with performance of duties by inspector.

It is unlawful for any person to prevent, delay or interfere with the tree inspector or his agents while they are engaged in the performance of duties imposed by this article. (Ord. No. 41, § 9, 5-6-1975)

Secs. 12-231--12-253. Reserved.

ARTICLE VII.

SHORELAND ZONING AND PROTECTION

Sec. 12-254. Definitions.

The following words, terms and phrases, when used in this article, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Access corridor means an area where vegetation is cut or removed through the buffer to provide access to a lake, stream or wetland.

Bluff impact zone means a bluff and the land located within 20 feet from the top of a bluff.

Bluffline means a line along the top of a slope connecting the points at which the slope, proceeding away from the waterbody or adjoining watershed channel, becomes less than 18 percent and it only includes slopes greater than 18 percent that meet the following criteria:

- (1) Part or all of the feature is located in a shore land area.
- (2) The slope rises at least 20 feet above the ordinary high-water level of the water body.
- (3) The slope must drain toward the water body.

Buffer strip means an undisturbed strip of land adjacent to shorelines and wetlands consisting of native or existing vegetation.

Buffer width, minimum, means the least buffer distance allowable measured perpendicular to the delineated wetland edge or ordinary high-water mark of the lake or stream.

Building line means a line parallel to a lot line or the ordinary high-water levels at the required setback beyond which a structure may not extend.

Commercial use means the principal use of land or buildings for the sale, lease, rental, or trade of products, goods, and services.

Commissioner means the commissioner of the state department of natural resources.

Controlled access lots means lots intended to provide access to the lake for residents of a particular development.

Deck means a horizontal, unenclosed platform with or without attached railings, seats, trellises, or other features, attached or functionally related to a principal use or site and at any point extending more than six inches above ground.

Forest land conversion means the clear cutting of forested lands to prepare for a new land use other than reestablishment of a subsequent forest stand.

Hardship, as used in connection with the granting of a variance, means:

- (1) The property in question cannot be put to a reasonable use if used under conditions allowed by the official controls;
- (2) The plight of the landowner is due to circumstances unique to the property, not created by the landowner; and
- (3) The variance, if granted, will not alter the essential character of the locality.

Economic conditions alone shall not constitute a hardship if a reasonable use for the property exists under the terms of the development code. The board of appeals and adjustment may consider inability to use solar energy systems a hardship in granting of the variance.

Height of building means the vertical distance between the highest adjoining ground level at the building and the highest point of the roof.

Impervious surface means the percentage of the lot covered with buildings including all appurtenances, driveways and sidewalks.

Intensive vegetation clearing means the complete removal of trees or shrubs in a contiguous patch, strip, row, or block.

Lake, general development, means generally large, deep lakes or lakes of varying sizes and depths with high levels and mixes of existing development. These lakes often are extensively used for recreation and, except for the very large lakes, are heavily developed around the shore. Second and third tiers of development are fairly common.

Lake, natural environment, means generally small, often shallow lakes with limited capacities for assimilating the impacts of development and recreational use. They often have adjacent lands with substantial constraints for development such as high-water tables, exposed bedrock, and unsuitable soils.

Lakes, recreational development, means generally medium-sized lakes of varying depths and shapes with a variety of landform, soil, and groundwater situations on the lakes around them. Moderate levels of recreational use and existing development often characterize them. Development consists mainly of seasonal and year-round residences and recreationally oriented commercial uses.

Lot width means the horizontal distance between the side lot lines of a lot measured at the ordinary high-water mark, setback line, and road right-of-way.

Ordinary high-water level means, at the boundary of public waters and wetlands, an elevation delineating the highest water level which has been maintained for a sufficient period of time to leave evidence upon the landscape, commonly that point where the natural vegetation changes from predominantly aquatic to predominantly terrestrial. For watercourses, the ordinary high-water level is the elevation of the top of the bank of the channel. For reservoirs and flowage, the ordinary high-water level is the operating elevation of the normal summer pool. On lakes with an established ordinary high-water level by the state department of natural resources, that elevation shall be considered the ordinary high-water level.

Public waters means any waters as defined in Minn. Stats. § 103G.005, subd. 15.

Riparian lot means a lot with frontage on the lake.

River, transition, means a river designated as such by the state department of natural resources.

River, tributary, means watercourses mapped in the protected waters inventory that have not been assigned one of the river classes. These segments have a wide variety of existing land and recreational use characteristics.

Sensitive resource management means the preservation and management of areas unsuitable for development in their natural state due to constraints such as shallow soils over groundwater or bedrock, highly erosive or expansive soils, steep slopes, susceptibility to flooding, or occurrence of flora or fauna in need of special protection.

Setback means the minimum horizontal distance between a structure, sewage treatment system, or other facility and an ordinary high-water level, sewage treatment system, top of a bluff, road, highway, property line or other facility.

Shore impact zone means land located between the ordinary high-water level of a public water and a line parallel to it at a setback of 50 percent of the required structure setback.

Shoreland means land which meets all of the following criteria:

- (1) A portion of the lot must be located within 1,000 feet of the ordinary high-water level of any public body of water.
- (2) A portion of the lot must fall within a shoreland zoning district as delineated on the zoning map (tier one lots).
- (3) The lot must have lake frontage or be in the next tier of lots landward that has primary access from the same road that serves the lake lots (tier two lots).

Significant historic site means any archaeological site, standing structure, or other property that meets the criteria for eligibility to the National Register of Historic Places or is listed in the state register of historic sites, or is determined to be an unplatted cemetery that falls under the provisions of Minn. Stats. § 307.07. A historic site meets these criteria if it is presently listed on either register or if it is determined to meet the

qualifications for listing after review by the state archaeologist or the director of the state historical society. All unplatted cemeteries are automatically considered to be significant historic sites.

Steep slope means land where agricultural activity or development is either not recommended or described as poorly suited due to slope steepness and the site's soil characteristics, as mapped and described in available county soil surveys or other technical reports, unless appropriate design and construction techniques and farming practices are used in accordance with provisions of this article. Where specific information is not available, steep slopes are lands having average slopes over 12 percent, as measured over horizontal distances of 50 feet or more, that are not bluffs.

Tier one means a lot or parcel of land with frontage on a waterbody regulated by the shoreland management provisions.

Tier two means a lot or parcel of land that is across the street from a road that serves the lake lots.

Toe of the bluff means the lower point of a bluff with an average slope exceeding 18 percent.

Top of the bluff means the highest point of a bluff with an average slope exceeding 18 percent.

Tributary stream means a stream classified as such by the state department of natural resources.

Unclassified body of water means any lake, pond, backwater, swamp, marsh, wetland, stream, drainageway, flowage, river, floodplain or other water-oriented topographical features not designated as being a natural environment lake, recreational development lake, general development lake, or transition river or tributary stream on the zoning map.

Variance means the same as the term as defined in section 32-60 provided that when a variance to any of the standards contained in this article is applied for, the board of adjustment and appeals shall also consider whether the existing sewage treatment systems on the property need upgrading before additional development is approved and whether the properties are used seasonally or the year around.

Wetlands means lands transitional between terrestrial and aquatic systems where the water table is usually at or near the surface or the land is covered by shallow water. For purposes of this article, wetlands must:

- (1) Have a predominance of hydric soils;
- (2) Be inundated saturated by surface water or groundwater at a frequency and duration sufficient to support prevalence of hydrophytic vegetation typically adapted for life in saturated soil conditions; and
- (3) Under normal circumstances, support a prevalence of hydrophytic vegetation.

Wetlands generally include swamps, marshes, bogs and similar areas. (Ord. No. 2002-91, § 3, 12-4-2002)

Sec. 12-255. Intent and purpose.

The uncontrolled use of shorelands of the city, affects the public health, safety and general welfare by contributing to pollution of public waters, and potentially decreasing property value. It is the intent and purpose of these regulations to:

(1) Regulate the placement of sanitary and waste treatment facilities on lots.

- (2) Regulate the alteration of shorelands of public waters.
- (3) Regulate alterations of the natural vegetation and the natural topography along shorelands.
- (4) Conserve natural resources and maintain a high standard of environmental quality.
- (5) Preserve and enhance the quality of surface water.
- (6) Preserve the economic and natural environmental values of shorelands.
- (7) Provide for the utilization of water and related land resources.
- (8) Maintain water quality, reduce flooding and erosion, and provide sources of food and habitat for a variety of fish and wildlife.

(Ord. No. 2002-91, § 1, 12-4-2002)

Sec. 12-256. Scope and applicability.

- (a) The provisions of this article shall apply to the shorelands of the public water bodies as classified in section 12-258 of this regulation and unclassified water bodies where applicable.
- (b) The use of any shoreland of public waters; the use, size, type and location of structures on lots; the installation and maintenance of water supply and waste treatment systems; the grading and filling of any shoreland area; the cutting of shoreland vegetation; and the subdivision of land shall be in full compliance with the terms of this regulation and other applicable regulations.
- (c) The regulations contained in this article are in addition to and not in lieu of other regulations contained in other chapters of the city ordinances where the standards contained in any other chapters of this Code are inconsistent with standards of this article. The standards contained in all the city ordinances shall apply.

(Ord. No. 2002-91, § 2, 12-4-2002)

Sec. 12-257. Shoreland classification system.

- (a) Protected Waters Inventory Map. The public waters of the city have been classified below consistent with the criteria found in Minn. Rules pt. 6120.3300, in the city comprehensive plan, and the Protected Waters Inventory Map for Washington County, Minnesota.
- (b) Official zoning map. The shoreland area for the water bodies listed in subsection (a) of this section shall be as shown on the official zoning maps of the city.
 - (c) *Rivers and streams.* There are no listed rivers in the city.
 - (1) Tributary streams.
- (2) Browns Creek. (Ord. No. 2002-91, § 4, 12-4-2002)

Sec. 12-258. Uses permitted for districts with lakes and streams.

- (a) Uses for land on lakes.
- (1) Permitted uses.

- a. Single-family residential.
- b. Parks and historic sites.
- c. Agricultural: cropland and pasture.
- (2) Uses permitted with a certificate of compliance: home occupation in accordance with section 32-245.
- Uses permitted with a conditional use permit: bed and breakfast in accordance with section 32-327.
- (b) Uses for land abutting tributary streams. The underlying zoning district shall govern all lands abutting tributary streams covered by this article as it pertains to minimum lot size and permitted uses. (Ord. No. 2002-91, § 5, 12-4-2002)

Sec. 12-259. Lot requirements.

- (a) Lot area and width standards. The lot area and lot width standards (at road, shoreline and building setback line) for single residential lots created after the date of enactment of the ordinance from which this article is derived for lake and river/stream classifications are the same as for all other lots in the city. Property fronting on streams shall meet underlying zoning density restrictions.
 - (b) Additional special provisions.
 - (1) Lot width standards must be met at the ordinary high-water level and at the building setback line.
 - (2) In any new subdivision, lots intended as controlled accesses to public waters or as recreation areas for use by owners of nonriparian lots within subdivisions are permissible, providing all of the following standards are met:
 - a. The lot must meet the width and size requirements for residential lots, and be suitable for the intended uses of controlled access lots:
 - b. Docking, mooring, or over-water storage of more than six watercraft is prohibited;
 - c. The lots must be jointly owned by all purchasers of lots in the subdivision or by all purchasers of nonriparian lots in the subdivision who are provided riparian access rights on the access lot; and
 - d. A development agreement is entered into between the developer and the city specifying which lot owners have authority to use the access lot and what activities are allowed. The activities may include watercraft launching, loading, beaching, mooring, or docking. They must also include other outdoor recreational activities that do not significantly conflict with general public use of the public water or the enjoyment of normal property rights by adjacent property owners. Examples of the nonsignificant conflict activities include swimming, sunbathing, or picnicking. The development agreement must limit the total number of vehicles allowed to be parked and the total number of watercraft allowed to be continuously moored, docked, stored over water, or parked on the property, and must require centralization of all common facilities and activities in the most suitable locations on the lot to minimize

topographic and vegetation alterations. They must also require all parking areas and other facilities to be screened by vegetation or topography as much as practical from view from the public water, assuming summer, leaf-on conditions. No structures are allowed to be constructed on these lots except for docking facilities as approved by the state department of natural resources and the county.

(3) Any individual lots which do not contain a seasonal or permanent home may have one dock with the capacity to accommodate up to three watercraft. No other temporary or permanent structures or recreational vehicles are allowed.

(Ord. No. 2002-91, § 6, 12-4-2002)

Sec. 12-260. Structure and sewer setback and other design criteria.

- (a) Placement of structures on lots. When more than one setback applies to a site, all structures and facilities must be located to meet all setbacks.
- (1) Structure and on-site sewage system setbacks from ordinary high-water level. The following setbacks apply in regard to structures and sewage systems by classes of public waters:

Classes of Public Waters	Setbacks (in feet)	
Structures	Sewage systems	
Natural environment	200	150
Unclassified	75	75
waterbodies		
Tributary streams	200	150
Recreational	100	75
development		

(2) Additional structure setbacks. The following additional structure setbacks apply, regardless of the classification of the waterbody:

Setback from	Setback (in feet)
Top of bluffline	30
Unplatted cemetery	50
Arterial road	150 from centerline or
	75 from road right-of-
	way, whichever is
	greater
Right-of-way line of city	40
road, or public street or	
road	
Other roads or streets	30
not classified without	
sewer	
Sideyard setback	10

- (b) *High-water elevations*. The lowest floor including basement of any structure constructed in a shoreland area must be two feet above the 100-year flood elevation or three feet above the highest known water level, whichever is greater.
 - (c) *Height.* No structure shall exceed 35 feet in height.

- (d) Lot coverage. A maximum of 25 percent of the lot may be covered with impervious surface. This includes all structures, decks, patios, walks, and surfaced or unsurfaced driveways.
- (e) Stairways, lifts and landings. Stairways and lifts are the only permitted alterations for achieving access up and down bluffs and steep slopes to shore areas. Stairways and lifts must meet all of the following design requirements:
 - (1) Stairways and lifts must not exceed four feet in width;
 - (2) Landings for stairways and lifts on residential lots must not exceed 32 square feet in area;
 - (3) Canopies or roofs are not allowed on stairways, lifts, or landings;
 - (4) Stairways, lifts and landings may be either constructed above the ground on posts or pilings, or placed into the ground, provided they are designed and built in a manner that ensures control of soil erosion;
 - (5) Stairways, lifts and landings must be located in the most visually inconspicuous portions of lots, as viewed from the surface of the public water assuming summer, leaf-on conditions, whenever practical;
 - (6) Facilities such as ramps, lifts, or mobility paths for physically handicapped persons are also allowed for achieving access to shore areas, provided that the dimensional and performance standards of subsections (e)(1) through (5) of this section are complied with in addition to the requirements of Minn. Rules ch. 1340; and
 - (7) A certificate of compliance is required.
- (f) Significant historic sites. No structure may be placed on a significant historic site in a manner that affects the values of the site unless adequate information about the site has been removed and documented in a public repository.
- (g) Steep slopes. The zoning administrator must evaluate possible soil erosion impacts and development visibility from public waters before issuing a permit for construction of sewage treatment systems, roads, driveways, structures, or other improvements on steep slopes. If necessary, conditions must be attached to permits to prevent erosion and to preserve existing vegetation screening of structures, vehicles, and other facilities as viewed from the surface of public waters, assuming summer, leaf-on vegetation. (Ord. No. 2002-91, § 7, 12-4-2002)

Sec. 12-261. Shoreland alterations.

- (a) Vegetation alterations.
- (1) No cutting or removal of trees over six inches in diameter measured at a point two feet above ground level within the required building setback shall be permitted unless the trees are dead, diseased, or pose a documented safety hazard. A certificate of compliance must be obtained prior to the removal of any trees.
- (2) Selective removal of natural vegetation shall be allowed, provided sufficient vegetative cover remains to screen cars, dwellings and other structures, piers, docks and marinas, when viewed from the water.
- (3) In order to retard surface runoff and soil erosion, natural vegetation shall be restored insofar

- as feasible after any construction project is completed.
- (4) The provisions of this section shall not apply to normal maintenance of trees such as pruning or removal of limbs or branches that are dead or pose safety hazards.
- (5) Vegetation alteration necessary for the construction of structures and sewage treatment systems and the construction of roads and parking areas under validly issued construction permits are exempt from these vegetation alteration standards.
- (b) Topographic alterations/grading and filling.
- (1) Grading and filling and excavations necessary for the construction of structures, sewage treatment systems, and driveways under validly issued construction permits for these facilities do not require the issuance of a separate grading and filling permit, provided the building plans included with the permit address all issues and meets all requirements and provisions of subsection (c) of this section.
- (2) Grading or filling is prohibited within the bluff impact zone or shore impact zone.

 Grading/filling outside these areas shall require a grading permit. Standards for land alteration and grading contained in the city ordinances must be followed.
- (3) The filling of any wetland below the normal ordinary high-water mark must be permitted by appropriate federal, state, and local units of government with jurisdiction.
- (4) Excavations where the intended purpose is connection to a public water, such as boat slips, canals, lagoons, and harbors will be allowed only after the department of natural resources has approved the proposed connection to public waters.
- (5) Placement of natural rock riprap, including associated grading of the shoreline and placement of a filter blanket, is permitted if the finished slope does not exceed three feet horizontal to one foot vertical, the landward extent of the riprap is within ten feet of the ordinary highwater mark, and the height of the riprap above the ordinary high-water level does not exceed three feet. A permit must be obtained from the state department of natural resources and a grading permit is obtained from the zoning administrator.
- (c) Placement and design of roads, driveways and parking areas.
- (1) Public and private roads and parking areas must be designed to take advantage of natural vegetation and topography to achieve maximum screening from view from public waters. All roads and parking areas must be designed and constructed to minimize and control erosion to public waters consistent with the field office technical guides of the local soil and water conservation district, or other applicable technical materials.
- (2) All new roads, driveways, and parking areas must meet the lake setback requirements and must not be placed within bluff and shore impact zones.
- (3) Public and private watercraft access ramps, approach roads, and access-related parking areas may be placed within shore impact zones provided the vegetative screening and erosion control conditions of this subsection (c) are met and a certificate of compliance is issued by the zoning administrator. Grading and filling provisions of the city ordinances must also be met.
- (d) *Buffer strips*. In order to maintain water quality, reduce flooding and erosion, and to provide sources of food and habitat for a variety of fish and wildlife, a buffer strip shall be provided and maintained

around all natural environment lakes and streams and type 3, 4 and 5 wetlands.

- (1) Lake, wetland, stream buffer widths.
 - a. The minimum buffer width shall apply to all buffer widths including those that are restored, replaced or enhanced.
 - b. The city may require a variable buffer width to protect valuable adjacent habitat when considering variances for building setbacks.
- c. The following buffer widths shall be maintained:

	Minimum Buffer Width
	(feet)
Natural environment	50
lake	
Type 3, 4, 5 wetland	50
Stormwater pond	10
Building setback from	10
outer edge of buffer	

(2) An access corridor 50 feet wide is permitted to gain access to the water body. (Ord. No. 2002-91, \S 8, 12-4-2002)

Sec. 12-262. Land adjacent to waters.

Any permitted use of land adjacent to public water which needs to have access to and use of public waters must meet the following standards in addition to any other requirements of this article or the county development code:

- (1) Screening requirements. In addition to meeting impervious coverage limits, setbacks, and other zoning standards in this Code, the uses must be designed to incorporate topographic and vegetative screening of parking areas and structures.
- (2) *Limitations on signs.* No advertising signs or supporting facilities for signs may be placed in or upon public waters. Signs conveying information or safety messages may be placed in or on public waters by a public authority or under a permit issued by the county sheriff.
- (3) Limitations on lighting. Outside lighting may be located within the shore impact zone or over public waters if it is used primarily to illuminate potential safety hazards and is shielded or otherwise directed to prevent direct illumination out across public waters. This does not preclude use of navigational lights.

(Ord. No. 2002-91, § 10, 12-4-2002)

Sec. 12-263. Agricultural use standards.

General cultivation farming, grazing, nurseries, horticulture, truck farming, sod farming, and wild crop harvesting are permitted uses if steep slopes and shore and bluff impact zones are maintained in permanent vegetation or operated under an approved conservation plan (resource management system) consistent with the field office technical guides of the local soil and water conservation districts or the United States Soil Conservation Service, as provided by a qualified individual or agency. The shore impact zone for parcels with

permitted agricultural land uses is equal to a line parallel to and 50 feet from the ordinary high-water level. (Ord. No. 2002-91, § 11, 12-4-2002)

Sec. 12-264. Forest management standards.

The harvesting of timber and associated reforestation must be conducted consistent with the provisions of the Minnesota Nonpoint Source Pollution Assessment--Forestry and the provisions of Water Quality in Forest Management: Best Management Practices in Minnesota. (Ord. No. 2002-91, § 12, 12-4-2002)

Sec. 12-265. Conditional uses.

- (a) *Criteria*. Conditional uses allowable within shoreland areas shall be subject to review and approval procedures, and criteria and conditions for review of conditional uses established in the city ordinances. A thorough evaluation of the waterbody and the topographic, vegetative, and soils conditions on the site must be made to ensure:
 - (1) The prevention of soil erosion or other possible pollution of public waters, both during and after construction.
 - (2) Limited visibility of structures and other facilities as viewed from public waters.
 - (3) The site is adequate for water supply and on-site sewage treatment.
 - (4) The types, uses, and numbers of watercraft that the project will generate are compatible in relation to the suitability of public waters to safely accommodate these watercraft.
- (b) Conditions attached to conditional use permits. The city, upon consideration of the criteria listed in subsection (a) of this section and the purposes of the article, shall attach such conditions to the issuance of the conditional use permits, as it deems necessary to fulfill the purposes of this article. Such conditions may include, but are not limited to, the following:
 - (1) Increased setbacks from the ordinary high-water level.
 - (2) Limitations on the natural vegetation to be removed or the requirement that additional vegetation be planted.
- (3) Special provisions for the location, design, and use of structures, sewage treatment systems, watercraft launching and docking areas, and vehicle parking areas.

(Ord. No. 2002-91, § 13, 12-4-2002)

Sec. 12-266. Certificate of compliance.

The city shall issue a certificate of compliance for each activity requiring a building permit or grading permit. The certificate will specify that the use of land conforms to the requirements of this article. Any use, arrangement, or construction at variance with that authorized permit shall be deemed a violation of this article. (Ord. No. 2002-91, § 14, 12-4-2002)

Sec. 12-267. Water supply.

Any private supply of water for domestic purposes must meet or exceed standards for water quality of the state department of health and the state pollution control agency. (Ord. No. 2002-91, § 15, 12-4-2002)

Sec. 12-268. Sewage disposal.

- (a) Sewage treatment. Any premises used for human occupancy must be provided with an adequate method of sewage treatment in accordance with article IV of this chapter and meet appropriate setback requirements as contained in section 12-260.
- (b) Nonconforming sewage treatment systems. Nonconforming sewage treatment systems shall be regulated and upgraded in accordance with section 12-260(a) and article IV of this chapter. A sewage treatment system not meeting the requirements of article IV of this chapter must be upgraded, at a minimum, at any time a permit or variance of any type is required for any improvement on, or use of, the property, with the exception of nonhabitable spaces.

(Ord. No. 2002-91, § 16, 12-4-2002)

Sec. 12-269. Fences.

In addition to the standards required elsewhere in this Code, the following standards must also be met on shoreland property:

- (1) No fence shall exceed four feet in height unless all required building setbacks are met. If the fence is located so as to meet required building setbacks, a six-foot high fence is permitted.
- (2) No fence shall be constructed closer to the lake than the required lake setback requirement unless the existing home is located closer to the lake than the required setback, in which case the fence may be constructed even with the lake side of the home.

(Ord. No. 2002-91, § 17, 12-4-2002)

Sec. 12-270. Nonconforming situations.

Nonconforming situations shall be regulated in accordance with ordinances, including but not limited to chapter 32, article II, division 3, pertaining to nonconformities, and with the following exceptions:

- (1) A lot or parcel of land which was of record as a separate lot or parcel in the office of the county recorder or registrar of titles, on or before January 1, 1973, which is in a residential or agricultural district, and is not a contiguous lot or parcel as that term is described and regulated under the city's ordinances, may be used for single-family detached dwelling purposes, without a variance, provided that:
 - a. Area and width thereof are within the minimum requirements elsewhere in the city.
 - b. All setback requirements of this article can be maintained.
 - c. It can be demonstrated that two safe and adequate sewage treatment systems can be installed to service such permanent dwelling.
 - d. On natural environment lakes, any separate lot or parcel of record legally created and recorded prior to the adoption of the ordinance from which this article is derived may be used for single-family detached dwelling purposes without a variance if it meets the minimum requirements elsewhere in the city.
- (2) Deck additions may be allowed without a variance to a structure not meeting the required setback from the ordinary high-water level if all of the following criteria and standards are met:

- a. The structure existed on the date the structure setbacks were established.
- b. A thorough evaluation of the property and structure reveals no reasonable location for a deck meeting or exceeding the existing ordinary high-water level setback of the structure.
- c. The deck encroachment toward the ordinary high-water level does not exceed 15 percent of the existing setback of the structure from the ordinary high-water level or does not encroach closer than 30 feet, whichever is more restrictive.
- d. No deck on a nonconforming structure shall exceed ten feet in width.
- e. The deck is constructed primarily of wood, and is not roofed or screened.
- f. A certificate of compliance is obtained from the zoning administrator. (Ord. No. 2002-91, \S 18, 12-4-2002)

Sec. 12-271. Land suitability for subdivision.

Each lot created through subdivision must be suitable in its natural state for the proposed use with minimal alteration. Suitability analysis shall consider susceptibility to flooding, existence of wetlands, soil and rock formations with severe limitations for development, severe erosion potential, steep topography, inadequate water supply or sewage treatment capabilities, near-shore aquatic conditions unsuitable for water-based recreation, important fish and wildlife habitat, presence of significant historic sites, or any other feature of the natural land likely to be harmful to the health, safety, or welfare of future residents of the proposed subdivision or of the community.

(Ord. No. 2002-91, § 19, 12-4-2002)

Sec. 12-272. Notifications to the department of natural resources.

- (a) Public hearings. Copies of all notices of any public hearings to consider variances, amendments, or conditional uses under this article must be sent to the commissioner or the commissioner's designated representative and postmarked at least ten days before the hearing. Notices of hearings to consider proposed subdivisions/plats must include copies of the subdivision/plat.
- (b) Amendments, plats, variances, conditional uses, etc. A copy of approved amendments and subdivisions/plats, and final decisions granting variances or conditional uses under this article must be sent to the commissioner of the department of natural resources or the commissioner's designated representative and be postmarked within ten days of final action.

 (Ord. No. 2002-91, § 20, 12-4-2002)

Chapter 14

FLOODPLAIN MANAGEMENT*

Sec. 14-1.	Statutory Authorization, Findings of Fact and Purpose.
Sec. 14-2.	General Provisions.
Sec. 14-3.	Establishment of Zoning Districts.
Sec. 14-4.	Reserved for Future Use.
Sec. 14-5.	Flood Fringe.
Sec. 14-6.	Reserved for Future Use.
Sec. 14-7.	Subdivisions.
Sec. 14-8.	Utilities, Railroads, Roads, and Bridges.
Sec. 14-9.	Manufactured Homes/Travel Trailers and Travel Vehicles.
Sec. 14-10.	Administration.
Sec. 14-11.	Nonconforming Uses.
Sec. 14-12.	Penalties for Violation.
Sec. 14-13.	Amendments.

^{*} State Law References: Floodplain Management Law, Minn. Stats. § 103F.101 et seq.; local floodplain management ordinances, Minn. Stats. § 103F.121.

Sec. 14-1. Statutory Authorization, Findings of Fact and Purpose.

- (a) Statutory Authorization. The legislature of the State of Minnesota has, in Minnesota Statutes Chapter 103F and Chapter 462 delegated the responsibility to local government units to adopt regulations designed to minimize flood losses. Therefore, the City Councils of the City of Grant, Minnesota (hereinafter the "Governing Body"), does ordain as follows:
 - (b) Findings of Fact:
 - (1) The flood hazard areas of the City of Grant, Minnesota, are subject to periodic inundation which results in potential loss of life, loss of property, health and safety hazards, disruption of commerce and governmental services, extraordinary public expenditures or flood protection and relief, and impairment of the tax base, all of which adversely affect the public health, safety, and general welfare.
 - (2) Methods Used to Analyze Flood Hazards. This Ordinance is based upon a reasonable method of analyzing flood hazards, which is consistent with the standards established by the Minnesota Department of Natural Resources.
 - (3) National Flood Insurance Program Compliance. This Ordinance is adopted to comply with the rules and regulations of the National Flood Insurance Program codified as 44 Code of Federal Regulations Parts 59-78, as amended, so as to maintain the community's eligibility in the National Flood Insurance Program.
- (c) Statement of Purpose: It is the purpose of this Ordinance to promote the public health, safety, and general welfare and to minimize those losses described in Section (b)(1) by provisions contained herein.

Sec. 14-2. General Provisions.

- (a) Lands to Which Ordinance Applies. This Ordinance shall apply to all lands within the jurisdiction of the City of Grant shown on the Official Zoning Map and/or the attachments thereto as being located within the boundaries of the General Floodplain District.
- (b) Establishment of Official Zoning Map. The Official Zoning Map together with all materials attached thereto is hereby adopted by reference and declared to be a part of this Ordinance. The attached material shall include the Flood Insurance Study, Washington County, Minnesota And Incorporated Areas and Flood Insurance Rate Map Panels therein numbered 27163C0230E, 27163C0235E, 27163C0240E, 27163C0245E, 27163C0253E, and 27163C0261E, all dated February 3, 2010 and prepared by the Federal Emergency Management Agency. The official Zoning Map shall be on file in the Office of the City Clerk.
- (c) Regulatory Flood Protection Elevation. The regulatory flood protection elevation shall be an elevation no lower than one foot above the elevation of the regional flood plus any increases in flood elevation caused by encroachments on the floodplain that result from designation of a floodway.
 - (d) Interpretation:
 - (1) In their interpretation and application, the provisions of this Ordinance shall be held to be minimum requirements and shall be liberally construed in favor of the Governing Body and shall not be deemed a limitation or repeal of any other powers granted by state statutes.
 - (2) The boundaries of the zoning districts shall be determined by scaling distances on the Official Zoning Map. Where interpretation is needed as to the exact location of the boundaries of the district as shown on the Official Zoning Map, as for example where there appears to be a

FLOODPLAIN MANAGEMENT

conflict between a mapped boundary and actual field conditions and there is a formal appeal of the decision of the Zoning Administrator, the Board of Adjustment shall make the necessary interpretation. All decisions will be based on elevations on the regional (100-year) flood profile, the ground elevations that existed on the site at the time the Community adopted its initial floodplain ordinance or on the date of the first National Flood Insurance Program map showing the area within the 100-year floodplain if earlier, and other available technical data. Persons contesting the location of the district boundaries shall be given a reasonable opportunity to present their case to the Board of Adjustment and to submit technical evidence.

- (e) Abrogation and Greater Restrictions. It is not intended by this Ordinance to repeal, abrogate, or impair any existing easements, covenants, or deed restrictions. However, where this Ordinance imposes greater restrictions, the provisions of this Ordinance shall prevail. All other ordinances inconsistent with this Ordinance are hereby repealed to the extent of the inconsistency only.
- (f) Warning and Disclaimer of Liability. This Ordinance does not imply that areas outside the floodplain district of land uses permitted within such district will be free from flooding or flood damages. This Ordinance shall not create liability on the part of the City of Grant or any officer or employee thereof of any flood damages that result from reliance on this Ordinance or any administrative decision lawfully made thereunder.
- (g) Severability. If any section, clause, provision, or portion of this Ordinance is adjudged unconstitutional or invalid by a court of competent jurisdiction, the remainder of this Ordinance shall not be affected thereby.
- (h) Definitions. Unless specifically defined below, words or phrases used in this Ordinance shall be interpreted so as to give them the same meaning as they have in common usage and so as to give this Ordinance its most reasonable application.

Accessory Use or Structure – a use or structure on the same lot with, and of a nature customarily incidental and subordinate to, the principal use or structure.

Basement – means any area of a structure, including crawl spaces, having its floor or base subgrade (below ground level) on all four sides, regardless of the depth of excavation below ground level.

Equal Degree of Encroachment – a method of determining the location of floodway boundaries so that floodplain lands on both sides of a stream are capable of conveying a proportionate share of flood flows.

Flood – a temporary increase in the flow or stage of a stream or in the stage of a wetland or lake that results in the inundation of normally dry areas.

 $Flood\ Frequency$ – the frequency for which it is expected that a specific flood stage or discharge may be equaled or exceeded.

Flood Fringe – that portion of the floodplain outside of the floodway.

Floodplain – the beds property and the areas adjoining a wetland, lake or watercourse which have been or hereafter may be covered by the regional flood.

Flood Proofing – a combination of structural provisions, changes, or adjustments to properties and structures subject to flooding, primarily for the reduction or elimination of flood damages.

Floodway – the bed of a wetland or lake and the channel of a watercourse and those portions of the adjoining floodplain which are reasonably required to carry or store the regional flood discharge.

Lowest Floor – the lowest floor of the lowest enclosed area (including basement).

Manufactured Home – a structure, transportable in one or more sections, which is built on a permanent chassis and is designed for use with or without a permanent foundation when attached to the required utilities. The term "manufacture home" does not include the term "recreational vehicle."

Obstruction – any dam, wall, wharf, embankment, levee, dike, pile, abutment, projection, excavation, channel modification, culvert, building, wire, fence, stockpile, refuse, fill, structure, or matter in, along, across, or projecting into any channel, watercourse, or regulator floodplain which may impede, retard, or change the direction of the flow of water, either in itself or by catching or collecting debris carried by such water.

Principal Use or Structure – means all uses or structures that are not accessory uses or structures.

Reach – a hydraulic engineering term to describe a longitudinal segment of a stream or river influenced by a natural or man-made obstruction. In an urban area, the segment of a stream or river between two consecutive bridge crossings would most typically constitute a reach.

Recreational Vehicle – a vehicle that is built on a single chassis, in 400 square feet or less when measured at the largest projection, is designed to be self-propelled or permanently towable by a light duty truck, and is designed primarily not for use as a permanent dwelling but as temporary living quarters for recreational, camping, travel, or seasonal use. For the purposes of this Ordinance, the term recreational vehicle shall be synonymous with the term travel trailer/travel vehicle.

Regional Flood – a flood which is representative of large floods known to have occurred generally in Minnesota and reasonable characteristic of what can be expected to occur on an average frequency in the magnitude of the 100-year recurrence interval. Regional flood is synonymous with the term "base flood" used in a flood insurance study.

Regulatory Flood Protection Elevation – the regulatory flood protection elevation shall be an elevation no lower than one foot above the elevation of the regional flood plus any increases in flood elevation caused by encroachments on the floodplain that result from designation of a floodway.

Structure – anything constructed or erected on the ground or attached to the ground or on-site utilities, including, but not limited to, buildings, factories, sheds, detached garages, cabins, manufactured homes, recreational vehicles not meeting the exemption criteria specified in Section 14-2(B) of this Ordinance and other similar items.

Substantial Damage – means damage of any origin sustained by a structure where the cost of restoring the structure to it's before damaged condition would equal or exceed 50 percent of the market value of the structure before the damage occurred.

Substantial Improvement – within any consecutive 365-day period, any reconstruction, rehabilitation (including normal maintenance and repair), repair after damage, addition, or other improvement of a structure, the cost of which equals or exceeds 50 percent of the market value of the structure before the "start of construction" of the improvement. This term includes structures which have incurred "substantial damage," regardless of the actual repair work performed. The term does not, however, include either:

- (1) Any project for improvement of a structure to correct existing violations of state or local health, sanitary, or safety code specifications which have been identified by the local code enforcement official and which are the minimum necessary to assure safe living conditions.
- (2) Any alteration of an "historic structure," provided that the alteration will not preclude the structure's continued designation as an "historic structure" shall be as defined in 44 Code of Federal Regulations, Part 59.1.

FLOODPLAIN MANAGEMENT

Variance – means a modification of a specific permitted development standard required in an official control including this Ordinance to allow an alternative development standard not stated as acceptable in the official control, but only as applied to a particular property for the purpose of alleviating a hardship, practical difficulty or unique circumstance as defined and elaborated upon in a community's respective planning and zoning enabling legislation.

(i) Annexations: The Flood Insurance Rate Map panels adopted by reference into Section 14-2(b) above may include floodplain areas that lie outside of the corporate boundaries of the City of Grant at the time of adoption of this Ordinance. If any of these floodplain land areas are annexed into the City of Grant after the date of adoption of this Ordinance, the newly annexed floodplain lands shall be subject to the provisions of this Ordinance immediately upon the date of annexation into the City of Grant.

Sec. 14-3. Establishment of Zoning Districts.

- (a) General Floodplain District. The General Floodplain District shall include those areas designated as Zone AE and Zone A on the Flood Insurance Rate Map panels adopted in Section 14-2(b). The General Floodplain District shall be considered an overlay zoning district to all existing land use districts in this community. The uses permitted in Section (b) below shall only be allowable if not prohibited by any existing underlying zoning district regulations of the community. The requirements of this Ordinance shall apply in addition to other legally established regulations of the community and where this Ordinance imposes greater restrictions, the provisions of this Ordinance shall apply.
- (b) Permitted Uses in the General Floodplain District. The following uses shall be permitted uses in both the floodway and flood fringe portions of the General Floodplain District provided they do not involve structures, fill, obstructions, excavations or storage of materials or equipment:
 - (1) General farming, pasture, grazing, outdoor plant nurseries, horticulture, truck farming, forestry, sod farming, and wild crop harvesting.
 - (2) Industrial-commercial loading areas, parking areas, and airport landing strips.
 - (3) Private and public golf courses, tennis courts, driving ranges, archery ranges, picnic grounds, boat launching ramps, swimming areas, parks, wildlife and nature preserves, game farms, fish hatcheries, shooting preserves, target ranges, trap and skeet ranges, hunting and finishing areas, and single or multiple purpose recreational trails.
 - (4) Residential lawns, gardens, parking areas, and play areas.
 - (5) All uses that would involve structures, fill, obstructions, excavations or storage of materials or equipment shall only be permissible in the flood fringe portion of the General Floodplain District and shall; 1) be subject to the floodway/flood fringe evaluation criteria pursuant to Section (c) below; and 2) be subject to the performance standards of Section 14.5 of this Ordinance.
- (c) Procedures for Floodway and Flood Fringe Determinations within the General Floodplain District.
 - (1) Upon receipt of an application for a permit or other approval for a use within the General Floodplain District, the applicant shall be required to furnish such of the following information as is deemed necessary by the Zoning Administrator for the determination of the regulatory flood protection elevation and whether the proposed use is within the floodway or flood fringe:
 - i. A typical valley cross-section(s) showing the channel of the stream, elevation of land areas adjoining each side of the channel, cross-sectional areas to be occupied by the proposed development, and high water information.

- ii. Plan (surface view) showing elevations or contours of the ground, pertinent structure, fill, or storage elevations, the size location, and spatial arrangement of all proposed and existing structures on the site, and location and elevations of streets.
- iii. Photographs showing existing land uses, vegetation upstream and downstream, and soil types.
- iv. Profile showing the slopes of the bottom of the channel or flow line of the stream for at least 500 feet in either direction from the proposed development.
- (2) The applicant shall be responsible to submit one copy of the above information to a designated engineer or other expert person or agency for technical assistance in determining whether the proposed use is in the floodway or flood fringe and to determine the regulatory flood protection elevation. If a 100-year flood elevation is provided in the flood Insurance Study adopted in Section 14-2 of this Ordinance, then this elevation must be used in calculating the regulatory flood protection elevation. Procedures consistent with Minnesota Regulations, Parts 6120.5000 6120.6200 and 44 Code of Federal Regulations, Part 65 shall be followed in this expert evaluation. The designated engineer or expert is strongly encouraged to discuss the proposed technical evaluation methodology with the respective Department of Natural Resources' Area Hydrologist prior to commencing the analysis. The designated engineer or expert shall:
 - i. Estimate the peak discharge of the regional flood.
 - ii. Calculate the water surface profile of the regional flood based upon a hydraulic analysis of the stream channel and overbank areas.
 - iii. Compute the floodway necessary to convey or store the regional flood without increasing flood stages more than 0.5 foot. A lesser stage increase than 0.5' shall be required if, as a result of the additional stage increase, increased flood damages would result. An equal degree of encroachment on both sides of the stream within the reach shall be assumed in computing floodway boundaries.
- (3) The Zoning Administrator shall present the technical evaluation and findings of the designated engineer or expert to the Governing Body. The Governing Body must formally accept the technical evaluation and the recommended floodway and/or flood fringe boundary or deny the permit application. The Governing Body, prior to official action, may submit the application and all supporting data and analyses to the Federal Emergency Management Agency, the Department of Natural Resources, or the Planning Commission for review and comment. Once the floodway and flood fringe boundaries have been determined, the Governing Body shall refer the matter back to the Zoning Administrator who shall process the permit application consistent with the applicable provisions of Section 14.3 and 14,5 of this Ordinance.
- (d) Compliance. No new structure or land shall hereafter be used and no structure shall be constructed, located, extended, converted, or structurally altered without full compliance with the terms of this Ordinance and other applicable regulations which apply to uses within the jurisdiction of this Ordinance. Within the floodway and flood fringe portions of the General Floodplain District, all uses not listed as a permitted use in Section 14-3(b) shall be prohibited. In addition, a caution is provided here that:
 - (1) New manufactured homes, replacement manufactured homes and certain travel trailers and travel vehicles are subject to the general provisions of this Ordinance and specifically Section 14-9.
 - (2) Modifications, additions, structural alterations, normal maintenance and repair, or repair after damage to existing nonconforming structures and nonconforming uses of structures or land are regulated by the general provisions of this Ordinance and specifically Section 14-11.

FLOODPLAIN MANAGEMENT

(3) As-built elevations for elevated or flood proofed structures must be certified by ground surveys and flood proofing techniques must be designed and certified by a registered professional engineer or architect as specified in the general provisions of this Ordinance.

Sec. 14-4. Reserved for Future Use.

Sec. 14-5. Standards for Flood Fringe Permitted Uses.

- (a) *Permitted Uses.* Permitted uses involving structures, fill, obstructions, excavations or storage of materials or equipment shall be subject to the following standards:
 - (1) All structures, including accessory structures, additions to existing structures and manufactured homes, must be elevated on fill so that the lowest floor including basement floor is at or above the regulatory flood protection elevation. The finished fill elevation for structures shall be no lower than one (1) foot below the regulatory flood protection elevation and the fill shall extend at such elevation at least fifteen (15) feet beyond the outside limits of the structure erected theron.
 - (2) Reserved for future use.
 - (3) The storage of any materials or equipment shall be elevated on fill to the regulatory flood protection elevation.
 - (4) All new principal structures must have vehicular access at or above an elevation not more than two (2) feet below the regulatory flood protection elevation. If a variance to this requirement is granted the Board of Adjustment must specify limitations on the period of use or occupancy of the structure for times of flooding and only after determining that adequate flood warning time and local flood emergency response procedures exist.
 - (5) Commercial Uses accessory land uses, such as yards, railroad tracks, and parking lots may be at elevations lower than the regulatory flood protection elevation. However, a permit for such facilities to be used by the employees or the general public shall not be granted in the absence of a flood warning system that provides adequate time for evacuation if the area would be inundated to a depth and velocity such that when multiplying the depth (in feet) times the velocity (in feet per second) the product number exceeds four (4) upon occurrence of the regional flood.
 - (6) Manufacturing and Industrial Uses measures shall be taken to minimize interference with normal plan operations especially along streams having protracted flood durations. Certain accessory land uses such as yards and parking lots may be at lower elevations subject to requirements set out in Section (5) above. In considering permit applications, due consideration shall be given to needs of an industry whose business requires that it be located in flood plain areas.
 - (7) Fill shall be properly compacted and the slopes shall be properly protected by the use of riprap, vegetative cover or other acceptable method. The federal Emergency Management Agency (FEMA) has established criteria for removing the special flood hazard area designation for certain structures properly elevated on fill above the 100-year flood elevation FEMA's requirements incorporate specific fill compaction and side slope protection standards for multi-structure or multi-lot developments. These standards should be investigated prior to the initiation of site preparation if a change of special flood hazard area designation will be requested.
 - (8) Floodplain developments shall not adversely affect the hydraulic capacity of the channel and adjoining floodplain of any tributary watercourse or drainage system where a floodway or other encroachment limit has not been specified on the Official Zoning Map.

- (9) Standards for recreational vehicles are contained in Section 14-9(c).
- (10) All manufactured homes must be securely anchored to an adequately anchored foundation system that resists flotation, collapse and lateral movement. Methods of anchoring may include, but are not to be limited to, use of over-the-top or frame ties to ground anchors. This requirement is in addition to applicable state or local anchoring requirements for resisting wind forces.

Sec. 14-6. Reserved for Future Use.

Sec. 14-7. Subdivisions.

- (a) Review Criteria. No land shall be subdivided which is unsuitable for the reason of flooding, inadequate drainage, water supply of sewage treatment facilities. All lots within the General Floodplain District shall be able to contain a building site outside of the floodway at or above the regulatory flood protection elevation. All subdivisions shall have water and sewage treatment facilities that comply with the provisions of this Ordinance and have road access both to the subdivision and to the individual building sites no lower than two feet below the regulatory flood protection elevation. For all subdivisions in the floodplain, the floodway and flood fringe boundaries, the regulatory flood protection elevation and the required elevation of all access roads shall be clearly labeled on all required subdivision drawings and platting documents.
- (b) Floodway/Flood Fringe Determinations in the General Floodplain District. In the General Floodplain District, applicants shall provide the information required in Section 14-3(c) of this Ordinance to determine the 100-year flood elevation, the floodway and flood fringe boundaries and the regulatory flood protection elevation for the subdivision site.
- (c) Removal of Special Flood Hazard Area Designation. The Federal Emergency Management Agency (FEMA) has established criteria for removing the special flood hazard area designation for certain structures properly elevated on fill above the 100-year flood elevation. FEMA's requirements incorporate specific fill compaction and side slope protection standards for multi-structure or multi-lot developments. These standards should be investigated prior to the initiation of site preparation if a change of special flood hazard area designation will be requested.

Sec. 14-8. Public Utilities, Railroads, Roads, and Bridges.

- (a) *Public Utilities*. All public utilities and facilities such as gas, electrical, sewer, and water supply systems to be located in the floodplain shall be flood proofed in accordance with the State Building Code or elevated to above the regulatory flood protection elevation.
- (b) Public Transportation Facilities. Railroad tracks, roads, and bridges to be located within the General Floodplain District shall be permissible if placed in accordance with Minnesota Regulations, Parts 6120.5000 6120.6200. Elevation to the regulatory flood protection elevation shall be provided where failure or interruption of these transportation facilities would result in danger to the public health or safety or where such facilities are essential to the orderly functioning of the area. Minor or auxiliary roads or railroads may be constructed at a lower elevation where failure or interruption of transportation services would not endanger the public health or safety.
- (c) On-site Sewage Treatment and Water Supply Systems. Where public utilities are not provided; 1) On-site water supply systems must be designed to minimize or eliminate infiltration of flood waters into the systems; and 2) New or replacement on-site sewage treatment systems must be designed to minimize or eliminate infiltration of flood waters into the systems and discharges from the systems into flood waters and they shall not be subject to impairment or contamination during times of flooding. Any sewage treatment system designed in accordance with the State's current statewide standards for on-site sewage treatment systems shall be determined to be in compliance with this Section.

FLOODPLAIN MANAGEMENT

Sec. 14-9. Manufactured Homes and Manufactured Home Parks and Placement of Recreational Vehicles.

- (a) New manufactured home parks and expansions to existing manufactured home parks shall be subject to the provisions placed on subdivisions by Section 14-7 of this Ordinance.
- (b) The placement of new or replacement manufactured homes in existing manufactured home parks or on individual lots of record that are located floodplain districts will be treated as a new structure and may be placed only if elevated in compliance with Section 14-5 of this Ordinance. If vehicular road access for pre-existing manufactured homes will not be allowed until the property owner(s) develops a flood warning emergency plan acceptable to the Governing Body.
 - (1) All manufactured homes must be securely anchored to an adequately anchored foundation system that resists flotation, collapse and lateral movement. Methods of anchoring may include, but are not to be limited to, use of over-the-top or frame ties to ground anchors. This requirement is in addition to applicable state or local anchoring requirements for resisting wind forces.
- (c) Recreational vehicles that do not meet the exemption criteria specified in Section (c)(1) below shall be subject to the provisions of this Ordinance and as specifically spelled out in Section (c)(3,4) below.
 - (1) Exception Recreational vehicles are exempt from the provisions of this Ordinance if they are placed in any of the areas listed in Section (c)(2) below and further they meet the following criteria:
 - i. Have current licenses required for highway use.
 - ii. Are highway ready meaning on wheels or the internal jacking system, are attached to the site only by quick disconnect type utilities commonly used in campgrounds and recreational vehicle parks and the recreational vehicle has no permanent structure type additions attached to it.
 - iii. The recreational vehicle and associated use must be permissible in any pre-existing, underlying zoning use district.
 - (2) Areas Exempted for Placement of Recreational Vehicles:
 - i. Individual lots or parcels of record.
 - ii. Existing commercial recreational vehicle parks or campgrounds.
 - iii. Existing condominium type associations
 - (3) Recreational vehicles exempted in Section (c)(1) lose this exemption when development occurs on the parcel exceeding \$500 for a structural addition to the recreational vehicle of exceeding \$500 for an accessory structure such as a garage or storage building. The recreational vehicle and all additions and accessory structures will then be treated as a new structure and shall be subject to the elevation requirements and the use of land restrictions specified in Sections 14-3 and 14-5 of this Ordinance. There shall be no development or improvement of the parcel or attachment to the recreational vehicle that hinders the removal of the recreational vehicle to a flood free location should flooding occur.
 - (4) New commercial recreational vehicle parks or campgrounds and new residential type subdivisions and condominium associations and the expansion of any existing similar use exceeding five (5) units or dwelling sites shall be subject to the following:
 - i. Any new or replacement recreational vehicle will be allowed in the General Floodplain District provided said recreational vehicle and its contents are placed on fill above the

regulatory flood protection elevation and proper elevated road access to the site exists in accordance with Section 14-5 of this Ordinance. No fill placed in the floodway to meet the requirements of this Section shall increase flood stages of the 100-year or regional flood.

ii. All new or replacement recreational vehicles not meeting the criteria of (i) above may, as an alternative, be allowed if in accordance with the following provisions. The applicant must submit an emergency plan for the safe evacuation of all vehicles and people during the 100-year flood Said plan shall be prepared by a registered engineer or other qualified individual, shall demonstrate that adequate time and personnel exist to carry out the evacuation, and shall demonstrate the provisions of Section 14-9 (b)(1) of this Ordinance will be met. All attendant sewage and water facilities for new or replacement recreational vehicles must be protected or constructed so as to not be impaired or contaminated during times of flooding in accordance with Section 14-8(c) of this Ordinance.

Sec. 14-10. Administration.

(a) Zoning Administrator. A Zoning Administrator or other official designated by the Governing Body shall administer and enforce this Ordinance. If the Zoning Administrator finds a violation of the provisions of this Ordinance, the Zoning Administrator shall notify the person responsible for such violation in accordance with the procedures stated in Section 14-12 of this Ordinance.

(b) Permit Requirements

- (1) Permit Required. A permit issued by the Zoning Administrator in conformity with the provisions of this Ordinance shall be secured prior to the erection, addition, modification, rehabilitation (including normal maintenance and repair), or alteration of any building, structure, or portion thereof; prior to the use or change of use of a building, structure, or land; prior to the construction of a dam, fence, or on-site septic system' prior to the change or extension of a nonconforming use' prior to the repair of a structure that has been damaged by flood, fire, tornado, or any other source; and prior to the placement of fill, excavation of materials, or the storage of materials or equipment within the floodplain.
- (2) Application for Permit. Application for a permit shall be made in duplicate to the Zoning Administrator on forms furnished by the Zoning Administrator and shall include the following where applicable: plans in duplicate drawn to scale, showing the nature, location, dimensions, and elevations of the lot; existing or proposed structures, fill, or storage of materials' and the location of the foregoing in relation to the stream channel.
- (3) State and Federal Permits. Prior to granting a permit or processing an application for a conditional use permit or variance, the Zoning Administrator shall determine that the applicant has obtained all necessary state and federal permits.
- (4) Certificate of Zoning Compliance for a New, Altered, or Nonconforming Use. It shall be unlawful to use, occupy, or permit the use of occupancy of any building or premises or part thereof hereafter created, erected, changed, converted, altered, or enlarged in its use or structure until a certificate of zoning compliance shall have been issued by the Zoning Administrator stating that the use of the building or land conforms to the requirements of this Ordinance.
- (5) Construction and Use to be as provided on Applications, Plans, Permits, Variances and Certificates of Zoning Compliance. Permits or certificates of zoning compliance issued on the basis of approved plans and applications authorize only the use, arrangement, and construction set forth in such approved plans and applications, and no other use, arrangement, or construction. Any use,

FLOODPLAIN MANAGEMENT

arrangement, or construction at variance with the authorized shall be deemed a violation of this Ordinance, and punishable as provided by Section 14-12 of this Ordinance.

- (6) Certification. The applicant shall be required to submit certification by a registered professional engineer, registered architect, or registered land surveyor that the finished fill and building elevations were accomplished in compliance with the provisions of this Ordinance. Flood proofing measures shall be certified by a registered professional engineer or registered architect.
- (7) Record of First Floor Elevation. The Zoning Administrator shall maintain a record of the elevation of the lowest floor (including basement) of all new structures and alterations or additions to existing structures in the floodplain. The Zoning Administrator shall also maintain a record of the elevation to which structures or alterations and additions to structures are flood proofed.
- (8) Notifications for Watercourse Alterations. The Zoning Administrator shall notify, in riverine situations, adjacent communities and the Commissioner of the Department of Natural Resources prior to the community authorizing any alteration or relocation of a watercourse. If the applicant has applied for a permit to work in the beds of public waters pursuant to Minnesota Statute, Chapter 103G, this shall suffice as adequate notice to the Commissioner of Natural Resources. A copy of said notification shall also be submitted to the Chicago Regional Office of the Federal Emergency Management Agency (FEMA).
- (9) Notification to FEMA When Physical Changes Increase or Decrease the 100-year Flood Elevation. As soon as is practicable, but not later than six (6) months after the date such supporting information becomes available, the Zoning Administrator shall notify the Chicago Regional Office of FEMA of the changes by submitting a copy of said technical or scientific data.
- (c) Board of Adjustment.
- (1) Rules. The Grant City Council shall serve as the Board of Adjustment. The Board of Adjustment shall adopt rules for the conduct of business and may exercise all of the powers conferred on such Boards by State law.
- (2) Administrative Review. The Board of Adjustment shall hear and decide appeals where it is alleged there is error in any order, requirement, decision, or determination made by an administrative official in the enforcement or administration of this Ordinance.
- Variances. The Board of Adjustment may authorize upon appeal in specific cases such relief or variances from the terms of this Ordinance as will not be contrary to the public interest and only for those circumstances such as hardship, practical difficulties or circumstances unique to the property under consideration, as provided for in the respective enabling legislation for planning and zoning for cities or counties as appropriate. In the granting of such variance, the Board of Adjustment shall clearly identify in writing the specific conditions that existed consistent with the criteria specified in this Ordinance, any other zoning regulations in the Community and in the respective enabling legislation hat justified the granting of the variance. No variance shall have the effect of allowing in any district uses prohibited in that district; permit a lower degree of flood protection than the regulatory flood protection elevation of or the particular area, or permit standards lower than those required by state law. The following additional variance criteria of the Federal Emergency Management Agency must be satisfied:
- i. Variances shall not be issued by a community within any designated regulatory floodway if any increase in flood levels during the base flood discharge would result.
- ii. Variances shall only be issued by a community upon 1) a showing of good and sufficient cause, 2) a determination that failure to grant the variance would result in exceptional

hardship to the applicant, and 3) a determination that the granting of a variance will not result in increased flood heights, additional threats to public safety, extraordinary public expense, create nuisances, cause fraud on or victimization of the public, or conflict with existing local laws or ordinances.

- iii. Variances shall only be issued upon a determination that the variance is the minimum necessary, considering the flood hazard, to afford relief.
- (4) Hearings. Upon filing with the Board of Adjustment of an appeal from a decision of the Zoning Administrator, or an application for a variance, the Board of Adjustment shall fix a reasonable time for a hearing and give due notice to the parties in interest as specified by law. The Board of Adjustment shall submit by mail to the Commissioner of Natural Resources a copy of the application for proposed variances sufficiently in advance so that the Commissioner will receive at least ten days notice of the hearing.
- (5) Decisions. The Board of Adjustment shall arrive at a decision on such appeal or variance with 60 days. In passing upon an appeal, the Board of Adjustment may, so long as such action is in conformity with the provisions of this Ordinance, reverse or affirm, wholly or in part, or modify the order, requirement, decision or determination of the Zoning Administrator or other public official. It shall make its decision in writing setting forth the findings of fact and the reasons for its decisions. In granting a variance the Board of Adjustment may prescribe appropriate conditions and safeguards which are in conformity with the purposes of this Ordinance. Violations of such conditions and safeguards, when made a part of the terms under which the variance is granted, shall be deemed a violation of this Ordinance punishable under Section 14-12. A copy of all decisions granting variances shall be forwarded by mail to the Commissioner of Natural Resources within ten (10) days of such action.
- (6) Appeals. Appeals from any decision of the Board of Adjustment may be made, and as specified in this community's official controls and also by Minnesota Statutes.
- (7) Flood Insurance Notice and Record Keeping. The Zoning Administrator shall notify the applicant for a variance that; 1) The issuance of a variance to construct a structure below the base flood level will result in increased premium rates for flood insurance up to amounts as high as \$25 for \$100 of insurance coverage and 2) Such construction below the 100-year or regional flood level increases risks to life and property. Such notification shall be maintained with a record of all variance actions. A community shall maintain a record of all variance actions, including justification for their issuance, and report such variances issued in its annual or biennial report submitted to the Administrator of the National Flood Insurance Program.

Sec. 14-11. Nonconforming Uses.

- (a) A structure or the use of a structure or premises which was lawful before the passage or amendment of this Ordinance but which is not in conformity with the provisions of this Ordinance may be continued subject to the following conditions. Historic structures, as defined in Section 14-2(h) of this Ordinance, shall be subject to the provisions of the following sections of this Ordinance.
 - (1) No such use shall be expanded, changed, enlarged, or altered in a way that increases its nonconformity.
 - (2) Any structural alteration to a nonconforming structure or nonconforming use in the floodway or flood fringe which would result in increasing the flood damage potential of that structure or use shall be protected to the Regulatory Flood Protection Elevation in accordance with any of the flood proofing techniques (i.e., FP-1 thru FP-4 floodproofing classifications) allowable in the State Building

FLOODPLAIN MANAGEMENT

Code, except as further restricted in 14-11(3 thru 6) below. A structural addition to a non-conforming structure must be located outside of the floodway and must be elevated on fill to the regulatory flood protection elevation in accordance with Section 14-5 of this Ordinance.

- (3) Reserved for future use.
- (4) If any nonconforming use is discontinued for 12 consecutive months, any future use of the building premises shall conform to this Ordinance. The Assessor shall notify the Zoning Administrator in writing of instances of nonconforming uses that have been discontinued for a period of 12 months.
- (5) If any nonconforming use or structure is substantially damaged, as defined in Section 14-2(h) of this Ordinance, it shall not be reconstructed or repaired if it increases the flood damage potential or increases the degree of obstruction of flood flows in the floodway or results in the City's ineligibility for the National Flood Insurance Program. If any nonconforming use or structure is substantially damaged, as defined in Section 14-2(h) of this Ordinance, it may be reconstructed or repaired if such reconstruction or repair does not increase the flood damage potential, increase the degree of obstruction of flood flows in the floodway or result in the City's ineligibility for the National Flood Insurance Program and then only in conformity with the provisions of this Ordinance. The applicable provisions for establishing new uses or new structures in Section 14-3 and 14-5 of the Ordinance will apply depending upon whether the use or structure is in the floodway or flood fringe portion of the General Floodplain District.
- (6) If a substantial improvement occurs, as defined in Section 14-2(h) of this Ordinance, from any combination of a structural addition to the outside dimensions of the existing structure or a rehabilitation, reconstruction, alteration, or other improvement to the inside dimensions of an existing nonconforming structure to the extent necessary to not increase the flood damage potential, not increase the degree of obstruction of flood flows in the floodway and to maintain eligibility in the National Flood Insurance Program must meet the requirements of Section 14-5 of this Ordinance for new structures, depending upon whether the structure is in the floodway or flood fringe portion of the General Floodplain District. If a substantial improvement occurs only from a building addition, then the building elevation must meet the elevation on fill or FP-1 or FP-2 dry floodproofing requirements of Section 14-4 or 14-5 of this Ordinance for new structures if any alteration is made to the common wall in excess of installing a standard doorway.

Sec. 14-12. Penalties for Violation.

- (a) Violation of the provisions of this Ordinance or failure to comply with any of its requirements (including violations of conditions and safeguards established in connection with grants of variances or conditional uses) shall constitute a misdemeanor and shall be punishable as defined by law.
- (b) Nothing herein contained shall prevent the City of Grant from taking such other lawful action as is necessary to prevent or remedy any violation. Such actions may include but are not limited to:
 - (1) In responding to a suspected Ordinance violation, the Zoning Administrator and Local Government may utilize the full array of enforcement actions available to it including but not limited to prosecution and fines, injunctions, after-the-fact permits, orders for corrective measures or request to the National Flood Insurance Program for denial of flood insurance availability to the guilty party. The community must act in good faith to enforce these official controls and to correct Ordinance violations to the extent possible so as not to jeopardize its eligibility in the National Flood Insurance Program.
 - (2) When an Ordinance violation is either discovered by or brought to the attention of the Zoning Administrator, the Zoning Administrator shall immediately investigate the situation and document the

nature and extent of the violation of the official control. As soon as is reasonably possible, this information will be submitted to the appropriate Department of Natural Resources' and Federal Emergency management Agency Regional Office along with the Community's plan of action to correct the violation to the degree possible.

- (3) The Zoning Administrator shall notify the suspected party of the requirements of this Ordinance and all other official controls and the nature and extent of the suspected violation of these controls. If the structure and/or use is under construction or development, the Zoning Administrator may order the construction or development immediately halted until a proper permit or approval is granted by the Community. If the construction of development is already completed, the Zoning Administrator may either; 1) issue an order identifying the corrective actions that must be made with a specified time period to bring the use or structure into compliance with the official controls; or 2) notify the responsible party to apply for an after-the-fact permit/development approval within a specified period of time not to exceed 30-days.
- (4) If the responsible party does not appropriately respond to the Zoning Administrator within the specified period of time, each additional day that lapses shall constitute an additional violation of this Ordinance and shall be prosecuted accordingly. The Zoning Administrator shall also upon the lapse of the specified response period notify the landowner to restore the land to the condition which existed prior the violation of this ordinance.

Sec. 14-13. Amendments.

The floodplain designation on the Official Zoning Map shall not be removed from floodplain areas unless it can be shown that the designation is in error or that the area has been filled to or above the elevation of the regulatory flood protection elevation and is contiguous to lands outside the floodplain. Special exceptions to this rule may be permitted by the Commissioner of Natural Resources if he determines that, through other measures, lands are adequately protected for the intended use.

All amendments to this Ordinance, including amendments to the Official Zoning Map, must be submitted to and approved by the Commissioner of Natural Resources prior to adoption. Changes in the Official Zoning Map must meet the Federal Emergency Management Agency's (FEMA) Technical Conditions and Criteria and must receive prior FEMA approval before adoption. The Commissioner of Natural Resources must be given 10-days written notice of all hearings to consider an amendment to this Ordinance and said notice shall include a draft of the Ordinance amendment or technical study under consideration.

Chapter 16

HISTORIC PRESERVATION*

* State Law References: Municipal heritage preservation, Minn. Stats. § 471.193.

Sec. 16-1. Purpose and intent; definition.

Sec. 16-2. Establishment of committee.

Sec. 16-3. Designation of heritage preservation sites.

Sec. 16-4. Administration.

Sec. 16-5. Zoning exceptions.

Sec. 16-6. Removal of designation.

Sec. 16-1. Purpose and intent; definition.

(a) *Definitions*. The following words, terms and phrases, when used in this chapter, shall have the meanings ascribed to them in this subsection, except where the context clearly indicates a different meaning:

Heritage preservation site means any area, place, building, structure, lands, districts, or other objects that have been duly designed heritage preservation sites pursuant to this chapter.

- (b) Declaration of public policy and purpose. The city council declares that the preservation, protection, perpetuation and use of areas, places, buildings, structures and other objects having a special historical, community or aesthetic interest or value is of public value and will promote the health, prosperity, and welfare of the community. The purposes of the heritage preservation committee are to:
 - (1) Safeguard the city's heritage by preserving sites and structures which reflect elements of the city's cultural, social, economic, political, visual or architectural history;
 - (2) Protect and enhance the city's appeal and attraction;
 - (3) Enhance the visual and aesthetic character, diversity and interest of the city;
 - (4) Foster civic pride in the beauty and notable accomplishments of the past; and
 - (5) Promote the preservation and continued use of historic sites and structures for the education and general welfare of the city's residents.

(Ord. No. 2000-90, § 90.01, 9-5-2000)

Sec. 16-2. Establishment of committee.

The heritage preservation committee shall consist of at least three members who shall be residents of the city, serve without compensation, and be appointed by the city council. (Ord. No. 2000-90, § 90.02, 9-5-2000; Ord. No. 2007-01, § 1, 4-10-2007)

Sec. 16-3. Designation of heritage preservation sites.

- (a) *Criteria*. The historic preservation committee shall recommend areas, buildings, districts or objects to be designated heritage preservation sites. In considering the designation of heritage preservation sites, the committee shall apply the following criteria, where applicable:
 - (1) The character, interest or value as part of the development heritage or cultural characteristics of the city, state or county.
 - (2) The location as a site of significant historic event.
 - (3) The identification with a person who significantly contributed to the city's culture and development.
 - (4) The embodiment of distinguishing characteristics of an architectural style, period, form or treatment.
 - (5) The identification as work of an architect or master builder whose individual work has influenced the city's development.
 - (6) The embodiment of elements of architectural design, detail, materials or craftsmanship that represent a significant architectural innovation.
 - (7) The unique location or singular physical characteristics representing an established and familiar visual feature of a neighborhood, community or the city.
- (b) *Limitation*. No application may be accepted or considered under this chapter unless the fee simple owner of the subject property signs the application.
- (c) Public hearing. Prior to the committee recommending to the planning commission or city council any building, district or object for designation as a heritage preservation site, the committee shall first hold a public hearing and seek the recommendations of concerned citizens. Prior to the hearing, the committee shall cause to be published in the city's official newspaper notice of the hearing at least 20 days prior to the date of the hearing, and notice of the hearing shall be sent to all owners of the property proposed to be designated a historic preservation site and to all property owners within 300 feet of the boundary of the area to be designated.
- (d) Planning commission review. If the committee preliminarily determines to recommend approval of an application for a heritage preservation site, it shall first advise the city's planning commission of its proposed recommendation, including boundaries, and any proposed program for the preservation of the site.
 - (1) The city planning commission shall give its recommendation of approval, rejection or modification of the proposed designation. The planning commission shall consider:
 - a. The relationship of the proposed heritage preservation designation to the comprehensive plan;
 - b. The effect of the proposed designation upon the surrounding neighborhood; and

- c. Any other planning considerations, which may be relevant to the proposed designation.
- (2) The committee may make modifications, changes, and alterations concerning the proposed designation as it deems necessary in consideration of the recommendations of the city planning commission.
- (e) *Findings and recommendations*. Following the committee's public hearing and following review by the planning commission, the committee shall determine whether or not to recommend a proposed site be designated as a heritage preservation site. The committee shall transmit its recommendation to the city council along with any proposed program for site preservation.
- (f) *City council designation.* The city council retains sole authority to designate, by ordinance, a site as a heritage preservation site.
- (g) Communications with state historical society. A copy of the city's designation of a heritage preservation site, including boundaries, and the approved program, if any, for the preservation of a heritage preservation site shall be sent, by the city clerk, to the state historical society.
- (h) Acquisition of property. The committee may recommend to the city council, after review and comment by the city planning commission, that a certain property eligible for designation as a heritage preservation site be acquired by gift, purchase or negotiation. (Ord. No. 2000-90, § 90.03, 9-5-2000)

Sec. 16-4. Administration.

- (a) Recording of heritage preservation sites. The city clerk shall record with the county recorder or registrar of titles any ordinances passed by the city council, along with the legal description of all lands designated as heritage preservation sites.
- (b) Authorization of plaque. Upon approval of a site as a heritage preservation site, the city shall authorize, but not fund, the posting of an appropriate plaque commemorating the site as a heritage preservation site.

(Ord. No. 2000-90, § 90.04, 9-5-2000)

Sec. 16-5. Zoning exceptions.

The city in ruling upon variance requests shall take the status of a site as a heritage preservation site into consideration. Variances shall be granted for heritage preservation sites from the literal provisions of the provision in question where the strict enforcement would otherwise result in the substantial destruction of the heritage preservation site. The city may not, however, permit as a variance any use that is not permitted under the provisions for the property in the zone where the affected land is located. Additionally, variances shall be granted only to the minimum extent necessary to protect the heritage preservation site. Finally, no variances will be granted unless a program approved by the city council is in place to protect and preserve the heritage preservation site.

(Ord. No. 2000-90, § 90.05, 9-5-2000)

Sec. 16-6. Removal of designation.

The city council, for good cause shown and following a public hearing, may remove, by ordinance, the heritage preservation site designation for any site. (Ord. No. 2000-90, § 90.06, 9-5-2000)

Chapter 18

LICENSES, PERMITS AND MISCELLANEOUS BUSINESS REGULATIONS

Article I. In General

Secs. 18-1--18-18. Reserved.

Article II. Adult Uses

Sec. 18-19.	Definitions.
Sec. 18-20.	Statement of policy.
Sec. 18-21.	Licenses.
Sec. 18-22.	Conditions of licenseGenerally.
Sec. 18-23.	SamePrincipal adult use.
Sec. 18-24.	SameAccessory adult use.
Sec. 18-25.	Revocation, suspension or nonrenewal of license.
Sec. 18-26.	Penalty for violation.
Secs. 18-2718-5	55. Reserved.

Article III. Peddlers, Solicitors, and Transient Merchants

Division 1. Generally

		Division 1. Ocheran
Sec. 18-56.	Definitions.	
Sec. 18-57.	Penalty.	
Sec. 18-58.	Practices prohibited.	
Sec. 18-59.	Premises from which exclude	ded.
Secs. 18-6018-	76. Reserved.	

Division 2. License

		Division 2. License
Sec. 18-77.	Required.	
Sec. 18-78.	Application and issuance.	
Sec. 18-79.	Revocation.	
Secs. 18-8018-		

Article IV. Electric Franchise Fee on Northern States Power D/B/A Xcel Energy

Sec. 18-102.	Purpose.
Sec. 18-103.	Franchise fee statement.
Sec. 18-104.	Payment.
Sec. 18-105.	Surcharge.
Sec. 18-106.	Record support for payment.
Sec. 18-107.	Enforcement.
Sec. 18-108.	Sunset clause.

CD18:1

Secs. 18-109--18-120. Reserved.

GRANT CODE

Article V. Charitable Gambling

Sec. 18-121.	Definitions.
Sec. 18-122.	Purpose and intent.
Sec. 18-123.	Findings.
Sec. 18-124.	State law adopted.
Sec. 18-125.	Nonlicensed gambling.
Sec. 18-126.	Local approval of state-licensed organizations.
Sec. 18-127.	Obligations of state-licensed organizations.
Sec. 18-128.	Use of proceeds of charitable gambling.
Sec. 18-129.	Permitted premises; description required if leased.
Sec. 18-130.	Designated areas of leased premises; sale of alcoholic beverages prohibited.
Sec. 18-131.	Minimum age.
Sec. 18-132.	Hours of operation.
Sec. 18-133.	Employees.
Sec. 18-134.	Authorized persons.
Sec. 18-135.	Financial reports.
Sec 18-136	Fees and licenses

ARTICLE I. IN GENERAL

Secs. 18-1--18-18. Reserved.

ARTICLE II. ADULT USES*

Sec. 18-19. Definitions.

The following words, terms and phrases, when used in this article, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Adult uses means and includes adult bookstores; adult motion picture theaters; adult mini-motion picture theaters; adult massage parlors; adult steam room/bathhouse/sauna facilities; adult companionship establishments; adult rap/conversation parlors; adult health/sports clubs; adult cabarets; adult novelty businesses; adult motion picture arcades; adult modeling studios; adult hotels/motels; adult body painting studios; and other premises, enterprises, establishments, businesses, or places open to some or all members of the public at or in which there is an emphasis on the presentation, display, depiction, or description of specified sexual activities or specified anatomical areas which are capable of being seen by members of the public. Activities classified as obscene as defined by Minn. Stats. § 617.241 are not lawful and are not included in the definition of adult uses.

Adult uses, accessory, means the offering of goods and/or services which are classified as adult uses on a limited scale and which are incidental to the primary activity and goods and/or services offered by the establishment. Examples of such items include adult magazines, adult movies, adult novelties, and the like.

Adult uses, principal, means the offering of goods and/or services which are classified as adult uses as a primary or sole activity of a business or establishment, and include but are not limited to the following:

Body painting studio, adult, means an establishment or business which provides the service of applying paint or other substance, whether transparent or nontransparent, to or on the body of a patron when such body is wholly or partially nude in terms of specified anatomical areas.

Bookstore, adult, means a business engaging in the barter, rental, or sale of items consisting of printed matter, pictures, slides, records, audiotapes, videotapes, motion picture film, or any other similar materials, if such shop is not open to the public generally but only to one or more classes of the public, excluding any minor by reason of age, or if a substantial or significant portion of such items are distinguished or characterized by an emphasis on the depiction or description of specified sexual activities or specified anatomical areas.

Cabaret, adult, means an establishment which provides dancing or other live entertainment if such dancing or other live entertainment is distinguished or characterized by an emphasis on the performance, depiction, or description of specified sexual activities or specified anatomical areas.

Companionship establishment, adult, means a companionship establishment if such establishment excludes minors by reason of age, or which provides the service of engaging in or listening to conversation, talk or discussion between an employee of the establishment and a customer, if such service is distinguished or characterized by an emphasis on specified sexual activities or specified anatomical areas.

^{*} State Law References: Adult entertainment establishments, Minn. Stats. § 617.242.

Entertainment, adult, means adult bookstores, adult motion picture theaters, adult minimotion picture theaters, adult massage parlors, adult saunas, adult companionship establishments, adult health clubs, adult cabarets, adult novelty businesses, adult motion picture arcades, adult modeling studios, adult hotels or motels, adult body painting studios, and other adult establishments.

Establishment, adult, means a business engaging in any of the following activities or which utilizes any of the following business procedures or practices:

- (1) Any business which is conducted exclusively for the patronage of adults and as to which minors are specifically excluded from patronage thereat either by law or by the operators of such business; or
- (2) Any other business which offers its patrons services or entertainment characterized by an emphasis on matter depicting, exposing, describing, discussing or relating to specified sexual activities or specified anatomical areas. Specifically included in the term, but without limitation, are adult bookstores, adult motion picture theaters, adult mini-motion picture theaters, adult massage parlors, adult saunas, adult companionship establishments, adult health clubs, adult cabarets, adult novelty businesses, adult motion picture arcades, adult modeling studios, adult hotel or motel, and adult body painting studios.

Hotel or motel, adult, means a hotel or motel from which minors are specifically excluded from patronage and wherein material is presented which is distinguished or characterized by an emphasis on matter depicting, describing or relating to specified sexual activities or specified anatomical areas.

Massage parlor, adult, or health club, adult, means a massage parlor or health club which restricts minors by reason of age, and which provides the services of massage, if such service is distinguished or characterized by an emphasis on specified sexual activities or specified anatomical areas.

Mini-motion picture theater, adult, means a business premises within an enclosed building with a capacity for less than 50 persons used for presenting visual media material if such business as a prevailing practice excludes minors by virtue of age, or if said material is distinguished or characterized by an emphasis on specified sexual activities or specified anatomical areas for observation by patrons therein.

Modeling studio, adult, means an establishment whose major business is the provision, to customers, of figure models who are so provided with the intent of providing sexual stimulation or sexual gratification to such customers and who engage in specified sexual activities or display specified anatomical areas while being observed, painted, painted upon, sketched, drawn, sculptured, photographed, or otherwise depicted by such customers.

Motion picture arcade, adult, means any place to which the public is permitted or invited wherein coin- or slug-operated or electronically, electrically or mechanically controlled still or motion picture machines, projectors, or other image-producing devices are maintained to show images to five or fewer persons per machine at any one time, and where the images so displayed are distinguished or characterized by an emphasis on depicting or describing specified sexual activities or specified anatomical areas.

Motion picture theaters, adult, means a business premises within an enclosed building with a capacity of 50 or more persons used for presenting visual media material if said business as a prevailing practice excludes minors by virtue of age, or if said material is distinguished or characterized by an emphasis on the depiction or description of specified sexual activities or specified anatomical areas for observation by patrons.

Novelty business, adult, means a business which has as a principal activity the sale of devices which stimulate human genitals or devices which are designed for sexual stimulation.

Sauna, adult, means a sauna which excludes minors by reason of age, or which provides a steam bath or heat bathing room used for the purpose of bathing, relaxation, or reducing, utilizing steam or hot air as a cleaning, relaxing or reducing agent, if the service provided by the sauna is distinguished or characterized by an emphasis on specified sexual activities or specified anatomical areas.

Special use permit means a permit granted pursuant to this article which is for a specific length of time and is required to be renewed on an annual basis.

Specified anatomical areas means anatomical areas consisting of:

- (1) Less than completely and opaquely covered human genitals, pubic region, buttock, anus, or female breast below a point immediately above the top of the areola; and
- (2) Human male genitals in a discernibly turgid state, even if completely and opaquely covered.

Specified sexual activities means activities consisting of the following:

- (1) Actual or simulated sexual intercourse, oral copulation, anal intercourse, oral-anal copulation, bestiality, direct physical stimulation of unclothed genitals, flagellation or torture in the context of a sexual relationship, or the use of excretory functions in the context of a sexual relationship, and any of the following sexually oriented acts or conduct: anilingus, buggery, coprophagy, coprophilia, cunnilingus, fellatio, necrophilia, pederasty, pedophilia, piquierism, sapphism, zooerasty;
- (2) Clearly depicted human genitals in the state of sexual stimulation, arousal or tumescence;
- (3) Use of human or animal ejaculation, sodomy, oral copulation, coitus, or masturbation;
- (4) Fondling or touching of nude human genitals, pubic region, buttocks, or female breast;
- (5) Situations involving a person, any of whom are nude, clad in undergarments or in sexually revealing costumes, and who are engaged in activities involving the flagellation, torture, fettering, binding or other physical restraint or any such persons;
- (6) Erotic or lewd touching, fondling or other sexually oriented contact with an animal by a human being; or
- (7) Human excretion (i.e., urination, menstruation, vaginal or anal). (Ord. No. 2003-97, \S 2, 4-1-2003)

Sec. 18-20. Statement of policy.

(a) The city council deems it necessary to provide for the special and express regulation of businesses or commercial enterprises which operate as adult body painting studios; adult bookstore; adult cabarets; adult companionship establishments; adult hotels or motels; adult massage parlors or health clubs; adult mini-motion picture theaters; adult modeling studios; adult motion picture arcades or theaters; adult novelty businesses; adult saunas and similar adult oriented services operating under different names in order to protect the public health, safety and welfare, and to guard against the inception and transmission of disease. The city council further finds that the commercial enterprises such as the types described in this subsection and all other similar establishments whose services include sessions offered to adults conducted in private by members of the same or opposite sex, and employing personnel with no specialized training, are susceptible to operation in a manner contravening, subverting or endangering the morals of the community by being the site of acts of prostitution, illicit sex and occasions of violent crimes, and thus requiring close inspection, licensing and regulation.

(b) The city council also finds that control and regulation of commercial establishments of these types, in view of the abuses often perpetrated, require intensive efforts by the sheriff's department and other departments of the city. As a consequence, the concentrated use of city services in such control detracts from and reduces the level of service available to the rest of the community and thereby diminishes the ability of the city to promote the general health, welfare, morals and safety of the community. In consideration for the necessity on the part of the city to provide numerous services to all segments of the community without a concentration of public services in one area working to the detriment of the members of the general public, it is hereby decided that the uses described in subsection (a) of this section should be limited to the general business zoning district as a special use and as a permitted accessory use in the general business zoning districts, and should require the issuance of licenses.

(Ord. No. 2003-97, § 1, 4-1-2003)

Sec. 18-21. Licenses.

- (a) *Required*. No person, firm, or corporation shall operate an adult use in the city without having first secured a license as hereinafter provided. Licenses shall be one of two types:
 - (1) Adult use, principal;
 - (2) Adult use, accessory.
 - (b) Applications. The application for an adult use license shall include:
 - (1) The name, residence, phone number and birth date of the applicant, if an individual; and if a corporation, the names, residences, phone numbers and birth dates of those owners holding more than five percent of the outstanding stock of the corporation;
 - (2) The name, address, phone number and birth date of the manager of such operation, if different from the owners;
 - (3) The premises wherein the adult use is to be located;
 - (4) A statement detailing each gross misdemeanor or felony relating to a sex offense and/or the operation of adult uses and related activities of which the applicant or, in the case of a corporation, the owners of more than five percent of the outstanding stock of the corporation, have been convicted, and whether or not the applicant has ever applied for or held a license to operate a similar type of business in other communities;
 - (5) The activities and types of business to be conducted;
 - (6) The hours of operation;
 - (7) The provisions made to restrict access by minors;
 - (8) A building plan of the premises detailing all internal operations and activities.
 - (c) Fees; payment, collection, and refunds.
 - (1) Each application for a license shall be accompanied by a receipt from the city treasurer or clerk for payment in full of the required fee for the license as established by city council resolution from time to time. All fees shall be paid into the general fund of the city. Upon rejection of any application for a license, the city clerk or treasurer shall refund the amount paid.
 - (2) All licenses shall expire on June 30 of each year. Each license shall be issued for a period of one year, except that if a portion of the license year has elapsed when the application is made, a license may be issued for the remainder of the year for a pro rata fee. In computing such fee, any unexpired fraction of a month shall be counted as one month.
 - (3) The annual fee for an adult use license shall be as established by city council resolution from

time to time.

- (4) No part of the fee paid for any license issued under this article shall be refunded except in the following instances upon application to the city administrator within 30 days from the happening of the event. There shall be refunded a pro rata portion of the fee for the unexpired period of the license, computed on a monthly basis, when operation of the licensed business ceases not less than one month before expiration of the license because of:
 - a. Destruction or damage of the licensed premises by fire or other catastrophe;
 - b. The licensee's illness;
 - c. The licensee's death;
 - d. A change in the legal status making it unlawful for the licensed business to continue.
- (d) *Granting procedure.*
- (1) The city shall investigate all facts set out in the application including conducting a background check on the licensee and all shareholders of the licensee. Opportunity shall be given to any person to be heard for or against the granting of the license. After such investigation and a public hearing, the city council shall grant or refuse the application.
- (2) Each license shall be issued to the applicant only and shall not be transferable to another holder. Each license shall be issued only for the premises described in the application. No license may be transferred to another place without the approval of the city council.
- (e) *Ineligible persons.* No license shall be granted or held by any person:
- (1) Under 21 years of age.
- (2) Who has been convicted of a felony or of violating any law of this state or local ordinance relating to sex offenses and/or audit uses.
- (3) Who is not the proprietor of the establishment for which the license is issued.
- (f) Ineligible places.
- (1) No license shall be granted for adult uses on any premises where a licensee has been convicted of a violation of this article, or where any license hereunder has been revoked for cause, until one year has elapsed after such conviction or revocation.
- (2) Except for uses lawfully existing at the time of adoption of the ordinance from which this article is derived, no license shall be granted for any adult use which is not in compliance with the city's zoning regulations.
- (g) *Nonconforming uses.* Any adult use existing on the effective date of the adoption of the ordinance from which this article is derived may be continued subject to the following provisions:
 - (1) No such adult use shall be expanded or enlarged except in conformity with the provisions of this article;
 - (2) A nonconforming adult use shall be required to apply for and receive an adult use license. No public hearing shall be required prior to the issuance of the license for the nonconforming adult use.

(Ord. No. 2003-97, § 3, 4-1-2003)

State Law References: Ownership or management restrictions on adult business establishments, Minn. Stats. § 609B.545.

Sec. 18-22. Conditions of license--Generally.

- (a) Every license shall be granted subject to the conditions in this section and all other provisions of this article, and of any applicable sections of other ordinances of the city or state law.
 - (b) All licensed premises shall have the license posted in a conspicuous place at all times.
- (c) In the case of an adult use, principal, no minor shall be permitted on the licensed premises unless accompanied by his parent or legal guardian.
- (d) Any designated inspection officer or law enforcement officer of the city shall have the unqualified right to enter, inspect, and search the premises of a licensee during business hours within a search and seizure warrant.
- (e) Every licensee shall be responsible for the conduct of his place of business and shall maintain conditions of this order. (Ord. No. 2003-97, § 4, 4-1-2003)

Sec. 18-23. Same--Principal adult use.

Principal adult use businesses shall be permitted in the general business zoning district subject to the issuance of a special use permit and subject to the following requirements:

- (1) A principal adult use business shall not be allowed within 1,000 feet of another existing adult use measured in a straight line from the buildings.
- (2) A principal adult use business shall not be located within 1,000 feet measured in a straight line from any building located in any general business zoning district in the city.
- (3) A principal adult use business shall not be located within 1,000 feet measured in a straight line from any existing school, day care center or place of worship.
- (4) A principal adult use business shall not sell or dispense nonintoxicating or intoxicating liquors nor shall it be located in a building which contains a business that sells or dispenses nonintoxicating or intoxicating liquors.
- (5) No principal adult use business entertainment shall engage in any activity or conduct or permit any other person to engage in any activity or conduct in or about the adult use establishment which is prohibited by any ordinance of the city, the laws of the state, or the United States of America. Nothing in this article shall be construed as authorizing or permitting conduct which is prohibited or regulated by other statutes or ordinances, including but not limited to statutes or ordinances prohibiting the exhibition, sale or distribution of obscene material generally, or the exhibition, sale or distribution of specified materials to minors.
- (6) No principal adult use business shall be conducted in any manner that permits from any property not approved as an adult use the perception or observation of any materials depicting, describing or related to specified sexual activities or specified anatomical areas by any visual or auditory media, including display, declaration, sign, show window, sound transmission or other means.
- (7) All principal adult use businesses shall prominently display a sign at the entrance and located within two feet of the door-opening device of the adult use establishment or section of the establishment devoted to adult books or materials which states: "This business sells or displays material containing adult themes. Persons under age 18 years of age shall not enter." Said sign shall have letters at least three-eighths-inch in height and no more than two inches in height.

- (8) No person under the age of 18 shall be permitted on the premises of an adult entertainment establishment. No person under the age of 18 years shall be permitted access to material displayed or offered for sale or rent by a principal adult use business establishment.
- (9) Principal adult use businesses shall not be open between the hours of 1:00 a.m. and 10:00 a.m. on the days of Monday through Saturday, nor between 1:00 a.m. and 12:00 noon on Sunday. (Ord. No. 2003-97, § 5, 4-1-2003)

Sec. 18-24. Same--Accessory adult use.

Accessory adult use licenses may be issued to businesses located in the general business zoning districts subject to the following requirements:

- (1) The accessory adult use shall comprise no more than ten percent of the floor area of the establishment in which it is located.
- (2) Display areas for movie rentals or other similar products shall be restricted from general view and shall be located within a separate room, the access of which is in clear view and under the control of the person responsible for the operation.
- (3) Magazines and publications or other similar products classified or qualified as adult uses shall not be accessible to minors and shall be covered with a wrapper or other means to prevent display of any materials other than the publication title.
- (4) Accessory adult uses shall be prohibited from both internal and external advertising and signing of adult materials and products.

(Ord. No. 2003-97, § 6, 4-1-2003)

Sec. 18-25. Revocation, suspension or nonrenewal of license.

- (a) Authority to initiate upon recommendation of city attorney. The license may be revoked, suspended, or not renewed by the city council upon recommendation of the city attorney by showing that the licensee, its owners, managers, employees, agents or any other interested parties have engaged in any of the following conduct:
 - (1) Fraud, deception or misrepresentation in connection with the securing of the license.
 - (2) Habitual drunkenness or intemperance in the use of drugs including, but not limited to, the use of drugs defined in Minn. Stats. § 152.01, barbiturates, hallucinogenic drugs, amphetamines, benzedrine, dexedrine or other sedatives, depressants, stimulants or tranquilizers.
 - (3) Engaging in conduct involving moral turpitude or permitting or allowing others within their employ or agency to engage in conduct involving moral turpitude or failing to prevent agents, officers, or employees in engaging in conduct involving moral turpitude.
 - (4) Failure to fully comply with any requirements of the ordinances of the city regarding sanitary and safety conditions, zoning requirements, building code requirements or ordinances, the violation of which involves moral turpitude, or failure to comply fully with any requirements of this article.
 - (5) Conviction of an offense involving moral turpitude.
- (b) Appeal. The certificate holder may appeal such suspension, revocation or nonrenewal to the city council. The council shall consider the appeal at a regularly scheduled public hearing on or after ten days from service of the notice of appeal to the city clerk. At the conclusion of the hearing, the council may order:
 - (1) That the revocation, suspension or nonrenewal be affirmed.
 - (2) That the revocation, suspension or nonrenewal be lifted and that the certificate be returned to

the certificate holder.

(c) Additional constraints. The city council may base either suspension or issuance of the certificate upon any additional terms, conditions, and stipulations which the council may, in its sole discretion, impose.

(Ord. No. 2003-97, § 7, 4-1-2003)

Sec. 18-26. Penalty for violation.

Any person violating any provision of this article is guilty of a misdemeanor and upon conviction shall be punished not more than the maximum penalty for a misdemeanor as prescribed by state law. (Ord. No. 2003-97, § 8, 4-1-2003)

Secs. 18-27--18-55. Reserved.

ARTICLE III. PEDDLERS, SOLICITORS, AND TRANSIENT MERCHANTS*

DIVISION 1. GENERALLY

Sec. 18-56. Definitions.

The following words, terms and phrases, when used in this article, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Non-Commercial Door-to-Door Advocate means any person who goes door-to-door for the primary purpose of disseminating religious, political, social, or other ideological beliefs.

Peddler means any person, whether a resident of the City of Grant or not, who goes from house-to-house, door-to-door, business-to-business, street-to-street, or any other type of place-to-place movement, for the purpose of offering for sale, displaying for exposing for sale, selling or attempting to sell, and delivering immediately upon sale, the goods, wares, products, merchandise, or other personal property that the person is carrying or otherwise transporting. For purpose of this ordinance, the term "Peddler" shall have the same common meaning as the term "Hawker."

Person means any natural individual, group, organization, corporation, partnership, or similar association.

Professional Fundraiser means any person, including a corporation or other entity, who, for compensation, performs any solicitations or other services for a religious, political, social, or other charitable organization.

^{*} **State Law References:** Authority to regulate transient commerce, Minn. Stats. § 412.221, subd. 19; authority to regulate transient merchants, Minn. Stats. § 437.02

Solicitor means any person, whether a resident of the City of Grant or not who goes from house-to-house, door-to-door, business-to-business, street-to-street, or any other type of place-to-place movement, for the purpose of obtaining or attempting to obtain orders for goods, wares, products, merchandise, other personal property, or services of which he or she may be carrying or transporting samples, or that may be described in a catalog or by other means, and for which delivery or performance shall occur at a later time. The absence of samples or catalogs shall not remove a person from the scope of this provision if the actual purpose of the person's activity is to obtain or attempt to obtain orders as discussed above. For purposes of this ordinance, the term "Solicitor" shall have the same meaning as the term "Canvasser." For purposes of this ordinance, the term "Door-to-Door Advocate" shall also fall under the term "Solicitor."

Transient merchant means any person, firm or corporation, who temporarily sets up business out of a vehicle, trailer, boxcar, tent, other portable shelter, or empty store front for the purpose of exposing or displaying for sale, selling, or attempting to sell, and delivering goods, wares, products, merchandise, or other personal property and who does not remain in any one location for more than fourteen (14) consecutive days.

- (a) Exceptions to Definitions. For purposes of this chapter, the terms Peddler, Solicitor and Transient Merchant shall not apply to:
 - (1) Non-Commercial Door-to-Door Advocates. Nothing within this ordinance shall be interpreted to prohibit or restrict Non-Commercial Door-to-Door Advocates.
 - (2) Any person who makes initial contacts with other people for the purpose of establishing or trying to establish a regular customer delivery route for the delivery of perishable food and dairy products, such as baked goods or milk.
 - (3) Any person making deliveries of perishable food and dairy products to the customers on his or her established delivery route.
 - (4) Any person making deliveries of newspapers, newsletters, or other similar publications on an established customer delivery route, when attempting to establish a regular delivery route, or when publications are delivered to the community at large.
 - (5) Any person conducting the type of sale commonly known as garage sales, rummage sales, or estate sales.
 - (6) Any person participating in an organized, multi-person bazaar or flea market.
 - (7) Any person conducting an auction as a properly licensed auctioneer.
 - (8) Any officer of the court conducting a court-ordered sale.

Exemption from these definitions shall not, for the scope of this chapter, excuse any person from complying with any other applicable statutory provision or requirement provided by another city ordinance.

Sec. 18-57. Penalty.

Any person violating any of the provisions of this Ordinance shall be guilt of a misdemeanor and shall be subject to penalties at law thereof, including payment of restitution as determined by the Court.

Sec. 18-58. Prohibition of peddlers, solicitors and transient merchants.

The practice of going in and upon private residences in the City of Grant, by Peddlers, Solicitors and Transient Merchants, not having been requested or invited to do so by the owner or owners of said private residences for the purpose of sale, displaying for exposing for sale, selling or attempting to sell, and delivering immediately upon sale, the goods, wares, products, merchandise, or other personal property that the person is carrying or otherwise transporting or that may be described in a catalog or by other means, and for which delivery or performance shall occur at a later time, is hereby declared to be a nuisance and punishable as a misdemeanor.

Sec. 18-59. Exceptions to prohibition of peddlers, solicitors and transient merchants.

For the purposes of this chapter, persons engaging in the following activities shall be exempt from the prohibitory actions in Sec. 18-60.

- (a) Any person selling, or attempting to sell, or to take or attempt to take orders for, any product grown, produced, cultivated, or raised on any farm.
- (b) Any person going from house-to-house, door-to-door, business-to-business, street-to-street, or any other type of place-to-place movement for the primary purposes of exercising that person's state or federal constitutional rights such as freedom of speech, freedom of the press, freedom of religion, and the like. This exemption will not apply if the person's exercise of constitutional rights is merely incidental to what would properly be considered a commercial activity.

Sec. 18-60. Prohibited activities for Non-Commercial Door-to-Door Advocates and Professional Fundraisers.

Non-Commercial Door-to-Door Advocates excluded under 18-56(a) of this Ordinance shall be prohibited from conducting business in any of the following manner:

- (a) Calling attention to his or her business or the items to be sold by means of blowing any horn or whistle, ringing any bell, crying out, or by any other noise, so as to be unreasonably audible within an enclosed structure.
- (b) Obstructing the free flow of traffic, either vehicular or pedestrian, on any street, sidewalk, alleyway, or other public right-of-way.
- (c) Conducting business in a way as to create a threat to the health, safety, and welfare of any specific individual or the general public.
- (d) Conducting business before 8 a.m. or after 8 p.m.
- (e) Alleging false or misleading statements including untrue statements of endorsement.
- (f) Remaining on the property of another when requested to leave.
- (g) Otherwise operating their business in any matter that a reasonable person would find obscene, threatening, intimidating or abusive.

Sec. 18-61. Severability.

Every section, provision, or part of this Ordinance is declared separate from every other section, provision, or part' and if any section, provision, or part shall be held invalid, it shall not affect any other section, provision, or part. Where a provision of any other City ordinance conflicts with the provisions of this Ordinance, the provisions of this Ordinance shall prevail.

Secs. 18-62—18-76. Reserved.

DIVISION 2. LICENSE

Sec. 18-77. Required.

No peddler, solicitor or transient merchant shall sell or offer for sale any goods, wares, merchandise or services within the city unless a license therefor shall first be secured as provided in this division. (Ord. No. 2003-102, § 2, 12-2-2003)

Sec. 18-78. Application and issuance.

- (a) Application for such license shall be made to the city clerk on a form supplied by the city. The application shall state:
 - (1) The name and address of the applicant and of all persons associated with him in his business;
 - (2) The type of business for which the license is desired;
 - (3) In case of transient merchants:
 - a. The place where the business is to be carried on;
 - b. The length of time for which the license is desired;
 - c. The general description of the things to be sold;
 - (4) The places of residence of the applicant for the five years preceding the date of application.
- (b) Blank applications shall be issued on payment of \$1.00, which amount shall be credited on the license fee if the license is granted. Every application shall bear the written report and recommendation of the city clerk or mayor after an investigation of the moral character of the applicant. The completed application shall be presented to the council for its consideration; and if granted by the council, a license shall be issued by the city clerk upon payment of the fee established by ordinance. (Ord. No. 2003-102, § 3, 12-2-2003)

Sec. 18-79. Revocation.

Any license may be revoked by the council for a violation of any provision of this division if the licensee has been given a reasonable notice and an opportunity to be heard. (Ord. No. 2003-102, § 4, 12-2-2003)

Secs. 18-80--18-101. Reserved.

ARTICLE IV. ELECTRIC FRANCHISE FEE ON NORTHERN STATES POWER D/B/A XCEL ENERGY

Sec. 18-102. Purpose.

- (a) The city council has determined that it is in the best interest of the city to impose a franchise fee on those public utility companies that provide electric services within the city.
- (b) Pursuant to city Ordinance No. 2003-103, a franchise agreement between the city and Northern States Power Company, d/b/a Xcel Energy, the city has the right to impose a franchise fee on Xcel Energy in amount and fee design as set forth in section 9.1 of the Xcel Energy Franchise and in the fee schedule attached hereto as exhibit A attached to Ordinance No. 2003-104. (Ord. No. 2003-104, § 1, 12-2-2003)

Sec. 18-103. Franchise fee statement.

- (a) A franchise fee is hereby imposed on Xcel Energy under its electric franchise in accordance with the schedule attached hereto and made a part of this article, commencing with the Xcel Energy's February 2004 billing month. This fee is an account-based fee on each premises and not a meter-based fee. In the event that an entity covered by this article has more than one meter at a single premises, but only one account, only one fee shall be assessed to that account. If a premises has two or more meters being billed at different rates, the company may have an account for each rate classification, which will result in more than one franchise fee assessment for electric service to that premises.
- (b) If the company combines the rate classifications into a single account, the franchise fee assessed to the account will be the largest franchise fee applicable to a single rate classification for energy delivered to that premises. In the event any entities covered by this article have more than one premises, each premises (address) shall be subject to the appropriate fee. In the event a question arises as to the proper fee amount for any premises, the company's manner of billing for energy used at all similar premises in the city will control.

(Ord. No. 2003-104, § 2, 12-2-2003)

Sec. 18-104. Payment.

The franchise fee shall be payable to the city in accordance with the terms set forth in section 9.4 of the franchise.

(Ord. No. 2003-104, § 3, 12-2-2003)

Sec. 18-105. Surcharge.

The city recognizes that the state public utilities commission allows the utility company to add a surcharge to customer rates to reimburse such utility company for the cost of the fee and that Xcel Energy will surcharge its customers in the city the amount of the fee. (Ord. No. 2003-104, § 4, 12-2-2003)

Sec. 18-106. Record support for payment.

Xcel Energy shall make each payment when due and, if requested by the city, shall provide at the time of each payment a statement summarizing how the franchise fee payment was determined, including information showing any adjustments to the total surcharge billed in the period for which the payment is being made to account for any uncollectibles, refunds or error corrections. (Ord. No. 2003-104, § 5, 12-2-2003)

Sec. 18-107. Enforcement.

Any dispute, including enforcement of a default regarding this article, will be resolved in accordance with section 2.5 of the franchise agreement.

(Ord. No. 2003-104, § 6, 12-2-2003)

Sec. 18-108. Sunset clause.

This article shall automatically sunset on December 31, 2009, unless the city council acts to renew or extend the fee at least six months prior to the sunset date. (Ord. No. 2003-104, § 1, 12-2-2003)

Exhibit A XCEL ENERGY ELECTRIC FRANCHISE FEE SCHEDULE

Fee Per Premise
\$2.35
\$2.00
\$14.00
\$75.00
\$ 2.00
\$2.00
\$2.00

Franchise fees are to be collected by the utility in the amounts set forth in the above schedule, and submitted to the city on a quarterly basis as follows:

January--March collections due by April 30.

April--June collections due by July 31.

July--September collections due by October 31.

October--December collections due by January 31.

Secs. 18-109--18-120. Reserved.

ARTICLE V. CHARITABLE GAMBLING*

Sec. 18-121. Definitions.

The following words, terms and phrases, when used in this article, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Active member means a member who has paid all his dues to the organization and has been a member of the organization for at least six months.

Bingo means a game where each player has a card or board, for which a consideration has been paid, containing five horizontal rows of spaces, with each row, except the center one, containing five figures. The central row has four figures with the word "free" marked in the center space thereof. The term "bingo" also includes games which are as described in this definition except for the use of cards where the figures are not preprinted, but are filled in by the players. A player wins a game of bingo by completing a preannounced combination of spaces or, in the absence of a preannouncement of a combination of spaces, any combination of five spaces in a row, either vertical, horizontal or diagonal.

Bingo occasion means a single gathering or session at which a series of one or more successive bingo games is played.

Checker means a person who records the number of bingo cards purchased and played during each game and records the prizes awarded to the recorded cards but does not collect the payment for the cards.

Exempt organization means any fraternal, religious, veterans, or other nonprofit organization conducting not more than one lawful charitable gaming event each calendar year. Each charitable gaming event shall be limited to five or less consecutive days in duration.

Exempt permit means that permit which is required to be obtained by every exempt organization seeking to conduct local charitable gaming within the corporate limits of the city.

Gambling equipment means bingo cards and devices for selecting bingo numbers, pull-tabs, ticket jars, paddlewheels, and tipboards.

Gambling manager means a person who has paid all dues to an organization, has been a member of the organization for at least two years, and has been designated by the organization to supervise lawful gambling conducted by it.

Lawful gambling means the operation, conduct or sale of bingo, raffles, paddlewheels, tipboards and pull-tabs.

Lawful purpose means as defined by Minn. Stats. § 349.12, subd. 25.

Organization means any fraternal, religious, veterans, or other nonprofit organization.

Paddlewheel means a wheel marked off into sections containing one or more numbers, and which, after being turned or spun, uses a pointer or marker to indicate winning chances.

^{*} State Law References: Lawful gambling, Minn. Stats. ch. 349; local regulation of lawful gambling, Minn. Stats. § 349.213.

Profit means the gross receipts collected from lawful gambling, less reasonable sums necessarily and actually expended for prizes and taxes imposed by this chapter.

Pull-tab means a single folded or banded ticket or a card with a face covered to conceal one or more numbers or symbols, where one or more of each set of tickets or cards has been designated in advance as a winner. The term "pull-tab" includes a ticket sold in a gambling device known as a ticket jar.

Raffle means a game in which a participant buys a ticket for a chance at a prize with the winner determined by a random drawing to take place at a location and date printed upon the ticket.

Tipboard means a board, placard or other device marked off in a grid or columns, in which each section contains a hidden number or numbers, or other symbol which determines the winning changes. (Ord. No. 2008-05, § 1, 12-1-2008)

Sec. 18-122. Purpose and intent.

This article is enacted to promote the health, safety and general welfare of the inhabitants of the city by closely regulating the conduct of lawful gambling. (Ord. No. 2008-05, § 2, 12-1-2008)

Sec. 18-123. Findings.

The city council finds that lawful gambling is a nuisance-prone activity and, as such, is subject to restrictive regulation. The council further finds and declares that the ability to conduct lawful gambling and participate in lawful gambling is a privilege rather than a right. (Ord. No. 2008-05, § 3, 12-1-2008)

Sec. 18-124. State law adopted.

The provisions of Minn. Stats. ch. 349 relating to the definition of terms, licensing and restrictions of lawful gambling are adopted and made a part of this section as if set out in full. (Ord. No. 2008-05, § 4, 12-1-2008)

Sec. 18-125. Nonlicensed gambling.

This article shall not regulate the conduct of nonlicensed gambling as defined by Minn. Stats. ch. 349. (Ord. No. 2008-05, § 5, 12-1-2008)

Sec. 18-126. Local approval of state-licensed organizations.

Pursuant to Minn. Stats. § 349.213, the charitable gambling control board for the state must notify the city council before issuing or renewing an organization license for lawful gambling at the state level for those organizations whose premises are located within the city. The city council must either adopt a resolution approving or denying the state license request. Approval or denial of the request must be based upon the purpose and intent of this article as stated in section 18-122. If the city council adopts a resolution disapproving the state license and so informs the board within 30 days of such notice, the license may not be issued or renewed.

(Ord. No. 2008-05, § 6, 12-1-2008)

Sec. 18-127. Obligations of state-licensed organizations.

The applicant shall provide to the city clerk copies of all information which such organization provides to the charitable gambling control board. Such copies shall be provided to the city clerk within seven days after the state-licensed organization sends such information to the state. Failure of the applicant to provide such

copies shall constitute a basis for denial of the license or renewal by the city council. (Ord. No. 2008-05, \S 7, 12-1-2008)

Sec. 18-128. Use of proceeds of charitable gambling.

- (a) The organization licensed to conduct lawful gambling in the city shall contribute ten percent of the net profits it derives from the lawful gambling activity in the city to a fund regulated by the city for disbursement of such contributions for lawful purposes as defined by Minn. Stats. § 349.12, subd. 25. In addition, the organization licensed to conduct lawful gambling in the city shall expend a minimum of 70 percent of the net proceeds it derives from the lawful gambling activity conducting in the city for lawful purposes as defined by Minn. Stats. § 349.12, subd. 25, that will directly benefit the citizens living in the city. Such expenditures must occur within the same or following fiscal year that such proceeds are received by the organization conducting the lawful gambling in the city.
- (b) For purposes of this section, net proceeds shall be computed as follows: gross receipts from lawful gambling activity conducted in the city, less reasonable sums necessarily and actually expended to conduct lawful gambling activities in the city for the following items:
 - (1) Prizes;
 - (2) Gambling supplies and equipment, which shall be defined as those expenses authorized by the charitable gambling board in adopted rules (see Minn. Rules ch. 7861);
 - (3) Rent;
 - (4) Utilities used during gambling occasions;
 - (5) Compensation paid to members for conducting lawful gambling activities;
 - (6) State and/or federal taxes; and
 - (7) Maintenance of devices used in lawful gambling.
- (c) The requirements of this section shall not apply to exempt organizations having first obtained an exempt permit from the city. (Ord. No. 2008-05, § 8, 12-1-2008)

Sec. 18-129. Permitted premises; description required if leased.

- (a) The use of or sale of lawful gambling supplies and equipment described as pull-tabs, paddlewheels and tipboards shall be allowed on the premises owned or leased by eligible organizations.
- (b) In the event the premises are leased by the eligible organization, the specific area leased and within which the lawful gambling activity is to take place shall be clearly described in a written lease agreement and shall further be designated in a drawing attached to the lease and made a part thereof. (Ord. No. 2008-05, § 9, 12-1-2008)

Sec. 18-130. Designated areas of leased premises; sale of alcoholic beverages prohibited.

In leased locations authorized by this article, the lawful gambling activity and the sale of pull-tabs, tipboards and the operation of paddlewheels shall take place in a designated area of the leased premises, which area shall be separate from the counter, bar or service area. No sale of any alcoholic beverages shall be allowed within the leased area. Locations authorized by this section which are owned by the licensed organization need not designate such a location within the premises.

(Ord. No. 2008-05, § 10, 12-1-2008)

Sec. 18-131. Minimum age.

Only those persons who have reached the age at which they are allowed to consume intoxicating liquor by state statutes shall be allowed to participate in the lawful gambling activity or shall be employed by the organization issued the lawful gambling license for the operation, conduct or sale of bingo, raffles, paddlewheels, tipboards and pull-tabs.

(Ord. No. 2008-05, § 11, 12-1-2008)

Sec. 18-132. Hours of operation.

- (a) The use or sale of lawful gambling supplies and equipment, including pull-tabs, paddlewheels and tipboards, shall be allowed on premises owned or leased by those organizations eligible for a lawful gambling license only between the hours of 8:00 a.m. and 1:00 a.m.
- (b) Notwithstanding the provisions of subsection (a) of this section, the conduct of bingo and sale of raffle tickets shall be allowed on Sundays and legal holidays when not prohibited by Minn. Stats. ch. 349. (Ord. No. 2008-05, § 12, 12-1-2008)

Sec. 18-133. Employees.

Compensation to persons who participate in the conduct of lawful gambling may be paid only to active members of the conducting organization or its auxiliary, to the spouse or the surviving spouse of an active member, or to employees hired by the licensed organization. (Ord. No. 2008-05, § 13, 12-1-2008)

Sec. 18-134. Authorized persons.

Only an active member of the licensed organization, the spouse or surviving spouse of the active member, or an employee hired by the licensed organization shall be involved in the operation, conduct or sale of lawful gambling activities in the city. The owner or employee of an establishment having a liquor license issued by the city which is leased by the organization conducting a lawful gambling activity may not be involved in the operation, conduct or sale of lawful gambling activities while he is then on duty with the lessor. (Ord. No. 2008-05, § 14, 12-1-2008)

Sec. 18-135. Financial reports.

Each organization which is licensed to conduct lawful gambling within the city shall provide the city clerk with a copy of all financial reports submitted to the state charitable gambling control board on a quarterly basis if there is any charitable gambling by the organization within the reporting period. (Ord. No. 2008-05, § 15, 12-1-2008)

Sec. 18-136. Fees and licenses.

To the extent allowed by state law, the council may by ordinance set a licensing fee for the conduct of lawful gambling within the city. The ordinance may set fees for application and processing of any application, including whatever amounts are deemed appropriate to defray the cost of investigation of the proposed applicant by the council, city administrator, or chief of police and to make a determination of the propriety of granting the license. The city clerk shall prepare a local application form and shall include verification that the applicant agrees to abide by all local ordinances concerning the conduct of licensed lawful gambling. (Ord. No. 2008-05, § 16, 12-1-2008)

Chapter 20

MOTOR VEHICLES AND TRAFFIC*

* State Law References: Traffic generally, Minn. Stats. chs. 168--171; powers of local authorities, Minn. Stats. §§ 169.02, 169.04.

Sec. 20-1. Adoption of state statutes.

Sec. 20-2. Definitions.

Sec. 20-3. Unreasonable acceleration prohibited.

Sec. 20-4. Standard of evidence.

Sec. 20-5. Parking lots.

Sec. 20-6. Weight limits.

Sec. 20-7. Snowmobiles and other recreational vehicles.

Sec. 20-8. Riding of animals and driving animal-drawn vehicles.

Sec. 20-1. Adoption of state statutes.

The provisions of Minn. Stats. chs. 168--171 are adopted by reference. (Ord. No. 31, § 1, 10-6-1970)

Sec. 20-2. Definitions.

The following words, terms and phrases, when used in this chapter, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Motor vehicle means every vehicle which is self-propelled and not deriving its power from overhead wires.

Unreasonable acceleration means to start or accelerate a motor vehicle in an unsafe, unreasonable or imprudent manner or in a manner that evidences an unnecessary exhibition of speed or creates unnecessary noise or nuisance.

(Ord. No. 48, § 1, 9-2-1980)

Sec. 20-3. Unreasonable acceleration prohibited.

Unreasonable acceleration of any motor vehicle on any street, highway, roadway, private road or driveway within the city is hereby declared to be unlawful and a public nuisance. (Ord. No. 48, § 2, 9-2-1980)

Sec. 20-4. Standard of evidence.

It shall be prima facie evidence of unreasonable acceleration if a motor vehicle shall be observed starting or accelerating in such a manner as to cause squealing or screeching sounds emitted by the motor vehicle's tires, fishtailing of the motor vehicle, or the throwing of sand or gravel by the tires of said motor vehicle, or any combination of said actions.

(Ord. No. 48, § 3, 9-2-1980)

Sec. 20-5. Parking lots.

Parking of vehicles in lots used by the public for parking shall conform to the markings of stalls or positions for parking designated on the surface of the parking area and no vehicle shall be parked or allowed to stand in any area of such parking lot which has been designated or is used for a lane for moving traffic. (Ord. No. 36, § IV, 6-5-1973)

Sec. 20-6. Weight limits.

- (a) *Findings*. The streets, roads and public ways of the city will be seriously damaged or destroyed by reason of climactic conditions unless the usage of vehicles thereon is prohibited or restricted, or unless permissible weights allowed are reduced during certain seasons of the year.
- (b) Spring load limits. Vehicles traveling or parked on the public streets, roads and other public ways of the city may not exceed five tons gross weight per axle during the spring thaw period. The spring thaw period for city streets, roads, and other public ways will be as determined by the state department of transportation for state roads in the same area. Weight limit may be further reduced by the city engineer or road commissioner where necessary to protect public safety or the public's investment in roadways by the posting of signs identifying the reduced weight limit on the street or roadway where the reduced weight limit is to apply.
- (c) *Exemptions*. The load limits hereby set forth are not applicable to emergency vehicles, or to public school buses operated by or under contract to any of the school districts serving residents of the city.
- (d) *Temporary suspension*. The load limits established herein may be temporarily suspended by the city council in specific cases involving the public health, safety and/or welfare. (Ord. No. 1998-82, §§ 80-1--80-4, 3-3-1998)

State Law References: Local weight limits, Minn. Stats. § 169.87.

Sec. 20-7. Snowmobiles and other recreational vehicles.

(a) *Definitions*. The following words, terms and phrases, when used in this section, shall have the meanings ascribed to them in this subsection, except where the context clearly indicates a different meaning:

Recreational vehicle means any self-propelled vehicle which is designed for travel on nonroadway surfaces and includes, but is not limited to, snowmobiles, trail bikes, and all-terrain vehicles.

- (b) *Purpose*. It is the purpose of this section to provide for the public safety by regulating the manner in which recreational vehicles are operated.
- (c) *Adoption of state regulations*. The regulations regarding snowmobiles provided for by Minn. Stats. §§ 84.81--84.89 are hereby adopted and made a part of this section by reference as if fully set forth herein.
- (d) *Unlawful operation*. It shall be unlawful for any person to operate a snowmobile or other recreational vehicle on private property of another without permission of the owner or person in control of said property.

- (e) *Traffic ordinances*. Traffic ordinances shall apply to the operation of snowmobiles and other recreational vehicles upon streets and highways, except for those relating to required equipment, and except those which by their nature have no application.
- (f) *Prohibited places*. No person shall operate a snowmobile or other recreational vehicle in any of the following places:
 - (1) Upon any property owned by the city unless said property has been clearly marked with signs erected by authority of the city council permitting snowmobile operation and such operation shall then be limited to the area so designated.
 - (2) Upon any school grounds without express permission of a school administrator.
 - (3) Within 100 feet of any fisherman, pedestrian, skating rink, or sliding area where the operation would conflict with the use or endanger other persons or property.

(Ord. No. 34, §§ I--VI, 2-19-1972)

State Law References: Snowmobiles, Minn. Stats. § 84.81 et seq.; recreational motor vehicles, Minn. Stats. § 84.90.

Sec. 20-8. Riding of animals and driving animal-drawn vehicles.

(a) *Definitions*. The following words, terms and phrases, when used in this section, shall have the meanings ascribed to them in this subsection, except where the context clearly indicates a different meaning:

Animal means horse, pony or any other animal that can be ridden or used to draw a conveyance.

Minor child means a child of less than 13 years of age.

- (b) *Purpose*. It is the purpose of this section to provide for the public safety by regulating the manner in which animals are ridden or driven on public thoroughfares.
 - (c) Rules and regulations.
 - (1) No minor child shall ride an animal upon a public thoroughfare unless such animal is equipped with a saddle or bareback pad and also bridle and/or hackamore. No person shall ride an animal on any public thoroughfare unless such animal is under proper control. No person shall drive an animal drawn conveyance upon a public thoroughfare unless such animal is equipped with a bridle and a harness suitable to ensure proper control of such animal.
 - (2) Animals may not be ridden or driven more than two abreast on any public thoroughfare; provided, however, that on a paved road in the city, animals must be ridden or driven single file.
 - (3) Animals must be ridden or driven on the right-hand shoulders of public thoroughfares whenever possible.
 - (4) Animals must not be ridden or driven on private lawns, crop lands or other private property without the owner's permission.

- (5) When approaching a blind intersection obscured by a high hedge, embankments or snow, the rider of an animal or driver of an animal-drawn vehicle shall come to a complete stop and proceed through said intersection at a pace no faster than a walk.
- (6) When crossing a road, animals must be lead or walked and under no circumstances ridden at a pace faster than a walk.
- (7) Any person riding an animal or driving an animal-drawn vehicle on a public thoroughfare shall comply with the traffic laws of the state, and violation thereof shall be deemed to be a violation of this chapter.
- (d) *Display of regulations*. All persons who board animals shall post a copy of these regulations in a conspicuous place on the premises. (Ord. No. 45, §§ 1--4, 1-2-1979)

Chapter 22

OFFENSES AND MISCELLANEOUS PROVISIONS

Sec. 22-1. Discharge of firearms, airguns or bows and arrows.

(a) *Definitions*. The following words, terms and phrases, when used in this section, shall have the meanings ascribed to them in this subsection, except where the context clearly indicates a different meaning:

Airgun means any rifle, pistol or revolver by which a projectile is discharged by means of compressed gas, but does not include the so-called BB guns.

Firearm means any weapon from which shot, a bullet or other projectile is discharged by a solid propellant.

Private target range means an area for the discharge of weapons for sport which area and the use thereof is controlled by a club or association and, except for special events, use thereof is limited to members of the group or association.

Public places includes all property owned by the state, the county, the city or other political subdivision of the state; public roadways and streets within the city; cemeteries; and places of public accommodation.

Public target range means an area for the discharge of weapons for sport under controlled conditions which is privately owned but open to the public, and for the use thereof a fee is charged.

Shotgun means a shoulder firearm from which shot or a legal shotgun slug is discharged by means of a solid propellant; muzzle-loading rifles of legal caliber are included in this category.

- (b) *Illegal use of firearms.*
- (1) Except as hereinafter provided, no person shall discharge upon, over, or onto the land of another a firearm of any kind; bow and arrow, crossbow, or any airgun, BB gun, slingshot, or other devices for the propulsion of shots or metal pellets by means of compressed air, gas or mechanical spring action, without the express written and dated permission of the owner or lessee of such property to discharge such firearms, weapons or other devices thereon.
- (2) Except at target ranges as defined in subsection (a) of this section, no person shall discharge at any time whatsoever a rifle, pistol or revolver of a caliber greater than a .22 long rifle.
- (c) *Unlawful discharge*.
- (1) It shall be unlawful for any person, within one-half mile, to discharge any rifle, pistol or revolver in the direction of any building, excepting the owner or lessee of said building.

- (2) Shotguns, bows and arrows, crossbows, airguns, slingshots or any other similar devices for the propulsion of shots or metal pellets by means of compressed air, gas or mechanical spring action may not be discharged within 500 feet in the direction of any building except by the owner or lessee of the building.
- (3) It shall be unlawful for any person to discharge any gun, pistol, revolver, or other firearm or airgun in any public place.

(Ord. No. 57, §§ 1--3, 5, 4-2-1985; Ord. No. 87, § 2, 3-7-2000)

State Law References: Local regulation of firearms, Minn. Stats. § 471.663.

Chapter 24

PLANNING

Article I. In General

Sec. 24-1. Fees. Secs. 24-2--24-20. Reserved.

Article II. Planning Commission

Sec. 24-21.	Establishment.
Sec. 24-22.	Composition.
Sec. 24-23.	Qualifications; constraints pertaining to membership; committee expenditures.
Sec. 24-24.	Vacancies.
Sec. 24-25.	Meetings; records; reports.
Sec. 24-26.	Duties.
Secs. 24-2724-5	55. Reserved.

Article III. Uniform System for Naming Streets and Numbering Properties and Principal Buildings

Sec. 24-56.	Uniform naming and numbering system adopted.
Sec. 24-57.	Assignment of names and numbers.
Sec. 24-58.	Administration.

PLANNING

ARTICLE I. IN GENERAL

Sec. 24-1. Fees.

- (a) Due upon application. At the time of filing an application for rezoning, subdivision, variance, special use permit, conditional use permit, street vacation or any other application for a permit or other approval required under an official control established pursuant to Minn. Stats. ch. 462, the applicant shall pay to the city an amount of money sufficient to cover the city's administrative and other costs incurred in the processing of the application.
- (b) Amounts of fee and deposits. The city may require the applicant to deposit at the time the application is filed an amount of money sufficient to pay the costs of public notices, materials and staff consultant time and research for preparation of materials necessary to the processing of each application in addition to the application fee. At the time of filing of the application, the applicant shall pay to the city the amount of fees established by ordinance. Additional fees shall be paid whenever the council or its designee determines that the actual costs will exceed those initially set by council resolution. No action on the application shall be taken by the city until all fees are paid as required.
- (c) Payment to precede permit issuance. No permit shall be issued until all costs and fees as provided herein have been paid.
- (d) Waiver by city council. The council may waive any and all fees provided herein. (Ord. No. 49, §§1--4, 8-3-1982)

State Law References: Fees in connection with official controls, Minn. Stats. § 462.353, subds. 4, 4a.

Secs. 24-2--24-20. Reserved.

ARTICLE II. PLANNING COMMISSION

Sec. 24-21. Establishment.

A planning commission for the city is hereby established pursuant to Minn. Stats. \$\$ 462.351 to 462.364.

(Ord. No. 2005-114, § 1, 4-5-2005; Ord. No. 2009-08, § 1, 3-3-2009)

State Law References: Planning commission authorized, Minn. Stats. § 462.354, subd. 1.

Sec. 24-22. Composition.

- (a) The planning commission shall consist of five to seven members. The members shall be appointed by the city council by a majority vote of the city council. Each planning commissioner shall be appointed to a three year term. If a commissioner is appointed to fulfill the term of an unexpired term, then the newly appointed commissioner shall serve for the remainder of that term. The term of office, unless appointed to fill an unexpired term, shall begin at the first regular city council meeting in March of each year. Both original and successive appointees hold office until their successors are appointed and have qualified.
- (b) In March of each year the members of the planning commission shall annually elect one member as chair and one member as vice-chair.
- (c) The city council may appoint one of the members of the city council to serve as an ex officio member of the city planning commission, who shall not have a vote nor participate in any proceedings before

the planning commission or hold any office. The ex officio member may participate in discussion as a resident and member of the audience.

- (d) A quorum shall be achieved when a simple majority of the appointed members is present, excluding the ex officio member, prior to any business being conducted at the meetings. For example, if the Planning Commission consists of seven appointed members, than a minimum of 4 members must be present to achieve quorum.
- (e) The meeting shall be conducted according to Robert's Rules of Order. (Ord. No. 2005-114, § 2, 4-5-2005; Ord. No. 2009-08, § 2, 3-3-2009)

Sec. 24-23. Qualifications; constraints pertaining to membership; committee expenditures.

- (a) Every member of the planning commission shall be a registered voter in the city.
- (b) Every member shall, before entering upon the disposition of duties, take an oath to faithfully perform the duties of such office.
- (c) All members shall serve without compensation, and may be removed by a majority vote of the city council. In the event a planning commission member is removed, the member will be notified by the city.
- (d) Any member who fails to attend five regular meetings of the planning commission during any consecutive 12-month period shall have the appointment reviewed by the city council.
- (e) No member of the planning commission may participate on any issue or proceeding in which the member has a conflict of interest. While not an exhaustive list, a member has a conflict of interest if the member has a financial interest, is married to the applicant, is related to the applicant within the first degree of kinship, or is employed by the applicant, or if the applicant is employed by the member. Any members having a conflict of interest on a specific zoning review or application is required to recuse himself and step down during planning commission discussion and action. If there is any question regarding a conflict, the planning commission member may consult with the city attorney. The planning commissioner may participate in discussion as a resident and member of the audience.
- (f) Expenditures of the planning commission shall be within amounts appropriated for that purpose by the city council. (Ord. No. 2005-114, § 3, 4-5-2005; Ord. No. 2009-08, § 3, 3-3-2009)

Sec. 24-24. Vacancies.

- (a) Vacancies due to resignation, the expiration of a term, or when the city council determines not to reappoint a planning commission member whose term is expiring shall be filled by each applicant making an application requesting to be appointed or reappointed. The city council shall review the applications upon completion of the process set forth below and shall appoint a planning commission member by a majority vote of the city council.
- (b) The city clerk shall publish in the official newspaper of the city, on an annual basis, a notice that a vacancy on the planning commission exists and that any interested person may make an application for appointment by the city council.
- (c) Applicants for appointment/reappointment shall apply in writing using the appropriate forms as may be required, and the city council shall interview those candidates that it deems appropriate before

PLANNING

appointment to the planning commission by the city council.

(d) The appointment process for a vacancy due to an expired term shall be handled by the city council at a regular or special meeting in March of each year in order to allow an opportunity for candidates to file applications and interview applicants. For all unexpired terms, the city council shall follow the same process as laid out in (a) through (c), but may consider appointments at any regularly schedule city council meeting.

(Ord. No. 2005-114, § 5, 4-5-2005; Ord. No. 2009-08, § 5, 3-3-2009)

Sec. 24-25. Meetings; records; reports.

The planning commission shall hold at least one regular meeting each month, unless there is no business to conduct. It shall adopt rules for the transaction of business and shall keep a record of its resolutions, transactions, and findings, which shall be a public record. At each regular monthly meeting of the city council, the commission shall submit to the city council a report of its work during the preceding month. (Ord. No. 2005-114, § 6, 4-5-2005; Ord. No. 2009-08, § 6, 3-3-2009)

Sec. 24-26. Duties.

- (a) The planning commission shall have the duty to review, study and make recommendations to the city council on the following:
 - (1) The City's Comprehensive Plan;
 - (2) All standard land use applications, filed with the City, including but not limited to: rezoning, conditional use permits, variances, subdivisions and related matters;
 - (3) Matters requiring a public hearing by law and/or as directed by the city council;
 - (4) Draft ordinances as requested by the city council;
 - (5) Such other matters as the city council may request review and recommendation.
 - (6) Such other duties as the city council may delegate.
- (b) As directed by the city council, the planning commission shall attend joint meetings between the city council and planning commission.
- (c) The city council may elect to classify a land use application as an Emergency Application requiring immediate consideration. An application may only be classified as an Emergency Applicant if the applicant is faced with circumstances which directly and immediately affect the public health, safety and well-being of either the applicant, or any resident of the city. Any land use application classified as an Emergency Application shall be considered directly by the city council and shall not be considered by the planning commission given the urgency of the circumstances. The city council shall conduct all necessary public hearings. When an application is classified as an Emergency Application by the city council, the planning commission shall be notified and invited to attend the city council meeting at which the application is discussed.
- (d) Such recommendations shall then be acted upon in accordance with Minn. Stats. § 15.99, as amended, if applicable, and Minn. Stats. § 462.358, subd. 3b, as amended and if applicable, and all other laws of the state.

(Ord. No. 2005-114, § 4, 4-5-2005; Ord. No. 2009-08, § 4, 3-3-2009)

State Law References: Time deadlines for actions, Minn. Stats. §§ 15.99, 462.358, subd. 3b.

Secs. 24-27--24-55. Reserved.

ARTICLE III. UNIFORM SYSTEM FOR NAMING STREETS AND NUMBERING PROPERTIES AND PRINCIPAL BUILDINGS

Sec. 24-56. Uniform naming and numbering system adopted.

A uniform system of naming streets and numbering properties and principal buildings, as shown in the manual of procedures identified by the title "Uniform Street Naming and Property Numbering System," which is filed in the county courthouse, is hereby adopted for use in the city. This map and all explanatory matter thereon is hereby adopted and made a part of this article. (Ord. No. 35, § 1, 7-14-1972)

Sec. 24-57. Assignment of names and numbers.

- (a) All properties or parcels of land within the city shall hereafter be identified by reference to the uniform numbering system adopted herein, provided all existing numbers of property and buildings not now in conformity with provisions of this article shall be changed to conform to the system herein adopted within three months from the date of passage of the ordinance from which this article is derived. The names of all streets in the city shall be as designated by the uniform street naming system.
- (b) It shall be the duty of the property owner of every house, commercial or other building to have proper house or building numbers either by affixing such number in metal, glass, or plastic or other durable material. The numbers shall not be less than three inches in height, in a color contrasting to the building. Said numbers shall be either lighted or made of some reflective material and so placed to be easily seen from the street, or placed on the mailbox if the mailbox is on the street of the property and the numbers placed on the house cannot be easily seen from the street. If no such mailbox is available, the numbers shall be attached to a separate post which shall be placed within 30 feet of the street. Numbers fixed to either a mailbox or separate post must be clearly seen from the street when approached from either direction.
- (c) In case a principal building is occupied by more than one business or family dwelling unit, each separate front entrance of such principal building shall bear a separate number. (Ord. No. 35, § 2, 7-14-1972; Ord. No. 65, § 1, 4-3-1990)

Sec. 24-58. Administration.

- (a) The building inspector shall be responsible for maintaining the numbering system. In the performance of this responsibility, he shall be guided by the provisions of section 24-57.
 - (b) The city clerk shall keep a record of all numbers assigned under this article.
- (c) The city clerk shall assign to any property owner in the city upon request a number for each principal building or separate front entrance to such building. In doing so, he shall assign such building under the provisions of this article; provided, however, that the recorder may assign additional numerals in accord with the official numbering system whenever a property has been subdivided, a new front entrance opened, or undue hardship has been worked on any property owner.

 (Ord. No. 35, § 3, 7-14-1972)

Chapter 26

SOLID WASTE*

* State Law References: Waste Management Act, Minn. Stats. ch. 115A; littering, Minn. Stats. §§ 169.42, 609.671, subd. 13.

Article I. In General

Secs. 26-1--26-18. Reserved.

Article II. Collection of Recyclables

Sec. 26-19. Definitions.

Sec. 26-20. Purpose and intent.

Sec. 26-21. Regulations.

Sec. 26-22. Disposal practices and standards.

Sec. 26-23. Littering.

Sec. 26-24. Scavenging prohibited.

Sec. 26-25. Duties and obligations of the recycling hauler.

Sec. 26-26. Process for designating targeted recyclables.

Sec. 26-27. Suspension, revocation of contract or imposition of fines.

Sec. 26-28. Storage and placement for collection.

ARTICLE I.

IN GENERAL

Secs. 26-1--26-18. Reserved.

ARTICLE II.

COLLECTION OF RECYCLABLES

Sec. 26-19. Definitions.

The following words, terms and phrases, when used in this article, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Commercial establishment means any premises where a commercial or industrial enterprise of any kind is carried on. This includes restaurants, clubs, churches, and schools where food is prepared or served.

Mixed municipal solid waste (MSW) means garbage, other refuse, and other solid waste from residential, commercial, industrial, and community activities that the generator of the waste aggregates for collection, but does not include auto hulks, street sweepings, ash, construction debris, mining wastes, sludges, tree and agricultural wastes, tires, lead-acid batteries, motor and vehicle fluids and filters, and other materials collected, processed and disposed of as separate waste streams, but does include source separated compostable materials.

Multiple residential dwelling means any building used for residential purposes consisting of more than five dwelling units with individual kitchen units for each.

Recyclables means materials that are separated from mixed municipal solid waste which may be recycled or reused through recycling processes and includes paper, glass, plastics, metals, automobile oil, and batteries as well as targeted recyclables. Refuse-derived fuel or other material that is destroyed by incineration is not a recyclable material.

Residential dwelling means any single building consisting of five or less dwelling units with individual kitchen facilities for each.

Targeted recyclables means metal beverage containers, tin cans, glass containers (clear, green and brown glass containers and excludes all window pane glass), newsprint, glossy magazines, corrugated cardboard, plastics types 1 and 2, or other materials as defined by city resolution.

Yard waste means leaves and grass clippings or other similar soft organic materials. (Ord. No. 2003-101, § 3, 11-5-2003)

Sec. 26-20. Purpose and intent.

It is the intent of the city by this article to establish the rules and regulations for targeted recycling collection within the city and to establish fees to be collected for the costs of recycling incurred by the city from each resident or landowner to ensure that the disposal of such materials is accomplished in a sanitary manner, safeguarding the health of the residents of the city, and to implement the state's recycling and solid waste mandates.

(Ord. No. 2003-101, § 1, 11-5-2003)

Sec. 26-21. Regulations.

- (a) Nothing in this article shall prevent persons from hauling recyclables from their own residences or commercial establishments, provided the following rules are observed:
 - (b) The disposal method must ensure that all recyclables are:
 - (1) Disposed of at a recycling facility, an organized recycling drive or through a licensed recycling hauler (not contracted by the city).
 - (2) Hauled in containers that are watertight on all sides and the bottom, and with tightfitting covers on top.
 - (3) Hauled in vehicles with leakproof bodies and completely covered or enclosed by canvas or other means of material so as to completely eliminate the possibility of loss of cargo.
- (c) Yard waste may be composted privately, be disposed of at an approved composting facility, or through a licensed garbage and refuse hauler. (Ord. No. 2003-101, § 7, 11-5-2003)

Sec. 26-22. Disposal practices and standards.

- (a) *City to enter into contract*. The city shall enter into a contract with a recycling hauler for curbside collection and disposal of targeted recyclables in the city.
- (b) Accumulation more than 30 days unlawful. It shall be unlawful for any person to fail to dispose of recyclables that may accumulate upon property owned or occupied by that person at least once every 30 days.
 - (c) *Yard waste.*
 - (1) It shall be unlawful for any person to dispose of targeted recyclables, yard and tree waste into the mixed municipal solid waste stream. Yard waste shall be disposed of by:
 - (2) Contracting with a private collector to haul the yard waste to an appropriately licensed site.
 - (3) The resident transporting the yard waste to an approved compost site.
 - (4) Composting the yard waste on the resident's property.
 - (5) Burning in compliance with city ordinance.
- (d) *Collection of major appliances*. Major appliances may be collected by a private hauler who is a state pollution control agency approved appliance collector.
- (e) Recyclables to be separated. Residents of residential dwelling units and commercial establishments are required to separate targeted recyclables from the wastestream for recycling. (Ord. No. 2003-101, § 4, 11-5-2003)

Sec. 26-23. Littering.

The discharging or depositing of targeted recyclables on any street, alley, drive, park, playground, or other public place or any privately owned lot in the city by any person is unlawful. Targeted recyclables are the responsibility of the property owner until such time as trash is collected by the recycling hauler. (Ord. No. 2003-101, § 5, 11-5-2003)

Sec. 26-24. Scavenging prohibited.

It is unlawful for any person to scavenge or otherwise collect targeted recyclable materials at the curb or from recyclable containers without a contract with the city or an account relationship with the owner of the premises.

(Ord. No. 2003-101, § 6, 11-5-2003)

Sec. 26-25. Duties and obligations of the recycling hauler.

(a) Compliance with provisions of contract and this article. All recycling haulers of recycling products and materials shall comply with the operational requirements of this section, in addition to any requirements of their contract with the city. Failure to observe these provisions may be the basis for suspension or

revocation of a license or imposition of fines by the city council.

- (b) Notification required for change. The licensee shall operate in a manner consistent with its request for proposal and application materials, and shall provide notice to the city within ten days of any change of the information, forms, or certificates filed as part of the application process.
- (c) Further compliance requirements. The licensee shall comply with all city, county, state and federal laws and regulations.
- (d) Days and hours of collection. No collection of recycling materials shall be made except between the hours of 6:00 a.m. and 5:00 p.m. Monday through Friday. Operation during these hours may have service moved back or forward one day to accommodate recognized national holidays, poor weather conditions, and natural disasters. Customers shall be reasonably notified of the specific day for the collection of their recyclables, and the licensee shall collect the materials on those days. Multiple residential dwellings, as defined in this article, and manufactured home parks are not restricted to these days of collection where combined collection service is provided through a homeowner's association or facilities management firm.
- (e) Standards for collection equipment and vehicles. Each recycling hauler shall use only vehicles and equipment so constructed that the contents will not leak, spill, or blow out of the vehicles. Each collector shall cycle their collection equipment as is necessary to minimize the leaking or spilling of material from the vehicles. The vehicles and equipment shall also be kept clean and as free from offensive odors as possible, and shall not stand in any public place longer than is reasonably necessary to collect the recyclables. The recycling hauler shall also ensure that the immediate collection site is left tidy and free of litter.
- (f) *Minimum frequency of collections*. Each licensed MSW hauler shall provide its customers with an opportunity to recycle through at least semimonthly collection of targeted recyclables.
- (g) Collection point. The curbside collection of targeted recyclables shall be from a location at or near the customer's collection point for other materials or some other location mutually agreeable to the hauler and the customer.
- (h) *Materials to be collected.* At a minimum, the materials collected shall be those designated as targeted recyclables by the city.
- (i) Notification required for rejected materials. In each instance where a recycling hauler does not collect recyclable materials from a residence or business, adequate notification as to why the recyclable material was not picked up must be left with recyclable materials left at the curbside.
- (j) Ownership of collected recyclables. The recycling hauler is also deemed the owner of the recyclables upon collection. The licensee is responsible for marketing or disposing of targeted recyclables to the appropriate recycling facility.
- (k) *Documentation required.* The recycling hauler shall provide to the city on a quarterly basis documentation to show the types of targeted recyclables collected and the tonnage. (Ord. No. 2003-101, § 9, 11-5-2003)

Sec. 26-26. Process for designating targeted recyclables.

Additional recyclable materials may be designated as recyclables by resolution of the city council after the effective date of the ordinance from which this article is derived. The designation process will be as follows:

- (1) The recycling hauler shall be given 90 days' notice of the proposed additions to the list of targeted recyclables. The notice shall specifically describe the designated materials proposed for addition, and describe how the addition might affect the duties and obligations of the licensee.
- (2) The recycling hauler shall also be given written notice of at least ten days in advance of the time and date of the council meeting that will consider the proposed addition to a list of targeted recyclables.
- (3) Notice shall be given by regular U.S. mail to the address provided on the most recent request for proposal or contract filed with the city.

(Ord. No. 2003-101, § 10, 11-5-2003)

Sec. 26-27. Suspension, revocation of contract or imposition of fines.

The city council may suspend or revoke the contract of the recycling hauler whose conduct is found to be in violation of this article, or which poses a threat to the public's health, safety, or welfare. The city council may impose fines under its administrative fines and fees ordinance. Such revocation or suspension or imposition of fines may only occur following a public hearing of which the recycling hauler has received prior notice. Sufficient notice to the recycling hauler shall be a written statement of the date, time, location, and purpose of the hearing, deposited, postage paid, with the U.S. postal service, at least ten days prior to the hearing, and addressed to the recycling hauler's business address, as listed on the recycling hauler's most recent contract or written notice to the city of address change.

(Ord. No. 2003-101, § 11, 11-5-2003)

Sec. 26-28. Storage and placement for collection.

- (a) Platted residential areas of the city shall have targeted recyclables placed at curbside on the day of collection. In platted estate and rural areas of the city, containers and bags may be placed at the end of the driveway on collection day. At all other times, the containers shall be so located, insofar as possible, out of public view in a secure place.
- (b) Any targeted recyclable container exceeding 90 gallons in size, and located on a commercial establishment used for purposes other than single-family residential, shall be contained within a building or within a secure area which has an impermeable floor surface, and is enclosed and screened within a 90 percent or greater opaque wooden or metal fence or masonry wall not less than six feet in height having a gate or doorway which remains closed except for access purposes. All enclosures must be large enough to allow for storage of recyclable material containers.
- (c) All containers for recyclables shall be made of suitable material, which is rodentproof and waterproof and which will not easily corrode. Containers shall be kept tightly closed. Recyclables including targeted recyclables may be kept in a plastic bag of such strength that the contents therein will not rip, tear, or

puncture the plastic bag. (Ord. No. 2003-101, § 12, 11-5-2003)

Chapter 28

STREETS, SIDEWALKS AND OTHER PUBLIC PLACES

Article I. In General

Secs. 28-1--28-18. Reserved.

Article II. Driveways

Sec. 28-19. Variance.

Sec. 28-20. Permits required.

Sec. 28-21. Fee.

Sec. 28-22. Driveway requirements. Sec. 28-23. Hard-surface driveways. Secs. 28-24--28-47. Reserved.

Article III. Treadways, Pathways on New or Upgraded Roads

Sec. 28-48. Definitions.

Sec. 28-49. Purpose and requirement.

Sec. 28-50. Exceptions. Sec. 28-51. Design standard.

ARTICLE I.

IN GENERAL

Secs. 28-1--28-18, Reserved.

ARTICLE II.

DRIVEWAYS

Sec. 28-19. Variance.

A variance from the standards set forth in this article may be allowed by the city council when the variance will facilitate the safe, efficient use of the property for a lawful purpose and will not interfere with the construction, maintenance or safe and efficient use of the street and its appurtenances by the public. (Ord. No. 38, § 5, 11-6-1974)

Sec. 28-20. Permits required.

No person, firm or corporation shall construct or lay out any driveway providing for access by vehicles from a public street of the city onto adjacent private property unless there shall have first been issued a permit by the building inspector for such driveway access to the public street. Such permit shall be granted by the building inspector upon application in writing by the owner or occupant of the premises, accompanied by a layout of the property and proposed driveway. The driveway layout shall include buildings or proposed buildings and any other relevant present or planned appurtenances that would affect the traffic pattern. (Ord. No. 38, § 1, 11-6-1974)

Sec. 28-21. Fee.

The fee for each such driveway permit shall be as established by ordinance and which shall be paid to the building inspector at the time the application is submitted. (Ord. No. 38, § 2, 11-6-1974)

Sec. 28-22. Driveway requirements.

The building inspector shall determine the appropriate location, size and design of such driveways and may limit the number of driveways in the interest of public safety and efficient traffic flow. The building inspector shall also determine if a culvert is necessary and, if so, the required dimensions of the culvert. (Ord. No. 38, § 3, 11-6-1974)

Sec. 28-23. Hard-surface driveways.

No driveway from private property entering a public street of the city shall be covered with a bituminous, cement or other hard surface beyond the outer edge of the road right-of-way. (Ord. No. 38, § 4, 11-6-1974)

Secs. 28-24--28-47. Reserved.

ARTICLE III.

TREADWAYS, PATHWAYS ON NEW OR UPGRADED ROADS

Sec. 28-48. Definitions.

The following words, terms and phrases, when used in this article, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Treadway or *pathway* are used interchangeably in this article. Either term means an area, separate from the main-traveled portion of the road, which is designed for nonmotorized travel (such as pedestrians, bicyclists, and/or equestrians).

Upgrade of existing roads means when an existing road is upgraded from a gravel road to a paved road or when a paved road is rebuilt so that the existing pavement is removed, subgrade corrective (repair) work is done, and the road is repaved.

(Ord. No. 2000-86, § 86.02, 2-1-2000)

Sec. 28-49. Purpose and requirement.

- (a) *Purpose*. This article is passed in order to meet the two main goals expressed with the transportation component of the city's comprehensive plan, namely as follows:
 - (1) Goal 1. Maintain a transportation network at reasonable costs and adequate to meet the safety, health and welfare needs of the community.

- (2) Goal 2. Enhance the rural character of the community through the design and construction of roadways.
- (b) *Requirement.* Treadways shall be constructed within the right-of-way of new and upgraded roads within the city. Treadways shall be designed to enhance a sense of community connectivity and to provide rural recreational opportunities and alternative transportation avenues. (Ord. No. 2000-86, § 86.01, 2-1-2000)

Sec. 28-50. Exceptions.

As the city is already a partially developed community, it is clear that some areas of the city will not be conducive to the establishment of treadways. In evaluating whether or not a treadway, or treadway segment, should be required, the city council shall take into consideration the existing topography, structures, landscape, and/or features of the area that have particular historic, cultural or aesthetic beauty. It is envisioned that rarely, if ever, will exceptions exist with respect to new developments. Exceptions will generally be considered only as it relates to the upgrading of an existing road. The council will be guided in determining when exceptions should exist by the "key policy" outlined within goal 2 of the comprehensive plan set forth in section 28-49(a)(2), namely that roadway design and layout criteria shall be established to work with the existing physical characteristics of the landscape in order to maintain the rural character and quality of the city. Additionally, economic considerations alone shall not be considered as grounds for the approval of an exemption as authorized under this article.

(Ord. No. 2000-86, § 86.04, 2-1-2000)

Sec. 28-51. Design standard.

The city shall, with the advice of the city engineer (and others), approve of a design standard for treadways. It is not the intent of the city council that all treadways will be alike, but that, instead, they shall be tailored to meet the needs of the neighborhood where they will be constructed. Some treadways will be built on ditch bottoms. Others could be built along the side of a paved public road (for example, by extending two additional feet onto a gravel shoulder). All proposed treadways and pathways shall be evaluated to ensure that they promote the purposes and intent of this article.

(Ord. No. 2000-86, § 86.03, 2-1-2000)

Chapter 30

SUBDIVISIONS*

Article I. In General

Sec. 30-1.	Definitions.
Sec. 30-2.	Conflicting provisions.
Sec. 30-3.	Enforcement.
Sec. 30-4.	Purpose.
Sec. 30-5.	Scope.
Sec. 30-6.	Variances.
Sec. 30-7.	Land with unapproved or lack of surveys or plats.
Sec. 30-8.	Security interest.
Sec. 30-9.	Minor subdivisions.
Sec. 30-10.	Resubdivision/rearrangement.
Sec. 30-11.	Land division, special cases.
Sec. 30-12.	Registered land surveys.
Sec. 30-13.	Conveyance by metes and bounds; building permit requirement.
Sec. 30-14.	Protection of natural features.
Sec. 30-15.	Planned unit developments.
Secs. 30-1630-3	33. Reserved.

Article II. Platting

Division 1. Generally

Sec. 30-34. Sketch plan. Secs. 30-35--30-56. Reserved.

Secs. 30-80--30-101. Reserved.

Division 2. Preliminary Plat

Sec. 30-57. Sec. 30-58. Sec. 30-59. Secs. 30-6030-	Preparation and submission Data required. Review and approval. 76. Reserved.	
		Division 3. Final Plat
Sec. 30-77. Sec. 30-78. Sec. 30-79.	Preparation and submission Compliance requirements. Review and approval.	

^{*} State Law References: Subdivision ordinances, Minn. Stats. § 462.358.

Article III. Minimum Design Standards

Division 1. Generally

Sec. 30-102. Sec. 30-103. Sec. 30-104. Sec. 30-105. Sec. 30-106.	Conformity with the comprehensive development plan. Land requirements. Drainage. Easements. Block design.
Sec. 30-106.	Block design.
Sec. 30-107.	Lot requirements.
Secs. 30-10830	-127. Reserved.

Division 2. Streets

Sec. 30-128.	Street plan.
Sec. 30-129.	Cul-de-sac streets.
Sec. 30-130.	Street design.
Sec. 30-131.	Private streets.
Sec. 30-132.	Street names.
Secs. 30-13330-	-162. Reserved.

Article IV. Engineering Standards

Sec. 30-163.	Inspection.
Sec. 30-164.	Street construction.
Sec. 30-165.	Utilities.
Sec. 30-166.	Sanitary sewerage systems
Sec. 30-167.	Water supply.
Sec. 30-168.	Stormwater drainage.
Sec. 30-169.	Street signs.
Sec. 30-170.	Utilities location.
Sec. 30-171.	Inspection.
Secs. 30-17230-	-193. Reserved.

Article V. Required Improvements and Financial Arrangements

Sec. 30-194.	Improvements required.
Sec. 30-195.	Installation of improvementsPayment and expense.
Sec. 30-196.	SameAgreement with city; deposit or bond; former defaulters.
Sec. 30-197.	Financial guarantee.
Sec. 30-198.	Construction plans and inspection.
Sec. 30-199.	Improvements completed prior to approval of the plat.

ARTICLE I. IN GENERAL

Sec. 30-1. Definitions.

The following words, terms and phrases, when used in this chapter, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Alley means any dedicated public right-of-way providing a secondary means of access to abutting property.

Applicant means the owner of land proposed to be subdivided or his representative. Consent shall be required from the legal owner of the premises.

Arterial, minor, means a road intended to move traffic through and from adjacent subregions and activity centers within subregions.

Attorney means the attorney employed by the city unless otherwise stated.

Block means the enclosed area within the perimeter of roads, property lines or boundaries of the subdivision.

Bond means any form of security including a cash deposit, surety bond, collateral, property, or instrument of credit in an amount and form satisfactory to the city council. All bonds shall be approved by the city council wherever a bond is required by these regulations.

Boulevard means the portion of the street right-of-way between the curbline and the property line.

Building means and includes a structure; the term "building" or "structure" includes any part thereof.

Butt lot means a lot at the end of a block and located between two corner lots.

Cluster development means a pattern of subdivision development which places detached houses, duplexes or townhouse units into compact groupings while providing a network of commonly owned or dedicated open space.

Collector street or road means a road intended to move traffic from local roads to secondary roads.

Community means the city.

Comprehensive development plan means a comprehensive plan prepared by the city including a compilation of policy statements, goals, standards and maps indicating the general locations recommended for the various functional classes of land use, places and structures, and for the general physical development of the city and includes any unit or part of such plan or parts thereof.

Contour map means a map on which irregularities of land surface are shown by lines connecting points of equal elevations. Contour interval is the vertical height between contour lines.

Copy means a print or reproduction made from a tracing.

Corner lot means a lot bordered on at least two adjacent sides by using streets.

County means Washington County, Minnesota.

Cul-de-sac means a minor street with only one outlet and having a turnaround.

Developer means the owner of land proposed to be subdivided or his representative. Consent shall be required from the legal owner of the premises.

Development means the act of building structures and installing site improvements.

Double frontage lots means a lot of record on December 7, 1982, having frontage on two (2) streets which do not intersect at a corner of the lot.

Drainage course means a watercourse or indentation for the drainage of surface water.

Easement means a grant by an owner of land for a specific use by persons other than the owner.

Engineer means the registered engineer employed by the city unless otherwise stated.

Escrow means a deposit of cash with the local government in lieu of an amount required and still in force on a performance or maintenance bond. Such escrow funds shall be deposited by the city/administrator in a separate account.

Final plat means the map or plan or record of a subdivision and any accompanying material, as described in these regulations.

Grade means the slope of a road, street, or other public way, specified in percentage terms.

Individual sewage disposal system means a sewage treatment system or part thereof, serving a dwelling or other establishment, or group thereof, consisting of one or more septic tanks and a soil treatment system.

Local road or street means a road intended to provide access to other roads from individual properties and to provide right-of-way beneath it for sewer, water, and storm drainage pipes.

Lot means a parcel or portion of land in a subdivision or plat of land, separated from other parcels or portions by description as on a subdivision or record of survey map, for the purpose of sale or lease or separate use thereof.

Lot, corner, means a lot situated at the intersection of two streets, the interior angle of such intersection not exceeding 135 degrees.

Major subdivision means all subdivisions not classified as minor subdivisions, including but not limited to subdivisions of three or more lots, or any size subdivision requiring any new street or extension of the local government facilities, or the creation of any public improvements.

Marginal access street (service road) means a minor street parallel to and adjacent to high volume arterial streets and highways, which provide access to abutting properties and protection of through traffic.

Metes and bounds means a method of describing land by measure of length (metes) of the boundary lines (bounds). Most common method is to recite direction and length of each line as one would walk around the perimeter. In general, the metes and bounds can be recited by reference to record, natural or artificial monuments at the corners; and by reference to record, natural or cultural boundary lines.

Minimum subdivision design standards means the guides, principles and specifications for the preparation of subdivision plans indicating, among other things, the minimum and maximum dimensions of the various elements set forth in the plan.

Minor subdivision means any subdivision containing not more than two lots fronting on an existing street, not involving any new street or road, or the extension of municipal facilities, or the creation of any public improvements, and not adversely affecting the remainder of the parcel or adjoining property, and not in conflict with any provisions or portion of the master plan, official map, chapter 32, or these regulations.

Natural waterway means a natural passageway in the surface of the earth so situated and having such a topographical nature that surface water flows through it from other areas before reaching a final ponding area. The term also includes all drainage structures that have been constructed or placed for the purpose of conducting water from one place to another.

Nonresidential subdivision means a subdivision whose intended use is other than residential, such as commercial or industrial. Such subdivision shall comply with the applicable provisions of these regulations.

Outlot means a parcel of land included in a plat, of which the use or development is restricted. Such outlot may be a large tract that could be subdivided in the future or may be too small to comply with the minimum size requirements of zoning and subdivision chapters or otherwise unsuitable for development and therefore not usable as a building site. A recorded plat development shall specify restrictions on such lot.

Owner means an individual, firm, association, syndicate, copartnership, corporation, trust, or any other legal entity having sufficient proprietary interest in the land sought to be subdivided to commence and maintain proceedings to subdivide the same under these regulations.

Pedestrian way means a public right-of-way across or within a block, to be used by pedestrians.

Preliminary plat means the preliminary drawing, described in these regulations, indicating the proposed manner or layout of the subdivision to be submitted to the city council for approval. The preliminary plat shall contain data required as outlined in division 2 of article II of this chapter.

Private street means a street serving as vehicular access to two or more parcels of land and which is not dedicated to the public but is owned by one or more private parties.

Protective covenants means contracts entered into between private parties and constituting a restriction on the use of all private property within a subdivision for the benefit of the property owners, and to provide mutual protection against aspects of development which would tend to impair stability of values.

Reserve strips means a narrow strip of land placed between lot lines and streets to control access.

Resubdivision means a change in a map of an approved or recorded subdivision plat if such change affects any street layout on such map or area reserved thereon for public use, or any lot line; or if it affects any map or plan legally recorded prior to the adoption of any regulations controlling subdivisions.

Right-of-way means the land covered by a public road or land dedicated for public use or for certain private use such as land over which a power line passes.

Road, dead-end, means a road or a portion of a street with only one vehicular traffic outlet.

Sketch plan means a drawing showing the proposed subdivision of property. This plan shall be drawn to scale.

Sketch plat means a sketch preparatory to the preparation of the preliminary plat (or subdivision plat in the case of minor subdivisions) to enable the subdivider to save time and expense in reaching general agreement with the city and planning department as to the form of the plat and the objectives of these regulations.

Street means a way for vehicular traffic, whether designated as street, highway, thoroughfare, parkway, throughway, road, avenue, boulevard, lane, place, drive, court, or otherwise designated.

Street width means the shortest distance between the lines delineating the right-of-way of a street.

Subdivider means the owner, agent, or person having control of such land as the term is used in this chapter.

Subdivision means the division of a parcel of land after the effective date of the ordinance from which this chapter is derived into two or more lots or parcels, for the purpose of transfer of ownership or building development. The term includes resubdivision and, when appropriate to the context, shall relate to the process of subdividing or to the land subdivided.

Survey, land, means the process of determining boundaries and areas of tracts of land. The term cadastral survey is sometimes used to designate a land survey, but in this country its use should be restricted to the surveys of public lands of the United States. Also called property survey; boundary survey.

Surveyor means a land surveyor registered under Minnesota state laws.

Thoroughfare means a street primarily designated to carry large volumes of traffic and provide for vehicular movement between and among large areas.

Used or occupied, as applied to any land or building, shall be construed to include the words "intended, arranged, or designed to be used or occupied."

Vicinity map means a map drawn to comparatively small scale which definitely shows the area proposed to be platted in relation to known geographical features, e.g., town centers, lakes, roads. (Ord. No. 1996-01, §§ 301.01, 301.03, 302, 10-22-1996)

Sec. 30-2. Conflicting provisions.

In the event of conflicting provisions in the text of this regulation, the more restrictive shall apply. (Ord. No. 1996-01, § 301.04, 10-22-1996)

Sec. 30-3. Enforcement.

- Building permits. No building permit shall be issued for any construction, enlargement, (a) alteration, repair, demolition or moving of any building or structure on any lot or parcel until all the requirements of this regulation have been fully met.
- Violation and penalties. Any firm, person or corporation who violates any of the provisions of these regulations, or who sells, leases or offers for sale or lease any lot, block or tract of land herewith regulated before all the requirements of these regulations have been complied with shall be guilty of a misdemeanor and upon conviction thereof shall be subject to fine and/or imprisonment. Each day that a violation is permitted to exist shall constitute a separate offense. (Ord. No. 1996-01, § 10, 10-22-1996)

Sec. 30-4. Purpose.

The process of dividing raw land into home sites, or separate parcels for other uses, is one of the most important factors in the growth of any community. Few activities have a more lasting effect upon its appearance and environment. Once the land has been subdivided into urban lots, and the streets, homes, and other structures have been constructed, the basic character of this permanent addition to the community has become firmly established. It is then virtually impossible to alter its basic character without substantial expense. In most subdivisions, roads and streets must be maintained and various public service must be provided. The welfare of the entire community is thereby affected in many important respects. It is, therefore, to the interest of the general public, the developer, and the future owners that subdivisions be conceived, designed, and developed in accordance with sound rules and proper standards.

- (b) All subdivisions of land hereafter submitted for approval shall fully comply, in all respects, with the regulations set forth herein. It is the purpose of these regulations to:
 - (1) Encourage well-planned, efficient, and attractive subdivisions by establishing adequate standards for design and construction.
 - (2) Provide for the health and safety of residents by requiring properly designed streets and adequate individual sewage treatment facilities.
 - (3) Place the cost of improvements against those benefiting from their construction.
 - (4) Secure the rights of the public with respect to public lands and waters.
 - (5) Set the minimum requirements necessary to protect the public health, safety, comfort, convenience, and general welfare.

(Ord. No. 1996-01, § 1, 10-22-1996)

Sec. 30-5. Scope.

The rules and regulations governing plats and subdivision of land contained herein shall apply within the city and other land as permitted by state statutes. In the event of overlapping jurisdiction within the prescribed area, the extent of jurisdiction shall be determined and agreed upon between the city and other municipalities concerned. Except in the case of resubdivision, this chapter shall not apply to any lot forming a part of a subdivision recorded in the office of the county recorder prior to the 1972 effective date of the first county subdivision ordinance, nor is it intended by this chapter to repeal, annul or in any way impair or interfere with existing provisions of other laws or ordinances except those specifically repealed by, or in conflict with this chapter, or with private restrictions placed upon property by deed, covenant, or other private agreement, or with restrictive covenants governing the land. Where this chapter imposes a greater restriction upon the land than is imposed or required by such existing provisions of law, ordinance, contract or deed, the provisions of this chapter shall control.

(Ord. No. 1996-01, § 2, 10-22-1996)

Sec. 30-6. Variances.

- (a) Conditions. The city council may grant a variance in any particular case where the subdivider can show that by reason of the exceptional topography or other physical conditions the strict compliance to these regulations could cause an exceptional and undue hardship on the enjoyment of a substantial property right. Such relief may be granted provided there is no detriment to the public welfare and no impairment of intended purpose of this regulation.
- (b) Application. Application for any such variance shall be made in writing by the subdivider at the time when the plat is filed for consideration. Such application shall state fully all facts relied upon by the subdivider, and shall be supplemented with maps, plans or other additional data which may aid the city council in the analysis of the proposed project. Such variances shall be considered at the next regular meeting held by the city council. The plans for such development shall include any covenants, restrictions or other legal provisions necessary to guarantee the full achievement of the proposed plat. Any variance or modifications thus granted shall be recorded and entered in the minutes setting forth the reasons for granting the variance. (Ord. No. 1996-01, § 911, 10-22-1996)

State Law References: Variance from subdivision regulations, Minn. Stats. § 462.358, subd. 6.

Sec. 30-7. Land with unapproved or lack of surveys or plats.

(a) Conveyance restrictions. No conveyance of land to which these regulations are applicable

shall be filed or recorded, if the land is described in the conveyance by metes and bounds or by reference to an unapproved registered land survey made after April 21, 1961, or to an unapproved plat.

- (b) *Exemptions*. Subsection (a) of this section does not apply to a conveyance if the land described:
 - (1) Was a separate parcel of record April 1, 1945 or the date of adoption of subdivision regulations under Laws 1945, chapter 287, whichever is the later, or of the adoption of subdivision regulations pursuant to a home rule charter;
 - (2) Was the subject of a written agreement to convey entered into prior to such time;
 - (3) Was a separate parcel not less than 2 1/2 acres in area and 150 feet in width on January 1, 1966;
 - (4) Was a separate parcel of not less than five acres in area and 300 feet in width on July 1, 1980;
 - (5) Is a single parcel of commercial or industrial land of not less than five acres and having a width of not less than 300 feet and its conveyance does not result in the division of the parcel into two or more lots or parcels, any one of which is less than five acres in area or 300 feet in width; or
 - (6) Is a single parcel of residential or agricultural land of not less than 20 acres and having a width of not less than 500 feet and its conveyance does not result in the division of the parcel into two or more lots or parcels, any one of which is less than 20 acres in area or 500 feet in width.
- (c) Waiver for hardship. In any case in which compliance with the foregoing restrictions will create an unnecessary hardship, and failure to comply does not interfere with the purpose of the subdivision regulations, the platting authority may waive such compliance.
- (d) *Penalty*. Any owner or agent of the owner of land who conveys a lot or parcel in violation of the provisions of this chapter shall pay to the municipality a penalty (no criminal sanction) of not less than \$100.00 for each lot or parcel so conveyed. The city may enjoin such conveyance or may recover such penalty by a civil action in any court of competent jurisdiction. (Ord. No. 1996-01, § 910, 10-22-1996)

Sec. 30-8. Security interest.

Creation of a security interest in a portion of a parcel less than the entire parcel does not entitle the property to subdivision even in the event of foreclosure of the security interest, unless otherwise approved by the city council and the parcel is in conformance with this chapter and chapter 32, pertaining to zoning. (Ord. No. 1996-01, § 912, 10-22-1996)

Sec. 30-9. Minor subdivisions.

- (a) Application of regulations; requirements for approval.
- (1) In the case of a subdivision resulting in two or less parcels situated in a locality where conditions are well defined, the city council may exempt the subdivider from complying with some of the requirements of these regulations.
- (2) In the case of a request to subdivide a lot which is a part of a recorded plat, or where the subdivision is to permit the adding of a parcel of land to an abutting lot or to create not more than two new lots, and the newly created property lines will not cause any resulting lot to be in violation of these regulations or chapter 32, pertaining to zoning, the division may be

- approved by the city council after submission of a survey by a registered land surveyor showing the original lot and the proposed subdivision.
- The newly created parcels shall meet all requirements of chapter 32, pertaining to zoning. Topographic data at two-foot contour intervals, driveway access points, drainage plans, and soil tests for the installation of an on-site septic system shall be submitted for minor subdivision review. A certificate of survey shall be prepared by a registered land surveyor showing the boundaries of the newly created lots, limits of any wetland, one acre of buildable area, elevation of building site above any lake, stream, wetland, etc.
- (4) Prior to approval of a minor subdivision, the city council reserves the right to require the dedication of streets, utility easements.
- (5) A maximum of two lots in a five-year period are permitted utilizing the minor subdivision procedure.
- (6) In cases where the new lot and resulting lots created exceed 20 acres and have 500 feet of frontage on a public road, subdivision approval is not required.
- (b) Procedure to propose subdivision.
- (1) Any proposed minor subdivision which includes land abutting upon any existing or established trunk highway or proposed highway which has been designated by a centerline order filed in the office of the county recorder shall first be presented to the commissioner of transportation for his written comments and recommendations.
- (2) Where any minor subdivision includes land abutting upon an existing or established county or county state-aid highway, it shall first be submitted to the county engineer for his written comments and recommendations.
- (3) Minor subdivision involving both a trunk highway and a highway under county jurisdiction shall be submitted to the commissioner of transportation and the county highway engineer.
- (4) Plats shall be submitted for review at least 30 days prior to the city taking final action on the minor subdivision. The commissioner of transportation and/or the county highway engineer shall submit the written comments and recommendations to the city within 30 days after receipt by them of such a plat.
- (5) Final action on such a plat by the city shall not be taken until after these required comments and recommendations have been received or until the 30-day period has elapsed. A legible preliminary drawing or print of a proposed minor subdivision shall be acceptable for purposes of review by the commissioner of transportation of the county highway engineer. To such drawing or print there shall be attached a written statement describing:
 - a. The outlet for and means of disposal of surface waters from the proposed subdivided area;
 - b. The land use designation or zoning category of the proposed subdivided area;
 - c. The locations of ingress and egress to the proposed subdivided area; and
 - d. A preliminary site plan for the proposed subdivided area, if one has been prepared.
- (c) Certification and other requirements. Failure to obtain the written comments and recommendations of the commissioner of transportation or the county highway engineer shall in no manner

affect the title to the lands included in the plat or the platting of said lands. A certificate or other evidence shall be required to or upon the plat for filing in the office of the county recorder or registrar of titles as to the submission of or the obtaining of such written comments and recommendations. The city shall provide the certificate or other evidence to the county recorder or registrar of titles. (Ord. No. 1996-01, § 905, 10-22-1996)

Sec. 30-10. Resubdivision/rearrangement.

- (a) Restrictions on subdividing and rearranging parcels. Land which is located within a recorded plat shall not be resubdivided and/or rearranged into smaller parcels except as stated in this section.
- (b) Increase in density not allowed. Land which is located within a recorded plat may be resubdivided and/or rearranged unless said resubdivision or rearrangement would result in an increase in the density of the plat as a whole.
- (c) Prior right established. Notwithstanding subsection (a) of this section, land within a recorded plat may be resubdivided or rearranged if, at the time of the recording of the original plat, the plat, development agreement, or other written and recorded document, signed by the city, specifically reserved the right to resubdivide and/or rearrange land within that plat.
- (d) Compliance with regulations. All applications for the resubdivision and/or rearrangement of a recorded plat must follow all city ordinances for the resubdivision of land. The proper procedure to follow pursuant to city ordinances shall be based upon the total number of new lots proposed to be created and/or rearranged pursuant to said application for resubdivision and/or rearrangement.

 (Ord. No. 1996-01. § 906, 10-22-1996; Ord. No. 1996-72. § A. 8-6-1996)

Sec. 30-11. Land division, special cases.

- (a) Proposed divisions not elsewhere addressed. In any case where the division of land into two or more lots or parcels for the purpose of transfer of ownership or building improvement is not specifically provided for in the provision of these regulations, a description of such land division shall be filed with the clerk. No building permit shall be issued for any construction, enlargement, alteration, or repair, demolition or moving of any building or structure on any lot or parcel resulting from such division, until such division has been approved by the city council. Prior to the consideration of such division, the city council shall require that a certified survey be submitted.
- (b) Exchange of lands. In cases where adjoining contiguous property owners wish to exchange or otherwise divide land with the intent of enlarging one of the parcels and as a result of such division neither parcel will be nonconforming in accordance with chapter 32, pertaining to zoning, approval must be obtained from the city council following the minor subdivision process. Some of the requirements for minor subdivision approval may be waived; however, the newly acquired land must be combined on the deed for recording purposes with the remainder of the owner's property.

 (Ord. No. 1996-01, § 907, 10-22-1996)

Sec. 30-12. Registered land surveys.

All registered land surveys shall be filed subject to the same procedure as required for the filing of a plat for platting purposes. The standards and requirements set forth in these regulations shall apply to all registered land surveys.

(Ord. No. 1996-01, § 908, 10-22-1996)

Sec. 30-13. Conveyance by metes and bounds; building permit requirement.

(a) Conveyance by metes and bounds shall be permitted only in minor subdivision after submission of a survey and on parcels at least 20 acres in area with no less than 500 feet of frontage on a public road.

- (b) No building permit shall be issued for any structure on any parcel of land less than 20 acres in area and having a width of less than 500 feet on an improved public road until a subdivision has been approved by the city council in accordance with the regulations of this chapter and chapter 32, pertaining to zoning, and the parcel is recorded with the county recorder.
- (c) When a conveyance is made by metes and bounds, no building permit shall be issued until a survey is submitted and the parcel is recorded with the county recorder's office. A survey is not required for parcels in excess of 20 acres.

 (Ord. No. 1996-01, § 909, 10-22-1996)

Sec. 30-14. Protection of natural features.

- (a) The city council reserves the right to decline approval of a subdivision if due regard is not shown for the preservation of all natural features such as large trees, watercourses, scenic points, historical spots and similar community assets which, if preserved, will add attractiveness and stability to the proposed development of the property.
- (b) Subdivision review shall be coordinated with the requirements and procedures for environmental assessment and impact statements contained in chapter 32, pertaining to zoning. Any mandatory environmental assessment worksheet or impact statement as required by the state environmental quality board regulations shall be submitted as part of the application for preliminary plat approval. (Ord. No. 1996-01, § 901, 10-22-1996)

Sec. 30-15. Planned unit developments.

A planned unit development (PUD), as defined in the chapter 32, pertaining to zoning, is prohibited. (Ord. No. 1996-01, § 904, 10-22-1996; Ord. No. 2005-117, § 2, 11-1-2005)

Secs. 30-16--30-33. Reserved.

ARTICLE II. PLATTING

DIVISION 1. GENERALLY

Sec. 30-34. Sketch plan.

- (a) In order to ensure that all applicants are informed of the procedural requirements and standards of this article, and the requirements or limitations imposed by city ordinances and the comprehensive plan, all applicants shall submit to the city planner and the planning staff a sketch plan prior to preparing a preliminary plat.
 - (b) The sketch plan shall be drawn to scale and contain as a minimum the following information:
 - (1) Tract boundaries and dimensions.
 - (2) Significant topographic and physical features.
 - (3) Proposed general street and lot layout.
 - (4) General location of proposed public and private open space areas.
 - (5) General drainage plan.

- (6) Existing easements
- (7) Existing buildings. (Ord. No. 1996-01, § 401, 10-22-1996)

Secs. 30-35--30-56. Reserved.

DIVISION 2.

PRELIMINARY PLAT

Sec. 30-57. Preparation and submission.

- (a) When the subdivider feels he is ready to prepare the preliminary plat, he shall have his surveyor and/or planner prepare one which is in conformity with the requirements of this division.
- (b) The subdivider shall fill out a zoning request application, or other applicable forms as may be required.
- (c) The subdivider shall furnish the city clerk with 23 copies of the preliminary plat and provide seven copies to the county surveyor's office.
- (d) The subdivider shall furnish copies to appropriate permitting agencies such as the watershed district, watershed management organization, state department of natural resources, county and state transportation agencies, and other agencies as may be required.
- (e) If the owner and developer are not the same, a consent of owner shall be filed. (Ord. No. 1996-01, § 402, 10-22-1996)

Sec. 30-58. Data required.

- (a) *Identification and description.*
- (1) Proposed name of subdivision, which name shall not duplicate or be alike in pronunciation of the name of any plat theretofore recorded in the county.
- (2) Legal description of property.
- (3) Name and address of the record owner, and any agent having control of the land, subdivider, land surveyor, engineer and designer of the plan.
- (4) Plat graphic scale shall be not less than one inch to 200 feet, and grading plan graphic scale not less than one inch to 100 feet on plat/plan sheet paper sized to either 20 inches by 30 inches, 22 inches by 34 inches or 24 inches by 36 inches.
- (5) North point and vicinity map of area showing well-known geographical points for orientation within a one-half mile radius.
- (6) List of adjoining property owners within 1,250 feet of the proposed plat.
- (7) Date of preparation.
- (b) Existing conditions.
- (1) Boundary lines shall be shown clearly and to such a degree of accuracy that conforms to the plat in that no major changes are necessary in preparing the final plat.

- (2) Existing zoning classifications for land in and abutting the subdivision.
- (3) Approximate total acreage.
- (4) Location, right-of-way width, and names of existing or platted streets or other public ways, parks and other public lands, permanent buildings and structures, easements, and section, corporate and school district lines shown within the plat and to a distance 100 feet beyond shall also be indicated.
- (5) Location and size of existing sewers, water mains, culverts, wells, septic systems, or other underground facilities within the preliminary plat area and to a distance of 100 feet beyond. Such data as grades, and locations of catchbasins, manholes, hydrants, and street pavement width and type shall also be shown.
- (6) Boundary lines of adjoining unsubdivided or subdivided land within 100 feet, identified by name and ownership, but including all contiguous land owned or controlled by the subdivider.
- (7) Topographic data, including contours at vertical intervals of not more than two feet, except where the horizontal contour interval is 100 feet or more a one-foot vertical interval shall be shown. Watercourses, marshes, wooded areas, rock outcrops, power transmission poles and lines, and other significant features shall also be shown. National Geodetic Vertical Datum 1929 Adjustment shall be used for all topographic mapping.
- (8) A copy of all proposed private restrictions shall be submitted.
- (9) In areas where public sewer is not available, four soil borings shall be completed on each lot with results being submitted to the city building inspector. If it appears soil may not be suitable on any lot for the installation of an on-site septic system, additional borings and percolation tests may be required.
- (10) Soil types and location of limits of each soil type as shown in the Soil Survey of Washington County.
- (11) All slopes in excess of 12 percent shall be delineated.
- (12) If severe soil limitations for the intended use are noted in the soil survey on file in the county planning department and the county soil and water conservation district office, a plan or statement indicating the soil conservation practices to be used to overcome said limitation shall be made part of the permit application.
- (13) On all lakes, ponds, and wetlands, all water surface elevations, natural ordinary high elevation, and present and proposed 100-year flood elevations shall be denoted. The lowest floor elevation for each lot shall be indicated and shall be at least two feet above the 100-year flood elevation or two feet above the water body outlet, whichever is higher, and at least four feet above the groundwater elevation.
- (c) Subdivision design features.
- (1) Layout of proposed streets, showing right-of-way widths and proposed names of streets. The name of any street shall conform to the provisions of chapter 24, article III.
- (2) Locations and widths of proposed alleys, pedestrian ways and utility easements.
- (3) Lot and block numbers and preliminary dimensions of lots and blocks and the area of each lot.

- (4) Proposed front, side, and rear building setback lines.
- (5) Gradients of proposed streets. Plans and profiles showing locations and typical cross sections of street pavement including ditches, curbs, gutters, sidewalks, drainage easements, service rights-of-way, manholes and catchbasins.
- (6) Areas, other than streets, alleys, pedestrian ways and utility easements, intended to be dedicated or reserved for public use, including the size of such areas in acres.
- (7) Grading and drainage plan for entire subdivision. If any fill or excavation is proposed in a wetland or lake, approval must be obtained from the state department of natural resources and Army Corps of Engineers or watershed or water management organization, county soil and water conservation district, or other permitting authority that has jurisdiction.
- (8) Erosion and sediment control plan.
- (d) *Other information required.*
- (1) Statement of the proposed use of lots stating type of residential buildings with the number of proposed dwelling units and type of business or industry so as to reveal the effect of the development on traffic, fire hazards, and congestion of population.
- (2) Source of water supply.
- (3) Provisions for sewage disposal, surface water drainage and flood control.
- (4) If any zoning changes are contemplated, the proposed zoning plan for the areas, including dimensions.
- (5) Such other information as may be requested by the engineer, planning staff, city planning commission, or city council.
- (6) Where the subdivider owns property adjacent to that which is being proposed for the subdivision, the city council may require that the subdivider submit a sketch plat of the remainder of the property so as to show the possible relationships between the proposed subdivision and future subdivision. In any event, all subdivisions must be shown to relate well with existing or potential adjacent subdivisions and land use.

(Ord. No. 1996-01, § 501, 10-22-1996)

Sec. 30-59. Review and approval.

- (a) Distribution of application and plat to city officials. The city clerk shall, upon receipt of the plat and application, refer one copy of the plat and application to each member of the city council and planning commission, and one copy of the plat to the city attorney, engineer, and planner. One copy of the plat shall also be referred to the county planning coordinator and one copy of the plat to the school district.
- (b) Presentation to commissioner of transportation. Any proposed preliminary plat which includes lands abutting upon any existing or established trunk highway or proposed highway which has been designated by a centerline order filed in the office of the county recorder shall first be presented to the commissioner of transportation for his written comments and recommendations.
- (c) Submission to county engineer. Where any preliminary plat includes land abutting upon an existing or established county or county state-aid highway, it shall first be submitted to the county engineer for his written comments and recommendations.

- (d) Submission to commissioner and county engineer. Preliminary plans involving both a trunk highway and a highway under county jurisdiction shall be submitted to the commissioner of transportation and the county highway engineer.
- (e) *Time frame for submission, comments and action.* Plats shall be submitted for review at least 30 days prior to the city taking final action on the preliminary plat. The commissioner of transportation and/or the county highway engineer shall submit the written comments and recommendations to the city within 30 days after receipt by them of such a plat. Final action on such plat by the city shall not be taken until after these required comments and recommendations have been received, or until the 30-day period has elapsed.
- (f) Plat and information requirements. A legible preliminary drawing or print of a proposed preliminary plat shall be acceptable for purposes of review by the commissioner or transportation or the county highway engineer. To such drawing or print there shall be attached a written statement describing:
 - (1) The outlet for and means of disposal of surface waters from the proposed platted area;
 - (2) The land use designation or zoning category of the proposed platted area;
 - (3) The locations of ingress and egress to the proposed platted area; and
 - (4) A preliminary site plan for the proposed platted area, if one has been prepared.
- (g) Certification and other information. Failure to obtain the written comments and recommendations of the commissioner of transportation or the county highway engineer shall in no manner affect the title of the lands included in the plat or the platting of said lands. A certificate or other evidence shall be required to or upon the plat for filing in the office of the county recorder or registrar of titles as to the submission of or the obtaining of such written comments and recommendations. The city shall provide the certificate or other evidence to the county recorder or registrar of titles.
- (h) Recommendations. The engineer, school board, county planning coordinator, and the district highway engineer, if appropriate, shall within 30 days submit reports to the city council expressing recommendations for approval, disapproval or revisions. If no report is received within 30 days, it will be assumed by the planning commission that there are no objections to the plat as submitted.
- (i) Public hearing. After the preliminary plat is filed and application fees are paid, the planning commission must hold a public hearing on the subdivision. Notice of the purpose, time, and place of such public hearing shall be published in the official newspaper at least ten days prior to the day of hearing.
- (j) Conditions placed by city council. The city council may require modifications, changes and revisions of the preliminary plat, as it deems necessary to protect the health, safety, morals, comfort, convenience and general welfare of the city.
- (k) Reasons for disapproval. If the preliminary plat is not approved by the city council, the reasons for such action shall be recorded in the proceedings and transmitted to the applicant.
- (l) Amendment to plat. Should the subdivider desire to amend the plat as approved, he may submit an amended plat which shall follow the same procedure as a new plat, except for the public hearing and fee, unless the amendment is, in the opinion of the city council, of such scope as to constitute a new plat; then it shall be refiled.
- (m) Other approvals required. Any plat proposed in a shoreland district must have approval of the state department of natural resources. If a watershed district, or water management organization exists in the area of the proposed platted property, approval must be obtained from those agencies. (Ord. No. 1996-01, § 403, 10-22-1996)

State Law References: Review of plats, Minn. Stats. § 462.358, subd. 3b.

Secs. 30-60--30-76. Reserved.

DIVISION 3.

FINAL PLAT

Sec. 30-77. Preparation and submission.

- (a) Conformance to preliminary plat and required modifications. After approval of the preliminary plat, the final plat may be prepared. It shall incorporate all changes, modifications, and revisions required; otherwise, it shall conform to the approved preliminary plat.
- (b) Submission for portions of approved plat. In the case of large subdivisions to be developed in stages, the subdivider may be granted permission to prepare a final plat for only the portion of the approved plat which he proposes to develop at this time, provided such portion conforms with all the requirements of these regulations. The subdivider may be required, as a condition of approval, to submit an estimated time schedule for further staging of the platting and recording.
- (c) *Compliances required.* All plats shall comply with the provisions of state statutes, the standard procedures for platting in the county, and the requirements of this article.
- (d) *Time limit.* The subdivider shall submit ten copies of the final plat to the city clerk not later than one year after the date of approval of the preliminary plat. The approval of the preliminary plat will be considered void after one year unless an extension is requested in writing by the subdivider and granted by the city council.
- (e) *Title opinion required.* The subdivider shall submit, with the final plat, an opinion of title by the subdivider's attorney.

(Ord. No. 1996-01, § 404, 10-22-1996)

State Law References: Effect of preliminary plat approval, Minn. Stats. § 462.358, subd. 3c.

Sec. 30-78. Compliance requirements.

The final plat shall be prepared by a land surveyor who is registered in the state and shall comply with the provisions of state statutes, this article and the manual of Standard Procedures for Platting in Washington County.

(Ord. No. 1996-01, § 502, 10-22-1996)

Sec. 30-79. Review and approval.

- (a) Review by county surveyor. After attaining approval of the preliminary plat, the subdivider shall submit ten copies of the final plat along with plat checking fee to the county surveyor for review by the county surveyor. This shall be within one year after the date of approval of the preliminary plat.
- (b) Preapproval requirements. Prior to approval of the final plat approved by the city council, the subdivider must have installed all required improvements or executed an agreement with the city for their installation. Required improvements shall conform to approved engineering standards and be in compliance with these regulations.
- (c) Disapproval by council. If the final plat is not approved, the reasons for such action shall be recorded in the official proceedings and transmitted to the subdivider.
- (d) *Approval by surveyor*. The final plat must be approved by the county surveyor in accordance with the Standard Procedures for Platting in Washington County.

- (e) Recording after approval. Upon receiving final plat approval by the city council, the subdivider shall then record it with the county recorder within 120 days or the approved plat shall be considered void.
- (f) Subsequent approvals. Upon receiving approval of the final plat for a portion of the approved plat, the subdivider shall not be required to request a continuation of the recognition of the plat so as to maintain its approval, except that in the event a zoning amendment is adopted which requires a larger minimum lot size for land not yet platted and recorded, the larger minimum lot size may be required for any additional platting. (Ord. No. 1996-01, § 405, 10-22-1996)

Secs. 30-80--30-101. Reserved.

ARTICLE III.

MINIMUM DESIGN STANDARDS

DIVISION 1.

GENERALLY

Sec. 30-102. Conformity with the comprehensive development plan.

The proposed subdivision shall conform to the comprehensive development plan and policies as adopted by the city.

(Ord. No. 1996-01, § 601, 10-22-1996)

Sec. 30-103. Land requirements.

- (a) Suitability of terrain. Land shall be suited to the purpose for which it is to be subdivided. No plan shall be approved if the site is not suitable for purposes of the kind proposed by reason of potential flooding, topography, or adverse earth or rock formations. The design of all subdivisions shall coordinate and be respective of the zoning map and ordinances, the city comprehensive plan, official map, street plan, and any other planning guides adopted by the city.
- (b) *Presence of hazards*. Land subject to hazards to life, health or property shall not be subdivided for residential purposes until all such hazards have been eliminated or unless adequate safeguards against such hazards are provided by the subdivision plan.
- (c) Erosion and sedimentation control plans. Erosion and sedimentation control plans in accordance with the technical standards and specifications of the soil conservation service, as provided by the county soil and water conservation district office, are required on slopes with grades of 18 percent or steeper. National Pollutant Discharge Elimination System (NPDES) erosion control measures shall be enforced on all graded areas with grades less than 18 percent slope.
- (d) *Coordination of development.* Proposed subdivisions shall be coordinated with existing nearby municipalities or neighborhoods so that the community as a whole may develop harmoniously. (Ord. No. 1996-01, § 602, 10-22-1996)

Sec. 30-104. Drainage.

A complete and adequate drainage system design shall be required for the subdivision and may include a storm sewer system or a system of open ditches, culverts, pipes and catchbasins, and ponding areas, or both such systems, and submitted to the engineer for approval. (Ord. No. 1996-01, § 607, 10-22-1996)

SUBDIVISIONS

Sec. 30-105. Easements.

- (a) Required for utilities. Easements of at least 20 feet wide, centered on rear and other lot lines as required, shall be provided for utilities where necessary. Where underground utilities are being installed, a ten-foot-wide front or side yard easement may be required. These easements shall be dedicated on the final plat.
- (b) Required for drainage. Easements shall be provided along each side of the centerline of any watercourse or drainage channel, whether or not shown on the comprehensive plan, to a sufficient width to provide proper maintenance and protection and to provide for stormwater runoff and installation and maintenance of storm sewers.
- (c) *Dedication.* Utility and drainage easements shall be dedicated for the required use. (Ord. No. 1996-01, § 608, 10-22-1996)

Sec. 30-106. Block design.

- (a) Block length and width or acreage within bounding streets shall be such as to accommodate the size of residential lots required in the area by chapter 32, pertaining to zoning, and to provide for convenient access, circulation control, and safety of street traffic.
- (b) In residential areas, other than water frontage, blocks shall not be less than 600 feet or more than 1,800 feet in length measured along the greatest dimension of the enclosed block area, unless minor variances are necessitated by topography or conformance with an adjoining plat.
- (c) Blocks for commercial and industrial areas may vary from the elements of design contained in this section if the nature of the use requires other treatment. In such cases, off-street parking for employees and customers shall be provided along with safe and convenient limited access to the street system. Space for off-street loading shall also be provided with similar access. Extension of roads, railroad access right-of-way, and utilities shall be provided as necessary.
- (d) Blocks shall be wide enough to allow two tiers of lots with a minimum depth as required by chapter 32, pertaining to zoning, except adjoining a lake, stream, railroad or thoroughfare, or where one tier of lots is necessary because of topographic conditions.

 (Ord. No. 1996-01, § 610, 10-22-1996)

Sec. 30-107. Lot requirements.

- (a) Side lots. Side lot lines shall be substantially at right angles to straight street lines or radial to curved street lines or radial to lake or stream shores unless topographic conditions necessitate a different arrangement.
 - (b) Frontage. Each lot shall front upon a public street.
- (c) *Minimum area and width.* No lot shall have less area or width than is required by zoning regulations applying to the area in which is it located, except as herein provided. Irregular-shaped lots designed for the sole purpose of attempting to meet a subdivision design or zoning regulation shall be prohibited.
- (d) Loading and parking facilities. Lots designed for commercial or industrial purposes shall provide adequate off-the-street service, loading and parking facilities.
 - (e) *Corner lots*. Corner lots shall be platted at least 20 feet wider than interior lots.
- (f) Butt lots. Butt lots in any subdivision are to be discouraged. Where such lots must be used to fit a particular type of design, they shall be platted at least five feet wider than the average width of interior lots in the block.

- (g) Through or double frontage lots. Such lots shall not be permitted except where such lots abut a thoroughfare or major highway. Such lots shall have an additional depth of ten feet for screen planting along the rear lot line.
- (h) *Watercourse*. Lots abutting upon a watercourse, drainageway, channel or stream shall have an additional depth or width, as required to ensure building sites that are not subject to flooding.
- (i) Lakeshore frontage. Lots with lakeshore frontage shall be designed so that the lot lines extended shall maintain the closest approximation to riparian rights.
- (j) *Natural features*. In the subdividing of any land, regard shall be shown for all natural features, such as tree growth, watercourses, historic spots, or similar conditions, which if preserved will add attractiveness and stability to the proposed development.
- (k) Lot remnants. All remnants of lots below minimum size left over after subdividing of a larger tract must be added to adjacent lots, or a plan acceptable to the city shown as to future use, rather than allowed to remain as unusable parcels.
- (l) Access to major arterials. In the case where a proposed plat is adjacent to a major or minor arterial, there shall be no direct vehicular access from individual lots to such streets and roads. In the platting of small tracts of land fronting on limited access highways or thoroughfares where there is no other alternative, a temporary entrance may be granted; as neighboring land becomes subdivided and more preferable access arrangements become possible, such temporary access permits shall become void. Driveway access on collector streets must be a minimum of 300 feet apart and meet appropriate safety standards.
- (m) Political subdivision and school district lines. No lot shall extend over a political subdivision boundary. No building shall extend over a school district line. (Ord. No. 1996-01, § 611, 10-22-1996)

Secs. 30-108--30-127. Reserved.

DIVISION 2.

STREETS

Sec. 30-128. Street plan.

- (a) *Conformance*. Proposed streets shall conform to the state road and county highway plans or preliminary plans as have been prepared, adopted and/or filed as prescribed by law.
- (b) *Relation to topography*. Streets shall be logically related to the topography so as to produce usable lots and reasonable grades.
- (c) Access to parcels. Access shall be given to all lots and portions of the tract in the subdivision, and to adjacent unsubdivided parcels unless the topography clearly indicates that such connection is not feasible. Reserved strips and landlocked areas shall not be created.
- (d) *Arrangement.* The arrangement of streets in new subdivisions shall make provisions for the appropriate continuation of the existing streets in adjoining areas.
- (e) Preparation for future extension. Where adjoining areas are not subdivided, but may be subdivided, the arrangement of streets in a new subdivision shall make provision for the proper projection of streets into adjoining areas by carrying the new streets to the boundaries of the new subdivision at appropriate locations. Streets must be rough-graded or documented that grading can be accomplished within the right-of-way.

SUBDIVISIONS

- (f) *Minor streets and thoroughfares*. Minor streets shall be laid out to discourage their use by through traffic. Thoroughfares shall be reserved for through traffic by providing marginal access streets, interior streets for serving lots, or other means.
- (g) Partial streets within subdivision. Half or partial streets will not be permitted except where essential to reasonable subdivision of a tract in conformance with the other requirements and standards of these regulations and where, in addition, satisfactory assurance for dedication of the remaining part of the street can be secured.
- (h) Partial streets adjoining subdivision. Wherever a tract to be subdivided adjoins an existing half, or partial street, the part of the street within such tract shall be platted.
- (i) Dead-end streets, cul-de-sacs. Dead-end streets shall be prohibited, except as stubs to permit future street extension into adjoining tracts, or when designed as cul-de-sac streets. Stubs for future street extension shall include a temporary cul-de-sac and associated easements until the extended roadway is constructed.
- (j) *Private streets, reserve strips.* Private streets and reserve strips shall be prohibited and no public improvements shall be approved for any private street. All streets shall be dedicated for public use except in cluster developments or planned unit developments.
- (k) Service streets. Where a subdivision abuts or contains an existing or planned major thoroughfare or a railroad right-of-way, a street approximately parallel to and on each side of such thoroughfare and right-of-way may be required for adequate protection of residential properties and separation of through traffic and local traffic. Such service streets shall be located at a distance from the major thoroughfare or railroad right-of-way suitable for the appropriate use of the intervening land, such as for park purposes in residential districts, or for commercial and industrial purposes in appropriate districts. Such distances shall also be determined with due regard for the requirements of approach grades and future grade separations.
- (1) Access to adjoining property. The street arrangements shall not be such as to cause hardship to owners of adjoining property in platting their own land and providing convenient access to it. (Ord. No. 1996-01, § 603, 10-22-1996)

Sec. 30-129. Cul-de-sac streets.

- (a) Cul-de-sac streets, temporarily or permanently designed as such, shall not exceed 1,320 feet in length.
- (b) Lots with frontage at the end of the cul-de-sac shall have a minimum of 60 feet of road frontage and meet the lot width requirement at the building setback line for the zoning district in which the property is located.
- (c) Unless future extension is clearly impractical or undesirable, the turnaround right-of-way shall be placed adjacent to a property line and a right-of-way of the same width as the street shall be carried to said property line in such a way as to permit future extension of the street into the adjoining tract. At such time as such a street is extended, the acreage covered by the turnaround outside the boundaries of the extended street shall revert in ownership to the property owner fronting on the temporary turnaround. To ensure such streets can be constructed according to this Code, the street shall be rough graded or typical sections shall be submitted and approved by the city engineer.

(Ord. No. 1996-01, § 604, 10-22-1996)

Sec. 30-130. Street design.

(a) *Minimum widths*. Minimum right-of-way widths and pavement widths (face to face of curb) for each type of public street or road shall be as follows:

Type of Street	Right-of-way Roadway	Width (Including
	Width	Shoulders)
Minor arterial	120 feet minimum	as determined by traffic
		needs
Collector	80 feet minimum	44 feet
Commercial/industrial	80 feet minimum	44 feet
street		
Local street	66 feet minimum	28 feet
Cul-de-sac	66 feet minimum	48-foot turnaround
		radius

- (b) Widening existing streets. Where a subdivision abuts or contains an existing street of inadequate width, sufficient additional width shall be provided to meet the standards of subsection (a) of this section.
- (c) Additional width requirements. Additional right-of-way and roadway widths may be required to promote public safety and convenience when special conditions require it or to provide parking space in areas of intensive use.
- (d) Restriction of access. Access of local streets onto state, county state-aid highways, and county highways shall be discouraged at intervals of less than 500 feet.
- (e) *Street jog.* Street jogs with centerline offsets of less than 150 feet shall not be allowed. Greater offsets may be required on collector and arterial streets.
- (f) *Deflection.* When connecting street lines deflect from each other at any one point by more than ten degrees, they shall be connected by a curve with a centerline radius of not less than 300 feet.
- (g) Grades. Centerline gradients shall be at least 0.5 percent and grades shall not exceed eight percent.
- (h) *Vertical curves*. Different connecting street gradients shall be connected with vertical curves. Minimum length of these curves shall meet state department of transportation criteria for stopping sight distance at 30 miles per hour.
- (i) Angle of intersection. The angle formed by any intersecting of streets shall not be less than 70 degrees, with 90-degree intersections preferred.
 - (j) Size of intersection. Intersections of more than four corners shall be prohibited.
- (k) *Corner radii.* Roadways of street intersections shall be rounded by a radius of not less than 15 feet. Roadways of alley-street intersections shall be rounded by a radius of not less than six feet. Corners at the entrances of the turnaround portions of the cul-de-sacs shall be rounded by a radius of not less than 15 feet.
- (l) Curb and gutter. Local roadway sections shall be in accordance with city standards. The city roadway standard is a rural section 28 feet wide with 22 feet of bituminous pavement surface. Curb and gutter may be included at the discretion of the city as part of the required street surface improvement and shall thus be designed for installation along both sides of all roadways for urban design. (Ord. No. 1996-01, § 605, 10-22-1996)

Sec. 30-131. Private streets.

Private streets are not permitted. (Ord. No. 1996-01, § 606, 10-22-1996)

Sec. 30-132. Street names.

Names of new streets shall not duplicate existing or platted street names unless a new street is a continuation of or in alignment with the existing or platted street. In that event it shall bear the same name of the existing or platted street so in alignment Street names shall conform as applicable to chapter 24, article III, pertaining to the uniform street naming and property numbering system.

(Ord. No. 1996-01, § 609, 10-22-1996)

Secs. 30-133--30-162. Reserved.

ARTICLE IV.

ENGINEERING STANDARDS

Sec. 30-163. Inspection.

All required improvements shall be inspected by the engineer during construction at the expense of the subdivider.

(Ord. No. 1996-01, § 708, 10-22-1996)

Sec. 30-164. Street construction.

- (a) Street grading. Streets shall be graded in accordance with a plan approved by the engineer. In the case of an urban street design the grading shall include the entire width of the right-of-way and shall provide a boulevard section in addition to the minimum pavement width. Grading plans shall be at a scale of not less than one inch equals 100 feet. Street plan and profile sheets shall be at not less than a scale of one inch equals 50 feet.
- (b) Street pavement. The design of street pavement for all streets covered by this regulation shall be in accordance with the State of Minnesota Highway Department Road Design Manual No. 5-291 for flexible pavements. The designed thickness of the surfacing elements shall be in accordance with the flexible pavement design standard for road classifications as follows:

Classification Pavement Design	Axle Load
Arterials, collector street	As determined by traffic needs
Local streets	7-ton minimum

- (c) Soil tests. To determine subgrade soil classifications, soil samples shall be collected and analyzed by a reputable testing laboratory. Reports of the soil analysis shall be submitted with the pavement plans to the engineer and shall include "R" values and pavement recommendations certified by a registered soils engineer. Soil samples shall be taken along the centerline of the proposed road at intervals not exceeding 300 feet. Soil report shall include groundwater elevations.
- (d) Curb and gutter. Local roadway sections shall be in accordance with city standards. The city roadway standard is a rural section 28 feet wide with 22 feet of bituminous pavement surface. Curb and gutter may be included at the discretion of the city as part of the required street surface improvement and shall thus be designed for installation along both sides of all roadways for urban design.
- (e) *Boulevards*. All boulevards shall have four inches of topsoil (black dirt) placed on them and then shall be seeded or sodded as approved by the engineer.

(f) Sidewalks and pedestrian ways. All required walks shall be concrete four inches thick placed on a four-inch gravel base. Grades shall be as approved by the city engineer. Sidewalks shall be placed in the public right-of-way.

(Ord. No. 1996-01, § 701, 10-22-1996)

Sec. 30-165. Utilities.

- (a) Extended service facilities. Where a larger-size storm drain or similar facility is required to serve areas outside the subdivision, the larger facility required must be constructed. Additional cost is to be borne by the benefitting properties, and the assessments are to be determined by the city council.
- (b) *Installation of private utilities.* Private utilities such as electricity, telephone, gas, and cable television shall be installed within the platted drainage and utility easements, outside of public right-of-way. (Ord. No. 1996-01, § 702, 10-22-1996)

Sec. 30-166. Sanitary sewerage systems.

- (a) *Individual sewage disposal systems.* Where lots cannot be connected with a public sewerage system, provision must be made for sanitary sewerage facilities, consisting of individual disposal devices for each lot in accordance with article IV of chapter 12, pertaining to individual sewage treatment systems. This does not mean that the installation of individual disposal devices shall be at the expense of the subdivider.
- (b) Soil suitability tests required. Any subdivision or lot not provided with off-site sewer facilities shall be subject to soil and percolation tests to determine whether the lot size proposed will meet minimum standards of health and sanitation due to limitations of soils as shown on existing soils maps. The lot area and topography must be such that it will accommodate an adequate disposal system to serve the residence for the estimated unsewered years, as determined by the city council. Such test shall be made at the expense of the subdivider, and a sketch map shall be submitted to identify the specific locations where tests were made. Four soil borings shall be performed on each proposed lot by a certified soil tester. Additional testing may be required if serious limitations for the installation of an on-site septic system are found.
- (c) Compliance with standards. All sewage disposal systems shall comply with the standards of the article IV of chapter 12, pertaining to individual sewage treatment systems, the county department of health, environment, and land management, the state department of health, and the state pollution control agency. (Ord. No. 1996-01, § 703, 10-22-1996)

Sec. 30-167. Water supply.

An individual well shall produce at least ten gallons per minute, have a well casing at least four inches in diameter and be grouted to provide a safe, potable water supply. (Ord. No. 1996-01, § 704, 10-22-1996)

Sec. 30-168. Stormwater drainage.

- (a) Design requirements; approval. A drainage system design shall be required, and may include a storm sewer system or a system of open ditches, culverts, pipes, catchbasins and ponding areas, or both systems. Such facilities and easements shall be installed as will adequately provide for the drainage of surface waters. Drainageway easements or land dedication may be required when such easements or land is needed in the public interest for purposes of floodplain management, proper drainage, prevention of erosion, pedestrian access to water bodies, or other public purposes. If there is a watershed district or water management organization, that board must approve all surface water drainage.
 - (b) Easements.

SUBDIVISIONS

- (1) Easements at least 20 feet wide, centered on rear and other lot lines as required, shall be provided for utilities where necessary. Where underground utilities are being installed, a tenfoot-wide front or side yard easement may be required. These easements shall be dedicated on the plat.
- (2) Easements shall be provided along each side of the centerline of any watercourse or drainage channel, whether or not shown on the comprehensive plan, to a width sufficient to allow for maintenance and to provide for stormwater runoff and installation and maintenance of storm sewers.
- (3) Utility and drainage easements shall be dedicated for the required use. (Ord. No. 1996-01, § 705, 10-22-1996)

Sec. 30-169. Street signs.

All street signs shall be provided and installed by the city at the expense of the subdivider. (Ord. No. 1996-01, § 706, 10-22-1996)

Sec. 30-170. Utilities location.

When practicable and feasible, all utilities shall be placed underground and completed prior to street surfacing. All utility lines for telephone and electrical service shall be placed in rear line easements when carried on overhead poles.

(Ord. No. 1996-01, § 707, 10-22-1996)

Sec. 30-171. Inspection.

All required improvements shall be inspected by the engineer during construction at the expense of the subdivider.

(Ord. No. 1996-01, § 708, 10-22-1996)

Secs. 30-172--30-193. Reserved.

ARTICLE V.

REQUIRED IMPROVEMENTS AND FINANCIAL ARRANGEMENTS

Sec. 30-194. Improvements required.

Prior to the approval of a plat by the city council, the subdivider shall have agreed, in the manner set forth below, to install, in conformity with approved construction plans and in conformity with all applicable standards and ordinances, the following improvements on the site:

- (1) Survey monuments. All subdivision boundary corners, block and lot corners, road intersection corners and points of tangency and curvature shall be marked with survey monuments meeting the minimum requirements of state law. All U.S., state, county and other official benchmarks, monuments or triangulation stations in or adjacent to the property shall be preserved in precise position unless a relocation is approved by the controlling agency.
- (2) *Grading*. The full width of the right-of-way of each street and alley dedicated in the plat shall be graded.
- (3) *Pavement.* All streets and alleys shall be improved with concrete or bituminous surface except as may be approved by action of the city council.
- (4) Curb and gutter. Local roadway sections shall be in accordance with city standards. The city

roadway standard is a rural section 28 feet wide with 22 feet of bituminous pavement surface. Curb and gutter may be included at the discretion of the city as part of the required street surface improvement and shall thus be designed for installation along both sides of all roadways for urban design.

- (5) Drainage facilities. Such facilities and easements shall be installed as will adequately provide for the drainage of surface waters; a storm sewer system may be required. Drainageway easements or land dedication may be required when such easements or land is needed in the public interest for purposes of floodplain management, proper drainage, prevention of erosion, pedestrian access to water bodies, or other public purpose. If there is a watershed district or water management organization, that board must approve all surface water drainage.
- (6) *Miscellaneous facilities*. Tree planting, street name signs, traffic control signs, oversized utility trunk lines, pedestrian ways, and other improvements may be required.
- (7) Approval by engineer prior to building. No building permits shall be issued for any lot until the street subgrade and aggregate base has been tested and approved by the engineer. (Ord. No. 1996-01, § 801, 10-22-1996)

Sec. 30-195. Installation of improvements--Payment and expense.

The required improvements as listed elsewhere are to be furnished and installed at the sole expense of the subdivider. However, if the cost of an improvement would by general policy be assessed only in part to the improved property and the remaining cost paid out of general tax levy, provision may be made for the payment of a portion of the cost by the city. Further, if any improvement installed within the subdivision will be of substantial benefit to lands beyond the boundaries of the subdivision, provision may be made for causing a portion of the cost of the improvements, representing the benefit to such lands, to be assessed against the same. In such a situation, the subdivider will be required only to pay for such portion of the whole cost of said improvement as will represent the benefit to the property within the subdivision. (Ord. No. 1996-01, § 802, 10-22-1996)

Sec. 30-196. Same--Agreement with city; deposit or bond; former defaulters.

- (a) Contract with city required in advance of construction. Prior to the installation of any required improvements and prior to approval of the plat, the subdivider shall enter into a contract in writing with the city requiring the subdivider to furnish and construct said improvements at his sole cost and in accordance with plans and specifications and usual contract conditions. This shall include provisions for supervision of details of construction by the engineer and shall grant to the engineer authority to correlate the work to be done under said contract by any subcontractor authorized to proceed thereunder and with any other work being done or contracted by the city in the vicinity.
- (b) Escrow deposit or bond required. The agreement shall require the subdivider to make an escrow deposit or, in lieu thereof, to furnish a performance bond, the amount of the deposit or penal amount of the bond to be equal to 125 percent of the engineer's estimate of the total cost of the improvements to be furnished under the contract, including the cost of inspection. On request of the subdivider, the contract may provide for completion of part or all of the improvements covered thereby prior to acceptance of the plat. In such event the amount of the deposit or bond may be reduced in a sum equal to the estimated cost of improvements so completed prior to the acceptance of the plat. The time for connection of the work and the several parts thereof shall be determined by the city council upon recommendation of the engineer after consultation with the subdivider. It shall be reasonable with relation to the work to be done, the seasons of the year, and proper correlation with construction activities in the plat and subdivision.
- (c) Special approval for former defaulters. No subdivider shall be permitted to start work on any other subdivision without special approval of the city council if he has previously defaulted on work or

commitments.

(Ord. No. 1996-01, § 803, 10-22-1996)

Sec. 30-197. Financial guarantee.

Financial guarantee required as part of the subdivision agreement shall be one of the following:

- (1) Escrow deposit. A cash escrow deposit may be made with the city treasurer in a sum equal to 125 percent of the total costs, as estimated by the engineer, of all the improvements to be furnished and installed by the subdivider pursuant to the subdivision agreement. The total costs shall include costs of inspection by the city engineer. The city shall be entitled to reimburse itself out of such deposit for any cost or expense incurred by the city for completion of the work in case of default of the subdivider under such contract, and for any damages sustained on account of any breach thereof.
- (2) *Performance bond.* The subdivider may furnish a performance and payment bond with corporate surety, in a penal sum equal to 125 percent of the total cost, as estimated by the engineer, of all the improvements to be furnished and installed by the subdivider pursuant to the subdivision agreement. The total costs shall include costs for inspection by the city engineer. The bond shall be approved as to form by the attorney and filed with the clerk.
- (3) Letter of credit. The subdivider may deposit with the city, from a bank or other reputable institution or individual subject to the approval of the city council, an irrevocable letter of credit which shall certify the following:
 - a. That the creditor does guarantee funds in an amount equal to 125 percent of the total cost as estimated by the city engineer, or completing all required improvements.
 - b. That in the case of failure on the part of the subdivider to complete the specified improvements within the required time period, the creditor shall pay to the city immediately, and without further action, such funds as are necessary to finance the completion of those improvements, up to the limit of credit stated in the letter.
 - c. That this letter of credit may not be withdrawn, or reduced in amount until released by the city council.

(Ord. No. 1996-01, § 804, 10-22-1996)

Sec. 30-198. Construction plans and inspection.

- (a) Plan certification, approval, and inclusion in contract. Construction plans for the required improvements conforming in all respects with the standards and ordinances of the city shall be prepared at the subdivider's expense by a professional engineer who is registered in the state, and said plans shall contain his certificate. Such plans together with the quantities of construction items shall be submitted to the engineer for his approval and for his estimate of the total costs of the required improvement. Upon approval, such plans shall become a part of the required contract. The tracings of the plans approved by the engineer plus two prints shall be furnished to the city to be filed as a public record.
- (b) *Inspections*. All required improvements on the site that are to be installed under the provisions of this regulation shall be inspected during the course of construction by the city engineer at the subdivider's expense, and acceptance by the city shall be subject to the engineer's certificate of compliance with the contract. (Ord. No. 1996-01, § 805, 10-22-1996)

Sec. 30-199. Improvements completed prior to approval of the plat.

Improvements within a subdivision which have been completed prior to application for approval of the plat or execution of the contract for installation of the required improvements shall be accepted as equivalent

improvements in compliance with the requirements only if the engineer shall certify that he is satisfied that the existing improvements conform to applicable standards. (Ord. No. 1996-01, § 806, 10-22-1996)

Chapter 32

ZONING*

Article I. In General

Sec. 32-1.	Definitions.
Sec. 32-2.	Intent and purpose.
Sec. 32-3.	Interpretation and construction; cumulative effect.
Sec. 32-4.	Compliance.
Sec. 32-5.	Application to existing structures.
Sec. 32-6.	Exception for single-family residential homes.
Secs. 32-732	2-30. Reserved.
	Article II. Administration and En

nforcement

Division 1. Generally

Sec. 32-31.	Administrator.
Sec. 32-32.	Violations.
Sec. 32-33.	Supremacy of more restrictive provisions.
Sec. 32-34.	Fees.
Sec. 32-35.	Certificate of compliance.
Secs. 32-3632	-58. Reserved.

Division 2. Board of Adjustment and Appeals; Appeals and Variances

Sec. 32-59.	Board of adjustment and appeals
Sec. 32-60.	Variances.
Secs. 32-6132	-78. Reserved.

Division 3. Nonconformities

Sec. 32-80. Dimensionally substandard buildings or structures.	
50c. 52-60. Difficustoffany substandard buildings of structures.	
Sec. 32-81. Unlawful uses, buildings and structures.	
Sec. 32-82. Permit holders and permit applicants.	
Sec. 32-83. Change from one nonconforming use to another.	
Sec. 32-84. Change of use with approval of the board of adjustment.	
Sec. 32-85. Restoration of nonconforming buildings or structures.	
Sec. 32-86. Discontinuation of use.	
Secs. 32-8732-115. Reserved.	

Division 4. Amendments

Sec. 32-116.	Generally.
Sec. 32-117.	Applications.

State Law References: Zoning, Minn. Stats. § 462.357.

Sec. 32-118.	Hearing.
Sec. 32-119.	Report to city council.
Sec. 32-120.	City council action on application.
Sec. 32-121.	Re-application.
	2-140. Reserved.
	Division 5. Conditional Use Permits
Sec. 32-141.	Generally.
Sec. 32-142.	Existing uses.
Sec. 32-143.	Application.
Sec. 32-144.	Planning commission hearing.
Sec. 32-145.	Burden of proof.
Sec. 32-146.	Standards.
Sec. 32-147.	Conditions.
Sec. 32-148.	Planning commission report.
Sec. 32-149.	City council action on application.
Sec. 32-150.	Denial.
Sec. 32-151.	Reapplication.
Sec. 32-152.	Amended applications.
Sec. 32-153.	Recording of copy with county.
Sec. 32-154.	Compliance with permit; violation of conditions.
Sec. 32-155.	Expiration and suspension.
Sec. 32-156.	Annual review of issuances.
	2-180. Reserved.
2000.02 10, 0.	- 100.110.00.100.
	Division 6. Other Permits and Certificate of Occupancy
Sec. 32-181.	Building permit and compliance with building code required.
Sec. 32-182.	Moving permit.
Sec. 32-183.	Septic permit.
Sec. 32-184.	Driveway access permit.
Sec. 32-185.	Grading permit required; exceptions.
Sec. 32-186.	Sign permits.
Sec. 32-187.	Certificate of occupancy.
Secs. 32-1883	2-212. Reserved.
	Division 7. Environmental Assessment (EAW) and Impact Statements (EIS)
Sec. 32-213.	Environmental assessment worksheet.
Sec. 32-214.	Environmental impact statement.
Sec. 32-215.	Time delays in permitting process.
Sec. 32-216.	Halting of construction projects.
Sec. 32-217.	Reimbursement of city expenses and deposits.
Secs. 32-2183	2-242. Reserved.

Article III. Zoning Districts Established; Permitted Uses; Dimensional Standards

Division 1. Generally

Sec. 32-243.	Districts established.
Sec. 32-244.	Zoning district map.
Sec. 32-245.	Table of uses.
Sec. 32-246.	Minimum area, maximum height and other dimensional requirements.
Sec. 32-247.	Permitted encroachments on required yards.
Sec. 32-248.	Setbacks.
Sec. 32-249.	Height.
Secs. 32-25032-	-276. Reserved.

Division 2. Overlay Districts

Sec. 32-277.	Intent; list of overlay districts; regulations.
Sec. 32-278.	Floodplain (FP) overlay district.
Sec. 32-279.	Airport overlay (AZ) district.
Sec. 32-280.	Lake and shoreland management overlay district.
Sec. 32-281.	Agricultural land preservation (AP) district.
Secs 32-28232	-310 Reserved

Article IV. Supplemental Regulations

Division 1. Generally

Sec. 32-311.	Minimum standards; purpose.
Sec. 32-312.	The principal building.
Sec. 32-313.	Accessory buildings and other non-dwelling structures.
Sec. 32-314.	Public convenience structures.
Sec. 32-315.	Fences.
Sec. 32-316.	Exterior storage.
Sec. 32-317.	Environmental pollution issues.
Sec. 32-318.	Screening.
Sec. 32-319.	Landscaping.
Sec. 32-320.	Reasonable maintenance required.
Sec. 32-321.	Lighting, lighting fixtures and glare.
Sec. 32-322.	Off-street loading and unloading areas.
Sec. 32-323.	Traffic control.
Sec. 32-324.	Explosives permitted only by exception.
Sec. 32-325.	Fallout shelters.
Sec. 32-326.	Guesthouses.
Sec. 32-327.	Bed and breakfasts.
Sec. 32-328.	Horse boarding and training.
Sec. 32-329.	Radiation and electrical interference prohibited.
Sec. 32-330.	Environmental nuisances.
Sec. 32-331.	Other nuisances.
Sec. 32-332.	Noise control.
Sec. 32-333.	Coin-operated machines.
Sec. 32-334.	Swimming pools.
Sec. 32-335.	Interim uses and structures.
Sec. 32-336.	Automobile sales and showrooms.

Sec. 32-337.	Livestock.
Sec. 32-338.	Manufactured homes.
Sec. 32-339.	Recreation vehicle or trailer regulations.
Sec. 32-340.	Service stations.
Sec. 32-341.	Drainage.
Sec. 32-342.	Permits for land reclamation; use of public waters.
Sec. 32-343.	Soil conservation plans.
Sec. 32-344.	Mining.
Sec. 32-345.	Agricultural operations.
Sec. 32-346.	Access drives and access.
Sec. 32-347.	Tennis courts.
Sec. 32-348.	Vegetative cutting.
Sec. 32-349.	Solid waste landfill facilities.
Sec. 32-350.	Planned unit developments.
Sec. 32-351.	Wind Energy Conversion Systems.
Secs. 32-3523	22-371. Reserved.
	Division 2. Off-Street Parking
Sec. 32-372.	General provisions.
Sec. 32-373.	Surfacing and drainage.
Sec. 32-374.	Required spaces.
Sec. 32-375.	Location.
Sec. 32-376.	Design and maintenance of off-street parking areas.
Sec. 32-377.	Truck parking in residential areas.
Secs. 32-3783	2-397. Reserved.
	Division 3. Signs
Sec. 32-398.	Definitions.
Sec. 32-399.	Purpose.
Sec. 32-400.	Exemption for inside signs.
Sec. 32-401.	Substitution clause.
Sec. 32-402.	Permit required, exemptions.
Sec. 32-403.	Prohibited signs.
Sec. 32-404.	Offensive signs.
Sec. 32-405.	Required signs.
Sec. 32-406.	Private traffic signs.
Sec. 32-407.	Private signs in right-of-way.
Sec. 32-408.	Illuminated signs.
Sec. 32-409.	Political signs.
Sec. 32-410.	Displays.
Sec. 32-411.	Real estate signs.
Sec. 32-412. Sec. 32-413.	Construction signs.
Sec. 32-413. Sec. 32-414.	Electrical signs. Multi-faced signs.
Sec. 32-415. Sec. 32-416.	Restrictions at certain locations. Conditional use permit.
Sec. 32-410. Sec. 32-417.	Restrictions in agricultural districts.
Sec. 32-417. Sec. 32-418.	Permitted signsResidential districts.
Sec. 32-418. Sec. 32-419.	SameCommercial districts.
Sec. 32-419. Sec. 32-420.	Permitted signs for uses requiring a conditional use permit.
Sec. 32-420.	Obsolete signs.

Sec. 32-422. Unsafe or dangerous signs. Secs. 32-423--32-442. Reserved.

Division 4. Antenna Regulations

Sec. 32-443.	Definitions.
Sec. 32-444.	Purpose.
Sec. 32-445.	Exemptions and modifications.
Sec. 32-446.	Permit requirements.
Sec. 32-447.	Letter of intent.
Sec. 32-448.	Fees and escrows.
Sec. 32-449.	Periodic submissions.
Sec. 32-450.	Preferences for antenna and support structure locations.
Sec. 32-451.	Location, use, lot size and dimensional requirements.
Sec. 32-452.	Antenna regulations in all districts.
Sec. 32-453.	Amateur radio antennas and towers.
Sec. 32-454.	Noise and traffic.

ARTICLE I. IN GENERAL

Sec. 32-1. Definitions.

The following words, terms and phrases, when used in this chapter, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Accessory building means a subordinate building, or a portion of the main building, which is located on the same lot as the main building and the purpose of which is clearly incidental to that of the principal building. (See section 32-313.)

Accessory use means a use incidental or subordinate to the principal use of the same land.

Access, shared, means a single accessway onto a public street, within the road right-of-way, for the use of more than one property owner to gain access to a private driveway.

Administrator means the city council.

Agricultural building means a structure on agricultural land as defined in farm, rural of this section, designed, constructed and used to house farm implements, livestock or agricultural produce or products used by the owner, lessee or sublessee of the building and members of their immediate families, their employees and persons engaged in the pickup or delivery of agricultural produce or products.

Agricultural business, seasonal, means a seasonal business located on a minimum of five acres of land which offers for sale to the general public produce or any derivative thereof. Accessory items may also be sold if they are approved by the city council. The produce or derivatives must be grown on land owned or leased by the applicant.

Agriculture. See Farm, rural and section 32-245.

Animal unit means a unit of measure used to compare differences in the production of animal wastes which has a standard as the amount of waste produced on a regular basis by a slaughter steer or heifer.

Animals, domestic farm, means cattle, hogs, horses, bees, sheep, goats, chickens and other animals commonly kept for commercial food-producing purposes.

Animals, domestic pet, means dogs, cats, birds and similar animals commonly kept in a residence. Animals considered wild, exotic or nondomestic, such as bears, lions, wolves, ocelots and similar animals shall not be considered domestic pets.

Apartment means a room or suite of rooms with cooking facilities designed to be occupied as a residency by a single family.

Area, net developable, means those lands within a development parcel remaining after the deletion of floodplains, wetlands, slopes greater than 12 percent and unbuildable easements or rights-of-way.

Arterials, means principal arterial routes as defined in the City's Comprehensive Plan, adopted by the City Council on May 5, 2009.

Attorney means the city attorney.

Auto or motor vehicle reduction yard means a lot or yard where one or more unlicensed motor vehicles, or the remains thereof, are kept for the purpose of dismantling, wrecking, crushing, repairing, rebuilding, sale of parts, sale as scrap, storage or abandonment. (See also Junkyard.)

Automobile repair means the replacement of any part or repair of any part which does not require the removal of the engine head or pan, engine, transmission or differential; incidental body and fender work, minor painting and upholstering service when said service above stated is applied to passenger automobiles and trucks not in excess of 7,000 pounds gross vehicle weight.

Automobile service station (gas station) means a place where any motor fuel, lubricating oil or grease for operating motor vehicles is offered for sale to the public and deliveries are made directly into motor vehicles. This definition includes greasing, oiling or sale of automobile accessories on the premises. This definition also includes minor repairs and replacement of parts and motor services to passenger automobiles and trucks not exceeding 1 1/2 tons capacity. This definition shall not include major repair, rebuilding or reconditioning of engines, motor vehicles or trailers; collision service, including body, frame or fender straightening or repair; overhaul, painting or paint job; vehicle steam cleaning or automatic car or vehicle washing devices.

Automobile service uses means those uses catering to the traveling public. These include auto and truck laundries, drive-in businesses, service stations, repair garages, public garages, motels, hotels, seasonal produce sales, motor vehicle sales, trailer sales and rental, boat sales, rental services and restaurants.

Basement means a portion of a building between floor and ceiling, located partly above and partly below grade, and having one-half or less of its floor-to-ceiling height below the average grade of the adjoining ground. Earth-sheltered houses that meet all other requirements of the building code shall not be considered basements.

Bed and breakfast means an owner-managed and owner-occupied residential structure used as a lodging establishment where rooms are rented on a nightly basis, and in which only breakfast is included as part of the basic compensation.

Boardinghouse means a building other than a motel or hotel where, for compensation and by prearrangement for definite periods, meals or lodging are provided for three or more unrelated persons, but not to exceed eight persons.

Building means any structure, either temporary or permanent, having a roof and used or built for the shelter or enclosure of any person, animal or property of any kind. When any portion thereof is completely separated from every other part thereof by area separation, each portion of such building shall be deemed as a separate building.

Building code means the Minnesota State Building Code.

Building height means the vertical distance between the lowest grade level at the building line and the uppermost point on the roof.

Building official means the officer or other designated authority, certified by the state, charged with the administration and enforcement of the state building code, or his duly authorized representative.

Building setback means the minimum horizontal distance between the building and the lot line.

Building setback line means a line within a lot parallel to a public right-of-way line, a side or rear lot line, a bluffline or a high-water mark or line, behind which buildings or structures must be placed.

Business means any occupation, employment or enterprise wherein merchandise is exhibited or sold, or where services are offered for compensation.

Carport means an automobile shelter having one or more sides open.

Cellar means that portion of the building having more than one-half of the clear floor-to-ceiling height below the average grade of the adjoining ground. Underground buildings that meet all other requirements of the building code shall not be considered cellars.

Certificate of compliance. See section 32-35.

Certificate of occupancy. See section 32-187.

Channel means a natural or artificial watercourse with definite bed and banks to confine and conduct continuously or periodically flowing water, including but not limited to streams, rivers, creeks, ditches, drainageways, canals, conduits, culverts, waterways, gulleys, ravines or washes, and including any area adjacent thereto which is required to carry and discharge the regional flood. (See chapter 14, pertaining to flood prevention.)

Channel flow means that water which is flowing within the limits of a channel.

Church means a building, together with its accessory buildings and uses, where persons regularly assemble for religious worship and which building, together with its accessory buildings and uses, is maintained and controlled by a religious body organized to sustain public worship.

Club or *lodge* means a nonprofit association of persons who are bona fide members paying annual dues, use of premises being restricted to members and their guests.

Cluster development means a pattern of subdivision development which places detached houses, duplexes or townhouse units into compact groupings while providing a network of commonly owned or dedicated open space.

Commercial food producing farm operations. See Farm, rural and section 32-245.

Comprehensive plan means the policies, statements, goals and interrelated plans for private and public land and water use, transportation and city facilities, including recommendations for planned execution, documented in texts, ordinances and maps which constitute the guide for the future development of the city or any portion of the city.

Conditional use means a land use or development as defined by ordinance that may not be appropriate generally, but may be allowed with appropriate restrictions as provided by official controls upon a finding that:

- (1) Certain conditions as detailed in the zoning ordinances exist;
- (2) The use or development conforms to the comprehensive land use plan of the city; and
- (3) The use or development is compatible with the existing neighborhood.

Condominium. See Dwelling, multiple.

Curb level means the grade elevation of the curb in front of the center of a building. Where no curb has been established, the city engineer shall determine a curb level or its equivalent for the purpose of this chapter.

Decibel means the unit of sound measured on the "A" weighing scale of a sound level meter, set on slow response, the weighing characteristics of which are specified in the "Standards on Sound Level Meters of

the USA Standards Institute."

Depth of lot means the horizontal distance between the frontage right-of-way lien and rear lot line. On a corner lot, the side with the largest frontage is its depth, and the side with the lesser frontage is its width.

Depth of rear yard means the horizontal distance between the rear building line and the rear lot line.

Disposal area, on-site sewage treatment. See chapter 12, article IV.

Dredging means the process by which soils or other surface materials, normally transported by surface water erosion into a body of water, are removed for the purpose of deepening the body of water.

Drive-in means any use where products and/or services are provided to the customer under conditions where the customer does not have to leave the car or where service to the automobile occupants is offered regardless of whether service is also provided within a building.

Driveways, *shared*, means an accessway, standing partly on one owner's land and partly on an adjacent owner's land, over which both owners hold a right-of-way.

Dwelling means a building or one or more portions thereof occupied exclusively for human habitation, but not including rooms in hotels, motels, nursing homes, boardinghouses, nor trailers, tents, cabins, or trailer coaches. (Also see *Dwelling unit.*)

Dwelling, attached, means a dwelling which is joined to another dwelling at one or more sides by a party wall or walls.

Dwelling, detached, means a dwelling which is entirely surrounded by open space on the same lot.

Dwelling, duplex or two-family, means a residential building containing two complete dwelling units.

Dwelling, multiple or *apartment building*, means a residential building, or portion of a building, containing three or more dwelling units served by a common entrance.

Dwelling, seasonal, means a residential building not capable of year-round occupancy due to nonwinterized construction or inadequate nonconforming year-round on-site sewage treatment systems.

Dwelling, single, means a residential building containing one detached dwelling unit.

Dwelling, townhouse, means a residential building containing two or more dwelling units with at least one common wall, each unit so oriented as to have all exits directly to the out-of-doors.

Dwelling unit means a residential accommodation including complete kitchen and bathroom facilities, permanently installed, which is arranged, designed, used or intended for use exclusively as living quarters for one family.

Engineer means the city engineer.

Essential services-Governmental uses, buildings and storage means governmental services such as office buildings, garages, temporary open space, open storage when not the principal use, fire and police stations, recreational areas, training centers, correctional facilities or other essential uses proposed by federal, state, county, local, special districts and school districts, except that schools shall not be permitted under this provision.

Essential services--Public utility uses means underground or overhead gas, electrical, distribution

systems; collection, communication, supply or disposal system, including poles, wires, pipes, conduits, cables, traffic signals, or other similar equipment and accessories, but not including buildings or transmission services.

Essential services--Public utility uses, transmission services, buildings and storage means transmission service such as electrical power lines of a voltage of 35 kv or greater, or bulk gas or fuel being transferred from station to station and not intended for en route consumption or other similar equipment and accessories.

Exterior storage includes the term "open storage" and means the storage of goods, materials, equipment, manufactured products and similar items not fully enclosed by a building.

Family means an individual, or two or more persons each related by blood, marriage, adoption or foster care arrangement, living together as a single housekeeping unit, or a group of not more than four persons not so related, maintaining a common household, exclusive of servants.

Farm, rural, means a commercial food-producing use on ten or more contiguous acres and is defined in Minn. Stats. § 273.111, subd. 7, to wit: Real property shall be considered to be in agricultural use provided that annually it is devoted to the production for sale of livestock, dairy animals, dairy products, poultry and poultry products, fur bearing animals, horticultural and nursery stock, fruit of all kinds, vegetables, forage, grains, bees, apiary products.

Feedlot means the place of housing or feeding of livestock or other animals for food, fur, pleasure or resale purposes in yards, lots, pens, buildings or other areas not normally used for pasture or crops and in which substantial amounts of manure or related other wastes may originate by reason of such feeding of animals.

Fence means a partition, structure, wall or gate erected as a dividing marker, visual or physical barrier, or enclosure.

Fill means any act by which soil, earth, sand, gravel, rock or any similar material is deposited, placed, pushed, or transported and shall include the conditions resulting therefrom.

Final plat means a drawing or map of an approved subdivision, meeting all requirements of chapter 30, pertaining to subdivisions, and in such form as required by the city for purposes of recording.

Floor area means the gross area of the main floor of a residential building measured in square feet and not an attached garage, breezeway or similar attachment.

Floor area, gross, means the sum or the gross area of the various floors of a building measured in square feet means the basement floor area shall not be included unless such area constitutes a story.

Floor area ratio means the numerical value obtained through dividing the gross floor area of a building by the net area of the lot or parcel of land on which such building is located.

Floor plan, general, means a graphic representation of the anticipated use of the floor area within a building or structure.

Frontage means that boundary of a lot which abuts a public street or private road.

Garage, private, means a detached one-story accessory building, or portion of the principal building, including a carport, which is used primarily for the storing of passenger vehicles, trailers or farm trucks.

Garage, repair, means a building or space for the repair or maintenance of motor vehicles, but not including factory assembly of such vehicles, auto wrecking establishments or junkyards.

Garage, storage, means any premises, except those described as a private or public garage used

exclusively for the storage of power-driven vehicles.

Grazable acres, means the area of the parcel or site that excludes 1) wetlands other than Types 1 and 2, 2) any wetland less than ¼ acre, and 3) the Homesite.

Home occupation means any gainful occupation or profession engaged in by an occupant only of a dwelling unit which is a use that is clearly incidental to the use of the dwelling unit for residential purposes, when conducted on the premises.

Homesite, means the residence, all outbuildings permitted by the City's Code of Ordinances and the immediately adjacent property mowed and utilized by the property owner for any purpose. In determining the number of Grazable acres in as required by Section 32-337(b), the Homesite area shall constitute half ($\frac{1}{2}$) acre for parcels of six acres or less, and one (1) acre for parcels greater than six acres.

Horse boarding and training facilities means a facility for the purpose of containing, caring for (not including a veterinary use), riding, driving or training of horses. A horse boarding and training facility may include showing, riding, providing lessons, team sorting and other such activities associated with the boarding and training of horses.

Hotel means a building having provision for nine or more guests, in which lodging is provided with or without meals, for compensation, and which is open to transient or permanent guests or both, and where no provision is made for cooking in any guest room, and which ingress and egress to and from all rooms is made through an inside lobby or office supervised by a person in charge.

Institutional housing means housing for students who are mentally or physically handicapped and similar housing of a specialized nature.

Junkyard means an area where discarded or salvaged materials are bought, sold, exchanged, stored, baled, cleaned, packed, disassembled or handled, including but not limited to scrap iron and other metals, paper, rags, rubber products, bottles and used building materials. Storage of such material in conjunction with a permitted manufacturing process when within an enclosed area or building shall not be included.

Kennel, commercial, means any place where four or more of any type of domestic pets over four months of age are boarded, bred, trained or offered for sale.

Kennel, private, means any place where four or more of any type of domestic pets over four months of age are owned by any member or members of the household.

Land alteration means the excavation or grading of land involving movement of earth and materials in excess of 50 cubic yards.

Land reclamation means the reclaiming of land by depositing material so as to elevate the grade. Depositing a total of more than 50 cubic yards of material per lot or parcel, either by hauling in or regrading the area.

Landscaping means planting trees, shrubs and turf covers such as grasses and shrubs.

Loading space means a space, accessible from a street, alley or way, in or outside of a building, for the use of trucks while loading and unloading merchandise or materials.

Lodging room means a room rented as sleeping and living quarters, but without cooking facilities. In a suite of rooms without cooking facilities, each room which provides sleeping accommodations shall be counted as one lodging room.

Lot means a parcel of land designated by metes and bounds, registered land survey, plat or other

means, and which description is either recorded in the office of the county recorder or registrar of titles or used by the county treasurer or county assessor to separate such parcel from other lands for tax purposes.

Lot, double frontage, means a lot of record on December 7, 1982, having frontage on two (2) streets which do not intersect at a corner of the lot.

Lot area means the area of a horizontal plane within the lot lines.

Lot area, minimum per dwelling unit, means the minimum number of square feet or acres of lot area required per dwelling unit.

Lot, buildable, means a lot which meets or exceeds all requirements of the city land use and development ordinances without the necessity of variances.

Lot, corner, means a lot situated at the junction of and abutting two or more intersecting streets; or a lot at the point of a deflection in alignment of a single street, the interior angle of which does not exceed 135 degrees.

Lot depth means the mean horizontal distance between the front and rear lines of a lot.

Lot, interior, means a lot other than a corner lot, including through lots.

Lot line means a lot line is the property line bounding a lot, except that where any portion of a lot extends into a public right-of-way or a proposed public right-of-way, the line of such public right-of-way shall be the lot line.

Lot line, front, means that boundary of a lot which abuts a public street or a private road. In the case of a corner lot, it shall be the shortest dimension of a public street. If the dimensions of a corner lot are equal, the front lot line shall be designated by the owner. In the case of a corner lot in a nonresidential area, the lot shall be deemed to have frontage on both streets.

Lot line, rear, means that boundary of a lot which is opposite to the front lot line. if the rear lot line is less than ten feet in length, or if the lot forms a point at the rear, the rear lot line shall be a line ten feet in length within the lot, parallel to, and at the maximum distance from the front lot line.

Lot line, side, means any boundary of a lot which is not a front lot line or a rear lot line.

Lot, through, means any lot other than a corner lot which abuts more than one street. On a through lot, all the street lines shall be considered the front lines for applying this chapter.

Lot width means the horizontal distance between the side lot lines of a lot measured at the setback line.

Manufactured home means a structure transportable in one or more sections, which in the traveling mode is eight body feet or more in width or 40 body feet or more in length or, when erected on site, is 320 or more square feet, and which is built on a permanent chassis and designed to be used as a dwelling with or without a permanent foundation when connected to the required utilities, and includes the plumbing, heating, air conditioning, and electrical systems contained therein; except that the term includes any structure which meets all the requirements and with respect to which the manufacturer voluntarily files a certification required by the secretary and complies with the standards established under Minn. Stats. § 327.31, subd. 3. No manufactured dwelling shall be moved into the city that does not meet the manufactured home building code as defined in Minn. Stats. § 327.31, subd. 3.

Manufactured home lot means a parcel of land for the placement of a single manufactured home for the exclusive use of said manufactured home.

Manufactured home park means any site or tract of land designed, maintained or intended for the placement of two or more occupied manufactured homes. Manufactured home park shall include any building, structure, vehicle or enclosure intended for use as part of the equipment of such manufactured home park.

Manufacturing, general, means all manufacturing, compounding, processing, packaging, treatment or assembly of goods or materials which would involve a risk of offensive or dangerous noise, odor or pollution beyond the lot on which the use is located. Such uses include, but are not limited to, the following: sawmill; refineries; commercial feedlots; acid, cement; explosives; flour, feed and grain milling or storage; meat packing; slaughterhouses; coal or tar asphalt distillation; rendering of fat, grease, lard or tallow; alcoholic beverages; poisons; exterminating agents; glue; lime; gypsum; plaster of Paris; tanneries; automobiles parts; paper and paper products including storage; electric power generation facilities; vinegar works; junkyards, auto reduction yards; foundry; forge, casting of metal products; rock, stone and cement products.

Manufacturing, limited, means all compounding, processing, packaging, treatment or assembly of goods and materials, provided such use will not involve the risk of offensive odors, glare, smoke, dust, noise, vibrations or other pollution extending beyond the lot on which the use is located. Such uses include, but are not limited to, the following: lumber yard, machine shops, products assembly, sheet metal shops, plastics, electronics, general vehicle repair (repair garage), body work and painting, contractor shops and storage yard, food and nonalcoholic beverages, signs and displays, printing, publishing, fabricated metal parts, appliances, clothing, textiles and used auto parts.

Manure means any solid or liquid containing animal excreta.

Mean flow level means the average flow elevation of a stream or river computed as the mid-point between extreme low and extreme high water.

Medical uses means those uses concerned with the diagnosis, treatment and care of human beings. These include hospitals, dental services, medical services or clinics, nursing or convalescent home, orphan's home, rest home and sanitarium.

Mining means the extraction of sand, gravel, rock, soil or other material from the land and the removal thereof from the site. For the purposes of this chapter, mining shall not include the removal of materials associated with the construction of a building, the removal of excess materials in accordance with approved plats or utility highway construction, minor agricultural and sod removal.

Modular or prefabricated home means a non-mobile dwelling unit for year-round occupancy constructed or fabricated at a central factory and transported to a building site where final installations are made permanently affixing the dwelling unit to the site. Said dwelling unit shall be equivalent to a unit constructed on the site, meeting all requirements of state law.

Motor court, motor hotel or *motel* means a building or group of buildings other than a hotel used primarily as a temporary residence of a motorist.

Motor freight terminal means a building or area in which freight brought by motor truck is transferred and/or stored for movement by motor truck.

Noise, ambient, means the all-encompassing noise associated with a given environment, being either a composite of sounds transmitted by any means from many sources near and far or a single predominant source.

Nonconforming lot means any legal lot already in existence, recorded or authorized before the adoption of official controls or amendments thereto that would not have been permitted to become established under the terms of the official controls as now written.

Nonconforming use means any lawful use of land or any lawful use of a building or structure existing on the effective date of the ordinance from which this chapter is derived, or any amendment thereto, which use does not conform with the regulations for the district in which it is located after the effective date of the ordinance from which this chapter is derived or such amendment.

Noxious matter means material which is capable of causing injury or is in any way harmful to living organisms or is capable of causing detrimental effect upon the physical or mental health of human beings.

Nursery, day, means a use where care is provided for three or more children under kindergarten age for periods of four hours or more per day for pay.

Nursery, landscape, means a business growing and selling trees, flowering and decorative plants, and shrubs which may be conducted within a building or without.

Nursing home means a building with facilities for the care of children, the aged, or the infirm or a place of rest for those suffering bodily disorder.

Office uses means those commercial activities that take place in office buildings, where goods are not produced, sold or repaired, including but not limited to banks, professional offices, governmental offices, insurance offices, real estate offices, telephone exchanges, utility offices, radio broadcasting and similar uses.

Official control means legislatively defined and enacted policies, standards, precisely detailed maps, and other criteria, all of which control the physical development of a municipality or a county, or any part thereof, or any detail thereof, and the means of translating into ordinances all or any part of the general objectives of the comprehensive plan. Such official controls may include, but are not limited to ordinances establishing zoning, subdivision controls, site plan regulations, sanitary codes, building codes, housing codes and official maps.

Official map means a map adopted in accordance with the provisions of Minn. Stats. § 462.359.

Open sales lot means lands devoted to the display of goods for sale, rent, lease or trade where such goods are not enclosed within a building.

Open storage means storage of any material outside of a building.

Owner means and includes all persons interested in a property as fee simple owner, life estate holder, encumbrance or otherwise.

Parking space means a suitably surfaced and permanently maintained area on privately owned property either within or outside of a building of sufficient size to store one standard automobile.

Pedestrian way means a public or private right-of-way across or within a block or tract, to be used by pedestrians.

Performance standards means the minimum development standards as adopted by the city council and on file in the office of the building official.

Person means any person, corporation or association, including governmental agencies and political entities.

Planned unit development (PUD), means any development on a single parcel of land having more than one principal use, whether commercial, residential, not-for-profit, industrial or any combination thereof;

including, but not limited to townhomes, apartments, multi-use structures, mixed residential and commercial developments shall be classified as a Planned Unit Development. Notwithstanding the foregoing, any lot or parcel on which a single family dwelling is located and a second use is made by the owner of the lot or parcel shall not be classified as a Planned Unit Development.

Planning advisory commission or planning commission means the duly appointed planning and zoning advisory commission of the city.

Planning agency means a planning commission or department, however created, or the office of the planning or zoning director or inspector, or the office of any official designated as such planning or zoning director or inspector, together with any staff members, employees or consultants of such commission, department, director, inspector or official, and the board of adjustment and appeals and its employees or staff.

Principal use, means the primary or predominant use of any lot or parcel, as distinguished from an accessory use. The principal use shall be the purpose for which land is designated, arranged, or intended.

Protective or restrictive covenant means a contract entered into between private parties which constitutes a restriction of the use of a particular parcel of property.

Public land means land owned and/or operated by a governmental unit, including school districts.

Race track means any area where one or more animals or power-driven vehicles are raced for profit or pleasure.

Recreation equipment means play apparatus such as swing sets and slides, sandboxes, poles for nets, unoccupied boats and trailers not exceeding 25 feet in length, picnic tables, lawn chairs, barbecue stands and similar equipment or structures, but not including tree houses, swimming pools, playhouses exceeding 25 square feet in floor area, or sheds utilized for storage of equipment.

Recreation vehicle means any vehicle or structure designed and used for temporary, seasonal human living quarters which meets all of the following qualifications:

- (1) Is not used as the permanent residence of the owner or occupant;
- (2) Is used for temporary living quarters by the owner or occupant while engaged in recreation or vacation activities;
- (3) Is towed or self-propelled on public streets or highways incidental to such recreation or vacation activities.

Examples of such vehicles include van campers, tent camping trailers, self-contained travel trailers, pickup campers, camping buses, and self-contained, self-propelled, truck-chassis-mounted vehicles providing living accommodations.

Recreation vehicle park means a park, court, campsite, lot, parcel or tract of land designed, maintained or intended for the purpose of supplying the location or accommodations for any recreation vehicles as defined in this section, and upon which said recreation vehicles are parked. The term "recreation vehicle park" shall include all buildings used or intended for use as part of the equipment thereof, whether a charge is made for the use of the park and its facilities or not.

Research means medical, chemical, electrical, metallurgical or other scientific research and quality control, conducted in accordance with the provisions of this chapter.

Resort means any structure or group of structures containing more than two dwelling units or separate living quarters designed or intended to serve as seasonal or temporary dwellings on a rental or lease basis for

profit with the primary purpose of said structure or structures being recreational in nature. Uses may include a grocery for guests only, fish-cleaning house, marine service, boat landing and rental, recreational area and equipment and similar uses normally associated with a resort operation.

Retail business uses means stores and shops selling personal service or goods for final consumption.

Roadside sale stand means a structure used on a seasonal basis only for the display and sale of products with no space for customers within the structure.

Runway means a surface of an airport landing strip.

Runway, instrument, means a runway equipped with air navigation facilities suitable to permit the landing of aircraft by an instrument approach under restricted visibility conditions.

Screening means and includes earth mounds, berms or ground forms; fences and walls; landscaping (plant materials) or landscaped fixtures (such as timbers) used in combination or singularly so as to block direct visual access to an object throughout the year.

Seasonal standing or flowing water means a recognizable body of standing or flowing water that exists longer than any 30 consecutive day period within any calendar year.

Setback means the minimum horizontal distance between a structure and street right-of-way, lot line or other reference point as provided by ordinance. Distances are to be measured perpendicularly from the property line to the most outwardly extended portion of the structure.

Shopping center means any grouping of two or more principal retail uses whether on a single lot or on abutting lots under multiple or single ownership.

Sign means a display, illustration, structure or device which directs attention to an object, product, place, activity, person, institution, organization or business. (See division 3 of article IV of this chapter.)

Solid waste landfill means demolition, sanitary, modified, hazardous, and all other types of solid landfill.

Story means that portion of a building included between the surface of any floor and the surface of the floor next above. A basement shall be counted as a story and a cellar shall not be counted as a story.

Street means a public right-of-way which affords a primary means of access to abutting property.

- (1) Street, collector, means a street which serves or is designed to serve as a trafficway for a neighborhood or as a feeder to a major road.
- (2) Street, intermediate, or minor arterial, means a street which serves or is designed to serve heavy flows of traffic and which is used primarily as a route for traffic between communities and/or other areas generating heavy traffic.
- (3) Street, local, means a street intended to serve primarily as an access to abutting properties.

Street pavement means the wearing or exposed surface of the roadway used by vehicular traffic.

Street width means the width of the right-of-way measured at right angles to the centerline of the street.

Structural alteration means any change, other than incidental repairs, which would affect the supporting members of a building, such as bearing walls, columns, beams, girders, or foundations.

Subdivision means a described tract of land which is to be or has been divided into two or more lots or parcels for the purpose of transfer of ownership, building development, or for tax assessment purposes. The term "subdivision" includes resubdivision, and where it is appropriate to the context, relates to either the process of subdividing, or to the land subdivided, or to the development for which it is being subdivided.

Substandard building or substandard structure means any building or structure lawfully existing on the effective date of the ordinance from which this chapter is derived or any amendment thereto, which building or structure does not conform, after the effective date of the ordinance from which this chapter is derived or such amendment, with the regulations, including dimensional standards, for the district in which it is located.

Supper club means a building with facilities for the preparation and serving of meals and where meals are regularly served at tables to the general public. The building must be of sufficient size and design to permit the serving of meals to not less than 50 guests at one time. Intoxicating liquors may be sold on-sale and live entertainment and/or dancing shall be permitted.

Tavern or *bar* means a building with facilities for the serving of 3.2 beer, wine, setups and short-order foods.

Transportation terminal means truck, taxi, air, bus, train and mass transit terminal and storage area, including motor freight (solid and liquid) terminal.

Truck stop means a motor fuel station devoted principally to the needs of tractor-trailer units and trucks, and which may include eating and/or sleeping facilities.

Use means:

- (1) Any purpose of which a building or other structure or a tract of land may be designed, arranged, intended, maintained or occupied; or
- (2) Any activity, occupation, business or operation carried on, or intended to be carried on, in a building or other structure, or on a tract of land.

Use, accessory, means a use subordinate to and serving the principal use or structure on the same lot and customarily incidental to such principal use.

Use, conditional. See Conditional use.

Use, nonconforming. See Nonconforming use.

Use, open, means the use of land without a building or including a building incidental to the open use.

Use, principal. See Principal structure or use.

Use, substandard. See Substandard building or structure.

Variance means a modification or variation of the strict provisions of this chapter as applied to a specific piece of property in order to provide relief for a property owner because of undue hardship or particular difficulty imposed upon the property by this chapter. A variance shall normally be limited to height, bulk, density and yard requirements. A modification in the allowable uses within a district shall not be considered a variance.

Vehicle repair means general repair, rebuilding or reconditioning of engines, motor vehicles or trailers, including body work, framework, welding and major painting services.

Veterinary means those uses concerned with the diagnosis, treatment and medical care of animals, including animal or pet hospitals.

Warehousing means the storage, packing and crating of materials or equipment within an enclosed building or structure.

Waterfront uses, residential, means boat docks and storage, fish house, fish cleaning, water recreation equipment and other uses normally incidental to a lakeshore residence, provided such uses are for the exclusive use of the occupants and nonpaying guests.

Wholesaling means the selling of goods, equipment and materials by bulk to another person who in turn sells the same to customers.

Wind energy conversion system (WECS) means one (1) tower with rotors and motors with one conversion generator.

Yard means the open space on an occupied lot which is not covered by any structure.

Yard, front, means a yard extending across the front of the lot between the inner side yard lines and lying between the front line of the lot and the nearest building line.

Yard, rear, means a yard extending across the rear of the lot between the inner side yard lines and lying between the rear line of the lot and the nearest building line.

Yard, *required*, means a yard area which may not be built on or covered by structures because of the dimensional setbacks for said structures within the zoning district.

Yard, side, means a yard between the side lines of the lot and the nearest building line.

Zoning district means an area within the city in which the regulations and requirements of this chapter are uniform.

 $\begin{array}{l} (Ord.\ No.\ 50,\ \S\S\ 3,\ 401.03,\ 402.01,\ 12-7-1982;\ Ord.\ No.\ 53,\ \S\ 1,\ 7-7-1983;\ Ord.\ No.\ 54-B,\ \S\ 1,\ 6-5-1984;\ Ord.\ No.\ 58-A,\ \S\ 2(749.01),\ 8-5-1986;\ Ord.\ No.\ 54C-2003,\ \S\ 1,\ 2-4-2003;\ Ord.\ No.\ 1997-78,\ \S\ 719.011,\ 9-2-1997;\ Ord.\ No.\ 2004-109,\ \S\ 4,\ 8-3-2004;\ Ord.\ No.\ 2005-117,\ \S\ 1,\ 11-1-2005) \end{array}$

Sec. 32-2. Intent and purpose.

- (a) General purposes. The general purposes of this chapter are to provide for the orderly growth and renewal of the city, to protect and conserve its natural resources, its ecological systems and its economic stability by fostering appropriate land use so as to preserve and promote the public health, safety and general welfare.
- (b) *Specific purposes.* It is hereby determined by the city council that in order to accomplish the general purposes of this chapter as set forth in subsection (a) of this section, it is necessary and proper to establish and enforce the regulations contained in this chapter for the following specific purposes:
 - To stage development and redevelopment to coincide with the availability of existing services.
 - (2) To divide the city into districts, providing for and regulating therein the location, construction, reconstruction, alteration, and use of buildings, structures and land for residential, business, agricultural and other specified uses.
 - (3) To protect the character and maintain the stability of residential, business, and agricultural areas within the city, and prohibit uses, buildings or structures which are incompatible with the character of development in such areas.

- (4) To provide adequate light, air, privacy and convenience of access to property.
- (5) To limit congestion in public streets and to foster public safety and convenience in travel and transportation.
- (6) To provide protection against fire, explosions, obnoxious fumes and other hazards in the interest of public health, safety and comfort.
- (7) To prevent environmental pollution.
- (8) To prevent the destruction or improvident exploitation of city resources.
- (9) To preserve the value of land and buildings throughout the city.
- (10) To provide for the gradual and equitable elimination of those uses of land, buildings and structures, and of those buildings and structures which do not conform to the standards for the area in which they are located and which may adversely affect the development and the value of property in such areas.
- (11) To provide for the condemnation of such nonconforming buildings or structures and of land as is necessary or appropriate for the rehabilitation of the area blighted thereby.
- (12) To provide for the enforcement of this chapter and to define and limit the powers and duties of the administrative officers and bodies responsible therefor.
- (13) To protect and preserve economically viable agricultural land.
- (14) To provide for the wise use and conservation of energy resources. (Ord. No. 50, §§ 201, 202, 12-7-1982)

Sec. 32-3. Interpretation and construction; cumulative effect.

- (a) *Interpretation*. In the application of this chapter, the provisions thereof shall be interpreted to be the minimum requirements necessary to accomplish the general and specific purposes of the chapter.
- (b) *Construction.* Nothing contained in this chapter shall be deemed to be a consent, license or permit to use any property or to locate, construct or maintain any building, structure or facility, or to carry on any trade, industry, occupation or activity.
- (c) Cumulative effect. Except as herein provided, the provisions of this chapter are cumulative and in addition to the provisions of other laws and ordinances, heretofore passed or which may be passed hereafter, governing the same subject matter as this chapter.

 (Ord. No. 50, §§ 203.01, 203.11, 203.12, 12-7-1982)

Sec. 32-4. Compliance.

Except as hereinafter provided, no building or structure shall be erected, moved, altered or extended, and no land, building or structure, or part thereof, shall be occupied or used unless in conformity with regulations specified in this chapter for the district in which it is located. (Ord. No. 50, § 401.01, 12-7-1982)

Sec. 32-5. Application to existing structures.

This chapter shall not apply to buildings and structures, nor to the use of any building, structure or land to the extent of such use existing on the effective date of the ordinance from which this chapter is derived. However, this chapter shall apply to any change in use, alteration, extension or movement of a building or structure, and to any change in the use of land subsequent to the effective date of the ordinance from which this chapter is derived.

(Ord. No. 50, § 401.02, 12-7-1982)

Sec. 32-6. Exception for single-family residential homes.

In order to maintain affordable housing stock, to maintain the historic character of the city, and to preserve the value of residential properties, the following exceptions to this chapter are recognized:

- (1) Any single-family residence in existence on a parcel of land less than 2.5 acres in size shall be allowed to be expanded or improved, provided that all such expansions or improvements shall be made subject to all other applicable regulations including the building code and long-term sewage disposal regulations.
- (2) Detached accessory buildings shall be allowed on nonconforming lots of record, upon which a principal residential structure exists, but subject to all other requirements of city ordinances including the building code.
- (3) Nothing herein shall exempt nonconforming contiguous lots from the provisions of section 32-246(b)(3).

(Ord. No. 1999-85, § A(401.021), 7-6-1999)

Secs. 32-7--32-30. Reserved.

ARTICLE II. ADMINISTRATION AND ENFORCEMENT

DIVISION 1. GENERALLY

Sec. 32-31. Administrator.

- (a) Agent of administration. Administration of this chapter shall be by the city council until such time as it is necessary to establish the office of zoning administrator who shall be appointed by the city council and serve at its pleasure.
- (b) *Duties of the administrator*. The city council, hereafter referred to as the city zoning administrator, zoning administrator or administrator, shall enforce the provisions of this chapter as provided herein; in addition to the duties and powers of the zoning administrator under this chapter, express or implied, he shall have the duty and power to:
 - (1) Issue permits required by this chapter.
 - (2) Conduct inspections of land, buildings or structures at reasonable times to determine compliance with and enforce the provisions of this chapter.
 - (3) Maintain all records necessary for the enforcement of this chapter, including but not limited to all maps, amendments, and special use permits, variances, appeal notices, and applications therefor.
 - (4) Receive, file and forward all appeals, notices, applications for variances, special use permits or other matters to the appropriate officials or boards.
 - (5) Institute in the name of the city, any appropriate actions or proceedings to enforce this chapter.
- (6) Serve as ex officio, nonvoting member of the planning commission. (Ord. No. 50, §§ 501, 502, 12-7-1982)

Sec. 32-32. Violations.

In the event of a violation or the threatened violation of any provision of this chapter, or any provision or condition of a permit issued pursuant to this chapter, the city in addition to other remedies, may institute appropriate actions or proceedings to prevent, restrain, correct or abate such violation or threatened violation. (Ord. No. 50, § 801.04, 12-7-1982)

Sec. 32-33. Supremacy of more restrictive provisions.

- (a) When any condition imposed by any provision of this chapter on the use of land or buildings or on the bulk of buildings is either more restrictive or less restrictive than similar conditions imposed by any provision of any other city ordinance or regulation, the more restrictive conditions shall prevail.
- (b) This chapter is not intended to abrogate any easements, restrictions or covenants relating to the use of land or imposed on lands within the city by private declaration or agreement, but where the provisions of this chapter are more restrictive than any such easement, restriction, covenant or provision of any private agreement, the provisions of this chapter shall prevail. (Ord. No. 50, § 901.02, 12-7-1982)

Sec. 32-34. Fees.

- (a) There shall be an application fee for all applications made pursuant to the provisions of this chapter as established by ordinance.
- (b) Municipal corporations and governmental agencies shall be exempt from the fee requirements of subsection (a) of this section. (Ord. No. 50, § 511, 12-7-1982)

State Law References: Fees in connection with official controls, Minn. Stats. § 462.353, subds. 4, 4a.

Sec. 32-35. Certificate of compliance.

- (a) Issuance. The zoning administrator shall issue a certificate of compliance in any district for a proposed use listed in article III as a use which must obtain a certificate of compliance prior to construction or occupancy, if the proposed use will not be contrary to the provisions of this chapter, and other codes and ordinances have been fully complied with.
- (b) *Conditions; review.* Conditions required by this chapter shall be applied to the issuance of the certificate of compliance, and a periodic review of the certificate and proposed use may be required. The certificate shall be granted for a particular use and not for a particular person or firm.
- (c) *Records*. The zoning administrator shall maintain a record of all certificates of compliance issued including information on the use, location and conditions imposed as part of the permit such as time limits, review dates and such other information as may be appropriate.
- (d) *Application*. Whenever this chapter requires a certificate of compliance, an application therefor, in writing, shall be filed with the zoning administrator.
- (e) Information to be submitted. The application shall be accompanied by development plans of the proposed use showing such information as may be reasonably required by the zoning administrator, including but not limited to those listed below. These plans shall contain adequate information upon which the zoning administrator can determine that the proposed development will meet all development standards if the project proceeds in accordance with such plans, including:

- (1) Site plan drawn to scale showing parcel and building dimensions.
- (2) Location of all buildings and their square footage.
- (3) Curb cuts, driveways, access roads, parking spaces, off-street loading areas and sidewalks.
- (4) Landscaping and screening plans.
- (5) Finished grading and drainage plans sufficient to drain and dispose of all surface water accumulated in the area.
- (6) Sanitary and storm sewer plans with estimated use.
- (7) Soil type and soil limitations for the intended use. If severe soil limitations for the intended use are noted, a plan or statement indicating soil conservation practices to be used to overcome said limitation shall be made prior to the certificate application.
- (8) Location of well on applicant's property and adjacent properties.
- (9) Any additional data reasonably requested by the zoning administrator.
- (f) Action. The zoning administrator shall issue or deny the certificate of compliance within ten days of the date on which all of the required information has been submitted.
- (g) Lack of action. If no such action on the request for a certificate of compliance is taken within such time, the request for a certificate of compliance shall be considered denied.
- (h) Appeal. If the request for a certificate of compliance is denied or if conditions are imposed, the applicant may appeal the decision to the board of adjustment and appeals. The procedures to be followed in this case shall be the same as those followed for an appeal to any administrative decision made by the zoning administrator.

(Ord. No. 50, § 506, 12-7-1982)

Secs. 32-36--32-58. Reserved.

DIVISION 2. BOARD OF ADJUSTMENT AND APPEALS; APPEALS AND VARIANCES

Sec. 32-59. Board of adjustment and appeals.

- (a) *Established*. There is hereby established a board of adjustment and appeals. The board of adjustment and appeals shall have the powers provided by law.
- (b) *Definitions*. The following words, terms and phrases, when used in this division, shall have the meanings ascribed to them in this subsection, except where the context clearly indicates a different meaning:

Hardship means the proposed use of the property and associated structures in question cannot be established under the conditions allowed by this chapter or its amendments and no other reasonable alternate use exists; however, the plight of the landowner must be due to physical conditions unique to the land, structure or building involved and are not applicable to other lands, structures or buildings in the same zoning district; these unique conditions of the site cannot be caused or accepted by the landowner after the effective date of the ordinance from which this chapter is derived or its amendments. Economic considerations alone shall not constitute a hardship.

(c) Notice. In addition to the notice of hearing required by this division, a notice shall be

published in the official newspaper once at least ten days before the date of the hearing. If the board of adjustment authorizes the issuance of a permit, the council or other board or commission having jurisdiction shall have six months from the date of the decision of the board to institute proceedings to acquire such land or interest therein, and if no such proceedings are started within that time, the officer responsible for issuing building permits shall issue the permit if the application otherwise conforms to city ordinances. The board shall specify the exact location, ground area, height and other details as to the extent and character of the building for which the permit is granted.

- (d) *Membership*. The board of adjustment and appeals shall consist of the city council.
- (e) Structure and conduct of board. The chair of the board of adjustment and appeals shall be the mayor. The deputy mayor shall be the vice-chair and the city clerk shall be the secretary. Subject to such limitations as may be imposed by the city council, the board may adopt rules for the conduct of proceedings before it. Such rules may include provisions for giving of oaths to witnesses and the filing of written briefs by the parties. The board shall provide for a record of its proceedings which shall include minutes of its meetings, its findings and the action taken on each matter heard by it, including the final order. (Ord. No. 50, §§ 503.01--503.03, 12-7-1982)

State Law References: Board of adjustments and appeals, Minn. Stats. §§ 462.354, subd. 2, 462.357, subd. 6, 462.359.

Sec. 32-60. Variances.

An application for a variance shall be filed with the zoning administrator. The application shall be accompanied by development plans showing such information as the zoning administrator may reasonably require for purposes of this section, including:

- (1) Whom to contact.
 - a. Application shall be made to the city clerk at least 15 days prior to the hearing presentation.
 - b. All application and escrow fees must be paid and the application deemed complete in order for the public hearing to be scheduled.
 - c. The applicant shall appear at the Grant Town Hall, 8380 Kimbro Avenue North, at the time set for the hearing. After the city planning commission has reviewed the presentation it will make its recommendations to the city council to either approve it, deny it, or continue the matter to a later meeting if the presentation is not complete enough to make a decision.
 - d. When the requested matter is passed onto the city council the applicant shall appear before the council with presentation materials. After the city council has reviewed the request, it will make its decision to approve the request with conditions, to deny the request, or to continue the matter to a later meeting if information is missing which is considered necessary to making a decision.
- (2) What to present.
 - a. A site plan of professional quality approximately three feet by three feet in size, drawn to scale, legible and visible from at least 20 feet. At least ten smaller copies, 8 1/2 inches by 11 inches, should also be available. The plan should:
 - 1. Show location of all lot lines. If a survey map is available, it shall be presented.
 - 2. Show all adjacent roads.
 - 3. Show all driveways and present building locations to scale. Indicate footage

from lot lines, etc.

- 4. Show locations of existing wells, septic systems, ponds, streams, steep grades, and other pertinent topographic features.
- 5. Show to scale the locations of proposed structures, wells, sanitary facilities and septic systems, landscaping, driveways, parking areas, and other information that may apply to the specific proposal.
- 6. Show locations of neighbors' properties and exact distance of neighbors' buildings and structures, wells, septic systems, driveways, ponding areas, and general topographic information.
- Show plans of professional quality of proposed structures drawn to scale, with setbacks indicated.
- b. Certain uses require approval of other governmental agencies such as the department of natural resources, pollution control agency, watershed district.
- c. A statement of reasons why the request is made.

(Ord. No. 50, § 503.04, 12-7-1982)

Secs. 32-61--32-78. Reserved.

DIVISION 3. NONCONFORMITIES*

Sec. 32-79. Continuation of nonconforming uses.

Except as hereinafter provided in this division, the lawful use of land or the lawful use of a building or structure existing on the effective date of the ordinance from which this chapter is derived or on the effective date of any amendment thereto may be continued although such use does not conform to the provisions of this chapter, except as otherwise provided in this division.

(Ord. No. 50, § 402.02, 12-7-1982)

Sec. 32-80. Dimensionally substandard buildings or structures.

Except as hereinafter provided in this division, buildings or structures lawfully existing on the effective date of the ordinance from which this chapter is derived or on the effective date of any amendment thereto may be maintained although such building or structure does not conform to the dimensional standards of this chapter, but any such building or structure shall not be altered or improved beyond normal maintenance, except that any lawful dimensional substandard residential building, accessory building or structure may be altered or improved if the existing substandard dimension relates only to setback requirements and does not exceed ten percent of the minimum setback requirements, but such alteration or improvement shall conform to all of the provisions of this chapter and shall not increase the existing substandard square footage. (Ord. No. 50, § 402.03, 12-7-1982)

Sec. 32-81. Unlawful uses, buildings and structures.

No unlawful use of property existing on the effective date of the ordinance from which this chapter is derived or any amendment thereto nor any building or structure which is unlawfully existing on such date shall

^{*} State Law References: Nonconformities, Minn. Stats. § 462.357, subds. 1c--1e.

be deemed a nonconforming use or a nonconforming building or structure. (Ord. No. 50, § 402.04, 12-7-1982)

Sec. 32-82. Permit holders and permit applicants.

Any nonconforming structure that is ready for or under construction on the effective date of the ordinance from which this chapter is derived or any amendment thereto may be completed and occupied in accordance with the requirements of any valid building permit issued therefor prior to such effective date. (Ord. No. 50, § 402.05, 12-7-1982)

Sec. 32-83. Change from one nonconforming use to another.

A nonconforming use may be changed only to a use permitted in the district in which it is located; except that if no structural alterations are made, a nonconforming use of a building may be changed to another nonconforming use of the same or a more restrictive classification, and provided such change is approved by the board of adjustment and appeals as hereinafter provided. Once changed to a conforming use, no building or land shall be permitted to revert to a nonconforming use. (Ord. No. 50, § 402.06, 12-7-1982)

Sec. 32-84. Change of use with approval of the board of adjustment.

A nonconforming use all or partially conducted in buildings may be changed to another nonconforming use only upon determination by the board of adjustment, after a public hearing, that the proposed new use will be no more detrimental to its neighborhood and surroundings than is the use it is to replace. In determining relative detriment, the board of adjustment shall take into consideration, among other things, traffic generated; nuisance characteristics such as emission of noise, dust and smoke; fire hazards; and hours and manner of operation.

(Ord. No. 50, § 402.07, 12-7-1982)

Sec. 32-85. Restoration of nonconforming buildings or structures.

- (a) A nonconforming building or structure which is damaged and/or destroyed by a calamity such as, but not limited to, fire, flood, wind, explosion, tornado, or earthquake, to the extent of more than 50 percent of the market value of said building or structure, as determined by current records of the county assessor and for which no building permit has been applied for within 180 days of when the property was damaged, shall not be restored except in conformity with all current ordinance requirements.
- (b) A nonconforming building or structure which is or becomes damaged and/or destroyed through dilapidation, lack of repair, care, and/or upkeep, or similar cause, shall not be restored except in conformity with all current ordinance requirements if no building permit has been applied for within 180 days of when the property was damaged and the dollar value of the repairs necessary to restore the building or structure to comply with all current health, safety, plumbing, electrical, and/or building codes is more than 50 percent of the market value for said building or structure as determined by current records of the county assessor.

(Ord. No. 50, § 402.08, 12-7-1982; Ord. No. 1996-71, § A, 8-6-1996; Ord. No. 1999-85, § B, 7-6-1999)

Sec. 32-86. Discontinuation of use.

A nonconforming use of a structure or parcel of land which has been discontinued for a period of 12 months or more shall not be reestablished, and any further use shall be in conformity with the regulations of all city ordinances.

(Ord. No. 50, § 4, 12-7-1982; Ord. No. 1996-71, § B, 8-6-1996)

Secs. 32-87--32-115. Reserved.

DIVISION 4. AMENDMENTS*

Sec. 32-116. Generally.

An amendment to this chapter may be initiated by the city council, the planning commission or by petition of affected property owners as defined herein. An amendment not initiated by the planning commission shall be referred to the planning commission for study and report, as hereinafter provided, and may not be acted upon by the council until it has received the recommendation of the planning commission. (Ord. No. 50, § 508.01, 12-7-1982)

Sec. 32-117. Applications.

- (a) The zoning administrator shall maintain a record of all applications for amendments to this chapter.
- (b) Where an amendment to this chapter is proposed by a property owner, an application therefor shall be filed with the city clerk; said application shall be accompanied by development plans, if any, for the use which requires the rezoning. The development plans shall show such information as may be reasonably required by the administrator, including but not limited to those things listed in subsections (c) and (d) of this section.
- (c) Such plans shall contain sufficient information for the city to determine whether the proposed development is in keeping with the intent and purpose of this chapter and the comprehensive plan, including:
 - (1) Site plan drawn to scale showing parcel and building dimensions.
 - (2) Location of all buildings and their size, including square footage.
 - (3) Curb cuts, driveways, access roads, parking spaces, off-street loading areas and sidewalks.
 - (4) Landscaping and screening plans, including species and size of trees and shrubs proposed.
 - (5) Finished grading and drainage plan sufficient to drain and dispose of all surface water accumulated within the area.
 - (6) Type of business or activity and proposed number of employees.
 - (7) Proposed floor plan and elevations of any building with use indicated.
 - (8) Sanitary sewer and water plan with estimated daily flow rates.
 - (9) Soil type and soil limitations for the intended use. If severe soil limitations for the intended use are noted, a plan or statement indicating the soil conservation practices to be used to overcome said limitation shall be made part of the application.
 - (10) A location map showing the general location of the proposed use within the city.
 - (11) A map showing all principal land use within 1,250 feet of the parcel for which application is being made.

- (12) Locations of wells and septic systems on adjacent properties.
- (d) The application form shall be accompanied by an accurate list showing the names and the mailing addresses of the record owners of all the property within a minimum of 1,250 feet of the property for

^{*} State Law References: Zoning amendments, Minn. Stats. § 462.357, subds. 3, 4.

which the amendment is sought, verified as to accuracy by the applicant. (Ord. No. 50, §§ 508.02, 508.03, 12-7-1982)

Sec. 32-118. Hearing.

- (a) Once the application is deemed complete, the city clerk shall refer the application to the planning commission for consideration at its next regular meeting.
- (b) Notice of the purpose, time and place of such public hearing shall be published in the official newspaper of the city and presented to each of the owners of all property located within a minimum of 1,250 feet of the property described in the application, and such other persons as the planning commission may direct, at least ten days prior to the date of the hearing. A copy of the notice and a list of the owners and addresses to which the notice was presented shall be attested to by the responsible person and shall be made a part of the records of the proceedings. The failure to give notice to individual property owners or defects in the notice shall not invalidate the proceedings, provided a bona fide attempt to comply with the provisions of this section has been made.
- (c) The application or his representative shall appear at the public hearing in order to answer questions concerning the proposed use. (Ord. No. 50, § 508.04, 12-7-1982)

Sec. 32-119. Report to city council.

- (a) The planning commission shall make its report on the application to the city council, in writing, after the public hearing. The report shall recommend that the amendment be granted or denied and shall include the planning commission's recommendation as to any conditions to be imposed if the amendment is granted, including time limits or provisions for periodic review and shall state the reasons therefor.
- (b) The planning commission's report shall be filed with the city council for consideration at its next regular meeting. (Ord. No. 50, § 508.05, 12-7-1982)

Sec. 32-120. City council action on application.

The city council shall make its decision on the application after it receives the planning commission's report. The city council shall make written findings and shall state therein the reasons for its decision and mail a copy thereof to the applicant.

(Ord. No. 50, § 508.06, 12-7-1982)

Sec. 32-121. Re-application.

No re-application for a zoning amendment shall be resubmitted for a period of six months from the date of the denial of a previous application. (Ord. No. 50, § 508.07, 12-7-1982)

Secs. 32-122--32-140. Reserved.

DIVISION 5. CONDITIONAL USE PERMITS*

Sec. 32-141. Generally.

- (a) The city is a unique city of mostly agricultural and low density residential uses and zones. The citizens strongly desire to preserve and protect the rural character (as defined in the comprehensive plan) of their city.
- (b) The purpose of the conditional use permit is to provide the city with the discretion and flexibility to achieve the goals and objectives of the comprehensive plan and to determine what, if any, uses other than those specifically permitted in this Code may be suitable within the city zoning districts.
- (c) Conditional uses as listed in section 32-245 shall be considered only if they support the goals and objectives of the comprehensive plan; protect and enhance the city's rural character; serve, in a general way, the needs of the citizens; and do not negatively affect the general welfare, public health and safety.
- (d) In determining whether or not a conditional use may be allowed, the city will consider the nature of the nearby lands or buildings, the effect upon traffic into and from the premises and on adjoining roads, and all other relevant factors as the city shall deem a reasonable prerequisite of consideration in determining the effect of the use on the general welfare, public health and safety.
- (e) If a use is deemed suitable, reasonable conditions may be applied to issuance of a conditional use permit, and a periodic review of said permit may be required. (Ord. No. 1997-77, § 1(505.01), 8-5-1997)

Sec. 32-142. Existing uses.

All uses permitted by this article by conditional use permit in existence prior to the adoption date of the ordinance from which this division is derived shall be automatically issued a conditional use permit by the city. Any changes in the existing use after the adoption date of the ordinance from which this division is derived shall require an amended conditional use permit.

(Ord. No. 1997-77, § 1(505.15), 8-5-1997)

Sec. 32-143. Application.

- (a) Fees and plans. Application for a conditional use permit shall be filed with the city. In addition to required fees, the application shall be accompanied by development plans for the proposed use showing such information as may be reasonably required by the city, including but not limited to those items listed below. Such plans shall contain sufficient information for the city to determine whether the proposed development will meet all applicable development standards.
 - (1) Site plan drawn to scale showing parcel and building dimensions.
 - (2) Location of all buildings and their size, including square footage.
 - (3) Curb cuts, driveways, access roads, parking spaces, off-street loading areas and sidewalks.
 - (4) Landscaping and screening plans including species and size of trees and shrubs proposed.
 - (5) Approved grading and drainage plan from all applicable and appropriate regulatory agencies, such as, but not limited to, the appropriate watershed organization or district, the state department of natural resources, and the Army Corp of Engineers.

^{*} State Law References: Conditional use permits, Minn. Stats. § 462.3595.

- (6) Type of business activity and proposed number of employees and patrons.
- (7) Proposed floor plan and elevations of any building with use indicated.
- (8) Sanitary sewer (or septic) and water (or well) plans with estimated flow rates.
- (9) Soil type and soil limitations for the intended use. If soil limitations for the intended use are noted, a plan or statement indicating the soil conservation practices to be used to overcome said limitation shall be made a part of the application.
- (10) A location map showing the general location of the proposed use within the city.
- (11) A map showing all principal and land uses within 1,250 feet of the parcel for which the application is being made.
- (12) Proof of ownership of the property for which the conditional use permit is requested, consisting of the deed or contract for deed showing the current owner, together with any unrecorded documents whereby the applicant acquired legal or equitable ownership of the property.
- (13) Proof that all property taxes have been paid and no liens or attachments are unsatisfied.
- (b) Denial for incompleteness. An incomplete application is not a valid application and can be rejected by the city or denied on the basis of being incomplete. (Ord. No. 1997-77, § 1(505.06), 8-5-1997)

Sec. 32-144. Planning commission hearing.

- (a) The city shall refer the application to the planning commission for consideration and public hearing at its next regular meeting. Notice of the purpose, time and place of such public hearing shall be published in the official newspaper of the city and presented to each of the owners of all properties located within a minimum of one-quarter mile of the property described in the application and such other persons as the planning commission may direct, at least ten days prior to the date of the hearing. A copy of the notice and a list of the owners and addresses to which the notice was presented shall be attested to by the responsible person and shall be made a part of the records of the proceedings. Failure to give notice to individual property owners or defects in the notice shall not invalidate the proceedings, provided a bona fide attempt to comply with the provisions of this section has been made.
- (b) The applicant or his representative shall appear at the public hearing in order to answer questions concerning the proposed use. (Ord. No. 1997-77, § 1(505.07), 8-5-1997)

Sec. 32-145. Burden of proof.

The applicant shall have the burden of proving that the proposed use is suitable and that all of the standards set forth have been met. (Ord. No. 1997-77, § 1(505.02), 8-5-1997)

Sec. 32-146. Standards.

- (a) When certain circumstances exist, the city council may grant a conditional use permit in any zoning district if the applicant has proven to a reasonable degree of certainty that:
 - (1) The proposed use is designated in section 32-245 as a conditional use for the appropriate zoning district.
 - (2) The proposed use conforms to the city's comprehensive plan.
 - (3) The proposed use will not be detrimental to or endanger the public health, safety or general

- welfare of the city, its residents, or the existing neighborhood.
- (4) The proposed use is compatible with the existing neighborhood.
- (5) The proposed use meets conditions or standards adopted by the city through resolutions or other ordinances.
- (6) The proposed use will not create additional requirements for facilities and services at public cost beyond the city's normal low-density residential and agricultural uses.
- (7) The proposed use will not involve uses, activities, processes, materials, equipment or conditions of operation that will be detrimental to people, property, or the general welfare because of production of traffic, noise, smoke, fumes, glare, odors or any other nuisances.
- (8) The proposed use will not result in the destruction, loss or damage of natural, scenic or historic features of importance.
- (9) The proposed use will not increase flood potential or create additional water runoff onto surrounding properties.
- (b) These standards apply in addition to specific conditions as may be specified through the city's ordinances.

(Ord. No. 1997-77, § 1(505.03), 8-5-1997)

Sec. 32-147. Conditions.

- (a) In reviewing applications for conditional use permits, the city may attach whatever reasonable conditions are deemed necessary to mitigate anticipated adverse impacts associated with the proposed uses, to protect the value of property within the district, and to achieve the goals of the city's comprehensive plan. In determining such conditions, special consideration shall be given to protecting nearby properties from objectionable views, noise, traffic, and other characteristics associated with such uses. Such conditions may include, but are not limited to, the following:
 - (1) Controlling the number, area, bulk, height, and locations of proposed uses.
 - (2) Regulating ingress and egress to the property and the proposed structures thereon with particular references to vehicle and pedestrian safety and convenience, traffic flow and control, and access in case of fire or other catastrophe.
 - (3) Regulating off-street parking and loading areas that may be required.
 - (4) Requiring berming, fencing, screening, landscaping or other means to protect nearby property.
 - (5) Regulating the appearance of all facilities so that they will be harmonious with the neighborhood and city.
 - (b) In all cases in which conditional use permits are granted:
 - (1) The city shall include in the conditional use permit all drawings, representations, or plans presented by the applicant.
 - (2) The city shall require such evidence and guarantees that are deemed necessary as proof that the standards and conditions stipulated are being and will be met.
 - (3) Periodic reviews, inspections or reporting may be required by the city.
 - (4) Applicants shall be required to comply with all conditions of approval at their own expense and in accordance with city specifications.
 - (5) Applicants shall also provide a financial guaranty to the city, in the form of a cash escrow or letter of credit, in an amount equal to 125 percent of the estimated cost of complying with the

- conditions. The city shall have the right to retain the financial guaranty until the conditions have been complied with to the reasonable satisfaction of the city.
- (6) In case any conditions are reasonably deemed by the city not to have been complied with, the applicant shall recomplete those items or conditions to the reasonable satisfaction or approval of the city at the applicant's sole cost and expense.

(Ord. No. 1997-77, § 1(505.04), 8-5-1997)

Sec. 32-148. Planning commission report.

- (a) The planning commission shall make its report on the application to the city council, in writing, after completing the public hearing. The report shall recommend that the conditional use permit be granted or denied and shall include the planning commission's recommendation as to any conditions to be imposed if the conditional use permit is granted, including time limits or provisions for periodic review and shall state the reasons therefor.
- (b) If the planning commission fails to file a report with the city council within the required time, the application shall be referred to the city council as herein provided, without report, after the time for filing the report has expired.

(Ord. No. 1997-77, § 1(505.08), 8-5-1997)

Sec. 32-149. City council action on application.

- (a) The city council shall make written findings and shall state therein the reasons for its decision.
- (b) The city council may impose such conditions and restrictions, including time limits on the conditional use or periodic review as appears to be necessary and proper to protect adjacent property and comply with the intent and purposes of this chapter and the comprehensive plan. (Ord. No. 1997-77, § 1(505.09), 8-5-1997)

Sec. 32-150. Denial.

If the city denies a conditional use permit, it shall include in its findings the ways in which the proposed use does not comply with the standards required by this ordinance or other applicable regulations. (Ord. No. 1997-77, § 1(505.05), 8-5-1997)

Sec. 32-151. Reapplication.

No application for a conditional use permit shall be resubmitted for a period of six months from the date of the denial of a previous application. (Ord. No. 1997-77, § 1(505.10), 8-5-1997)

Sec. 32-152. Amended applications.

An amended conditional use permit application may be administered in a manner similar to that required for a new conditional use permit. Amended conditional use permits shall include re-applications for permits that have been denied or permits that have expired, requests for changes in conditions, and as otherwise described in this chapter.

(Ord. No. 1997-77, § 1(505.14), 8-5-1997)

Sec. 32-153. Recording of copy with county.

A true and correct copy of approved conditional use permits shall be recorded, at the applicant's

expense, in the office of the county recorder or registrar of titles. (Ord. No. 1997-77, § 1(505.16), 8-5-1997)

Sec. 32-154. Compliance with permit; violation of conditions.

- (a) *Compliance required.* Any use permitted under the terms of a conditional use permit shall be established and conducted in accordance with all of the terms, conditions and restrictions of such permit. The violation of any term, condition or restriction of a conditional use permit shall be a violation of this division.
- (b) *Violations*. In the event of the violation of any term, condition or restriction of a conditional use permit, the city may institute an appropriate action or proceeding in district court for such equitable relief as may be appropriate. Additionally, permits issued pursuant to this division are subject to the provisions of article V of chapter 2, pertaining to ordinance violations.

 (Ord. No. 1997-77, § 1(505.12), 8-5-1997)

Sec. 32-155. Expiration and suspension.

If, under such conditional use permit, building is commenced and subsequently determined by the city council to be abandoned for a period of 120 days, the conditional use permit shall be suspended at the end of said 120 days. Before said construction may be recommenced, a conditional use permit can be reinstated by the city council, provided that no changes or alterations in the original plan have been made. If the building permit for the construction that was determined to be abandoned became invalid prior to the recommencement of such construction, the suspended conditional use permit shall expire at the time said building permit became invalid. (Ord. No. 1997-77, § 1(505.13), 8-5-1997)

Sec. 32-156. Annual review of issuances.

- (a) *Monitoring permits issued.* The city council shall, on an annual basis, engage in a review of all conditional use permits issued within the city, for the purpose of ensuring compliance and determining whether issued permits have expired pursuant to section 32-155. The city council shall create a list of conditional use permits to review, which will be kept by the city clerk for updating on an annual basis. The city council shall undertake an informal review of all conditional use permits placed on the list.
- (b) Formal review for compliance. In the event the city council determines it necessary to formally review a conditional use permit for compliance, the conditional use permit shall be reviewed by the planning commission at a public hearing, with notice of said hearing published in the official newspaper at least ten days prior to the hearing.
 - (1) The city clerk shall schedule such public hearing and notify the holder of the permit prior to the hearing.
 - (2) The holder of the permit shall be required to pay the conditional use permit review fee which is contained within the city's fee schedule.
- (c) Updating roster of permits. At the conclusion of the city council's review of its conditional use permits, the city clerk shall update and maintain a current roster of the city's active conditional use permits. (Ord. No. 1997-77, § 1(505.11), 8-5-1997; Ord. No. 2007-03, § 1(505.08), 12-3-2007)

Secs. 32-157--32-180. Reserved.

DIVISION 6. OTHER PERMITS AND CERTIFICATE OF OCCUPANCY

Sec. 32-181. Building permit and compliance with building code required.

- (a) Required. No structure shall hereafter be erected or structurally altered until a building permit shall have been issued, indicating that the existing or proposed structure and the use of the land comply with this chapter and all building codes.
- (b) *Proposal to comply with code.* Building permits shall not be issued unless the proposed improvement meets all of the requirements of the building code.
- (c) Site preparation in advance of permit prohibited. No site preparation work, including rough grading, driveway construction, footing excavation, tree removal or other physical changes to the site shall occur prior to the issuance of a building permit and other zoning use permits.
- (d) Application. Applications for permits as required by this section shall be made to the city clerk or building official on forms to be furnished by him. The city clerk or building official shall maintain a record of all applications for and all permits issued under this division.
- (e) Site plan. Application for a building permit shall be accompanied by a site plan drawn to scale showing the dimensions of the lot to be built upon, the size and location of the building, utilities including on-site septic systems, accessory buildings to be erected, the vegetation and major topographic changes, and drawings of the improvement in sufficient detail to permit checking against the building code, and such other information as the city council or building official may reasonably require to determine compliance with this chapter and the building code. In some cases, the city council may require a certificate of survey before a building permit will be issued.
- (f) *Issuance*. No building permit shall be issued for any improvement which would result in a use, building or structure in violation of this chapter, or the subdivision, shoreland management, floodplain, onsite sewer disposal, mining or other city regulations.
- (g) Start of work after issuance. The work for which a building permit is issued shall commence within 60 days after the date thereof unless an application for an extension of 90 days has been submitted to the building official and approved by him. The work shall be completed within one year of the date of issuance.
- (h) Expiration. Permits issued by the zoning administrator or building official under the provisions of this section and the building code shall expire and be null and void if the work authorized by a permit is abandoned or suspended for a period of 120 days, or in the event that work is not commenced or completed within the time limitations of section 32-181(g).
- (i) Suspension or revocation. The building official may, in writing, suspend or revoke a permit issued under the provisions of this chapter and the building code whenever such permit is issued in error or on the basis of incorrect information supplied, or in violation of any city ordinance, regulation or code. (Ord. No. 50, § 509.01, 12-7-1982)

Sec. 32-182. Moving permit.

- (a) No building or structure which has been wholly or partially erected shall be moved to any other location within the city unless a permit to move said building or structure has been obtained or provided herein. Any such building or structure proposed to be moved shall meet all requirements of the building code applicable to a new building or structure.
 - (b) Construction sheds, agricultural buildings or temporary structures to be located on a lot for 12

months or less do not need a moving permit. (Ord. No. 50, § 509.02, 12-7-1982)

Sec. 32-183. Septic permit.

- (a) In areas without public sewer facilities, no building permit for any use requiring on-site sewage treatment and disposal shall be issued until a septic permit has first been issued.
- (b) A septic permit shall be issued only after proof is furnished by the applicant that a suitable onsite sewage treatment and disposal system can be installed on the site. Such system shall conform to all of the requirements of the city's on-site sewage treatment and disposal regulations, including percolation tests and borings.

(Ord. No. 50, § 509.03, 12-7-1982)

Sec. 32-184. Driveway access permit.

A driveway access permit to a public road shall be secured from the public agency with jurisdiction and maintenance responsibilities over the road, prior to the issuance of a building permit. (Ord. No. 50, § 509.04, 12-7-1982)

Sec. 32-185. Grading permit required; exceptions.

No person shall do any grading without first having obtained a grading permit from the building official except for the following:

- (1) Grading in an isolated, self-contained area if there is no danger apparent to private or public property.
- (2) An excavation below finished grade for basements and footings of a building, retaining wall or other structure authorized by a valid building permit. This shall not exempt any fill made with the material from such excavation nor exempt any excavation having an unsupported height greater than five feet after the completion of such structure.
- (3) Cemetery graves.
- (4) Refuse disposal sites controlled by other regulations.
- (5) Excavations for wells or tunnels or utilities.
- (6) Mining, quarrying, excavating, processing, stockpiling of rock, sand, gravel, aggregate or clay where established and provided for by law, provided such operations do not affect the lateral support or increase the stresses in or pressure upon any adjacent or contiguous property.
- (7) Exploratory excavations under the direction of soil engineers or engineering geologists.
- (8) An excavation which is less than two feet in depth or which does not create a cut slope greater than five feet in height and steeper than one and one-half horizontal to one vertical.
- (9) A fill less than one foot in depth, and placed on natural terrain with a slope flatter than five horizontal to one vertical, or less than three feet in depth, not intended to support structures, which does not exceed 50 cubic yards on any one lot and does not obstruct a drainage course.

(Ord. No. 50, § 509.05, 12-7-1982)

Sec. 32-186. Sign Permits.

Sign permits shall be required as stated in article IV, division 3 of this chapter. (Ord. No. 50, § 509.06, 12-7-1982)

Sec. 32-187. Certificate of occupancy.

- (a) When required. No person may change the use of any land (except for agricultural purposes or for construction of essential services and transmission lines), or occupy a new or structurally altered building used for nonagricultural use, after the effective date of the ordinance from which this chapter is derived, unless he has first obtained a certificate of occupancy.
- (b) Application; temporary certificate. Application for a certificate of occupancy for a new building or for an existing building which has been so altered may be filed with the building official any time after the application for a building permit for such building. The certificate of occupancy shall be issued within ten days after the construction or alteration of such building or part thereof has been completed in conformity with the provisions of this chapter and the building code. Pending the issuance of said certificate, a temporary certificate of occupancy may be issued, subject to the provisions of the building code for a period not to exceed 12 months during the completion of the erection or the alteration of such a building. The temporary certificate shall not be construed as in any way altering the respective rights, duties or obligations of the owners or of the city relating to the use or occupancy of the premises or any other matter except under such restrictions and provisions as will adequately ensure the safety of the occupants. The use of any structure for which a building permit is required shall be considered a violation of this chapter unless a certificate of occupancy has been issued.
- (c) *Issuance*. Application for a certificate of occupancy for a new use of land shall be made to the building official before any such land shall be so used. Such certificate of occupancy shall be issued within ten days after this application if the use is in conformity with the provisions of this chapter.
- (d) *Record.* A record of all applications for and certificates of occupancy shall be kept on file. (Ord. No. 50, § 510, 12-7-1982)

Secs. 32-188--32-212. Reserved.

DIVISION 7. ENVIRONMENTAL ASSESSMENT (EAW) AND IMPACT STATEMENTS (EIS)

Sec. 32-213. Environmental assessment worksheet.

- (a) Review of proposed land uses, etc., required. No zoning, building permit, structure or land use, variance or ordinance amendment shall be approved prior to review by the planning commission to determine the necessity for completion of a state environmental assessment worksheet (EAW) as required by the Minnesota Environmental Quality Board Regulations (1977).
- (b) Purpose of EAW. The purpose of an EAW is to assess rapidly, in a worksheet format, whether a proposed action is a major action with the potential for significant environmental effects, or in the case of a private action, whether it is of more than local significance.
- (c) *Mandatory filing.* Projects which shall be required to file a mandatory environmental assessment worksheet shall include:
 - (1) Construction or opening of a facility for mining gravel, other nonmetallic minerals and fuels involving more than 320 acres.
 - (2) An action that will eliminate or significantly alter a wetland of type 3, 4 or 5 (as defined in United States Department of Interior, Fish and Wildlife Service, Circular 39, Wetlands of the

- United States, 1956) of five or more acres either singly or in a complex of two or more wetlands.
- (3) Construction of a new or additional residential development that includes 100 or more units in an unsewered area.
- (4) Construction of a residential development consisting of 50 or more residential units, any part of which is within a shoreland area.
- (5) Conversion of 20 or more contiguous acres of forest cover to a different land use.
- (d) Option by city. An optional EAW may be required by the city council or by any project applicant on any proposed action to determine if the project has the potential for significant environmental effects or if the project is of more than city significance, provided any of the following situations exist:
 - (1) The proposed project is in or near an area recognized in the city comprehensive plan as being environmentally sensitive due to steep slopes, bluffline, exposed bedrock, floodplain, wetlands, streams, drainage areas, groundwater, erodible soils, prime agricultural soils or unique vegetation.
 - (2) The proposed project is in or near an area of natural aesthetics, scenic views, delineated critical area or unique natural beauty as recognized by the comprehensive plan, planning commission or city council.
 - (3) The proposed project significantly alters existing traffic patterns or increases the noise level on such roads or streets by more than ten percent.
 - (4) The proposed project is adjacent to or near a public recreation land or facility and alters or increases use, noise levels, or traffic, or degrades air quality or natural aesthetics as viewed from the facility.
 - (5) The proposed project is construction or opening of a facility for mining and/or processing of gravel, sand, other nonmetallic minerals and fuels involving more than 50 acres.
 - (6) The proposed project involves the construction of new or additional residential subdivisions that include 50 or more lots in an unsewered area.
- (e) Preparation of EAW. The city council shall prepare, or cause to be prepared by consultants, an environmental assessment worksheet which is mandatory or optionally required. The project proposer shall provide the zoning administrator with a draft worksheet. If sufficient detailed information is not made available from the project proposer, or if the zoning administrator cannot complete the EAW because of time or interest conflicts, the zoning administrator may utilize professional consultants to gather necessary information and to complete the worksheet.
- (f) Planning commission recommendation. The zoning administrator shall submit the environmental assessment worksheet and his recommendation finding to the planning commission at its next regular meeting or special meeting before the next regularly scheduled board meeting. After reviewing the zoning administrator's written findings, the planning commission shall recommend to the city council whether or not there are significant environmental effects from the project to require the writing of an impact statement. The planning commission may hear appeals of the zoning administrator's recommendation at this meeting.
- (g) Environmental impact statement mooted. Upon completion of said worksheet, the planning commission shall write a recommended finding from the worksheet on whether or not there are sufficient environmental effects or effects of more than local significance which shall require a state environmental impact statement.
 - (h) Decision forwarded to state. Within 45 days of the date the project proponent filed a planning

request, the city council shall have reviewed any appeals, the zoning administrator's written finding, and the planning commission recommendation and shall have forwarded its final decision on the necessity for preparing an environmental impact statement to the state environmental quality board to be officially published in the Environmental Quality Board Monitor.

- (i) Distribution. Copies of the zoning administrator's written findings on the worksheet and the city council's final decision shall be mailed to all points on the official environmental quality board distribution list and to adjacent counties and municipalities likely to be directly impacted by the proposed project. The zoning administrator shall also submit an affidavit certifying the date and places copies of the worksheet were submitted.
- (j) Objection period. Thirty days after the date of the publication of the city council's decision in the Environmental Quality Board Monitor, if no objections are filed with the EQB, the decision stands. (Ord. No. 50, §§ 512.01--512.10, 12-7-1982)

Sec. 32-214. Environmental impact statement.

- (a) EIS preparation. If preparation of an environmental impact statement (EIS) is required, the proponent shall follow the procedure outlined in the state quality board regulations concerning environmental impact statements. A draft impact statement, as prepared by or under the direction of the zoning administrator shall be filed with the environmental quality board (EQB) within 120 days of the decision to require an environmental impact statement.
- (b) Conditional use permit applies. Any proposed project or use on which an EIS is required shall be considered a conditional use as defined in the current zoning regulations and shall comply with the procedure for approval of a conditional use permit. Mitigating recommendations of the EIS shall be incorporated as conditions of issuance of the conditional use permit. (Ord. No. 50, §§ 512.11, 512.12, 12-7-1982)

Sec. 32-215. Time delays in permitting process.

Time delays in the normal permit process caused by the filing and review of the EAW and/or EIS shall not be considered part of the permit approval time requirements within this division. Such delays shall be considered as additional required time for each required permit. The permit process for the proposed project may be continued from the point it was interrupted by the EAW/EIS process. (Ord. No. 50, § 512.13, 12-7-1982)

Sec. 32-216. Halting of construction projects.

Construction begun on projects requiring an EAW shall be halted at such time as an EIS is officially required by the environmental quality board or local city council regulations. (Ord. No. 50, § 512.14, 12-7-1982)

Sec. 32-217. Reimbursement of city expenses and deposits.

- (a) Applicant to pay costs of review. Any applicant shall agree in writing as part of his application to reimburse the city council prior to the issuance of any permits, for all reasonable costs, including legal and consultant fees incurred by the city council in review of the applicant's project and its impact on the city.
- (b) Deposit required in advance of review. The applicant shall deposit with the city from time to time an amount determined by the zoning administrator necessary to cover such costs prior to commencement of the review or stage of the review. The applicant shall reimburse the security fund for any deficits caused if

the amount actually expended or billed to the city by the consultants exceeds the security fund balance. The city shall refund any money deposited in the security fund and not expended within 30 days after final action on the application. The city shall not pay interest on such security deposits. (Ord. No. 50, §§ 512.15, 512.16, 12-7-1982)

Secs. 32-218--32-242. Reserved.

ARTICLE III. ZONING DISTRICTS ESTABLISHED; PERMITTED USES; DIMENSIONAL STANDARDS

DIVISION 1. GENERALLY

Sec. 32-243. Districts established.

For the purpose of this chapter, the city is hereby divided into the following basic zoning use districts:

District Symbol	Intent and Primary Use
С	The conservancy districts preserve, protect and manage environmentally sensitive areas having wet soils, steep slopes, exposed bedrock or unique natural and biological characteristics in accordance with compatible uses.
A-1	A-1 districts preserve land to be utilized for agriculture and commercial food production on lots smaller than those required in AP districts. A-1 districts provide areas of rural lot density housing with lots large enough for significant agricultural activity to occur.
A-2	The A-2 districts provide rural low density housing in agricultural districts on lands not capable of supporting long-term, permanent commercial food production. A-2 district lot sizes will provide for marginal agriculture and hobby farming.
R-1	R-districts provide low density residential areas in rapidly developing rural settings. R-1 districts provide lots large enough to maintain a semi-rural setting, but lots not large enough to support commercial agriculture. R-1 districts provide a buffer between agricultural districts and urban or rapidly developing districts.
GB	GB districts provide for a general mix of commercial businesses. General business districts will be located in areas where there is a demand for diversified business districts and in areas capable of supplying the utilities for such development.

(Ord. No. 50, § 601.01, 12-7-1982)

Sec. 32-244. Zoning district map.

The boundaries of the districts as established by this chapter are as shown on the map published herewith and made part of this chapter, said map is designated as the official zoning map of the city and shall be maintained as provided herein by the city zoning administrator. The district boundary lines on said map are intended to follow street right-of-way lines, street centerlines or lot lines, unless such boundary line is otherwise indicated on the map. In the case of unsubdivided property or in any case where street or lot lines are not used

as boundaries, the district boundary lines shall be determined by use of dimensions or the scale appearing on the map. All of the notations, references and other information shown thereon shall have the same force and effect as if fully set forth herein and are hereby made a part of this chapter by reference and incorporated herein as fully as if set forth herein at length. Whenever any street or other public way is vacated, any zoning district line following the centerline of said vacated street or way shall not be affected by such vacation. (Ord. No. 50, § 603.01, 12-7-1982)

Sec. 32-245. Table of uses.

- (a) When uses in a district are listed as both permitted and as conditional uses, or when any other conflict appears in this chapter with respect to permitted uses within a district, the more restrictive portion shall be applied.
- (b) Uses shall be allowed according to the use table in subsection (c) of this section. When a specific use is not listed, the closest similar listed use shall determine the restrictions and conditions which apply.
 - (c) Uses in conservancy, agricultural, residential and general business districts:

USE		7	ONING DIST	RICT	
(KEY)			DIVING DIST	KIC1	
P = Permitted					
C = Conditional use permit and public hearing					
CC = Certificate of compliance					
$A = Permitted \ accessory \ use$		Agricultural	Agricultural	Residential	General Business
N = Not permitted	Conservancy	A1	A2	R1	(GB)
Agriculture. (See section 32-345.)	C	P	P	P	N
Agricultural business, seasonal.	N	C	C	N	N
Airports, airstrip, heliports. (See section	N	С	C	N	N
32-279.)					
Animals, commercial training.	N	С	N	N	N
Animals, domestic farm (See section 32-	N	P	P	P	N
337.)					
Antennas or towers over 35 feet in height	N	С	С	С	С
(as permitted by section 32-249.)					
Archery range, commercial outdoors.	С	С	С	N	N
Armories, convention halls and similar	N	N	N	N	N
uses.					
Apartment buildings.	N	N	N	N	N
Auto/car wash.	N	N	N	N	С
Auto reduction yard; junk yard.	N	N	N	N	N
Automobile repair.	N	N	N	N	С
Automobile service station. (See section	N	N	N	N	С
32-340.)					
Bars and taverns.	N	N	N	N	С
Bed and breakfast. (See section 32-327.)	N	С	С	С	N
Blacktop or crushing equipment for	N	С	N	N	N
highways.					
Boarders.	N	N	N	N	N
Boat dock, noncommercial. (See county	A	A	A	A	N
chapters 2 and 7.)					
Boat, trailer, marine salesenclosed.	N	N	N	N	С
Broadcasting studio.	N	N	N	N	C

Businessseasonal.	N	N	N	N	N
Cafes and restaurants.	N	N	N	N	C
Campgrounds, tents and tent trailers only.	N	N	N	N	N
Care facility. (See section 32-338(c).)	N	C	C	C	N
Cemeteries.	N	C	C	C	N
Churches.	C	C	C	C	C
Clear cutting. (See sections 32-343, 32-348	N	C	C	C	N
and 32-246(b)(8).)	11				11
Clubs or lodges.	N	С	С	С	С
Cluster developments.	N	N	N	N	N
Commercial recreation.	C	C	C	C	C
Commercial schools.	N	N	N	N	C
Convents.	N	C	C	C	N
Disposal areasliquid waste.	N	N	N	N	N
Disposal areassolid waste.	N	C	N	N	C
Disposal areassolid and liquid waste.	N	N	N	N	N
Domestic pets.	P	P	P	P	N
Drive-in business.	N	N	N	N	N
Essential servicesgovernment uses,	C	C	C	C	C
buildings and storage.				C	
Essential servicestransmission services,	С	С	С	С	С
buildings and storage.	C		C	C	C
Explosivesmanufacture, storage. (See	N	N	N	N	N
section 32-324.)	IN .	1	11	11	11
Explosivesutilization. (See section 32-	N	С	С	N	N
324.)				11	11
Farm.	See	 "Aoriculture"		ı	
Farm equipment sales.	N	N	N	N	С
Feedlots, commercial. (See sections 32-	N	C	N	N	N
337 and 32-345.)					
Fences. (See section 32-315.)	A	A	A	A	A
Flammable gases and liquids,	N	N	N	N	N
business/distribution.					
Forests.	P	P	P	P	С
Fuel sales.	N	N	N	N	С
Funeral homes.	N	N	N	N	N
Garage, private. (See section 32-313.)	A	A	A	A	N
GarageRepair.	N	N	N	N	С
GarageStorage.	N	N	N	N	С
Golf courses and country clubs.	N	С	С	С	N
Grading.	See section 32-342				•
Greenhouses (commercial production				1	С
Greennouses (commercial production	N	С	C	C	
only).	N	С	С	С	
` -	N N	C N	C N	C N	N
only).					
only). Guest house. (See section 32-326.) Gun clubs.	N N	N C	N C	N N	N
only). Guest house. (See section 32-326.) Gun clubs. Gun ranges.	N	N C N	N C N	N N N	N N
only). Guest house. (See section 32-326.) Gun clubs. Gun ranges. Home occupations (meeting criteria).	N N N CC	N C N CC	N C N CC	N N	N N N
only). Guest house. (See section 32-326.) Gun clubs. Gun ranges. Home occupations (meeting criteria). Home occupations (not meeting criteria).	N N N CC	N C N CC C	N C N CC C	N N N CC C	N N N N
only). Guest house. (See section 32-326.) Gun clubs. Gun ranges. Home occupations (meeting criteria).	N N N CC N P/C	N C N CC C	N C N CC C C	N N N CC C C P/C	N N N
only). Guest house. (See section 32-326.) Gun clubs. Gun ranges. Home occupations (meeting criteria). Home occupations (not meeting criteria). Horse boarding and training facilities.	N N N CC	N C N CC C	N C N CC C	N N N CC C	N N N N N

Identification and nameplate signs.	See	article IV, div	ision 3		
Incidental repair.	N	A	N	N	N
Information centers.	N	CC	С	С	N
Institutional housing.	N	N	N	N	N
Interim uses. (See section 32-335.)	N	С	С	N	С
Junkyard.	N	N	N	N	N
Kennelsprivate.	N	С	С	С	N
Kennelscommercial.	N	С	N	N	N
Land reclamation. (See section 32-342).	N	С	С	С	С
Landscaping and decorative features. (See	A	A	A	A	A
section 32-319.)					
Lodging room.	N	N	N	N	N
Manufacturinggeneral.	N	N	N	N	С
Manufacturinglimited.	N	N	N	N	С
Medical uses.	N	С	С	С	С
Mining. (See section 32-344.)	С	С	N	N	N
Manufactured homecare facility. (See	С	С	С	С	N
section 32-338(c).)					
Manufactured home court/park.	N	N	N	N	N
Manufactured homeother	See	e section 32-338	3(1)		
Manufactured hometemporary dwelling	N	С	N	N	N
(See section 32-338(d)).					
Motel or hotel.	N	N	N	N	N
Multiple family dwellings (with central	N	N	N	N	N
sewer).					
Nature centers, private or public.	C	C	C	C	C
Nurserycommercial (production of trees	CC	P	С	C	N
and shrubs).					
Nurseriesday and school.	N	C	C	C	N
Nursery and garden supplies (exterior or	N	N	N	N	С
enclosed sales).					
Offices.	N	N	N	N	C
Off-street loading. (See section 32-322.)	N	N	N	N	A
Off-street parking. (See article IV, division	A	A	A	A	A
2 of this chapter).					
Parks.	С	C	C	С	C
Photo, art studio.	N	N	N	N	C
Planned unit developments.	N	N	N	N	N
Public enclosed rental storage or garages.	N	N	N	N	С
Racetracks.	N	N	N	N	N
Railroad operations.	N	С	С	N	N
Recreation areascommercial.	N	С	N	N	С
Recreation areasprivate.	С	С	С	С	N
Recreation equipment storagecommercial	N	С	С	N	С
(inside storage only).					
Recreation equipment storageprivate	A	A	A	A	N
(side and rear yard only). (See section 32-					
316.)					
Reduction or processing of refuse, trash	N	C	N	N	N
and garbage.					

Dantal of any topilors assured topilors d	N.	NT.	l NI	l NI	C
Rental of cars, trailers, campers, trucks and	N	N	N	N	С
similar equipment. Research.	N	N	N	N	C
	N N	N N	N N	N N	C N
Residentialmultiple family (with central	IN	IN	IN	IN	IN .
sewer). Residentialsingle-family detached	CC	P	P	P	N
	CC	P	P	P	N
dwellings. (See section 32-246.)	NT	NT	N	N	N
Residential two family deallings	N N	N N	N N	N N	N N
Residentialtwo-family dwellings (duplex). (See section 32-246.)	IN	IN	IN	IN	N
Residentialwaterfront uses.	A	Α	Α	Α	N
	C	A C	A C	A C	N
Resorts.	N	N	N	N	
Rest or nursing homes.					N
Retail business.	N	N	N	N	C
Roadside sales stand (seasonally operated).	CC	CC	CC	CC	N
Roadsprivate.	N	N	N	N	N
Sales, autoopen lot displays with on-site	N	N	N	N	С
display office. (See section 32-336.)					
Salesopen lot (outdoor displays but no	N	N	N	N	С
office).					27
Schoolspublic and private.	N	C	C	C	N
Signsadvertising. (See article IV, division	N	N	N	N	С
3 of this chapter).		. 1 137	1: : : 2		
Signsother than permitted accessory	5	ee article IV,	division 3		
signs.					
Shooting preserve. (See section 32-328)	NT.		l NT	N.T.	NT.
Commercial	N	C	N	N	N
Personal	N	С	N	N	N
Private	N	C	N	N	N
Shopping center.	N	N	N	N	N
Storage, highway construction equipment	N	С	C	С	N
during construction.	N.T.	GG	GG	GG	G
Storageopen. (See section 32-341.)	N	CC	CC	CC	C
Storageas a principal use. (See section 32-316.)	N	С	С	С	С
Storagenormally incidental to the	A	A	A	A	A
principal use. (See section 32-316.)					
Storagenot accessory to a permitted	N	С	С	С	N
principal use. (See section 32-316.)					
Structurehistoric, scenic, etc.	C	C	C	C	C
Structuretemporary or interim use. (See	N	N	N	N	N
section 32-335.)					
Supper club.	N	C	N	N	C
Swimming poolcommercial. (See section	N	N	N	N	N
32-334.)					
Swimming poolresidential. (See section	CC	CC	CC	CC	N
32-334.)					
Terminaltransportation or motor freight.	N	N	N	N	С
Theater.	N	N	N	N	С
Theaterdrive-in.	N	N	N	N	N
	11	11	11	11	11

Trailer/recreation vehicle. (See section 32-339.)	CC	CC	CC	CC	N	
Trailer/recreation vehicle parksseasonal	N	N	N	N	N	
use.						
Utility substations.	С	С	С	С	С	
Vegetative cutting.		-See section 32	2-348			
Vehicle salesenclosed. (See section 32-	N	N	N	N	С	
336).						
Veterinary clinic.	N	С	N	N	С	
Warehousing.	N	N	N	N	С	
Waterfront usesresidential.	A	A	A	A	N	
Wholesale business.	N	N	N	N	С	
Wildlife reserveprivate or public.	P	P	P	P	N	
Wind energy conversion systems (WECS)	N	CC	CC	N	N	

(Ord. No. 50, §§ 601.01, 603.02, 604, 12-7-1982; Ord. No. 53, § 2(606.03), 7-7-1983; Ord. No. 54-B, § 1, 6-5-1984; Ord. No. 58-A, § 1, 8-5-1986; Ord. No. 54C-2003, § 3, 2-4-2003; Ord. No. 2004-109, §§ 1, 2, 8-3-2004; Ord. No. 2005-117, § 3, 11-1-2005)

Sec. 32-246. Minimum area, maximum height and other dimensional requirements.

(a) *Dimensional requirements*. The following chart sets out the minimum area, maximum height and other dimensional requirements of each zoning district.

			Zoning I	District		
	AP	A-1	A-2	R-1	С	GB
Density Requirements						
Maximum Density (one dwelling unit/acres) ¹	40	10	10	10	10	-
Minimum Lot Size						
Minimum Lot Area per dwelling unit (acres) ²	5	5	5	5	5	-
Minimum Lot Area per non-residential structure (acres)		See se	ection 32-3	13(b)		2.5
Minimum Lot Depth (feet)	300	300	300	300	300	150
Minimum Lot Width (feet) 3,4	300	300	300	300	300	300
Minimum Lot Width on a cul-de-sac (feet)	160	160	160	160	160	160
Minimum Frontage						
Frontage on an Improved Public Road	300	300	300	300	300	300
Frontage on a cul-de-sac	60	60	60	60	60	60
Minimum Setbacks (feet)						
Front Yard	80	65	65	65	65	65
Front Yard along Arterials (from centerline)(feet) ⁵	150	150	150	150	150	150
Side Yard (from street in case of corner lot)	80	65	65	65	65	65
Side Yard (from interior lot line)	40	20	20	20	20	20
Rear Yard	50	50	50	50	50	30
Maximum Height (feet)	35	35	35	35	35	35
Additional Standards						
Minimum Buildable Area (acres) ⁶	1	1	1	1	1	1
Maximum Floor Ratio	30%	30%	30%	30%	30%	40%

Park	ing Surfaces or Structures of any type	50%	50%	50%	50%	50%	80%
Mini	mum Floor Area Per Dwelling (sq. ft.)	1,000	1,000	1,000	1,000	1,000	-

Note: If standards within the Code conflict with the table above, the standards within the Code apply. The table does not include all dimensional standards within the code.

- (b) Additions and exception to the minimum area, height and other requirements.
 - (1) Existing Lot defined. For the purpose of this article, the term "existing lot" means a lot or parcel of land which was of record as a separate lot or parcel in the office of the county recorder or registrar of titles on or before the date of adoption of the ordinance from which this chapter is derived.
 - (2) Setback exemption. Any such lot or parcel created in accordance with the city subdivision regulations and is at least 2.5 acres in size, shall be exempt from the requirements of section 32-248(d), pertaining to setbacks, and shall be considered buildable if the lot or Oparcel can comply with the remaining requirements of this section.
 - (3) Undersized lots. If in a group of two or more contiguous lots or parcels of land owned or controlled by the same person, any individual lot or parcel does not meet the full width or area requirements of this article, such individual lot or parcel cannot be considered as a separate parcel of land for purposes of sale or development, but must be combined with adjacent lots or parcels under the same ownership so that the combination of lots or parcels will equal one or more parcels of land each meeting the full lot width and area requirements of this article.
 - (4) Subdivision of lots. Any lot or parcel of land subdivided by any means for purposes of erecting a structure after the effective date of the ordinance from which this chapter is derived must be approved as required by the city's subdivision regulations. All new lots created must have at least one (1) acre of accessible buildable land. Buildable land is defined as land with a slope of less than twenty-five (25) percent, and outside of any required setbacks, above any floodway, drainage way, or drainage easement. Property situated within shorelands or floodplains are also subject to the requirements set forth in those respective ordinances.
 - (5) Lots in the floodplain. All lots in a designated floodplain shall be subject to the county floodplain ordinance as well as regulations provided by this chapter and chapter 14.
 - (6) Heavily wooded sites. On any lot, clear cutting shall require a conditional use permit. A certificate of compliance shall be required for all cutting on all slopes in CD32:45

¹ The maximum density in the AP District is one unit per 40 acres or according to the State Statues, Section 473H03. Additional Density Restrictions apply. See subsection © of this section. Subsection (c) restricts density to no more than four home sites per quarter-quarter section, if any quarter-quarter section contains less than 40 acres.

² Lot averaging allows the property owner to create parcels smaller than those of a conventional subdivision plan provided the density of the development does not exceed the maximum density permitted for the zoning district. Subsection (c)2 of this section requires a minimum of twenty (20) acres of contiguous land for a subdivision which creates new residential lots.

³ Lot width is defined as the horizontal distance between the side lot lines of a lot measured at the front setback line.\

⁴ At some place on the lot, a 300-foot diameter circle must be inscribed.

⁵ See section 32-248 (c) of this chapter.

⁶ See subsection (b)4 of this section.

⁷ See section 32-247(4) of this chapter.

- excess of eighteen percent. On such slopes, a revegetation plan shall also be required prior to issuance of a building permit. (See sections 32-343 and 32-348.)
- (7) On-site sewage treatment. Single family homes and commercial buildings shall demonstrate suitable soil conditions for a minimum on-site sewage treatment area sufficient to accommodate the original drainfield and replacement drainfield.
- (8) Determining the front lot line. A single front lot line shall:
 - i. Be designated by the time the lot is platted or for unplatted lots, at the time of address designation by the Building Inspector or Zoning Administrator.
 - ii. Provide the driveway access to the property.
 - iii. Meet the frontage requirements of this chapter.
 - iv. Meet all other spacing or access requirements of this chapter.
- (9) Determining the front lot line. A single front lot line shall:
 - i. Be designated at the time the lot is platted, or for unplatted lots, at the time of address designation by the Building Inspector or Zoning Administrator.
 - ii. Provide the driveway access to the property.
 - iii. Meet the frontage requirements of this chapter.
 - iv. Meet all other spacing or access requirements of this chapter.
- (c) Density restrictions.
- (1) The maximum density is one dwelling unit per ten acres.
- (2) No subdivision, which creates new residential lots shall be allowed unless the developer has at least 20 acres of contiguous land.
- (3) Notwithstanding subsection (a) of this section, if any quarter-quarter section contains less than 40 acres of land, then the city shall allow a density calculation to be used allowing no more than four residential homesites within that quarter-quarter section.
- (4) For the purpose of computing the total area of any lot or parcel of land, road and railroad right-of-ways which are held either in fee title or easement which pass through any lot or parcel of land, may be included in the total area calculation or density purposes.
- (d) *Denial of permit for unacceptable soils*. A building permit shall not be issued for a lot which either does not meet the minimum acres of acceptable soils for on-site sewage treatment or does not have enough acceptable soils within the lot or under legal contract to construct at least two complete septic/drainfield treatment system.

Sec. 32-247. Permitted encroachments on required yards.

The following shall be permitted encroachments into setback and height requirements, except as restricted by other sections of this chapter:

(1) In any yards: posts, off-street open parking, flues, leaders, sills, pilasters, lintels, cornices, eaves (up to three feet), gutters awnings, open terraces, steps, chimneys, flag poles, open fire escapes, sidewalks, fences, essential services, exposed ramps (wheelchair), uncovered porches, stoops or similar features provided they do not extend above the height of the ground floor level of the principal structure or to a distance less than three feet from any lot line nor

less than one foot from any existing or proposed driveway; yard lights, nameplate signs; trees, shrubs, plants; floodlights or other sources of light illuminating authorized illuminated signs, or light standards for illuminating parking areas, loading areas or yards for safety and security reasons, provided the direct source of light is not visible from the public right-of-way or adjacent residential property.

- (2) In side and rear yards: fences 30 percent open; walls and hedges six feet in height or less.
- On a corner lot: Nothing shall be placed or allowed to grow in such a manner as materially to impede vision between a height of 2 1/2 and ten feet above the centerline grades of the intersecting streets within 100 feet of such intersection.
- (4) In no event shall off-street parking, structures of any type, buildings or other improvements cover more than 75 percent of the lot area. In no event shall the landscaped portion of the lot be less than 25 percent of the entire lot as a result of permitted encroachments.

(Ord. No. 50, § 602.03, 12-7-1982)

Sec. 32-248. Setbacks.

- (a) Front setbacks. Where a vacant buildable lot is adjacent to structures having a substandard setback from that required by this section and existing at the time of adoption of the ordinance from which this article is derived, the zoning administrator shall determine a reasonable, average, calculated front yard setback to implement the requirements of this section, and to fulfill its purpose and intent. However, in no case shall a building be required to be set back more than 180 feet from the street centerline, except where an industrial district is adjacent to a residential district. In a residential district, the front yard setback shall conform to the established setback line, unless the zoning administrator determines that another setback is more appropriate as provided herein.
- (b) Setbacks adjacent to residential areas. Where a commercial district is adjacent to a residential district, the minimum commercial building setback from the lot line shall be 50 feet.
- (c) Setbacks along arterials. Along roads and streets designated as arterials in the comprehensive plan, the minimum front setback for principal buildings shall be 150 feet from the nearest planned street centerline.
- (d) Setbacks from private roads. All setback requirements of this section shall also be applicable to private roads and easement access rights-of-way. (Ord. No. 50, § 602.04, 12-7-1982)

Sec. 32-249. Height.

- (a) No structure shall exceed 35 feet in height, including church spires, belfries, cupolas and domes, monuments, chimneys and smokestacks, flagpoles, public facilities, transmission towers of private radio broadcasting stations, and television antennas; except barns, silos, and other farm structures, utility transmission services and transmission towers of commercial broadcasting stations.
- (b) Parapet walls shall not extend more than four feet above the height permitted for the buildings.

(Ord. No. 50, § 602.05, 12-7-1982)

Secs. 32-250--32-276. Reserved.

DIVISION 2. OVERLAY DISTRICTS

Sec. 32-277. Intent; list of overlay districts; regulations.

- (a) At the time of adoption of the ordinance from which this division is derived, or at some future date, the city council may adopt overlay districts to promote specific orderly development or to protect some specific sensitive natural resource.
- (b) The following overlay regulations are in addition to regulations imposed by the existing basic zoning use districts:

District Symbol	Intent and Primary Use
AP	Preserve commercial agriculture as a viable permanent land use and a significant economic activity within the city. Areas designated AP would provide land area for permanent economically viable commercial food production.
AZ	Protect life from potential aircraft catastrophe and noise by restricting development in airport zones.
FP	Protect the natural environment, homes and other structures from floodwaters by preserving the natural overflow areas of lakes, streams and rivers.

(c) The following overlay regulations are in lieu of regulations imposed by the existing basic zoning use districts:

District Symbol	Intent and Primary Use
LS-1	Protect the ecological and scenic views of natural, undeveloped water bodies from the harmful effects of development.
LS-2	Protect the recreational value of a water body while allowing residential development along the shoreline.

(Ord. No. 50, §§ 601.02--601.04, 12-7-1982)

Sec. 32-278. Floodplain (FP) overlay district.


- (a) *Permitted uses.* As permitted and regulated in chapter 14.
- (b) *Accessory uses.* As permitted and regulated under in chapter 14. (Ord. No. 50, § 605, 12-7-1982)

Sec. 32-279. Airport overlay (AZ) district.

- (a) Permitted uses, accessory uses and conditional uses are as specifically provided in this section and in addition to other use regulations covering the same land. The airport zoning district applies to private or publicly owned and operated airfields and the adjacent areas. The specific regulations in this district are in addition to rather than in lieu of regulations imposed by any other zoning classifications for the same land.
 - (b) The purpose of these regulations is to:
 - (1) Limit the development and future construction to a reasonable height and use so as not to constitute a hazard for planes operating from the airfields.

- (2) Control the type and extent of land development adjacent to and near the airfields so as not to impede present or future air operations of public benefit and to protect the public from hazards, air traffic noise, and other disturbances.
- (c) The following zones are hereby established:
- Qualified land use zone. Uses shall not be permitted within this zone which might result in an assembly of persons; manufacturing or storage of materials which explode on contact; and the storage of flammable liquid above ground. Prohibited uses shall include educational, institutional, amusement and recreational. Permitted uses shall include single-family homes. No use may be permitted in such a manner as to create electrical interference with radio communications between the airport and aircraft, make it difficult for pilots to distinguish between airport and other lights, result in glare in the eyes of pilots using the airport, impair visibility in the vicinity of the airport, or otherwise endanger the landing, taking off or maneuvering of aircraft.


Fan-Shaped 2-Mile Area Starting at End of Runway




- (2) Airport zoning. Except as otherwise provided in this article and except as required necessary and incidental to airport operations or recommended by or in accordance with the rules of the Federal Aviation Agency, no structure shall be constructed, altered or maintained, and no trees shall be allowed to grow so as to project above the landing area or any of the airports' referenced imaginary surfaces described below:
 - a. Horizontal surface--a circular plane, 150 feet above the established airport elevation, with a radius from the airport reference point of 5,000 feet.
 - b. Conical surface--a surface extending from the periphery of the horizontal surface outward and upward at a slope of 20 vertical to one for the horizontal distance of 7,000 feet and to the elevation above the airport elevation of 500 feet.
 - c. Primary surface--a surface longitudinally centered on a runway and extending in length 200 feet beyond each end of a runway. The elevation of any point on the longitudinal profile of a primary surface, including the extensions, coincides with the elevation of the centerline of the runway, or the extension, as appropriate. The width of a primary surface is 250 feet.
 - d. Approach surface--a surface longitudinally centered on the extended centerline of the runway, beginning at the end of the primary surface, with slopes and dimensions as follows: The surface begins 250 feet wide at the end of the primary surface and extends outward and upward at a slope 20 vertical to one horizontal, expanding to a

- width of 2,250 feet at a horizontal distance 10,000 feet.
- e. Transitional surfaces--these surfaces extend outward and upward at right angles to the runway centerline at a slope of seven vertical to one horizontal from the edges of the primary and the approach surfaces until they intersect the horizontal or conical surface.
- (d) The following shall apply to the airport landing area, approach area, width, slope, horizontal surface and conical surface:

Maximum Height of Buildings, Structures and Trees Below a Runway Approach Surface--



Approach Surface Elevation. All height limitations are computed from the established airport elevation.



(Ord. No. 50, § 607, 12-7-1982)

State Law References: Airport zoning, Minn. Stats. § 360.061 et seq.

Sec. 32-280. Lake and shoreland management overlay district.

- (a) *Permitted uses.* As permitted and regulated under chapter 12 article VII.
- (b) Accessory uses. As permitted and regulated under chapter 12 article VII. (Ord. No. 50, \S 609, 12-7-1982)

Sec. 32-281. Agricultural land preservation (AP) district.

- (a) *Permitted uses*. As permitted and regulated under the city agricultural land preservation overlay district regulations.
- (b) Accessory uses. As permitted and regulated under the city agricultural land preservation overlay district regulations. (Ord. No. 50, § 610, 12-7-1982)

Secs. 32-282--32-310. Reserved.

ARTICLE IV. SUPPLEMENTAL REGULATIONS

DIVISION 1. GENERALLY

Sec. 32-311. Minimum standards; purpose.

All uses, buildings and structures permitted pursuant to this chapter shall conform to the performance and design standards set forth in this section. Said standards are determined to be the minimum standards necessary to comply with the intent and purposes of this Code as set forth in this article. (Ord. No. 50, § 701, 12-7-1982)

Sec. 32-312. The principal building.

- (a) Quantity permitted. Except as provided by a conditional use permit issued pursuant to this chapter, there shall be no more than one residential dwelling unit on any one parcel of land as described in section 32-246, regarding lot provisions.
- (b) Certain structures prohibited for dwelling. No cellar, garage, recreational vehicle or trailer, basement with unfinished exterior structure above, or accessory building shall be used at anytime as a dwelling unit.
- (c) *Multiple uses.* Principal buildings with more than one use, in which one of those uses is a dwelling unit, shall require a conditional use permit.
- (d) *Provision for future*. All principal buildings hereafter erected on unplatted land shall be so placed as to avoid obstruction of future street or utility extensions and shall be so placed as to permit reasonably anticipated future subdivisions and land use.
- (e) Required standards. All principal buildings shall meet or exceed the minimum standards of the state building code, the state fire code, the state department of health, the state pollution control agency, and the county individual sewage treatment system ordinance, except that manufactured homes shall meet or exceed the requirements of the state manufactured home building code in lieu of the state building code.
- (f) *Keeping animals*. The keeping of animals except for domesticated pets inside of the dwelling unit shall be prohibited.
- (g) Seasonal principal buildings. All existing principal buildings in residential districts with nonwinterized construction or inadequate nonconforming year-round on-site sewage treatment systems shall be considered a seasonal principal building.
 - (1) No building permit shall be issued for the improvement of a seasonal principal building to a continuous year-round (365 days) habitable dwelling unit unless the existing building conforms, or the building after such improvement (including septic systems) will conform with all the requirements of the state building code.
 - (2) Any alterations, modifications or enlargements of an existing seasonal principal building for the purpose of continuing the seasonal use shall require a conditional use permit.

- (h) Single-family detached dwellings. In all districts where single-family detached dwellings are permitted, the following standards shall apply for single-family detached dwellings, including manufactured homes, except that these standards shall not apply to manufactured homes permitted by section 32-338:
 - (1) *Minimum width*. The minimum width of the main portion of the structure shall be not less than 20 feet, as measured across the narrowest portion.
- (2) Foundations. All dwellings shall be placed on a permanent foundation and anchored to resist overturning, uplift and sliding, in compliance with the state building code. (Ord. No. 50, § 702, 12-7-1982)

Sec. 32-313. Accessory buildings and other non-dwelling structures.

- (a) Types of buildings. Accessory buildings and other non-dwelling structures include the following: storage or tool sheds; detached residential garages; detached rural storage buildings; detached domesticated farm animal buildings; agricultural farm buildings; non-accessory, non-dwelling structures. Said buildings are defined as follows:
 - (1) Storage or tool shed means an accessory building of less than 120 square feet gross area with a maximum roof height of 12 feet.
 - (2) Detached residential accessory building means an accessory building used or intended for the storage of motor driven passenger vehicles, hobby tools, garden equipment, workshop equipment, etc., with a maximum gross area regulated in subsection (b) of this section.
 - (3) Detached domesticated farm animal building means an accessory building used or intended for the shelter of domestic farm animals and/or related feed or other farm animal supportive materials. Said building shall be regulated by subsections (b), (m) and (n) of this section.
 - (4) Agricultural farm building means an accessory building used or intended for use on a rural farm as defined in section 32-1, the definition agricultural building.
 - (5) *Non-accessory, non-dwelling structures* means a structure intended for uses permitted by conditional use permit. (Refer to section 32-245 and subsection (b) of this section.)
- (b) Permitted uses and sizes of accessory buildings and other non-dwelling structures. The limitations in this subsection (b) also govern sizes of structures granted under a conditional use permit (CUP). Abbreviations used in this subsection are: CUP=conditional use permit; CC=certificate of compliance
 - (1) Storage, boat or tool shed.
 - a. Permit required: None. See subsection (a)(1) of this section.
 - b. Maximum square footage: 120.
 - c. Maximum roof height: 12 feet.
 - Maximum number allowed: One.
 - (2) Detached accessory building.
 - a. All parcels with less than one buildable acre:
 - 1. Permit required: Building.
 - 2. Maximum combined total square footage: 1,000.
 - 3. Maximum roof height: 35 feet.
 - 4. Number of buildings allowed: 2.
 - b. All parcels 1.01 acre to 2.99 acre:

- 1. Permit required: Building and CC.
- 2. Maximum combined total square footage: 1,500.
- 3. Maximum height: 35 feet.
- 4. Number of buildings allowed: 2.
- c. All parcels 3 acres to 4.99 acres:
 - 1. Permit required: Building and CC.
 - 2. Maximum combined total square footage: 2,000.
 - 3. Maximum height 35 feet.
 - 4. Number of buildings allowed: 2.
- d. All parcels 5 to 9.59 acres:
 - 1. Permit required: Building and CC.
 - 2. Maximum combined total square footage: 2,500.
 - 3. Maximum Height: 35 feet.
 - 4. Number of buildings allowed: 3.
- e. All parcels 9.6 to 14.99 acres:
 - 1. Permit required: Building and CC.
 - 2. Maximum combined total square footage: 3,500.
 - 3. Maximum height: 35 feet.
 - 4. Number of buildings allowed: 4.
- f. All parcels 15 to 19.99 acres:
 - 1. Permit required: Building and CC.
 - 2. Maximum combined total square footage: 4,000.
 - 3. Maximum Height: 35 feet.
 - 4. Number of buildings allowed: 4.
- g. All parcels 20 acres or more: No limit.
- (3) Non-accessory, non-dwelling structures:
 - a. Permits required: CUP and building.
 - b. Maximum combined total square footage: Under 20 acres: as per permit.
 - c. Twenty or more acres: as per permit.
- (4) A certificate of compliance is required on all buildings over 1,000 square feet in area and for all buildings housing animals. For agricultural buildings on rural farm (as defined in section 32-1, agricultural building) only a CC is required.
- (5) No land shall be subdivided so as to have a larger building and/or exceed the total number of buildings as permitted by this section. The square footage of a building is calculated based upon the footprint of the foundation or main floor, whichever is larger, and includes any overhangs which are supported by posts or additional foundation support. Any accessory building may have a lower level, main level and loft area and still be considered an accessory

building.

- (6) No portion of an accessory building may be used for human habitation.
- (c) *Tool sheds.* A tool shed as defined in this section may be placed on any lot in addition to the permitted number of accessory buildings.
- (d) Building permit for principal building a prerequisite. No accessory building shall be constructed nor accessory use permitted on a lot until a building permit has been issued for the principal building to which it is accessory.
- (e) Garages. A detached garage, when there is no garage attached to the principal building, which is 720 square feet or less in size shall not count as one of the accessory buildings or in calculating the square footage limitation, even if it is more than six feet from the principal building, as long as the detached garage exterior matches the exterior design and color of the principal building.
- (f) Accessory building as part of principal building. An accessory building shall be considered as an integral part of the principal building if it is located six feet or less from the principal building. The exterior design and color shall be the same as that of the principal building or be of an earthen tone; the height shall not exceed the height of the principal structure unless more restrictive portions of this chapter prevail.
- (g) *Height restrictions*. No accessory building in a commercial district shall exceed the height of the principal building, except by conditional use permit.
- (h) *Placement*. Accessory buildings in the commercial districts may be located to the rear of the principal building, subject to the building code and fire zone regulations.
 - (i) Conforming lots.
 - (1) A detached garage or other accessory building which is in front of the principal structure and set back 300 feet or more from the front lot line may be constructed after the issuance of a certificate of compliance without having to meet the requirements set forth in subsection (i)(2)a, b, and c of this section.
 - (2) A detached garage or other accessory building which is less than 300 feet from the front lot line and in front of the principal structure on the lot may be constructed after the issuance of a certificate of compliance, provided that the detached garage or accessory building meets the following requirements:
 - a. The detached garage or accessory building meets the setback requirements of the underlying zoning district; and
 - b. The exterior of the detached garage or other accessory building is consistent with the design and character of the principal structure on the lot on the effective date of the ordinance from which this article is derived; and
 - c. The applicant is issued a building permit for the detached garage or accessory building if one is required.
 - (3) Nonconforming lots. A detached garage or other accessory building may have the same setback as the principal building on a lot by issuance of a certificate of compliance, provided that the detached garage or accessory building meets the following requirements:
 - a. The exterior of the detached garage or other accessory building is consistent with the design and character of the principal structure; and

- b. The applicant is issued a building permit for the detached garage or accessory building if one is required.
- (j) Lake frontage lots. Accessory structures located on lake frontage lots may be located between the public road and the principal structure, provided they can meet all other setbacks of the district.
- (k) *Ice fishing houses.* Licensed ice fishing houses stored on parcels of land during summer months shall not be considered an accessory storage building. Licensed ice fishing houses shall meet the size limitations of subsection (b)(1) of this section and all other provisions of this chapter, except subsection (l) of this section.
- (l) Requirements for larger accessory buildings. Accessory buildings larger than 120 square feet shall require a building permit regardless of improvement value. Roof and wind load shall conform to requirements as contained in the state building code. Agricultural buildings shall be exempt from the state building code and do not require a building permit.
- (m) *Certificate of compliance*. An application for a certificate of compliance required for approval and construction of a detached domesticated farm animal building shall include the following:
 - (1) A site plan illustrating, within 500 feet of the proposed structure, all adjacent property owners' lot lines, houses, septic systems, fences, wells, animal buildings and other structures and feed storage areas; all wet marshy areas, drainageways and shorelines; all proposed grazing areas on the site; all new utility extensions and driveway accesses to the proposed building; all manure storage and disposal areas.
 - (2) A written soil inventory and evaluation from the county soil conservation district, if requested by the city council.
 - (3) Details of the building floor plan, elevations, materials and color of structure.
- (n) Placement for agricultural buildings. The placement of detached agricultural buildings and domestic farm animal buildings shall be according to the following performance standards:
 - (1) Setbacks. All domestic farm animal buildings and manure storage sites shall be set back horizontally from natural or manmade features as follows:
 - a. Any property line: 100 feet.
 - b. Any existing well or residential structure on the same parcel: 50 feet.
 - c. Any existing well or residential structure on adjacent or nearby parcel: 200 feet.
 - d. Any body of seasonal or year-round surface of water: 200 feet.
 - (2) Slopes. Said building, feedlot or manure storage shall not be placed on slopes which exceed 13 percent.
 - (3) Evidence of the seasonally high groundwater level or mottled soil (as established by six foot borings) shall not be closer than four feet to the natural surface ground grade in any area within 100 feet of the proposed building and/or feedlot.
 - (4) No marsh or wetland (as established by the predominant wetland vegetation and/or soils) shall be utilized for placement of the proposed structure, feedlot or grazing area.

(Ord. No. 50, § 703, 12-7-1982; Ord. No. 54, § 2, 1-3-1984; Ord. No. 54-A, § 2, 1-3-1984; Ord. No. 60, § 1-3, 9-1-1987; Ord. No. 67, §§ 1, 2, 4-6-1992; Ord. No. 68, § 1, 2-1-1994; Ord. No. 2002-93, § 1, 5-7-2002; Ord. No. 2004-112, § 1, 10-5-2004)

Sec. 32-314. Public convenience structures.

No public use or convenience structure shall be located within the public right-of-way except by a certificate of compliance issued by the zoning administrator. Such structures shall include, but not be limited to, trash containers, institutional direction signs, bicycle racks, benches, planting boxes, awnings, flagpoles, bus shelters, light standards, stairs, stoops, light wells, newspaper storage containers, loading wells, signs and others. Such structures do not include utility facilities. (Ord. No. 50, § 704, 12-7-1982)

Sec. 32-315. Fences.

- (a) Fences may be permitted in all yards subject to the following:
- (1) Solid walls in excess of four feet above adjacent ground grades shall be prohibited.
- (2) That side of the fence considered to be the face (finished side as opposed to structural supports) shall face abutting property.
- (3) Fences over six feet in height from the finished grade shall require a building permit in addition to any other required permits.
- (4) No fences shall be permitted on public rights-of-way.
- (b) Fences may be permitted along property lines subject to the following:
- (1) Fences may be placed along property lines provided no physical damage of any kind results to abutting property.
- (2) In residential districts, fences on or within three feet of property lines shall require a certificate of compliance.
- (3) Fences in commercial districts may be erected on the lot line to a height of six feet; to a height of eight feet with a security arm for barbed wire.
- (4) Fences in residential districts may be located on any side or rear lot line to a height of four feet above finished grade.
- (5) Fences alongside and rear interior lot lines beginning at the rear building line of the principal structure shall be a maximum of six feet in height except as noted in subsection (b)(6) of this section.
- (6) Should the rear lot line of a lot be common with the side lot line of an abutting lot, that portion of the rear lot line equal to the required front yard of the abutting lot shall not be fenced to a height of more than four feet.
- (7) Where the property line is not clearly defined, a certificate of survey may be required by the zoning administrator to establish the property line.
- (c) Fences may be permitted within required yards subject to the following:
- (1) Fences located within the side and rear yard nonbuildable setback areas beginning at the rear building line shall not exceed six feet in height from finished grade.
- (2) In residential districts, fences in excess of 36 inches in height along or within the front nonbuildable setback area and less than 20 feet from the front property line shall require a certificate of compliance.
- (3) Fences located within the buildable area of a lot or eight feet or more from the rear lot line may be up to eight feet in height.
- (4) Fences in commercial districts located within nonbuildable setback areas shall not exceed six

feet in height from finished grade to a height of eight feet with a security arm for barbed wire. (Ord. No. 50, § 705, 12-7-1982)

Sec. 32-316. Exterior storage.

- (a) In nonresidential districts, exterior storage of personal property may be permitted by conditional use permit provided any such property is so stored for purposes relating to a use of the property permitted by this chapter and will not be contrary to the intent and purpose of this chapter.
- (b) In all districts, all waste, refuse or garbage shall be kept in an enclosed building or properly contained in a closed container designed for such purposes. The owner of vacant land shall be responsible for keeping such land free of refuse and weeds. Existing uses shall comply with this provision within 90 days following the effective date of the ordinance from which this article is derived.
- (c) Unlicensed passenger vehicles and trucks shall not be parked in residential districts for a period exceeding seven days.
- (d) All exterior storage not included as a permitted accessory use or a permitted use, or included as part of a conditional use permit or otherwise permitted by provisions of this chapter, shall be considered as refuse.

(Ord. No. 50, § 706, 12-7-1982)

Sec. 32-317. Environmental pollution issues.

- (a) Conformance to state regulations. All uses, buildings and structures shall conform to the regulations of the state pollution control agency relating to air, water, noise and solid wastes.
- (b) *Tributary pollution*. No use shall be permitted which will cause or result in the pollution of any tributary of the St. Croix River, Mississippi River, or any lake, stream or other body of water in the city.
- (c) *Storage of chemicals*. Chemical insecticides or herbicides shall be stored, handled and utilized as per the standards set forth by the state pollution control agency. (Ord. No. 50, § 707, 12-7-1982)

Sec. 32-318. Screening.

- (a) Screening shall be required in residential zones where:
- (1) Any off-street parking area contains more than four parking spaces and is within 30 feet of an adjoining residential zone; and
- (2) The driveway to a parking area of more than six parking spaces is within 15 feet of an adjoining residential use or zone.
- (b) Where any business use (structure, parking or storage) is adjacent to property zoned for residential use, that business shall provide screening along the boundary of the residential property. Screening shall also be provided where a business or parking lot is across the street from a residential zone, but not on the side of a business considered to be the front of the business. Existing uses shall comply with this provision within 12 months following enactment of the ordinance from which this article is derived.
 - (c) All exterior storage shall be screened. The exceptions are:
 - (1) Merchandise being displayed for sale;
 - (2) Materials and equipment currently being used for construction on the premises; and

- (3) Merchandise located on service station pump islands.
- (d) The screening required in this section shall consist of earth mounds, berms or ground forms; fences and walls; landscaping (plant materials) or landscaped fixtures (such as timbers) used in combination or singularly so as to block direct visual access to an object.

(Ord. No. 50, § 708, 12-7-1982)

Sec. 32-319. Landscaping.

- (a) Landscaping on a lot shall consist of a finish grade and a soil retention cover such as sod, seed and mulch, plantings or as may be required by the zoning administrator to protect the soil and aesthetic values on the lot and adjacent property.
- (b) In all districts, all developed uses shall provide landscaping from the urban curb and gutter to the road right-of-way lines. This landscaped yard shall be kept clear of all structures, exterior storage and off-street parking.
- (c) Landscaping shall be provided and maintained on all required front and side yards in all developed districts except where pavement or crushed stone is used for walkways or driveways. (Ord. No. 50, § 709, 12-7-1982)

Sec. 32-320. Reasonable maintenance required.

In all districts, all structures, landscaping and fences shall be reasonably maintained so as to avoid health and safety hazards and prevent a degradation in the value of adjacent property. (Ord. No. 50, § 710, 12-7-1982)

Sec. 32-321. Lighting, lighting fixtures and glare.

- (a) In all districts, any lighting used to illuminate an off-street parking area or other structure or area shall be arranged as to deflect light away from any adjoining residential zone or from the public streets. Direct or sky-reflected glare, whether from floodlights or from high temperature processes such as combustion or welding shall not be directed into any adjoining property. The source of light shall be hooded or controlled so as not to light adjacent property. Bare light bulbs shall not be permitted in view of adjacent property or public rights-of-way. No light or combination of lights which cast light on a public street shall exceed one footcandle meter reading as measured from the centerline of said street, nor shall any light or combination of lights which cast light on residential property exceed 0.4 footcandles.
- (b) Lighting standards shall not exceed 25 feet of the height of the principal building on a lot without a conditional use permit. (Ord. No. 50, § 711, 12-7-1982)

Sec. 32-322. Off-street loading and unloading areas.

- (a) Location. All required loading berths shall be off-street and shall be located on the same lot as the building or use to be served. A loading berth shall be located at least 25 feet from the intersection of two street rights-of-way and at least 50 feet from a residential district, unless within a building. Loading berths shall not occupy the required front yard space.
- (b) *Size*. Unless otherwise specified in this chapter, a required loading berth shall be not less than 12 feet in width, 50 feet in length and 14 feet in height, exclusive of aisle and maneuvering space.
 - (c) Access. Each required loading berth shall be located with appropriate means of vehicular

access to a street or public alley in a manner which will least interfere with traffic.

- (d) *Surfacing*. All loading berths and accessways shall be improved with a hard surface to control the dust and drainage before occupancy of the structure.
- (e) *Prohibited uses.* Any space allocated as a loading berth or maneuvering area so as to comply with the terms of this chapter shall not be used for the storage of goods or inoperable vehicles or be included as a part of the space necessary to meet the off-street parking area requirements.
- (f) Mandatory provision. Any structure erected or substantially altered for a use which requires the receipt or distribution of materials or merchandise by trucks or similar vehicles shall provide off-street loading space as required for a new structure. (Ord. No. 50, § 713, 12-7-1982)

Sec. 32-323. Traffic control.

- (a) The traffic generated by any use shall be controlled so as to prevent congestion of the public streets, traffic hazards, and excessive traffic through residential areas, particularly truck traffic. Internal traffic shall be so regulated as to ensure its safe and orderly flow. Traffic into and out of business areas shall in all cases be forward moving with no backing into streets.
- (b) On any corner lot, nothing shall be placed or allowed to grow in such manner within 15 feet of the intersecting street right-of-way lines as to impede vision between a height of 2 1/2 and ten feet above the centerline grades of the intersecting streets. This restriction shall also apply to the planting of crops and to yard grades that result in elevations that impede vision within 15 feet of any intersecting street right-of-way lines. (Ord. No. 50, § 714, 12-7-1982)

Sec. 32-324. Explosives permitted only by exception.

No activities involving the commercial storage, use or manufacture of materials or products which could decompose by detonation shall be permitted except as are specifically permitted by the city council. Such materials shall include but not be confined to all primary explosives such as lead-acid and mercury fulminate; all high explosives and boosters such as TNT, tetryl and nitrates; propellants and components thereof, such as nitrocellulose, black powder and nitroglycerine; blasting explosives such as dynamite; and nuclear fuel and reactor elements such as uranium 235 and plutonium.

(Ord. No. 50, § 716, 12-7-1982)

Sec. 32-325. Fallout shelters.

Fallout shelters may be permitted in any district subject to the yard regulations of the district. Such shelters may contain or be contained in other structures or be constructed separately, and in addition to shelter use, may be used for any use permitted in the district, subject to the district regulations on such use. (Ord. No. 50, § 717, 12-7-1982)

Sec. 32-326. Guesthouses.

- (a) *Definition.* The term "guesthouse," for the purpose of this section, means an accessory building detached from the principal building with temporary accommodations for sleeping, but having no kitchen facility. It is intended for the use of persons visiting the occupants of the principal structure.
- (b) Conformance requirements. Guesthouses, where permitted, shall conform to all requirements of this Code and other regulations applicable to residential dwellings, and setback and yard requirements in relation to the principal structure.

- (c) *Parking provisions.* All guesthouses shall have designated off-street parking spaces.
- (d) *Certificate of compliance*. A certificate of compliance and building permit shall be required for a guesthouse. (Ord. No. 50, § 718, 12-7-1982)

Sec. 32-327. Bed and breakfasts.

- (a) Accessory use. A bed and breakfast facility must be accessory to the use of a property as a single-family residential home. This means that the individual or family who operates the facility must also occupy the house as their primary residence. The house must be at least five years old before a bed and breakfast facility is allowed.
- (b) *Maximum size*. Bed and breakfast facilities are limited to a maximum of four bedrooms available for rent to guests. All guest rooms shall be contained within the principal structure.
- (c) *Employees*. There shall be no more than one person employed by the bed and breakfast residence who is not a resident of the dwelling.
- (d) Location. The location of another bed and breakfast use within 1,500 feet on a lot size of less than ten acres is prohibited. There is no location restriction for bed and breakfast uses located on parcels of ten acres in size or more.
- (e) Permits/licenses required. No bed and breakfast use may be lawfully established without first obtaining a conditional use permit pursuant to the provisions of division 5 of article I of this chapter. Additionally, before issuance of a conditional use permit, an applicant must show satisfactory written proof that the property has been inspected and approved by the fire marshal, building official, and health department, and that all required licenses have been issued by the county and/or the state.
- (f) Lighting. Lighting shall be provided and shall be kept to a contiguous, compact and well-defined area between the residential structure and parking area. Any additional exterior lighting for the bed and breakfast is prohibited.
- (g) *Parking*. All parking, whether for guests, property owners, invitees, or employees, shall be on-site. No parking shall be allowed on any public streets or roads.
- (h) Signage. Bed and breakfast establishments are allowed an identification sign not exceeding four square feet in size. The signs shall be located on site. The sign must match the architectural features of the primary residential structure.
- (i) Recreational uses. No other recreational uses shall be allowed in conjunction with the operation of the bed and breakfast such as, but not limited to, bicycling, sailing, horseback riding, canoeing, or hiking, unless said recreational uses are specifically allowed and provided for within the conditional use permit.
 - (j) Miscellaneous provisions.
 - (1) Septic system. The septic system shall be up to code and sized for the proposed use. The property must also contain adequate space for an alternative approved septic site.
 - (2) *Smoke alarms*. Smoke alarms shall be installed and maintained according to the requirements of the fire inspection.
 - (3) Maximum length of stay. No guest shall stay in the facility for more than 14 days within any

- 30-day period.
- (4) *Use restrictions.* The facility shall not be used for commercial receptions, parties, or other public gatherings, or for the serving of meals to nonresident guests for compensation. Additionally, there shall be no cooking in the guest rooms.
- (5) *Liquor license*. No liquor is to be sold or served on the premises unless the operator has first obtained a liquor license from the city.
- (6) Guest logbook. All bed and breakfast facilities must maintain a guest logbook that must include the names and home addresses of guests, guest license plate numbers if travelling by automobile, dates of stay, and the room number of each guest. The log must be available for inspection by city staff upon request.
- (7) Appearance. Residential structures may be remodeled for the development of a bed and breakfast facility. However, structural alterations may not be made which prevent the structure from being used as a residence in the future. Internal or external changes which will make the dwelling appear less residential in nature or function are not allowed. Examples of such alterations include paving of required setbacks and commercial-type exterior lighting.

(Ord. No. 1997-78, §§ 719.012--719.032, 9-2-1997)

Sec. 32-328. Horse boarding and training.

- (a) Allowable without permit; conditions. The boarding and training of horses shall be permitted without the necessity of a conditional use permit if the following requirements are met:
 - (1) The maximum number of horses allowed on a parcel used for boarding and training is ten horses. No horse shall be placed on a site with less than a minimum of five acres. The number of horses allowed on a parcel shall be limited to one horse for every two grazable acres. The definition of grazable acres is set forth in section 32-337(g) and is incorporated herein by reference. In calculating the grazable acres, the area of the foundation or footprint of the buildings on a parcel shall be deducted and not included in the calculation of grazable acres.
 - (2) Adequate and appropriate arrangements have been made for the proper storage and disposal of manure and compliance with section 32-337.
 - (3) Adequate and appropriate arrangements have been made to preclude surface or groundwater contamination, and proper drainage and all boarding and training operations must comply with sections 32-341, 32-342 and 32-343.
 - (4) All exterior lighting used in the boarding and training operation shall comply with section 32-321, commonly referred to as the city lighting ordinance.
 - (5) The boarding and training operation shall conform to section 32-332, commonly referred to as the city noise ordinance.
- (b) Criteria for conditional use permit. In the event that a conditional use permit is applied for, the applicant must meet the standards set forth in subsection (a) of this section, except subsection (a)(1) of this section, and the following shall be considered and reviewed by the city council:
 - (1) Plan for the storage and removal of manure and control of odors from the operation.
 - (2) Traffic and parking plan for the operation of the boarding and training facility.
 - (3) Lighting plan.
 - (4) Schedule of plans for equestrian events (sorting, rodeo, shows) to be held on site.

- (5) Hours of operation.
- (6) Noise issues and plan to dissipate the noise by screening or otherwise.
- (7) Fencing and building plans with appropriate setbacks from adjoining properties, roads and buildings on and off the site.
- (c) Revocation. A violation of this section could result in revocation of the permit, imposition of a fine under chapter 2, article V and/or criminal charges for a misdemeanor violation which is punishable by a fine and/or jail.
- (d) *Other requirements*. These requirements are in addition to those set forth in division 5, article II of this chapter governing the issuance of a conditional use permit. (Ord. No. 2004-109, § 3(720), 8-3-2004)

Sec. 32-329. Radiation and electrical interference prohibited.

No activities shall be permitted that emit dangerous radioactivity beyond enclosed areas. There shall be no electrical disturbance (except from domestic household appliances) adversely affecting the operation of ordinary business or household equipment and appliances. Any such emissions are hereby declared to be a nuisance.

(Ord. No. 50, § 721, 12-7-1982)

Sec. 32-330. Environmental nuisances.

- (a) Local standards. Excluding normal farming activities, no odors, vibration, noise, smoke, air pollution, liquid or solid wastes, heat, glare, dust or other such sensory irritations or health hazards shall be permitted in any district in excess of the minimum standards as set forth in this section. Any violation of said standards is hereby declared a nuisance. The minimum standards shall be as follows:
 - (1) *Odors*. Any use shall be so operated as to prevent the emission of odorous or solid matter of such quality or quantity as to be reasonably objectionable at any point beyond the lot line of the site on which the use is located.
 - (2) *Vibration*. The following vibrations are prohibited:
 - a. Any vibration discernible (beyond the property line) to the human sense of feeling for three minutes or more duration in any one hour.
 - b. Any vibration resulting in any combination of amplitudes and frequencies beyond the safe range of the standards of the United States Bureau of Mines, or comparable standards, on any structure.
 - (3) *Noise*. Any use shall be so operated as to prevent the emission of noise of such volume or duration as to be reasonably objectionable at any point beyond the lot line of the site on which the use is located.
 - (4) Toxic or noxious matter. Any use shall be so operated as not to discharge across the boundaries of the lot or through percolation into the atmosphere or the subsoil beyond the boundaries of the lot wherein such use is located toxic or noxious matter in such concentration as to be detrimental to or endanger the public health, safety, comfort or welfare, or cause injury or damage to property or business.
 - (5) Air pollution. Any use shall be so operated as to control the emission of smoke or particulate matter to the degree that it is not detrimental to or a danger the public health, safety, comfort or general welfare.

- (6) Animals. Any building in which domestic farm animals are kept shall be a minimum distance of 100 feet from all lot lines. (See section 32-313(n).)
- (b) State standards. Notwithstanding anything contained herein to the contrary, the minimum standards of the state pollution control agency as to noise, air and water pollution, and glare, shall be the minimum standards for purpose of this section. (Ord. No. 50, § 722, 12-7-1982)

Sec. 32-331. Other nuisances.

- (a) *Unlicensed vehicles*. It shall be a nuisance for any person to store or keep any vehicle of a type requiring a license to operate on the public highway, but without a current license attached thereto, whether such vehicle be dismantled or not, outside of an enclosed building in residential or agricultural districts.
- (b) *Junkyards*. It shall be a nuisance to create or maintain a junkyard or vehicle dismantling yard except as provided in this Code.
- (c) Dangers to public health. The following are declared to be nuisances endangering public health:
 - (1) Causing or suffering the effluent from any cesspool, septic tank, drainfield or human sewage disposal system to discharge upon the surface of the ground, or dumping the contents thereof at any place except as authorized by the state pollution control agency.
 - (2) Causing or suffering the pollution of any public well or cistern, stream or lake, canal or body of water by sewage, industrial waste or other substances.
 - (3) Causing or suffering carcasses of animals not buried or destroyed or otherwise disposed of within 24 hours after death.
- (d) Dangers to public peace and safety. The following are declared to be nuisances affecting public peace and safety:
 - (1) The placing or throwing on any street, alley, road, highway, sidewalk or other public property of any glass, tacks, nails, bottles or other nuisances which may injure any person or animal or may cause damage to any pneumatic tire when passing over the same.
 - (2) The ownership, possession or control of any unused refrigerator or other container, with doors which fasten automatically when closed, of sufficient size to retain any person, and which is exposed and accessible to the public, without removing the doors, lids, hinges or latches, or providing locks to prevent access by the public.

(Ord. No. 50, § 723, 12-7-1982)

Sec. 32-332. Noise control.

- (a) *Noise prohibited.* It shall be unlawful to make, continue or cause to be made or continued, any noise in excess of the noise levels set forth unless such noise be reasonably necessary to the continuation of normal farming practices or preservation of life, health, safety, or property.
- (b) Noise limits. Any activity not expressly exempted by this section which creates or produces sound, regardless of frequency, exceeding the ambient noise levels at the property line of any property by more than six decibels, as designated at the time and place in the following table and for the duration there mentioned, shall be deemed to be a violation of this section, but any enumeration herein shall not be deemed to be exclusive.

	6:00 p.m10:00 p.m. (R-1 districts), and		
	7:00 a.m6:00 p.m.	6:00 p.m7:00 a.m.	10:00 p.m7:00 a.m.
Duration of Sound	(all districts)	(all other districts)	(Residential districts)
Less than 10 minutes	75 dB	70 dB	60 dB
Between 10 minutes and 2 hours	70 dB	60 dB	50 dB
In excess of 2 hours	60 dB	50 dB	40 dB

- (c) *Measurement of noise.* In determining whether a particular sound exceeds the maximum permissible sound level are as set forth in column III in the table in subsection (b) of this section:
 - (1) Sounds in excess of the residential district limitations as measured in a residential district or other district:
 - (2) During all hours of Sundays and state and federal holidays, the maximum allowable decibel levels for residential districts.
- (d) *Exemptions*. Sounds emanating from operation of the following are exempt from the provisions of this section:
 - (1) Motor vehicles on public highways;
 - (2) Aircraft;
 - Outdoor implements such as power lawn mowers, snowblowers, power hedge clippers and power saws; and
 - (4) Pile drivers or jackhammers and other construction equipment from lawful and proper activities at school grounds, playgrounds, parks or places wherein athletic contests take place.
- (e) Construction equipment. Except as hereinafter provided, no pile driver, jackhammer or other construction equipment shall be operated between the hours of 6:00 p.m. to 7:00 a.m. on weekdays and during any hours on Saturdays, Sundays and state and federal holidays, except under conditional use permit provided below, and no such equipment shall be operated at any time if the sound level from such operation exceeds 100 decibels measured along any property line; provided however, that said decibel maximum sound limit is reduced to 95 decibels effective the second anniversary of the enactment of the ordinance from which this section is derived, and 90 decibels effective the fourth anniversary; provided further, however, that such equipment, the operation of which conforms to the maximum allowable sound levels as prescribed herein may be operated during the above prohibited hours and days. When any of the above-named equipment is used for any purpose other than construction, the ambient noise levels apply.
 - (1) No internal combustion engine or any other power unit when operated in connection with construction or demolition equipment shall be operated at any time other than at the times set forth in this section, and any sound emitted from any such engine or power unit shall not exceed 83 decibels measured along the property line.
 - (2) If an emergency situation exists, or if substantial economic loss would result to any person unless allowed additional hours of equipment operation, a conditional use permit may be granted for extended hours of operation of such construction equipment and internal combustion engine or power unit as follows:
 - a. In the event of an emergency situation a permit may be granted for such operation during any hour of any day for a period not to exceed three days or less while the

- emergency continues and which permit may be renewed for periods of three days or less while the emergency continues.
- b. In the event of a determination of substantial economic loss to a person, a conditional use permit may be granted for such operation throughout the hours of 7:00 a.m. to 9:30 p.m. on weekdays and throughout the hours of 1:00 p.m. to 5:00 p.m. on Saturdays, Sundays and state and federal holidays, upon the condition that while any construction equipment, internal combustion engine or power unit is in operation, its location shall not be less than 600 feet in any direction from any dwellings, except that if, while any such construction equipment, internal combustion engine or power unit is in operation, its location shall be no less than 1,200 feet in any direction from any dwelling, a permit may be granted for operation during any hour of any day.
- (f) Outdoor implements. Except as hereinafter provided, any power lawn mower, snowblower, power hedgeclipper, power saw or such other implement designed primarily for outdoor use, shall be operated only between the hours of 7:30 a.m. to 9:00 p.m. on weekdays, or between the hours of 9:00 a.m. to 9:30 p.m. on Saturdays, Sundays and state and federal holidays; provided, however, that such equipment, the operation of which conforms to the maximum allowable sound levels as prescribed herein, may be operated during the above prohibited hours.

(Ord. No. 50, § 724, 12-7-1982)

Sec. 32-333. Coin-operated machines.

Coin-operated automatic machines dispensing food, soft drinks and other food and materials shall not be permitted outside of a building. (Ord. No. 50, § 725, 12-7-1982)

Sec. 32-334. Swimming pools.

- (a) *Standards*. In all districts where single-family dwelling units are permitted uses, the following standards apply:
 - (1) A building permit shall be required for any swimming pool with a capacity of over 5,000 gallons and/or with a depth of over 24 inches of water.
 - (2) An application for a building permit shall include a site plan showing:
 - a. The type and size of pool.
 - b. Location of pool, house, garage, fencing and other improvements on the lot.
 - c. Location of structures on all adjacent lots.
 - d. Location of filter unit, pump and information indicating the type of such units.
 - e. Location of back-flush and drainage outlets, grading plan, finished elevations and final treatment (decking, landscaping, etc.) around the pool.
 - f. Location of existing overhead and underground wiring, utility easements, trees and similar features, and location of any water-heating unit.
 - (3) Pools shall not be located within 20 feet of any septic tank/drainfield nor within six feet of any principal structure or frost footing. Pools shall not be located within any required front or side yard setbacks.
 - (4) Pools shall not be located beneath overhead utility lines nor over underground utility lines of any type.
 - (5) Pools shall not be located within any private or public utility, walkway, drainage or other

easement.

- (6) In the case of below-ground pools, the necessary precautions shall be taken during the construction, to:
 - a. Avoid damage, hazards or inconvenience to adjacent or nearby property.
 - b. Ensure that proper care shall be taken in stockpiling excavated material to avoid erosion, dust or other infringements upon adjacent property.
- (7) All access for construction shall be over the owner's land and due care shall be taken to avoid damage to public streets and adjacent private or public property.
- (8) To the extent feasible, back-flush water or water from pool drainage shall be directed onto the owner's property or into approved public drainageways. Water shall not drain onto adjacent or nearby private land.
- (9) The filter unit, pump, heating unit and any other noise-making mechanical equipment shall be located at least 50 feet from any adjacent or nearby residential structure and not closer than ten feet to any lot line.
- (10) Lighting for the pool shall be directed toward the pool and not toward adjacent property.
- (11) Swimming pool enclosures and protective devices.
 - a. Enclosures. Every person owning land within the city upon which there is presently situated an above- or below-ground swimming pool or who constructs such a swimming pool after the effective date of the ordinance from which this section is derived, either of which has a capacity of 3,000 gallons and/or a depth of 42 inches or more of water, shall erect and maintain thereon an adequate enclosure surrounding the property or pool area, sufficient to make such body of water inaccessible to children. Such enclosure, including gates therein, shall be not less than five feet above the underlying ground. All gates shall be self-closing and self-latching with latches placed four feet above the underlying ground and otherwise made inaccessible from the outside to children. Said fence shall be constructed in conformance with and subject to the state building code and approved and inspected by the city building inspector.
 - b. Protective devices. A pool cover or other protective device approved by the city building inspector shall be an acceptable enclosure so long as the degree of protection afforded by the substituted devices or structures is not less than the protection afforded by the enclosure, gate and latch described above and is in compliance with the American Society for Testing and Materials (ASTM) standard F1346. The substitution with such a pool cover or other protective device shall be done by the issuance of a certificate of compliance and shall be considered a variance (not a zoning-type variance) from the provision of subsection (a)(11)a of this section and a written request for the certificate of compliance and variance shall be submitted to the city clerk.
- Water in the pool shall be maintained in a suitable manner to avoid health hazards of any type. Such water shall be subject to periodic inspection by the local health officer.
- (13) All wiring, installation of heating units, grading, installation of pipes and all other installations and construction shall be subject to inspection.
- (14) Any proposed deviation from these standards and requirements shall require a variance in accordance with normal zoning procedures.
- (b) Fencing and drainage. In all zoning districts:

- (1) Required structure or safety fencing shall be completely installed within three weeks following the installation of the pool and before any water is allowed in the pool.
- (2) Drainage of pools into public streets or other public drainageways shall require written permission of the appropriate local public officials.

(Ord. No. 50, § 726, 12-7-1982; Ord. No. 2005-116, § 1, 6-7-2005)

Sec. 32-335. Interim uses and structures.

- (a) Conditional use permit required. Interim uses and structures may be placed in agricultural or business districts after obtaining a conditional use permit. These interim uses may be utilized in a temporary manner as specified by the city council, during which the development planned for the area in the city plan has not yet occurred.
- (b) Limitations on duration and activities. Interim uses and structures utilized for interim storage of wholesale or retail products or shelter of farm crops and animals shall be limited to a maximum of five years or as stipulated by the city council. No wholesale or retail sales or sales office activities shall occur on the site or in the structure.
- (c) Exemption from additional roadway requirement. Interim uses and structures shall not require additional public roadways.
- (d) Length of time specified by city council. The city council may specify the length of time which may be utilized for said interim use or structure. The specific length of time may be a condition of approval of the conditional use permit.
- (e) Valuation of structure. The planning commission and city council shall review the interim use or structure and shall limit the new structural investment on the site to a specific dollar amount, which through a graduated timetable of depreciation of the structure should reach zero book value at a specific year or length of time, after which the interim use or structure shall be removed.
- (f) Alteration of site prohibited. Grading or alteration of the site, except for driveway access and building construction shall not be permitted for interim uses or structures.
- (g) Recordation. Conditional use permits issued by the city council for an interim use or structure shall be recorded with the register of deeds by the applicant prior to the issuance of building permits or certificates of occupancy.

(Ord. No. 50, § 728, 12-7-1982)

Sec. 32-336. Automobile sales and showrooms.

The building and premises for automobile sales and showrooms shall meet the following requirements:

- (1) Setbacks and lot requirements.
 - a. *Parking*. A minimum of 25-foot-wide landscaped yard shall be required and maintained between any public street right-of-way and parking lots or buildings.
 - b. *Contiguous site.* Motor vehicle sales shall be on one lot or contiguous lots not separated by a public street, alley or other use.
 - c. Lot width. The minimum lot width shall be 150 feet at the minimum required front yard setback.

- d. Lot area. A minimum lot area of two acres shall be required.
- (2) Access driveways.
 - a. Distance of driveway from street intersection. The distance of the driveway from the street intersection shall not be less than 50 feet; provided, however, greater distances may be required to avoid reasonably anticipated traffic hazards.
 - Minimum distance between driveways. Minimum distance between driveways shall be 25 feet.
 - c. Minimum driveway angle to street. Minimum driveway angle to street shall be 60 degrees, unless otherwise approved by the city engineer.
 - d. Minimum distance between driveway and adjacent property shall be five feet.
 - e. No driveway shall exceed 25 feet in width.
- (3) Screening. A screen shall be erected and maintained along all property lines separating institutional, residential dwelling or business and professional office districts or uses. The screening required in this section shall be not less than five feet in height.
- (4) *Landscaping*. A landscaped yard shall be constructed and maintained on all areas of the site not devoted to the building or parking areas.
- (5) Surfacing. The entire site on which motor vehicle sales is located, other than that devoted to buildings and structures or landscaped areas, shall be hard surfaced and maintained to control dust, erosion and drainage, before operation of the business begins.
- (6) Parking for customers and employees. The following required parking spaces shall be shown and designated on the site plan:
 - a. *Customer parking*. A minimum of 16 customer parking spaces shall be provided for every acre of total site area in a commercial or business district, and in addition, three spaces for each 1,000 square feet of gross sales floor area.
 - b. *Employee parking*. A minimum of two employee parking spaces shall be provided for every three employees.
- (7) Parking for outside sales and storage. The maximum area permitted for outside storage of automobiles, new and used, shall not exceed five square feet of outside storage area to each one square foot of enclosed ground floor area. No more than one automobile shall be stored on each 300 square feet of outside paved storage area. No rooftop parking shall be permitted.
- (8) Surface drainage plan and improvements. A drainage plan shall illustrate all paved area surface drainage flows. Catchbasins and/or settling ponds shall be required to dispose of interior parking or display area drainage.

(Ord. No. 50, § 729, 12-7-1982)

Sec. 32-337. Livestock.

- (a) Prohibition of depositing manure without safeguards. No manure or livestock waste shall be deposited, stored, kept or allowed to remain in or upon any storage site or feedlot without reasonable safeguards adequate to prevent the escape or movement of such manure or waste or a solution thereof from the site which may result in pollution of any public waters or any health hazard.
- (b) Pollution control agency standard minimum requirements. All regulations imposed by the state pollution control agency relating to keeping of livestock shall be adhered to, and such regulations shall be considered the minimum safeguard necessary to prevent pollution of public waters or creation of a health

hazard. New livestock feedlots, poultry lots and other animal lots are prohibited within the following areas:

- (1) Within 1,000 feet of the normal high-water mark of any lake, pond or flowage, or within 300 feet of a river or stream.
- (2) Within a floodway.
- (3) Within 1,000 feet to the boundary of a public park.
- (c) Permit required. No feedlot or manure storage site shall be maintained unless a permit therefor has first been issued by the state pollution control agency and by the zoning administrator as provided herein. The application for a permit by the owner or other person responsible for a feedlot or manure storage site shall be accompanied by plans showing the features and method of operation and construction and existing or proposed safeguards or disposal systems. The city council may thereafter issue a permit therefor upon such conditions as it shall prescribe to prevent pollution of any public water or creation of a health hazard.
- (d) Abatement. In case the zoning administrator shall find that any manure is stored or kept on any feedlot or storage site without a safeguard, or that any existing safeguard is inadequate, he may order the owner or other responsible person to immediately remove the manure from the feedlot or storage site and refrain from further storage or keeping of any manure thereat unless and until an adequate safeguard is provided as herein prescribed.
- (e) Notification required for loss. It shall be the duty of the owner of a feedlot or manure storage site or other responsible person in charge thereof to notify immediately the zoning administrator of any loss of stored manure either by accident or otherwise when such loss involves a substantial amount which would be likely to enter any waters of the state. Said notice shall be by telephone or other comparable means and shall be made without delay after discovery of the loss. The notification shall include the location and nature of the loss and such other pertinent information as may be available at the time.
- (f) *Minimum site size for keeping domestic farm animals*. The keeping of horses, cattle or other domestic farm animals on a site with less than two acres of existing grazable land per animal unit is hereby declared to be a nuisance. No domestic farm animals shall be placed on any site of less than five acres.
- (g) Grazable acres. Grazable acres shall be defined as the area of the parcel or site that excludes 1.) wetlands other than Types 1 and 2, 2.) any wetland less than ¼ acre, and 3.) the Homesite. For the purposes of determining the number of animals permitted per two Grazable acres, the following animal equivalents apply:

	Animal Units
1 slaughter steer or heifer	1
1 horse	1
1 mature dairy cow	1.4
1 swine over 55 pounds	0.4
1 sheep	0.1
1 turkey	0.018
1chicken	0.01
1 duck	0.02

(h) Conditional use permit for greater density. The keeping of domestic farm animals in greater density than allowed by subsection (f) of this section shall require a conditional use permit. To obtain such permit, the applicant must demonstrate that facilities are present and appropriate practices are being employed to preclude surface water or groundwater contamination, excessive manure accumulation, odor, noise or other nuisances. The applicant must have a state pollution control agency feedlot permit for the proposed use. (Ord. No. 50, § 730, 12-7-1982; Ord. No. 53, §§ 3, 4, 7-7-1983; Ord. No. 2000-89, § 2, 7-5-2000)

Sec. 32-338. Manufactured homes.

- (a) Restrictions on parking and occupying. No person shall park or occupy a manufactured home (see definition for manufactured home, section 32-1) on the premises of a lot with any occupied dwelling or on any land which is situated outside of an approved manufactured home park, except as listed below.
- (b) *Manufactured home parks.* A manufactured home may be placed within an existing approved manufactured home park.
- (c) Use as accessory dwelling unit. A manufactured home may be permitted by conditional use permit in an agricultural district, R-1 residential district, or conservancy district, if the zoning administrator finds the following conditions are satisfied:
 - (1) The manufactured home will be an accessory dwelling unit to be occupied if:
 - a. Persons are infirm to the extent that they require extraordinary care;
 - b. Such care can only be provided, without great economic hardship, by family members residing in the principal dwelling house on the premises; and
 - c. The infirmity and the need for care required by subsections (c)(1)(a) and (b) of this section shall be shown by written statement of a physician.
 - (2) The conditional use permit is so conditioned that it will expire and terminate at such time as the care facility is no longer the residence of the person suffering from the infirmity which requires such care, or at such time as such care is no longer required.
 - (3) At the time of termination of the conditional use permit, the mobile home care facility shall be removed from the premises within 30 days when practical.
 - (4) The conditional use permit is so conditioned so as to be reviewed annually by the zoning administrator.
- (d) *Temporary farm dwelling.* A manufactured home may be permitted by conditional use permit in an agricultural district if the zoning administrator finds the following conditions are satisfied:
 - (1) The manufactured home will be an accessory dwelling unit located on a farm of at least 75 acres in size.
 - (2) The manufactured home will be occupied by persons who are:
 - a. Members of the family of the persons occupying the principal dwelling house on the premises.
 - b. Engaged in the occupation of farming on the premises as partners or other business associates of the persons living in the principal dwelling house on the premises; and who earn 50 percent or more of their annual gross income for federal income tax purposes from such farming on the premises.
 - (3) The conditional use permit is so conditioned that it will expire and terminate at such time as the persons occupying the manufactured home are no longer engaged in farming on the premises as required by subsection(d)(2)b of this section.
 - (4) At the time of termination of the conditional use permit, the manufactured home temporary farm dwelling shall be removed from the premises within 30 days when practical.
 - (5) The conditional use permit is conditioned so as to be reviewed annually by the zoning administrator.

- (e) *Temporary construction office*. A manufactured home may be permitted by certificate of compliance in any district if the zoning administrator finds the following conditions are satisfied:
 - (1) The manufactured home will be utilized as a field headquarters for directing the ongoing construction of a project.
 - (2) Only one manufactured home shall be permitted on each project.
 - (3) The manufactured home have adequate sanitary facilities or the site shall have temporary sanitary facilities installed.
 - (4) The manufactured home and parking spaces shall adhere to all setbacks for the zoning district and shall only utilize the permitted access driveway.
 - (5) The manufactured home shall not be used as a dwelling unit.
 - (6) The certificate of compliance is issued only after the building permit has been issued. The manufactured home shall not be placed on the construction site until both a certificate of compliance and a building permit have been issued.
 - (7) Such a permit shall expire when construction is completed or within 180 days from the date of issuance, whichever is less. Renewal of such a permit may be approved by the zoning administrator.
 - (8) The manufactured home shall be removed within 30 days of the permit termination.
- (f) Temporary dwelling unit during construction. A manufactured home may be permitted by a certificate of compliance in any residential or agricultural district if the zoning administrator finds the following conditions are satisfied:
 - (1) The manufactured home will be utilized as a temporary dwelling unit by the present or potential occupant of a single-family residence during the construction, reconstruction or alteration of said residence by the present or potential occupant.
 - (2) The manufactured home shall have adequate sanitary facilities as prescribed by the state building code.
 - (3) The certificate of compliance is issued only after the building permit has been obtained for the proposed construction.
 - (4) The manufactured home and parking spaces shall adhere to all setbacks for the zoning district and shall only utilize the permitted access driveways.
 - (5) Such permit shall expire when construction is completed or within 180 days from the date of issuance, whichever is less. Renewal of such permit may be approved by the zoning administrator.
- (g) Required standards. All manufactured homes permitted under this section shall meet or exceed the current federal manufactured home construction and safety standards. The manufactured home shall have a sanitary sewer treatment and disposal system in compliance with this Code and the state pollution control agency and the health department.
- (h) Application of setback regulations. When the manufactured home is utilized as an accessory dwelling unit to the principal dwelling unit, the placement of the manufactured home is subject to the same zoning district dimensional setbacks as the principal dwelling unit.
- (i) Use of existing access required. Manufactured homes utilized as accessory dwelling units shall use the existing road access driveway of the principal dwelling unit.
 - (j) Distance from other structures. Manufactured homes utilized as accessory dwelling units

shall be separated by a minimum horizontal distance of 40 feet from any other structure.

- (k) Anchoring/tie-down requirements. Manufactured homes utilized as accessory dwelling units shall have ground anchors or tie-downs as approved by the state manufactured home code.
- (l) *Installation requirements*. Manufactured homes used for purposes other than those listed above must be installed per manufacturer's standards and all applicable requirements of the state building code. (Ord. No. 50, § 731, 12-7-1982)

Sec. 32-339. Recreation vehicle or trailer regulations.

- (a) Temporary parking; restrictions. A camper or travel trailer of the type generally used temporarily as living quarters during the hunting, fishing or vacation season and duly licensed and registered under the laws of the state may be parked on residential property in the city; provided however, that such camper or travel trailer shall not, while so parked, be used as a permanent human dwelling place, living abode or living quarters.
- (b) Compliance with zone regulations. A camper, travel trailer or other recreational vehicle parked on a lot within an agricultural or residential district shall comply with all parking and building setbacks for the zoning district and shall utilize only the existing permitted access driveway into the site.
- (c) Parking; restrictions. A camper, travel trailer or other recreational vehicle may not be parked on any land outside of an approved trailer park or an approved sales lot, except that the parking of one unoccupied trailer, less than 25 feet in length, in any accessory private garage, building or in the rear yard of a residential district is permitted, provided that no living quarters shall be maintained or any business practices conducted in said trailer while it is so parked or stored.
- (d) Temporary parking and use as dwelling by guest. A camper or travel trailer of the type described in subsection (a) of this section and owned by a nonresident guest or visitor may be parked or occupied by said guest or visitor on property on which a permanent dwelling unit is located for a period not to exceed 30 days while visiting the resident of said property. The recreational vehicle or trailer shall have self-contained sanitary facilities or standard on-site facilities as required by county ordinance.
- (e) Temporary use as dwelling during construction; certificate of compliance required. The zoning administrator may, upon application, grant a certificate of compliance for the use of a residential trailer or similar portable unit for temporary residential purposes within the city in conjunction with a home construction project that is underway; provided however, that a duly authorized and valid building permit shall have been approved by the city building official prior to the application for a certificate of compliance.
- (f) Procedure to obtain certificate of compliance. The applicant for said certificate of compliance shall file an application with the zoning administrator setting forth the area in which said trailer is to be located, together with a copy of the building permit for the home to be constructed on said property.
- (g) *Time limit of certificate*. The term of said certificate of compliance shall not exceed 120 days or the completion of construction of the residential home in question, whichever comes first.
- (h) Conditions attached. The zoning administrator may attach such conditions and obligations to the issuance of said certificate of compliance as it deems necessary to protect the health, safety and general welfare of the citizens of the city. (Ord. No. 50, § 733, 12-7-1982)

Sec. 32-340. Service stations.

- (a) Compliance with zone standards required. Before a conditional use permit for a service station is granted, the minimum requirements of the zoning district in which the service station is to be located shall be met.
- (b) Design and construction standards and approvals. A drainage system, subject to approval by the city engineer, shall be installed. The entire site other than that taken up by a structure or planting, shall be surfaced with concrete or other material approved by the city council. Pump islands shall not be placed in the required yards. The area around the pump island to a distance of eight feet on each side shall be concrete. A box curb not less than six inches above grade shall separate the public right-of-way from the motor vehicle service areas, except at approved entrances and exits. No driveways at a property line shall be less than 50 feet from the intersection of two street right-of-way lines. Each service station shall have at least two driveways with a minimum distance of 170 feet between centerlines when located on the same street.
- (c) Parking restricted. No vehicles shall be parked on the premises other than those utilized by employees or awaiting service. No vehicle shall be parked or be awaiting service longer than 15 days. Existing service stations shall comply with this requirement within 45 days of the effective date of the ordinance from which this section is derived.
- (d) Storage limitations. Exterior storage besides vehicles shall be limited to service equipment and items offered for sale on pump islands; exterior storage of items offered for sale shall be within yard setback requirements and shall be located in containers such as racks, metal trays and similar structures designed to display merchandise. Existing service stations shall comply with this requirement within three months of the effective date of the ordinance from which this section is derived.
- (e) Screening. All areas utilized for storage, disposal or burning of trash, debris, discarded parts and similar items shall be fully screened. All structures and grounds shall be maintained in an orderly, clean and safe manner. Existing service stations shall comply with this requirement within nine months of the effective date of the ordinance from which this section is derived.
- (f) Restriction of activities. Business activities not listed in the definition of service stations in this chapter are not permitted on the premises of a service station unless a conditional use permit is obtained specifically for such business. Such activities include but are not limited to the following: automatic car and truck wash; rental of vehicles, equipment or trailers; and general retail sales.
- (g) Conditional use permit; records. Service stations shall be subject to all of the requirements necessary for the review and issuance of a conditional use permit as per division 5 of article II of this chapter. In addition, service stations shall be required to keep accurate records of bulk fuels and liquids.
- (h) *Tank materials and installation*. New below-ground storage tanks shall be of a noncorrosive type and installed according to all other state pollution control agency standards. (Ord. No. 50, § 735, 12-7-1982)

Sec. 32-341. Drainage.

- (a) No land shall be developed or altered and no use shall be permitted that results in surface water run-off causing unreasonable flooding, erosion or deposit of minerals on adjacent properties or waterbodies. Such run-off shall be properly channeled into a natural water course or drainageway and/or ponding area.
- (b) The zoning administrator, upon inspection of any site which has created drainage problems or could create drainage problems with proposed new development, may require the owner of said site or

contractor to complete a grading plan and apply for a grading permit.

- (c) The owner or contractor of any natural drainage improvement or alteration may be required by the zoning administrator to obtain recommendations from the state department of natural resources, the soil conservation agent, the affected watershed district and/or the city engineer, as well as obtaining a local grading permit.
- (d) On any slope in excess of 13 percent where, in the opinion of the zoning administrator, the natural drainage pattern may be disturbed or altered, the zoning administrator may require the applicant to submit both a grading plan and a soil conservation plan prior to applying for a building permit. (Ord. No. 50, § 740, 12-7-1982)

Sec. 32-342. Permits for land reclamation; use of public waters.

- (a) Land reclamation. Within this section, the term "land reclamation" means the reclaiming of land by depositing or moving material so as to alter the grade. Land reclamation of more than 50 cubic yards up to 5,000 cubic yards requires a grading permit. Land reclamation of 5,000 cubic yards or greater requires a conditional use permit. Land reclamation in floodplains shall be in accordance with chapter 14. The permit shall include as a condition thereof a finished grade plan which will not adversely affect the adjacent land and as conditions thereof shall regulate the type of material permitted, a program for rodent control, a plan for fire control, general maintenance of the site, controls of vehicular ingress and egress, and drainage and control of material disbursed from wind or hauling of material to or from the site.
- (b) *Public waters*. No person, partnership or association, private or public corporation, county, municipality, or other political subdivision shall appropriate or use any public water, surface or underground, without first securing a use of public waters permit and written permission of the commissioner of the division of waters, soils and minerals of the state department of natural resources. For purposes of these regulations, public waters shall be as by law, and as follows:
 - (1) Public waters shall include all lakes, ponds, swamps, streams, drainageways, floodplains, floodways, natural watercourses, underground water resources and similar features involving directly or indirectly the use of water within the city.
 - (2) No public water area shall be filled, partially filled, dredged, altered by grading, mining or otherwise utilized or disturbed in any manner without first securing a public waters use permit from the state department of natural resources and the U.S. Army Corps of Engineers, and a grading permit from the city zoning administrator. Such grading permits shall be reviewed and approved by the department of natural resources, the city engineer, the watershed district, the planning commission and the city council.

(Ord. No. 50, § 741, 12-7-1982; Ord. No. 2004-110, § 2, 6-1-2004; Ord. No. 2007-02, § 1, 6-5-2007)

Sec. 32-343. Soil conservation plans.

- (a) Projects affecting more than one acre. On any development or land reclamation project with more than one acre of soil, drainage patterns or vegetation cover that would be either destroyed or disturbed by the construction process, the city zoning administrator may require the owner or contractor on said project to request the soil conservation district to prepare a soil conservation plan to protect the soil from erosion or sheet run-off for the duration of the construction project and/or over the long term occupancy of the site.
- (b) Projects affecting less than one acre. The zoning administrator may require a soil conservation plan on projects which disturb less than one acre of soil, drainage patterns or vegetation cover if, in the judgment of the zoning administrator, significant soil erosion, vegetation destruction or drainage damage may occur during the construction process.

- (c) Contents of plan. A soil conservation plan shall consist of specific written recommendations on how to protect the soil, vegetation and drainage patterns during the construction process. The zoning administrator may require construction fencing along the edges of the construction area.
- (d) Slopes of 13 to 18 percent. Where construction of a structure is proposed on slopes of 13 percent to 18 percent, the zoning administrator may require the applicant to provide a grading and erosion control plan and may require a certificate of compliance.
- (e) Slopes of 18 to 25 percent. Where construction of a structure is proposed on slopes of 18 percent to 25 percent, the zoning administrator shall require the applicant to provide a grading and erosion control plan and a certificate of compliance prior to issuance of a building permit.
- (f) *Bond*. The city council may require the applicant to post a bond to ensure the orderly completion of the grading and erosion control plan by a specific date. (Ord. No. 50, § 742, 12-7-1982)

Sec. 32-344. Mining.

All mining and related uses of land, including but not limited to the excavation, removal or storage of sand, gravel, rock, clay and other natural deposits, are subject to the adopted standards, codes, ordinances and regulations of the planning commission and/or city council related to such activities and all regulations in chapter 12, article V.

(Ord. No. 50, § 743, 12-7-1982)

Sec. 32-345. Agricultural operations.

- (a) Applicability. All agricultural operations in existence upon the effective date of the ordinance from which this section is derived shall be a permitted use. However, all regulations contained herein and other city ordinances in effect shall apply to all changes of the agricultural operation which will cause all or part of the area to become more intensively used or more urban in character. Setback and other regulations shall apply to agricultural operations just as they do to residential developments. Any agricultural building exceeding \$1,000.00 in value erected on a farm shall require a certificate of compliance and shall meet the provisions of this Code.
- (b) Right to farm--Intent of laws. The city began, and continues to this day, as a city with a farming history. Its citizens prize and cherish the rural atmosphere that has been maintained. They also recognize that this rural atmosphere cannot be protected unless the family farm is also protected. Right-to-farm laws are designed to discourage persons from suing farmers on the basis that a farm operation, even when conducted according to generally accepted agricultural standards, is a nuisance. These laws help established farmers who use good management practices to prevail in private nuisance lawsuits. Right-to-farm laws also document the importance of farming to the state, or locality (such as the city), where they exist. They also help to put nonfarm residents on notice that generally accepted agricultural practices are reasonable activities to expect in designated areas. Finally, right-to-farm laws provide farm families, and others who prize the fanning atmosphere, with a psychological sense of security that farming is a valued and accepted activity in the city.
- (c) Same--Application within city. For all of these reasons, all of the city is hereby designated a "right-to-farm" area. Farming operations are hereby afforded the following property rights in the city:
 - (1) Farmers shall have the right to farm without unreasonable restrictions, regulations, or harassment. Complaints against the operations of farms shall be considered to be unwarranted and frivolous as long as the farming activities are being conducted according to generally accepted agricultural standards. These farming activities shall include but not be limited to:
 - a. The right to operate equipment in the fields, on the roads, or on any farm or

- homestead property, at any time and on any day of the week.
- b. Farming activities that generate noise and dust. This can be caused in a variety of ways including fieldwork, caring for livestock, harvest, or care and maintenance of the farm.
- c. The generation of odor from livestock, manure, fertilizer, feed, and farm-related other sources.
- (2) Farmers have a right to farm even if development is taking place around them. If the farm was in operation before the complaining person moved to the area, the complaining person shall be deemed to have "come to the nuisance."
- (3) All farming operations that lawfully exist in the city shall be protected by this section.
- (d) Agricultural operations. Agricultural operations may occur on parcels of five or more contiguous acres in agricultural and residential districts. Agricultural operations may include the production of farm crops, such as vegetables, fruit trees, grain and other crops and their storage on the area, as well as for the raising thereon of farm poultry, domestic pets and domestic farm animals.
- (e) Accessory uses. Agricultural operations may include necessary accessory uses for treating, storing or producing retail farm market products; provided however, that the operation of any such accessory uses shall be secondary to that of the primary agricultural activity.
- (f) Feedlots require permit. Agricultural operations may not include commercial livestock pen feeding (feedlots) without first receiving a conditional use permit from the city council and a state pollution control agency feedlot permit.
- (g) Garbage prohibited as food. Commercial feeding operations shall not include the feeding of garbage to swine or other animals.
- (h) Permit for farm operation required under certain conditions. The city council may require any farm operation not located in an agricultural district to secure a conditional use permit to continue said operations in the event of the following:
 - (1) A nuisance on a farm is adjacent to or within 100 feet of any property line and may be detrimental to living conditions by emitting noise, odor, vibrations, hazards to safety and the like.
 - (2) The farm operations are so intensive as to constitute an industrial type use consisting of the compounding, processing and packaging of products for wholesale or retail trade and, further, that such operations may tend to become a permanent industrial-type operation. Excessive trucking operations, more than are generally associated with a family farm, shall be considered an intensive use.

(Ord. No. 50, § 744, 12-7-1982; Ord. No. 2000-88, §§ A, B, 5-20-2000)

Sec. 32-346. Access drives and access.

- (a) Proximity to lot lines. Access drives may not be placed closer than five feet to any side or rear lot line. No access drive shall be closer than five feet to any single family residence, or no closer than five feet to any commercial building. The number and types of access drives onto major streets may be controlled and limited in the interests of public safety and efficient traffic flow. If the parcel with the access drive abuts a public road, the access must be onto the public road.
- (b) Permit required for access to county roads. Access drives onto county roads shall require an access permit from the county engineer. This permit shall be acquired prior to the issuance of any building

permits. The county engineer shall determine the appropriate location, size and design of such access drives and may limit the number of access drives in the interest of public safety and efficient traffic flow. The county engineer may refer the request for an access drive permit onto a county road to the planning commission for its comment.

- (c) Review by engineer. Access drives to principal structures which traverse wooded, steep or open field areas shall be constructed and maintained to a width and base material depth sufficient to support access by emergency vehicles. The city engineer or building official shall review all access drives (driveways) for compliance with accepted city access drive standards.
- (d) *Driveway/accessway standards*. The following table presents the standards for single-family detached and general business locations:

	Single-Family Detached	General Business
Slopes	10-foot vertical rise in 100 horizontal feet	8-foot vertical rise in 100 horizontal feet
Width	10-foot driveway base, vegetation cleared to 8 feet on each side of driveway centerline	10-foot driveway base or as approved by the city engineer
Pavement strength	Capable of supporting emergency fire or other heavy vehicles.	

- (e) Access for emergency vehicles. All lots or parcels shall have direct adequate physical access for emergency vehicles along the frontage of the lot or parcel from an existing dedicated public roadway.
- (f) Additional access. In addition to the required direct physical access along the frontage of the lot or parcel to the approved existing public roadway, a lot or parcel may have private easement access drives to the lot over adjacent lots or parcels.
- (g) Shared access. Shared access is permitted for two contiguous parcels. Shared access is a single access onto a public street, within the road right-of-way, for the use of more than one property owner to gain access to a private driveway. The shared access must be within road right-of-way and terminate outside the lot line of an individual parcel.
- (h) Shared access to contiguous properties. Shared access may provide access to not more than two (2) contiguous properties. Owners of properties that propose shared access shall provide the City a copy of a developer's agreement or other agreement that identifies the owner's responsibilities for maintenance of the shared access.
- (i) Shared driveways. Shared driveways are not permitted. Shared driveways are an access way, standing partly on one owner's land and partly on an adjacent owner's land, over which both owners hold a right-of-way. A shared driveway is generally jointly owned by the owners of the properties it gives access to. (Ord. No. 50, § 745, 12-7-1982)

Sec. 32-347. Tennis courts.

- (a) Standards. In all districts, the following standards shall apply:
- (1) A certificate of compliance shall be required for all private tennis courts on residential lots.
- (2) A conditional use permit shall be required for all public, semipublic and commercial tennis

courts.

- (3) An application for a certificate of compliance or a conditional use permit shall include a site plan showing:
 - a. The size, shape, pavement and subpavement materials;
 - b. The location of the court, the location of the house, garage, fencing, septic systems and any other structural improvements on the lot;
 - c. The location of structures on all adjacent lots;
 - d. A grading plan showing all revised drainage patterns and finished elevations at the four corners of the court;
 - e. Landscaping and turf protection around the court; and
 - f. Location of existing and proposed wiring and lighting facilities.
- (b) Location relative to lot lines and yards. Tennis courts shall not be located closer than ten feet to any side or rear lot line. Tennis courts shall not be located within any required front yard.
- (c) Location relative to utilities and easements. Tennis courts shall not be located over underground utility lines of any type, nor shall any court be placed within any private or public utility, walkway, drainage or other easement.
- (d) *Practice walls*. Solid tennis court practice walls shall not exceed ten feet in height. A building permit shall be required for said walls. Said walls shall be setback a minimum of 30 feet from any lot line.
- (e) Fencing. Chainlink fencing surrounding the tennis court may extend up to 12 feet in height above the tennis court surface elevation. (Ord. No. 50, § 747, 12-7-1982)

Sec. 32-348. Vegetative cutting.

(a) *Definitions*. The following words, terms and phrases, when used in this section, shall have the meanings ascribed to them in this subsection, except where the context clearly indicates a different meaning:

Clearcutting means removal of all live vegetation in excess of six inches in diameter at breast height on any area of 20,000 square feet or more in size.

Selective cutting means the removal of single scattered live trees or shrubs in excess of six inches in diameter at breast height.

- (b) *Prohibited locations.* Clearcutting of vegetation shall not be permitted within any required yard of any lot or parcel within any zoning use district.
- (c) Conditional use permit required commercially. Clearcutting for commercial tree production purposes shall require a conditional use permit in any district. (See section 32-245.)
- (d) Tree-cutting on slopes. Selective tree cutting may occur on any lot provided any cutting on slopes of greater than 18 percent shall require a soil conservation district re-vegetation plan and a certificate of compliance prior to issuance of a building permit. (Ord. No. 50, § 748, 12-7-1982)

Sec. 32-349. Solid waste landfill facilities.

- (a) Access. All solid waste landfill facilities shall be located so that all forms of vehicular access to it are only from a paved, all-weather public road of at least nine tons per axle capacity.
- (b) Boundary distances from certain zones. The boundaries of any solid waste landfill facility shall be at least 500 yards from any parcel of land located in a region zoned single-family residential R-1 or limited agricultural A-2 and at least 100 yards from the boundaries of the parcel of land on which the landfill facility is located.
- (c) Required distances from certain facilities. No portion of any parcel of land on which any solid waste landfill facility is sited may be closer to the following, as indicated; provided that such protected facility is in existence at the time application has been made for city approval of the solid waste landfill facility:
 - (1) One thousand five hundred yards to any public or private school or hospital;
 - (2) Five hundred yards to any church, public library, public park or trail, or any other public facility; and
 - (3) One thousand yards to any water well which is used for human or animal consumption.
- (d) Surface water limitations. No parcel of any land on which any solid waste landfill facility is sited may contain any permanent or seasonal standing or flowing surface water and no portion of the said parcel may be closer than 500 yards to any permanent or seasonal standing or flowing surface water provided that such standing or flowing water is in existence within ten years prior to the time application has been made for city approval of the solid waste landfill facility.
- (e) *Compliance to requirements.* The approval, licensing, and operation of any solid waste landfill facility within the city shall meet all applicable requirements and provisions of ordinance. (Ord. No. 58-A, § 2(749.04)--(749.08), 8-5-1986)

Sec. 32-350. Planned unit developments.

- (a) A planned unit development (PUD), as defined in the Chapter 32, pertaining to zoning, is prohibited.
- (b) Agricultural uses as defined and permitted in Chapter 32, are not prohibited by Section 32-350(a) of the City's Code of Ordinances.

Sec. 32-35. Wind energy conversions systems.

- (a) Purpose and intent. The purpose is to establish regulations for wind energy conversion systems. A wind energy conversion system is defined as one (1) tower with rotors and motors with one conversion generator.
- (b) *Permitted use.* The use of residential Wind Energy Conversion Systems (40 kilowatts or less) for the purpose of providing renewable energy for homes and businesses is a permitted use within the A-1 and A-2 zoning districts with the issuance of a certificate of compliance.
- (c) *Performance standards*. The installation of WECS must comply with all rules and regulations of Federal, State, County, and local agencies and the following performance standards:

- (1) One wind energy conversion system is permitted per parcel.
- (2) For all WECS, the manufacturer's engineer or another qualified engineer shall certify that the turbine, foundation and tower design of the WECS is within accepted professional standards, given local soil and climate conditions.
- (3) The maximum height of a wind energy conversion system shall be based on the height of the Tower, and the Tower shall be a maximum of 35 feet. The Tower height shall be measured from the base of the tower placed on a natural topography to the center of the gearbox.
- (4) Rotor blades or airfoils must maintain a minimum of 12 feet of clearance between the lowest point of the blade and the ground.
- (5) Rotors shall not exceed 26 feet in diameter.
- (6) The tower shall be set back a minimum of 1 ½ times the height to be measured to the maximum height of the rotor tip, or the required setbacks as defined in the underlying zoning district, whichever is greater.
- (7) All efforts should be made to site the WECS behind the principal structure. If the location is proposed anywhere else on the property, the Applicant shall be required to provide explanation as to why the proposed location was chosen.
- (8) The color of the structure shall be a non-reflective, non-obtrusive color either gray or off-white.
- (9) No lights, flashers, reflectors, or any other illuminated devices shall be affixed to the wind energy conversion system. The wind energy conversion system shall not be used for displaying any advertising.
- (10) All State, County, and local noise standards must be met.
- (11) Wind energy conversion systems shall not encroach on public drainage, utility, roadway or trail easements.
- (12) Applicable electrical permits, building permit, and inspections must be obtained prior to installation of the wind energy conversion systems.
- (13) The wind energy conversion system must be installed to meet the manufacturer's specifications.
- (14) To prevent unauthorized climbing, wind energy conversion system towers must comply with one of the following provisions:
 - a. Tower climbing apparatus shall not be located within 12 feet of the ground.
 - b. A locked anti-climb device shall be installed on the tower.
 - c. A protective fence at least six fee it height.

- (15) Each wind energy conversion system shall be equipped with both a manual and automatic breaking device capable of stopping the wind energy conversion system in high winds (40 MPH or greater).
- (16) The WECS shall be grounded to protect against natural lightning strikes.
- (17) The appearance of the turbine, tower and any other related components shall be maintained throughout the life of the wind energy system pursuant to industry standards.
- (18) If the City's Zoning Administrator or Building Inspector determines that the wind energy conversion system is unsafe, the owner shall remove the system at their expense. Removal includes the entire structure, including foundations to below natural grade, and transmission equipment.

Secs. 32-352--32-371. Reserved.

DIVISION 2. OFF-STREET PARKING

Sec. 32-372. General provisions.

- (a) Permanency of designated spaces. Off-street parking spaces and loading spaces existing upon the effective date of the ordinance from which this division is derived shall not be reduced in number unless said number exceeds the requirements set forth herein for a similar use.
- (b) Benches as basis for parking requirements. In park areas, churches, and other places of public assembly, in which patrons or spectators occupy benches, pews or other similar seating facilities, each 22 inches of such seating facilities shall be counted as one seat for the purpose of determining requirements for off-street parking facilities under this division.
- (c) Parking space dimensions. Each parking space shall not be less than ten feet wide and 20 feet in length exclusive of an adequately designed system of access drives. Parking lots that separate vehicles based on size may be designed with parking spaces less than or greater than ten feet wide and 20 feet in length, depending upon the size of vehicle, as long as adequate space is provided for easy and safe ingress and egress for the vehicle. Proposed reductions in or additions to the parking space size must be submitted in a dimensioned site plan, with size of vehicle to use parking spaces indicated, to the zoning administrator for review and approval. Signs specifying the vehicle size for use of the parking space may be required by the zoning administrator. Parking spaces for the handicapped shall not be less than 12 feet wide and 20 feet in length.
- (d) Limitations on use of residential parking facilities. Off-street parking facilities accessory to residential use shall be utilized solely for the parking of passenger automobiles and/or one truck not to exceed 12,000 pounds gross capacity. Under no circumstances shall required parking facilities accessory to residential structures be used for the storage of commercial vehicles or for the parking of automobiles belonging to the employees, owners, tenants or customers of nearby business or manufacturing establishments.
- (e) Restrictions on use of parking areas. Required off-street parking space in any district shall not be utilized for open storage of goods or for the storage of vehicles which are inoperable, for sale or for rent.

(f) Limitation on size in residential districts. In residential districts, no more than 25 percent of the required yard area shall be surfaced or utilized for driveway or vehicle storage space. (Ord. No. 50, § 712.03, 12-7-1982)

Sec. 32-373. Surfacing and drainage.

Off-street parking areas shall be improved with a durable and dustless surface. Such areas shall be so graded and drained as to dispose of all surface water accumulation within the parking area. Durable and dustless surface may include crushed rock and similar treatment for parking accessory to one unit residential structures; all other uses shall utilize asphalt, concrete or a reasonable substitute surface as approved by the city engineer. All surfacing must be completed prior to occupancy of the structure unless other arrangements have been made with the city.

(Ord. No. 50, § 712.01, 12-7-1982)

Sec. 32-374. Required spaces.

Off-street parking spaces (one space equals 300 square feet) shall be as follows for:

Facility	Spaces required
Church and other places of assembly.	One space for each three seats or for each five feet of pew length. Based upon maximum design capacity.
Office.	One space for each 200 square feet of gross floor space.
School, elementary and junior high.	Three spaces for each classroom.
School, high school through college.	One space for each four students based on design capacity plus three additional spaces for each classroom.
Hospital.	One space for each three hospital beds, plus one space for each three employees other than doctors, plus one space for each resident and regular staff doctor. Bassinets shall not be counted as beds.
Sanitarium, convalescent home, rest home, nursing home or institution.	One space for each six beds, for which accommodations are offered, plus one space for each two employees one maximum shift.
Motor fuel station.	Two spaces plus three spaces for each service stall.
Retail store.	One space for each 150 square feet of gross floor area.
Medical or dental clinic.	Six spaces per doctor or dentist.
Restaurants, cafes, bars, taverns or nightclubs.	One space for each 2 1/2 seats, based on capacity design.
Furniture store, wholesale, auto sales, repair shops.	Three spaces for each 1,000 square feet of gross floor area. Open sales lots shall provide two spaces for each 5,000 square feet of lot area, but not less than three spaces.
Warehouse, storage, handling of bulk goods.	One space for each two employees on maximum shift or one for each 2,000 square feet of gross floor area, whichever is the larger.
Uses not specifically noted.	As determined by the planning commission and city council.

(Ord. No. 50, § 712.06, 12-7-1982)

Sec. 32-375. Location.

All accessory off-street parking facilities required herein shall be located as follows:

- (1) Spaces accessory to single-family dwellings shall be on the same lot as the principal use served.
- (2) Spaces accessory to uses located in a business district shall be within 800 feet of a main entrance to the principal building served. Parking as required by the state building code for persons with disabilities shall be provided.
- (3) There shall be no off-street parking space within ten feet of any street right-of-way.
- (4) No off-street parking area shall be located closer than five feet from an adjacent lot zoned or used for residential purposes, except when adjoining an existing parking area on the adjacent lot

(Ord. No. 50, § 712.02, 12-7-1982)

Sec. 32-376. Design and maintenance of off-street parking areas.

- (a) Design. Parking areas shall be designed so as to provide adequate means of access to a public alley or street. Such driveway access widths shall be in accordance with the state highway department standards, but in no case shall they exceed 32 feet in width unless a conditional use permit has been obtained approving the larger width. Driveway access shall be so located as to cause the least interference with traffic movement.
- (b) Calculating space. When the calculation of the number of off-street parking spaces required results in a fraction, such fraction shall require a full space.
- (c) Signs. No signs shall be located in any parking area except as necessary for orderly operation of traffic movement and such signs shall not be a part of the permitted advertising space.
- (d) Surfacing. All of the area intended to be utilized for parking space and driveways shall be surfaced with a material to control dust and drainage. Parking areas for less than three vehicle spaces shall be exempt.
- (e) *Lighting*. Any lighting used to illuminate an off-street parking area shall be so arranged so it is not directly visible from the adjoining property and in a downward vertical direction.
- (f) Curbing and landscaping. All open off-street parking areas designed to have head-in parking along the property line shall provide a bumper curb not less than five feet from the side property line or a guard of normal bumper height no less than three feet from the side property line. When said area is for six spaces or more, a curb or screening not over four feet in height shall be erected along the front yard setback line and grass or planting shall occupy the space between the sidewalk and curb or screening.
- (g) Parking space for six or more cars. When a required off-street parking space for six or more cars is located adjacent to a residential district, a fence or screen not less than four feet in height shall be erected along the residential district property line.
- (h) *Maintenance of off-street parking space*. It shall be the joint responsibility of the operator and owner of the principal use or building to reasonably maintain the parking space, accessways, landscaping and required fences.

- (i) Access. All off-street parking spaces shall have access from driveways and not directly from the public street.
- (j) Determination of areas. The parking space per vehicle shall not be less than 300 square feet, or an area equal to the width of the parking space multiplied by the length of the parking space, plus 11 feet.
- (k) Fire access lanes. Fire access lanes shall be provided as required by the building or fire code. (Ord. No. 50, § 712.04, 12-7-1982)

Sec. 32-377. Truck parking in residential areas.

No motor vehicle over one ton capacity bearing a commercial license and no commercially licensed trailer shall be parked or stored in a residential district except when loading, unloading or rendering a service. (Ord. No. 50, § 712.05, 12-7-1982)

Secs. 32-378--32-397. Reserved.

DIVISION 3. SIGNS*

Sec. 32-398. Definitions.

The following words, terms and phrases, when used in this division, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Sign means a display, illustration, structure or device which directs attention to an object, product, place, activity, person, institution, organization or business.

Advertising sign means a sign that directs attention to a business or profession or to a commodity, service or entertainment not sold or offered upon the premises where such sign is located or to which it is attached.

Business sign means a sign that directs attention to a business or profession or to the commodity, service or entertainment sold or offered upon the premises where such sign is located or to which it is attached.

Flashing sign means an illuminated sign which has a light source not constant in intensity or color at all times while such sign is in use.

Ground sign means a sign which is supported by one or more uprights, poles or braces in or upon the ground.

Identification sign means a sign which identifies the inhabitant of the dwelling, not to exceed two square feet in size.

Illuminated sign means a sign which is lighted with an artificial light source.

Motion sign means a sign that has revolving parts or signs which produce moving effects through the use of illumination.

Nameplate sign means a sign which states the name and/or address of the business or occupant of the site and is attached to said building or site.

Pedestal sign means a ground sign usually erected on one central shaft or post which is solidly affixed to the ground.

Real estate sign means a sign offering property (land and/or buildings) for sale, lease or rent.

Roof sign means a sign erected upon or above a roof or parapet of a building.

Temporary or seasonal sign means a sign placed on a lot or parcel of land for a period not to exceed 90 days out of any 12-month period. No sign permit fee is required.

Wall sign means a sign attached to or erected against the wall of a building with the exposed face of the sign a plane parallel to the plane of said wall.

Warning sign means a sign which warns the public of a danger or hazard in the immediate vicinity and is obviously not intended for advertising purposes.

^{*} State Law References: Restrictions on noncommercial signs, Minn. Stats. § 211B.045.

Sign area means the entire area within a continuous perimeter enclosing the extreme limits of such sign. However, such perimeter shall not include any structural elements lying outside of such sign and not forming an integral part or border of the sign. The maximum square footage of multi-faced signs shall not exceed two times the allowed square footage of a single-faced sign.

Sign structure means the supports, uprights, braces and framework of the sign. (Ord. No. 50, § 727.03, 12-7-1982)

Sec. 32-399. Purpose.

The purpose of this division is to protect and retain the natural and scenic beauty of the roadsides throughout city. By the construction of public roads, the public has created views to which the public retains a right-of-way view and it is the intent of these standards to prevent the taking of that right. (Ord. No. 50, § 727.01, 12-7-1982)

Sec. 32-400. Exemption for inside signs.

The regulations contained herein do not apply to signs painted, attached by adhesive or otherwise attached directly to or visible through windows and glass portions of doors. (Ord. No. 50, § 727.19, 12-7-1982)

Sec. 32-401. Substitution clause.

The owner of any sign that is otherwise allowed by this division may substitute noncommercial speech in lieu of any other commercial speech or noncommercial speech. This substitution of copy may be made without any additional approval or permitting. The purpose of this section is to prevent any inadvertent favoring of commercial speech over noncommercial speech or favoring of any particular noncommercial speech over any other noncommercial speech. This section prevails over any more specific provision to the contrary.

Sec. 32-402. Permit required, exemptions.

- (a) No sign shall be erected, constructed, altered, rebuilt or relocated until a sign permit or conditional use permit for the sign has been issued according to this division.
 - (b) No permit will be required under this division for the following signs:
 - (1) All signs under ten square feet in area, except those that require a conditional use permit.
 - (2) Real estate sale signs under nine square feet in area.
 - (3) Political signs under nine square feet in area.
- (4) Warning signs which do not exceed nine square feet in area. (Ord. No. 50, §§ 727.02, 727.17, 12-7-1982)

Sec. 32-403. Prohibited signs.

- (a) Obstructions to egress. No sign shall be allowed that prevents egress from any door, window or fire escape; that tends to accumulate debris as a fire hazard; or that is attached to a standpipe or fire escape or in any other way constitutes a hazard of health, safety or general welfare of the public.
- (b) *Traffic hazards*. No sign may be erected that, by reason of position, shape, movement, color or any other characteristic, interferes with the proper functioning of a traffic sign or signal or otherwise constitutes a traffic hazard; nor shall signs be permitted which would otherwise interfere with traffic control.

- (c) Painting on walls, fences, trees, etc. Signs shall not be painted directly on the outside wall of a building. Signs shall not be painted on a fence, tree, stone or other similar objects in any district.
- (d) *Roof signs*. Roof signs are prohibited in all districts. (Ord. No. 50, §§ 727.04, 727.05, 727.15, 727.16, 12-7-1982)

Sec. 32-404. Offensive signs.

No signs shall contain any indecent or offensive picture or written matter. (Ord. No. 50, § 727.20, 12-7-1982)

Sec. 32-405. Required signs.

In all zoning districts one identification sign shall be required per building, except accessory structures and residential buildings which shall be required only to display the street address or property number. (Ord. No. 50, § 727.21, 12-7-1982)

Sec. 32-406. Private traffic signs.

Private traffic circulation signs and traffic warning signs in alleys, parking lots or in other hazardous situations may be allowed on private property provided that such signs do not exceed three square feet and are used exclusively for traffic control purposes.

(Ord. No. 50, § 727.06, 12-7-1982)

Sec. 32-407. Private signs in right-of-way.

Private signs, other than public utility warning signs, are prohibited within the public right-of-way of any street or way or other public property. (Ord. No. 50, § 727.07, 12-7-1982)

Sec. 32-408. Illuminated signs.

- (a) *Prohibitions.* Illuminated signs may be permitted, but flashing signs, except ones giving time, date, temperature, weather or similar public service information, shall be prohibited. Signs giving off intermittent, rotating or directional light which may be confused with traffic, aviation or emergency signaling are prohibited.
- (b) *Direction of light rays.* Illuminated signs shall be diffused or indirect so as not to direct rays of light into adjacent property or onto any public street or way.
- (c) Distance from rights-of-way, etc. No illuminated signs or their support structures shall be located closer than 25 feet to a roadway surface or closer than ten feet to a road right-of-way line or property line, notwithstanding more restrictive portions of this section.

 (Ord. No. 50, §§ 727.08, 727.11, 12-7-1982)

Sec. 32-409. Political signs.

Political signs are allowed in any district on private property with the consent of the owner of the property. Such signs must be removed within ten days following the date of the election or elections to which they apply.

(Ord. No. 50, § 727.09, 12-7-1982)

Sec. 32-410. Displays.

In any district, animal displays, lights directed skyward, pieces of sculpture, fountains or other displays or features which do not clearly fall within the definition of a sign, but which direct attention to an object, product, place, activity, person, institution, organization or business, shall require a conditional use permit. Mobile signs on wheels or otherwise capable of being moved from place to place shall conform to the provisions of this division just as permanently affixed signs. (Ord. No. 50, § 727.10, 12-7-1982)

Sec. 32-411. Real estate signs.

- (a) *Placement.* Real estate sales signs may be placed in any yard providing such signs are not closer than ten feet to any property line.
- (b) *Development projects*. Real estate development project sales signs may be erected for the purpose of selling or promoting a single-family residential project of ten or more dwelling units, provided:
 - (1) Such signs shall not exceed 100 square feet in area.
 - Only one such sign shall be erected on each road frontage with a maximum of three such signs per project.
 - (3) Such signs shall be removed when the project is 80 percent completed, sold or leased.
 - (4) Such signs shall not be located closer than 100 feet to any existing residence.
 - (5) Such signs over 32 square feet shall only be permitted by a sign permit.

(Ord. No. 50, §§ 727.12, 727.13, 12-7-1982)

Sec. 32-412. Construction signs.

Construction signs not exceeding 32 square feet in area shall be allowed in all zoning districts during construction. Such signs shall be removed when the project is substantially completed. (Ord. No. 50, § 727.14, 12-7-1982)

Sec. 32-413. Electrical signs.

All signs and displays using electric power shall have a cutoff switch on the outside of the sign and on the outside of the building or structure to which the sign is attached. No electrically illuminated signs shall be permitted in a residential or agricultural district. (Ord. No. 50, § 727.18, 12-7-1982)

Sec. 32-414. Multi-faced signs.

Multi-faced signs shall not exceed two times the allowed square footage of a single-faced sign. (Ord. No. 50, § 727.22, 12-7-1982)

Sec. 32-415. Restrictions at certain locations.

Except for more restrictive provisions of this division, no sign that exceeds 100 square feet in area shall be erected or maintained which would:

(1) Prevent any traveler on any street from obtaining a clear view of approaching vehicles on the same street for a distance of 500 feet.

- (2) Be closer than 1,350 feet to a national, state or local park, historic site, picnic or rest area, church or school.
- (3) Be closer than 100 feet to residential structures.
- (4) Partly or totally obstruct the view of a lake, river, rocks, wooded area, stream or other point of natural and scenic beauty.

(Ord. No. 50, § 727.23, 12-7-1982)

Sec. 32-416. Conditional use permit.

Where a use is permitted in a zoning district by conditional use permit, the sign for that use shall require a conditional use permit unless the sign is otherwise provided for in this division. (Ord. No. 50, § 727.24, 12-7-1982)

Sec. 32-417. Restrictions in agricultural districts.

- (a) Types of signs allowed. No signs shall be permitted in an agricultural district except the following enumerated signs, if authorized by a sign permit or other permit as provided in this division: nameplates, real estate sales, ground, political, temporary, wall, identification and business signs.
- (b) Maximum surfaces allowed. No sign shall be so constructed as to have more than two surfaces.
- (c) Number of each type of sign allowed per lot frontage. One of each of the permitted type of signs, except temporary signs where two will be permitted and political signs where one for each candidate will be permitted.
- (d) Size restrictions. Not more than a total of 32 square feet with an eight-foot maximum for any dimension, except as otherwise restricted in this section. Total square feet of permitted signs per lot or parcel shall not exceed 100 square feet.
 - (e) *Height restrictions.* The top of the display shall not exceed ten feet above grade.
- (f) Setback. Any sign over two square feet shall be setback at least ten feet from any lot line. (Ord. No. 50, § 727.25, 12-7-1982)

Sec. 32-418. Permitted signs--Residential districts.

- (a) Types of signs allowed. Nameplate, real estate sales, political, ground, temporary, wall and identification are allowed in residential districts.
- (b) Maximum surfaces allowed. No sign shall be so constructed as to have more than two surfaces.
- (c) Number of each type of sign allowed per lot frontage. One of each of the permitted type signs, except temporary signs where two will be permitted and political signs where one for each candidate will be permitted. No more than 32 square feet of total display area will be permitted at any one time in developed areas.
- (d) Size restrictions. Not more than a total of 16 square feet with a four foot maximum for any dimension except as otherwise restricted in this section. Total square feet of all signs shall not exceed 32 square feet per lot.

- (e) *Height restrictions*. The top of the display shall not exceed eight feet above grade.
- (f) Setback. Any sign over 1 1/2 square feet shall be set back at least ten feet from any lot line. (Ord. No. 50, § 727.26, 12-7-1982)

Sec. 32-419. Same--Commercial districts.

- (a) *Types of signs allowed.* Business, nameplate, identification, illuminated, ground, pedestal, motion, political, real estate sales, temporary and wall signs are allowed in commercial districts. Advertising signs are allowed by conditional use permit only.
- (b) Number of each type of sign allowed per lot frontage. One advertising sign on any lot having a frontage of 150 feet or more, one real estate sales sign, two temporary signs, one nameplate sign, one political sign for each candidate and one business sign will be permitted.
 - (c) Size restrictions.
 - (1) Except as provided herein, the total square footage of sign area for each lot shall not exceed two square feet of sign area for each lineal foot of lot frontage, except where a location is a corner lot the amount may be increased by one square foot of sign area per front foot of public right-of-way along a side lot line.
 - (2) No sign shall exceed 200 square feet in area.
 - (3) Each real estate sales sign, temporary sign and political sign shall not exceed 35 square feet in area.
 - (4) Each nameplate sign shall not exceed 100 square feet in area.
 - (d) *Height restrictions*. The top of the display shall not exceed 35 feet above the average grade.
- (e) *Setback.* Any sign over six square feet shall be set back at least ten feet from any lot line. In no case shall any part of a sign be closer than two feet to a vertical line drawn at the property line. All signs over 100 square feet shall be setback at least 50 feet from any residential or agricultural district. (Ord. No. 50, § 727.27, 12-7-1982)

Sec. 32-420. Permitted signs for uses requiring a conditional use permit.

- (a) Type, number, size, height, and setback shall be as specifically authorized by terms of the issued permit.
- (b) To the extent feasible and practicable, signs shall be regulated in a manner similar to that in the use district most appropriate to the principal use involved. (Ord. No. 50, § 727.28, 12-7-1982)

Sec. 32-421. Obsolete signs.

Any sign for which no permit has been issued shall be taken down and removed by the owner, agent or person having the beneficial use of the building, structure or land upon which the sign is located within 30 days after written notice from the zoning administrator. (Ord. No. 50, § 727.29, 12-7-1982)

Sec. 32-422. Unsafe or dangerous signs.

Any sign which becomes structurally unsafe or endangers the safety of a building or premises or

endangers the public safety shall be taken down and removed or structurally improved by the owner, agent or person having beneficial use of the building, structure or land upon which the sign is located within ten days after written notice from the city council.

(Ord. No. 50, § 727.30, 12-7-1982)

Secs. 32-423--32-442. Reserved.

DIVISION 4. ANTENNA REGULATIONS

Sec. 32-443. Definitions.

The following words, terms and phrases, when used in this division, shall have the meanings ascribed to them in this section, except where the context clearly indicates a different meaning:

Amateur radio antenna means any equipment or device used to transmit, receive or transmit/receive electromagnetic signals for amateur radio service communications as defined in 47 CFR 97.3(4), and as used in 47 CFR 97.15(a).

Antenna means any device which, by use of any means, is designed to transmit or receive any electromagnetic, microwave, radio, television, or other frequency energy waves, of any type, for any purpose.

Antenna support structure means any building, pole, telescoping mast, tower, tripod, or any other structure which supports an antenna.

Height means height above grade at a given location.

Registered engineer means an engineer that is registered in accordance with the laws of the state.

Satellite dish means any device incorporating a reflective surface that is solid, open mesh, or bar-configured that is shallow, dish-, cone-, horn-, or cornucopia-shaped and is used to transmit and/or receive electromagnetic signals. This definition is meant to include, but is not limited to, what are commonly referred to as satellite earth stations, TVROS, and satellite microwave antennas.

Structure, public, means an edifice or building of any kind, or any piece of work artificially built up or comprised of parts joined together in some definite manner which is owned, or rented and operated by a federal, state, or local government agency.

(Ord. No. 1997-75, § 2, 4-1-1997)

Sec. 32-444. Purpose.

In order to accommodate the communication needs of residents and businesses (while protecting the public health, safety, and general welfare of the community), the council finds that these regulations are necessary in order to:

- (1) Facilitate the provision of wireless telecommunication services to the residents and businesses of the city;
- (2) Minimize adverse visual effects of towers through artful design and siting standards;
- (3) Avoid potential damage to adjacent properties from tower failure, falling ice, high winds, adverse weather and other safety hazards through location, size, heights, development standards and setback requirements;

- (4) Maximize the use of existing and approved towers and buildings to accommodate multiple antennas in order to reduce the number of towers needed to serve the community;
- (5) Protect the inhabitants of the city from possible adverse health effects associated with exposure to levels of NIER (nonionizing electromagnetic radiation) in excess of recognized national standards;
- (6) Preserve the quality of living in residential areas which are in close proximity to radio and television broadcast facilities;
- (7) Ensure that a competitive and broad range of telecommunications services and high quality telecommunications infrastructure are provided to serve the community, as well as serve an important and effective part of the city's emergency response network; and
- (8) Place telecommunication facilities in suitable locations, with residential locations being a last resort.

(Ord. No. 1997-75, § 1, 4-1-1997)

Sec. 32-445. Exemptions and modifications.

An exemption or modification to any requirement of this division shall be heard by the city council. An exemption or modification shall be granted only if it can be shown by the presentation of appropriate engineering data that personal wireless services cannot be provided to a specific area without the granting of an exemption or modification.

(Ord. No. 1997-75, § 10, 4-1-1997)

Sec. 32-446. Permit requirements.

- (a) Conditional use permits required; exceptions. Except as indicated below, conditional use permits are required before any antenna or antenna support structure is installed or constructed. Applications for conditional use permits shall be made on forms available from the city and shall be processed in the manner as are other conditional use permits pursuant to the city's zoning regulations.
 - (b) *Administrative permits.*
 - (1) An administrative permit may be issued by the city engineer to any applicant whom the city engineer determines has complied with all of the terms, requirements, regulations and conditions of this ordinance for the following:
 - a. Antennas to be constructed on a public structure.
 - b. Satellite dish antennas larger than two meters but smaller than six meters in size.
 - c. Antennas or antenna support structures erected temporarily for test purposes or for emergency communications. The term "temporary" means that the antenna or support structure is removed within 72 hours following the termination of testing or emergency communication needs.
 - (2) All applicants for an administrative permit shall pay a fee to the city in such amount as is determined, from time to time, by ordinance.
 - (3) Any person aggrieved by the city engineer's decision shall be entitled to appeal that decision to the city council.
 - (c) *No permits required.* No permits are required for the following:
 - (1) Household television antennas extending less than 15 feet above the highest point of a residential structure.
 - (2) Satellite dish receiving antennas two meters or less in diameter.

- (3) Adjustment, repair or replacement of the elements of an antenna, provided that such work does not constitute a clear safety hazard.
- (4) Antennas and antenna support structures used by the city for city purposes.
- (5) Emergency or routine repairs, reconstruction, or routine maintenance of previously approved facilities, or replacement of transmitters, antennas, or other components or previously approved facilities which do not create a significant change in visual impact or an increase in radio frequency emission levels, and provided that such work does not constitute a clear safety hazard.
- (6) Two-way communication transmitters used on a temporary basis by 9-1-1 emergency services, including fire, police and emergency aid or ambulance service.
- Radio transceivers normally hand-held or installed in moving vehicles, such as automobiles, (7) watercraft, or aircraft. This provision includes cellular phones.

(Ord. No. 1997-75, § 5, 4-1-1997)

Sec. 32-447. Letter of intent.

A letter of intent committing the tower owner, property owner, and their successors to allow the shared use of the tower shall be submitted to the city at the time of application. Pursuant to the terms of the letter of intent, the tower owner, property owner, and his successors shall, in good faith, lease space on an antenna support structure to other users. In the case of a dispute regarding the lease of space to other users, the existing permit holder and the current applicant shall submit their dispute to binding arbitration. Said binding arbitration shall be completed within 60 days of notification that a dispute exists. The costs of arbitration shall be borne equally by the applicant and the permit holder. Failure to abide by the arbitrator's decision shall result in termination of the permit for the tower and said tower shall be removed within 60 days. All permits shall be subject to review and termination if it is determined by the city that a permitted tower owner, property owner or successor is not in good faith offering antenna space to other users.

(Ord. No. 1997-75, § 11, 4-1-1997)

Sec. 32-448. Fees and escrows.

- Any person applying for any permit or site plan under this chapter shall pay to the city at the time of application all fees and escrows which are required.
 - (b) Fees and escrows as envisioned herein shall be determined, from time to time, by ordinance.
- All applicants must reimburse the city for any costs which the city incurs because of the presence of the applicant's antennas or towers, including costs for review of the application materials and review of required periodic submissions. (Ord. No. 1997-75, § 8, 4-1-1997)

Sec. 32-449. Periodic submissions.

- Submissions at time of initial application. In addition to the information required elsewhere in this ordinance, applications for conditional use permits or administrative permits shall include the following information, which shall be supplied by a qualified licensed and registered professional engineer:
 - Description of the tower height and design, including a cross-section and elevation and site (1) elevation.
 - (2) Documentation of the height above grade for all potential mounting positions for co-located antennas and the minimum separation distances between antennas.

- (3) Description of the tower's capacity, including the number and type of antennas that it can accommodate.
- (4) Documentation of what steps the applicant will take to avoid interference with established public safety telecommunications.
- (5) Inclusion of the engineer's stamp and registration number.
- (6) Submission of a picture drawing looking down at the energy lobe patterns (or projected patterns) of the site.
- (7) A letter of intent as required by section 32-447.
- (8) A written statement from the city fire department stating that the design of the facility, including its access roads, are in compliance with applicable fire codes and reasonable fire department regulations for access to the site in case of an emergency.
- (9) The city, at its reasonable discretion, may require visual impact demonstrations including mock-ups and/or photo montages to be submitted by the applicant to provide a more accurate visual depiction of the applicant's proposal.
- (10) Applications shall accurately describe and depict the actual antenna support structure/ antennas that the applicant wishes to have reviewed. Applications may be rejected by the city if the applications contain disclaimers which state or imply that the actual antenna support structure and/or antennas may not be constructed as is represented within the application materials.
- (11) Each initial application must also include the information required under subsection (c) of this section, regarding five-year submissions.
- (12) All maps submitted must clearly delineate the city boundaries and all state and county highways within the city.
- (13) Every application must include a map clearly delineating all properties and their lot lines within a 1,000-foot radius of the proposed tower site. The maps must also depict the location of all homes and accessory structures within a 1,000-foot radius of the proposed tower site.
- (b) Yearly submission of proof of insurance and compliance of operations. No later than January 10 of each year, each holder of a conditional use permit or administrative permit issued under this article shall submit to the city clerk a photocopy of a certificate of insurance showing that the tower and/or antenna is insured for that calendar year and shall also submit to the city clerk a copy of a report showing that the tower and antennas are being operated in compliance with all federal and/or state regulations.
- (c) Report required every five years. Every five years and not later than January 10 on the year of submission, each holder of a conditional use permit or administrative permit under the terms of this article shall provide the following information to the city:
 - (1) A written description of the type of technology each company/carrier will provide to its customers over the next five years (i.e. cellular, PCS, ESMR).
 - (2) A description of the radio frequencies to be used for each technology.
 - (3) A description of the type of consumer services (voice, video, data transmission) and consumer products (mobile phones, laptop PCs, modems) to be offered.
 - (4) A listing of all existing, existing to be upgraded or replaced, and proposed communication sites within the city and within five miles of the city for these services.
 - (5) A presentation-size map of the city showing the five-year plan for communication sites, or if individual properties are not known, the geographic service areas of the communication sites.

This shall be submitted in hard copy form at a size of 24 inches by 36 inches or greater, and shall also be provided on a three percent inch disk formatted for an IBM compatible computer.

- (6) A written list of communication sites (in use or projected to be used within the next five years) in both hard copy and three-inch disk (formatted for an IBM compatible word processing program). The list should include at least the following information:
 - a. The communication sites by address and then by county PID number;
 - b. The zoning districts;
 - c. The types of building (i.e., commercial, residential, etc.) and the height of the buildings;
 - d. The name of the carrier, its business address, and a local contact person (with phone number);
 - e. The number of antenna and base transceiver stations (BTS) per site by your carrier and if there are other installations and the number by each carrier;
 - f. The height from grade to the top of the antenna installations; location and type of antenna and location of BTS;
 - g. The radio frequency range in megahertz and list the wattage output of the equipment and effective radiated power;
 - h. A current and up-to-date information submission including the name, address and telephone number (one local and one national) to be contacted in case of an emergency occurring at the site of the antenna support structure.

(Ord. No. 1997-75, § 9, 4-1-1997; Ord. No. 1998-81, § 1, 2-16-1998)

Sec. 32-450. Preferences for antenna and support structure locations.

When selecting sites for the construction of new antenna support structures and/or for the placement of new antennas, the following preferences shall be followed:

- (1) Preferred land use areas.
 - a. Property in the general business district.
 - b. Public land or structures.
 - c. Athletic complexes, public parks, and golf courses.
 - d. Parking lots, if the monopole replicates, incorporates or substantially blends with the overall lighting standards of the lot.
 - e. Within the easement of a high power overhead transmission line, or within 50 feet of the transmission line easement on the same side of a road. The term "high power" means 69,000 volts or more.
- (2) Preferred support structures.
 - a. Water towers.
 - b. Co-location on existing antenna support structures.
 - c. Church steeples.
 - d. Sides of buildings over two stories high.
 - e. Existing power, lighting or phone poles.

(3) *Prohibitions*.

- a. No new support structures shall be approved at any location other than a preferred land use area, unless the applicant shows to the reasonable satisfaction of the city that such locations are not feasible from an engineering standpoint.
- b. No new support structures shall be approved for construction, unless the applicant shows to the reasonable satisfaction of the city that a preferred support structure is not feasibly available for use from an engineering standpoint.

(Ord. No. 1997-75, § 3, 4-1-1997; Ord. No. 1998-81, § 1, 2-16-1998)

Sec. 32-451. Location, use, lot size and dimensional requirements.

- (a) Primary and accessory uses. The use of antennas/antenna support structures may be either a principal or accessory use of land. If the use is considered a principal use, then the minimum vacant lot size requirements of subsection (b) of this section apply. An antenna/support structure may also be considered an accessory use on a parcel of land on which a principal use already exists, thus a smaller parcel of land may be used provided all other standards contained in this article are met.
 - (b) Maximum antenna support structure height and vacant lot size requirements.

Zoning District	Maximum Height	Minimum Vacant Lot Size
	(in feet)	(acres)
A-1	195	10
A-2	195	10
R-1	165	10
Conservancy	195	10
General business	195	2.5

- (c) Exceptions to maximum height restrictions. The maximum height restrictions in subsection (a) of this section shall not apply to public structures used as an antenna support structure. Additionally, no antenna may extend more than 15 feet above its antenna support structure.
- (d) Setback requirements. In all districts, all antenna support structures shall be set back from the nearest property line at least a distance equal to the height of the antenna support structure. This provision does not apply to existing antenna support structures unless said structure is enlarged or structurally modified.
 - (e) Distance from residences.
 - (1) Antenna support structures of up to 150 feet in height shall not be constructed within 300 feet of any residential structure.
 - (2) Antenna support structures of over 150 feet in height shall not be constructed within 500 feet of any residential structure.
 - (3) Notwithstanding subsections (e)(1) and (2) of this section, if an antenna support structure is located on the same parcel of land as a residential structure, the setback to that residential structure may be equal to the height of the antenna support structure plus 15 feet.
- (f) Multiple towers. Generally, only one antenna support structure is permitted on a parcel of land. If, in the opinion of the city, a particular parcel is well suited for more than one support structure, then up to three antenna support structures may be located on a parcel of land if each antenna support structure is located within 100 feet of another antenna support structure, and if all other standards contained in this article are met. Additionally, a second or third antenna support structure will not be allowed on a parcel of land unless the existing antenna support structures on that parcel already hold the maximum number of co-located antennas

possible or unless the existing antenna support structures are not feasibly available for use from an engineering standpoint for additional co-located antenna facilities.

(g) Location limitations. The location of any antenna support structure on a particular parcel of land shall be located so as to have the least impact possible on adjoining properties, and so that any negative impacts of the antenna support structure shall be confined as much as possible to the property on which the antenna support structure is located.

(Ord. No. 1997-75, § 4, 4-1-1997)

Sec. 32-452. Antenna regulations in all districts.

- (a) Standards. The following standards shall apply to all antennas and antenna support structures:
- (1) All obsolete and unused antennas and antenna support structures shall be removed within 90 days of cessation of operation at the site, unless an exemption is granted by the city. After the facilities are removed, the site shall be restored to its original or an improved condition. Failure to comply with this provision will result in the city completing the removal and site restoration, and the city's costs shall be assessed against the property and collected as a real estate tax.
- (2) All antenna shall be constructed in compliance with city building and electrical codes.
- (3) Structural design, mounting and installation of the antenna shall be in compliance with manufacturer's specifications. The plans shall be approved and certified by a registered professional engineer at the owner's expense.
- (4) When applicable, written authorization for antenna erection shall be provided by the property owner.
- (5) No advertising message shall be affixed to the antenna structure.
- (6) The height of the antenna shall be the minimum necessary to function satisfactorily, as verified by a registered professional engineer.
- (7) Antennas shall not be artificially illuminated and must not display strobe lights. When incorporated into the approved design, the tower may support light fixtures used to illuminate ball fields, parking lots, or other similar areas.
- (8) When applicable, proposals to erect new antenna shall be accompanied by any required federal, state, or local agency licenses.
- (9) No new antenna support structures shall be constructed if it is feasible to locate the proposed new antenna on existing support structures. Feasibility shall be determined according to generally accepted engineering principles. If a new antenna support structure is to be constructed, it shall be designed structurally and electrically to accommodate both the applicant's antennas and comparable antennas for at least two additional users if the antenna support structure is 100 feet in height or more. Any antenna support structure must also be designed to allow for future rearrangement of antennas upon the tower and to accept antennas mounted at different heights. Other users shall include, but not be limited to, other cellular communication companies, personal communication systems companies, local police, fire and ambulance companies.
- (10) Antenna support structures shall be constructed and finished to reduce visual impact and to meet all applicable FAA requirements.
- (11) The use of guyed towers is prohibited. Towers must be self-supporting without the use of wires, cables, beams or other means. The design should utilize a monopole design. The city may grant variances to this requirement in cases where structural, RF design considerations,

- and/or the number of tenants required by the city prevent the feasible use of a monopole. Permanent platforms or structures, exclusive of antennas, are prohibited.
- (12) The base of any tower shall occupy no more than 500 square feet and the top of the tower shall be no larger than the base.
- (13) Antennas and antenna support structures must be designed to blend into the surrounding environment through use of color and camouflaging architectural treatment, except in instances where the color is dictated by federal or state authorities. All locations should provide the maximum amount of screening from off-site views as is feasible. Existing on-site vegetation shall be preserved to the maximum extent practicable.
- (14) The base of all antenna support structures shall be landscaped according to a plan approved by the city engineer. Buildings which are constructed or used in conjunction with the antenna support structure shall be designed to be architecturally compatible with other existing structures on the site.
- (15) Antennas shall be subject to state and federal regulations pertaining to nonionizing radiation and other health hazards related to such facilities. If new, more restrictive standards are adopted, antennas shall be brought into compliance with the new standards by the owner and operator. The cost of verification of compliance shall be borne by the owner and operator of the antenna.
- (16) Except as approved by the city as to public utilities, no part of any antenna or support structure, nor any lines, cables, equipment, wires, or braces shall at any time extend across or over any part of any right-of-way, public street, highway, sidewalk, or property line.
- (17) All metal towers and all necessary components shall be constructed of or treated with corrosion resistant material.
- (18) All antennas and support structures shall be adequately insured for injury and property damage.
- (19) All new antenna support structures shall be constructed to provide space for the installation of a city emergency/fire siren in such a fashion that it will not interfere with any antennas. Said space shall be available for said use by the city at no cost to the city.
- (20) No temporary mobile communication sites are permitted except in the case of equipment failure, equipment testing, or in the case of an emergency situation as authorized by the police. Use of temporary mobile communication sites for testing purposes shall be limited to 24 hours; use of temporary mobile communication sites for equipment failure, or in the case of emergency situations, shall be limited to a term of 30 days. These limits can be extended by the city council.
- (21) All equipment and construction regulated by this division shall comply with recognized applicable standards or regulations, such as, but not limited to, those standards and regulations established by the following (or their successors):

American National Standards Institute (ANSI)

Electronic Industries Association (EIA)

Federal Communications Commission (FCC)

Federal Aviation Administration (FAA)

Institute of Electrical and Electronic Engineers (IEEE)

State Building Code (SBC) and other state standards.

National Electrical Code (NEC)

National Fire Protection Association (NFPA)

Occupational Safety and Health Administration (OSHA)

- (22) All applications under this division and all approved uses must at all times also comply with all other applicable city ordinances.
- (b) Structures requiring permits. The following regulations shall apply to all antennas and antenna support structures for which a conditional use permit, administrative permit or site plan is required under this article:
 - (1) The applicant shall demonstrate by providing a coverage/interference analysis and capacity analysis prepared by a registered professional engineer that the location of the antennas as proposed is necessary to meet the frequency reuse and spacing needs and to provide adequate coverage and capacity to areas which cannot be adequately served by locating the antennas in a less restrictive district. Said analysis shall also demonstrate to the reasonable satisfaction of the city that the proposed use will not interfere with the radio, television, telephone, computer, and other similar services enjoyed by the properties in the area.
 - (2) Transmitting, receiving and switching equipment shall be housed within an existing structure whenever possible. If a new equipment building is necessary for transmitting, receiving and switching equipment, it shall be situated in the rear yard of the principal use and shall be screened from view by landscaping.
 - (3) Unless the antenna is mounted on an existing structure, at the discretion of the city, a security fence not greater than eight feet in height with a maximum opacity of 50 percent shall be provided around the support structure.
 - (4) All antenna support structures shall be reasonably protected against climbing.
 - (5) At least annually, and at each time a new user is added to an antenna support structure, the owner or operator shall provide to the city a report from a registered engineer that the antenna comply with all applicable regulations regarding emission of radiation and electromagnetic waves.
 - (6) The base of all antenna support structures shall be posted with signs stating "Keep Off" on all sides. Additionally, all telecommunications facilities shall be clearly identified as to location and operator so as to facilitate emergency response. Specifically, an address sign shall be installed in conformance with fire department requirements at the entrance of the public way to provide direction along the access road to the facility itself. Additionally, a permanent, weatherproof, approximately 16 inch by 32 inch facility identification sign shall be placed on the gate in the fence around the equipment building, or if there is no fence, next to the door to the equipment shed itself. Said sign shall identify the facility operator, provide his address, and specify a 24-hour telephone number at which he can be reached.

(Ord. No. 1997-75, § 6, 4-1-1997; Ord. No. 1998-81, § 1, 2-16-1998)

Sec. 32-453. Amateur radio antennas and towers.

- (a) *Exemptions*. Antennas and antenna support structures for federally licensed amateur radio operators are hereby exempted from the following provisions of this division:
 - (1) Section 32-450(1).
 - (2) Section 32-450(3).
 - (3) Section 32-451(a).
 - (4) Section 32-451(a).
 - (5) Section 32-446.

- (6) Sections 32-452(a)(3), (a)(6), (a)(9), (a)(11) and (a)(19).
- (7) Sections 32-452(b)(1), (b)(3), (b)(5) and (b)(6).
- (b) Site plan. No amateur antenna support structures shall be constructed unless site plan approval has been given by the city engineer. Any person aggrieved by the city engineer's decision shall be entitled to appeal that decision to the city council.
- (c) Support structure construction. Amateur radio support structures (towers) must be installed in accordance with the instructions furnished by the manufacturer of that tower model. Because of the experimental nature of the amateur radio service, antennas mounted on such a tower may be modified or changed at any time so long as the published allowable load on the tower is not exceeded and the structure of the tower remains in accordance with the manufacturer's specifications. (Ord. No. 1997-75, § 7, 4-1-1997)

Sec. 32-454. Noise and traffic.

All telecommunications facilities shall be constructed and operated in such a manner as to minimize the amount of disruption caused the residents of nearby homes and the users of nearby recreational areas such as public parks and trails. To that end, all of the following measures shall be implemented:

- (1) Outdoor noise producing construction activities shall take place only on weekdays (Monday through Friday) between the hours of 7:30 a.m. and sunset, unless allowed at other times by the city.
- (2) Back-up generators shall be operated only during power outages and for testing and maintenance purposes. Testing and maintenance shall only take place on weekdays between the hours of 7:30 a.m. and sunset.
- (3) Traffic shall at all times be kept to an absolute minimum, but in no case more than one round trip per day on an average annualized basis once construction is complete.

(Ord. No. 1997-75, § 12, 4-1-1997)