Extract, Transform, and Load Data using Python



Introduction

Extract, Transform and Load (ETL) operations are of extreme importance in the role of a Data engineer. A data engineer extracts data from multiple sources and different file formats, transforms the extracted data to predefined settings and then loads the data to a database for further processing. In this lab, you will get hands-on practice of performing these operations.

Objectives


After completing this lab, you will be able to:


- · Read CSV, JSON, and XML file types.
- Extract the required data from the different file types.
- Transform data to the required format.
- Save the transformed data in a ready-to-load format, which can be loaded into an RDBMS.


Initial steps

The first step in this process is to create a new file in the default project folder in the IDE. To create the new file, you can navigate to the File tab in the menu bar and click New File. Save this file in the path \home\project as etl_code.py. These steps are shown in the following images.


1. Create New File








The file is now ready in the project folder and further steps will be done in the file.



Gather the data files

Before you start the extraction of data, you need the files containing the data to be available in the project folder. For the purpose of this lab, perform the following steps to gather the required data:

1. Open a new terminal window



- 2. Run the following commands in the terminal shell:
 - a. Download the zip file containing the required data in multiple formats.
- 1. wget https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-PY0221EN-SkillsNetwork/labs/module%206/Lab%20-%2


Copied! Executed!

b. Unzip the downloaded file.

- 1. 1
- unzip source.zip

Copied! Executed!

After you complete the above steps, the folder structure should appear as shown in the following image.



Importing Libraries and setting paths

The required files are now available in the project folder.

In this lab, you will extract data from CSV, JSON, and XML formats. First, you need to import the appropriate Python libraries to use the relevant functions.

The xml library can be used to parse the information from an .xml file format. The .csv and .json file formats can be read using the pandas library. You will use the pandas library to create a data frame format that will store the extracted data from any file.

To call the correct function for data extraction, you need to access the file format information. For this access, you can use the glob library.

To log the information correctly, you need the date and time information at the point of logging. For this information, you require the datetime package.

While glob, xml, and datetime are inbuilt features of Python, you need to install the pandas library to your IDE.

Run the following command in a terminal shell to install pandas for python3.11.

```
Copied! Executed!
```

1. python3.11 -m pip install pandas

After the installation is complete, you can import all the libraries in etl_code.py using the following commands.

- 1. import glob 2. import pandas as pd
- import xml.etree.ElementTree as ET
- from datetime import datetime

Copied!

Note that you import only the ElementTree function from the xml.etree library because you require that function to parse the data from an XML file format.

You also require two file paths that will be available globally in the code for all functions. These are transformed_data.csv, to store the final output data that you can load to a database, and log_file.txt, that stores all the logs

Introduce these paths in the code by adding the following statements:

- 1. log_file = "log_file.txt"
 2. target_file = "transformed_data.csv"

Copied!

Remember to save your file! You may use Ctrl+S to save the file or click Save in the File tab.

Task 1: Extraction

Next, you will develop the functions to extract the data from different file formats. As there will be different functions for the file formats, you'll have to write one function each for the .csv, .json, and the .xml filetypes.

You can name these three functions as extract_from_csv(), extract_from_json(), and extract_from_xml(). You need to pass the data file as an argument, file_to_process, to

To extract from a CSV file, you can define the function extract_from_csv() as follows using the pandas function read_csv:

- 1. 1
- 1. def extract_from_csv(file_to_process):
- 2. dataframe = pd.read_csv(file_to_process)
- 3. return dataframe

Copied!

To extract from a JSON file, you can define the function extract_from_json() using the pandas function read_json. It requires an extra argument lines=True to enable the function to read the file as a JSON object on line to line basis as follows.

```
2. 2
3. 3
          extract_from_json(file_to_process):
dataframe = pd.read_json(file_to_process, lines=True)
1. def
           return dataframe
```

Copied!

To extract from an XML file, you need first to parse the data from the file using the ElementTree function. You can then extract relevant information from this data and append it to a

Note: You must know the headers of the extracted data to write this function. In this data, you extract "name", "height", and "weight" headers for different persons.

This function can be written as follows:

```
2.
3.
4.
5.
6.
7.
 8.8
 9.
10. 10
    def extract_from_xml(file_to_process):
 1.
          dataframe = pd.DataFrame(columns=["name", "height", "weight"])
tree = ET.parse(file_to_process)
 2.
 3.
 4.
          root = tree.getroot()
 5.
6.
          for person in root:
               name = person.find("name").text
               height = float(person.find("height").text)
weight = float(person.find("weight").text)
 8.
               dataframe = pd.concat([dataframe, pd.DataFrame([{"name":name, "height":height, "weight":weight}])], ignore_index=True)
```

Copied!

Now you need a function to identify which function to call on basis of the filetype of the data file. To call the relevant function, write a function extract, which uses the glob library to identify the filetype. This can be done as follows:

```
3.
4.
5.
 6.
7.
8.
10.
11.
12.
14. 14
15. 15
16.
  1.
          extracted_data = pd.DataFrame(columns=['name','height','weight']) # create an empty data frame to hold extracted data
  2.
  4.
          # process all csv files
          for csvfile in glob.glob("*.csv"):
  5.
6.
              extracted_data = pd.concat([extracted_data, pd.DataFrame(extract_from_csv(csvfile))], ignore_index=True)
  7.
 8.
9.
          # process all json files
for jsonfile in glob.glob("*.json"):
    extracted_data = pd.concat([extracted_data, pd.DataFrame(extract_from_json(jsonfile))], ignore_index=True)
10.
11.
 12.
          # process all xml files
13.
          for xmlfile in glob.glob("*.xml"):
14.
              extracted_data = pd.concat([extracted_data, pd.DataFrame(extract_from_xml(xmlfile))], ignore_index=True)
 15.
          return extracted data
Copied!
```

After adding these functions to etl_code.py you complete the implementation of the extraction part.

Remember to save your file using Ctrl+S.

Task 2 - Transformation

The height in the extracted data is in inches, and the weight is in pounds. However, for your application, the height is required to be in meters, and the weight is required to be in kilograms, rounded to two decimal places. Therefore, you need to write the function to perform the unit conversion for the two parameters.

The name of this function will be transform(), and it will receive the extracted dataframe as the input. Since the dataframe is in the form of a dictionary with three keys, "name", "height", and "weight", each of them having a list of values, you can apply the transform function on the entire list at one go.

The function can be written as follows:

```
1.
2.
3.
4.
5.
```

4 5

```
8. 8
9. 9
10. 10
1. def transform(data):
2.    '''Convert inches to meters and round off to two decimals
3.    1 inch is 0.0254 meters '''
4.    data['height'] = round(data.height * 0.0254,2)
5.
6.    '''Convert pounds to kilograms and round off to two decimals
7.    1 pound is 0.45359237 kilograms '''
8.    data['weight'] = round(data.weight * 0.45359237,2)
9.
10.    return data
```

Copied!

The output of this function will now be a dataframe where the "height" and "weight" parameters will be modified to the required format.

You can add the transform() function to the etl_code.py file, thus completing the transform operation.

Remember to save your file using Ctrl+S.

Task 3 - Loading and Logging

You need to load the transformed data to a CSV file that you can use to load to a database as per requirement.

To load the data, you need a function load_data() that accepts the transformed data as a dataframe and the target_file path. You need to use the to_csv attribute of the dataframe in the function as follows:

```
1. 1
2. 2

1. def load_data(target_file, transformed_data):
2. transformed_data.to_csv(target_file)
```

Finally, you need to implement the logging operation to record the progress of the different operations. For this operation, you need to record a message, along with its timestamp, in the log_file.

To record the message, you need to implement a function log_progress() that accepts the log message as the argument. The function captures the current date and time using the datetime function from the datetime library. The use of this function requires the definition of a date-time format, and you need to convert the timestamp to a string format using the strftime attribute. The following code creates the log operation:

```
1. 1
2. 2
3. 3
4. 4
5. 5
6. 6

1. def log_progress(message):
2. timestamp_format = '%Y-%h-%d-%H:%M:%S' # Year-Monthname-Day-Hour-Minute-Second
3. now = datetime.now() # get current timestamp
4. timestamp = now.strftime(timestamp_format)
5. with open(log_file,"a") as f:
6. f.write(timestamp + ',' + message + '\n')

Copied!
```

After you add these functions to etl_code.py, you will complete the implementation of the loading and logging operations. With this, all the functions for Extract, Transform, and Load (ETL) are ready for testing.

Remember to save your file using Ctrl+S.

Testing ETL operations and log progress

Now, test the functions you have developed so far and log your progress along the way. Insert the following lines into your code to complete the process. Note the comments on every step of the code.

```
2. 2
3. 3
4. 4
5. 5
6. 6
7. 7
8. 8
9. 9
10. 10
11. 11
12. 12
13. 13
14. 14
15. 15
16. 16
17. 17
18. 18
19. 19
20. 20
21. 21
22. 22
23. 23
24. 24
25. 25
26. 26
27. 27
28. 28

1. # Log the initialization of the ETL process
2. log_progress("ETL Job Started")
```

```
4. # Log the beginning of the Extraction process
5. log_progress("Extract phase Started")
6. extracted_data = extract()
7.
8. # Log the completion of the Extraction process
9. log_progress("Extract phase Ended")
10.
11. # Log the beginning of the Transformation process
12. log_progress("Transform phase Started")
13. transformed_data = transform(extracted_data)
14. print("Transformed Data")
15. print(transformed_data)
16.
17. # Log the completion of the Transformation process
18. log_progress("Transform phase Ended")
19.
20. # Log the beginning of the Loading process
21. log_progress("Load phase Started")
22. load_data(target_file, transformed_data)
23.
24. # Log the completion of the Loading process
25. log_progress("Load phase Ended")
26.
27. # Log the completion of the ETL process
28. log_progress("ETL Job Ended")

Copied!
```

Remember to save your file using Ctrl+S.

Execution of code

Execute etl_code.py from a terminal shell using the command

1. python3.11 etl_code.py

Copied! Executed!

Upon execution, you can view the output of the print command on the terminal as shown in the image below.

```
height
1.67
1.82
                                                               weight
51.25
61.91
69.41
64.56
65.45
51.25
61.91
69.41
64.56
              ajay
alice
ravi
joe
alex
ajay
alice
ravi
joe
jack
tom
tracy
john
jack
tom
tracy
john
jack
tom
                                                                  65.45
51.25
61.91
69.41
64.56
                                                                  65.45
55.93
64.18
                                                                  61.90
50.97
              jacob
cindy
ivan
simon
jacob
             cindy
ivan
simon
                                                                  57.81
51.77
50.97
                                            1.72
1.70
1.69
              jacob
cindy
                                                                  54.73
57.81
  38 ivan
theia@theia
                                       1.72 51.77
-abhishekg1:/home/project$ [
```

The contents of the log file will appear as shown in the image below.

```
log_file.txt
OPEN EDITORS
                       2023-Aug-01-13:03:22, ETL Job Started
PROJECT
                       2023-Aug-01-13:03:22, Extract phase Started
 etl code.py
                       2023-Aug-01-13:20:24,ETL Job Started
 log_file.txt
                       2023-Aug-01-13:20:24, Extract phase Started
 source.zip
                       2023-Aug-01-13:20:24, Extract phase Ended
 source1.csv
                       2023-Aug-01-13:20:24, Transform phase Started
                       2023-Aug-01-13:20:24, Transform phase Ended
 source1.json
                       2023-Aug-01-13:20:24, Load phase Started
 source1 xml
                       2023-Aug-01-13:20:58,ETL Job Started
 source2.csv
                       2023-Aug-01-13:20:58,Extract phase Started
 source2.json
                       2023-Aug-01-13:20:58, Extract phase Ended
 source2.xml
                       2023-Aug-01-13:20:58, Transform phase Started
 source3.csv
                       2023-Aug-01-13:20:58, Transform phase Ended
                       2023-Aug-01-13:20:58, Load phase Started
 source3.json
                       2023-Aug-01-13:20:58, Load phase Ended
 source3.xml
                       2023-Aug-01-13:20:58, ETL Job Ended
 transforme.
```

Lab Solution

In case you face some issue while you execute the created code, it might be because of missing a step in the process somewhere. The complete code of all the steps is given below to help you resolve the issue. Please note that you should refer to this only if you are unable to achieve the desired results yourself or get an error during the execution in the next step.

▶ Click here for the code

Practice Exercises

Follow the process learned in this lab to perform ETL operations on the data available in the link below.

- 1. 1
 - 1

Copied!

Complete the following practice exercises:

1. Create a folder data_source and use the terminal shell to change the current directory to \home\project\data_source. Create a file etl_practice.py in this folder.

1. https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-PY0221EN-SkillsNetwork/labs/module%206/Lab%20-%20Extr

- 2. Download and unzip the data available in the link shared above.
- 3. The data available has four headers: 'car_model', 'year_of_manufacture', 'price', 'fuel'. Implement the extraction process for the CSV, JSON, and XML files.
- 4. Transform the values under the 'price' header such that they are rounded to 2 decimal places.
- 5. Implement the loading function for the transformed data to a target file, transformed_data.csv.
- 6. Implement the logging function for the entire process and save it in log_file.txt.
- 7. Test the implemented functions and log the events as done in the lab.

Please note that the solutions for this practice exercise are not provided to motivate you to try them yourself. However, feel free to share your opinions on the solutions as well as your questions in the discussion forums.

Conclusion

In this lab, you practiced the implementation of:

- Extraction of data from CSV, JSON, and XML file formats.
- Transformation of data as per requirement.
- Loading the transformed data to a CSV file.
- Logging the progress of the said operations.

Author(s)

Abhishek Gagneja

Ramesh Sannareddy Joseph Santarcangelo Azim Hirjani

Changelog

Date	Version	Changed by	Change Description
2023-09-01	3.0	Steve Hord	QA pass with edits
2023-08-28	3 2.0	Anita Narain	ID Review of the lab
2023-08-01	1.0	Abhishek Gagneja	Forked and converted lab from Jupyter notebook to Python script
2020-11-25	0.1	Ramesh Sannareddy	Created initial version of the lab

