

# BÀI TẬP QUÁ TRÌNH

## Set-1: Basic OS question

**Câu 1** What is operating system?

- A. collection of programs that manages hardware resources
- B. system service provider to the application programs
- C. link to interface the hardware and application programs
- D. all of the mentioned

ans: all of the mentioned

**Câu 2** To access the services of operating system, the interface is provided by the

- A. system calls
- B. API
- C. library
- D. assembly instructions

ans: D. assembly instructions

**Câu 3** Which one of the following error will be handle by the operating system?

- A. power failure
- B. lack of paper in printer
- C. connection failure in the network
- D. all of the mentioned

**Câu 4** The main function of the command interpreter is

- A. to get and execute the next user-specified command
- B. to provide the interface between the API and application program
- C. to handle the files in operating system
- D. none of the mentioned

**Câu 5** By operating system, the resource management can be done via

- A. time division multiplexing
- B. space division multiplexing
- C. both (a) and (b)
- D. none of the mentioned

**câu 6** If a process fails, most operating system write the error information to a

- A. log file
- B. another running process
- C. new file

D. none of the mentioned

ans: A. log file

**Câu 7:** The systems which allows only one process execution at a time, are called

- A. uniprogramming systems
- B. uniprocessing systems
- C. unitasking systems
- D. none of the mentioned

**Câu 8** In operating system, each process has its own

- A. address space and global variables
- B. open files
- C. pending alarms, signals and signal handlers
- D. all of the mentioned

**Câu 9** A process can be terminated due to

- A. normal exit
- B. fatal error
- C. killed by another process
- D. all of the mentioned

**Câu 10** What is the ready state of a process?

- A. when process is scheduled to run after some execution
- B. when process is unable to run until some task has been completed
- C. when process is using the CPU
- D. none of the mentioned

ans: A. when process is scheduled to run after some execution

-----

## Set-2

**Câu 1** What is interprocess communication?

- A. communication within the process
- B. communication between two process
- C. communication between two threads of same process
- D. none of the mentioned

ans: B. communication between two process

**Câu 2** A process stack does not contain

- A. function parameters
- B. local variables
- C. return addresses
- D. PID of child process

Ans: D. PID of child process

**Câu 3:** When the process issues an I/O request :

- A. It is placed in an I/O queue
- B. It is placed in a waiting queue
- C. It is placed in the ready queue
- D. It is placed in the Job queue

**Câu 4** What is a long-term scheduler ?

- A. It selects which process has to be brought into the ready queue
- B. It selects which process has to be executed next and allocates CPU
- C. It selects which process to remove from memory by swapping
- D. None of these

**Câu 5** What is a medium-term scheduler ?

- A. It selects which process has to be brought into the ready queue
- B. It selects which process has to be executed next and allocates CPU
- C. It selects which process to remove from memory by swapping
- D. None of these

Ans: C. It selects which process to remove from memory by swapping

**Câu 6** What is a short-term scheduler ?

- A. It selects which process has to be brought into the ready queue
- B. It selects which process has to be executed next and allocates CPU
- C. It selects which process to remove from memory by swapping
- D. None of these

Ans: B. It selects which process has to be executed next and allocates CPU

**Câu 7** The primary distinction between the short term scheduler and the long term scheduler is :

- A. The length of their queues
- B. The type of processes they schedule
- C. The frequency of their execution
- D. None of these

---

### Set-3

**Câu 1** In a time-sharing operating system, when the time slot given to a process is completed, the process goes from the running state to the :

- A. Blocked state
- B. Ready state
- C. Suspended state
- D. Terminated state

Ans: B. Ready state

**Câu 2** In a multi-programming environment :

- A. the processor executes more than one process at a time
- B. the programs are developed by more than one person
- C. more than one process resides in the memory
- D. a single user can execute many programs at the same time

Ans: C. more than one process resides in the memory

**Câu 3:** Suppose that a process is in “Blocked” state waiting for some I/O service. When the service is completed, it goes to the :

- A. Running state
- B. Ready state
- C. Suspended state
- D. Terminated state

**Câu 4** Which of the following does not interrupt a running process ?

- A. A device
- B. Timer
- C. Scheduler process
- D. Power failure

**Câu 5** Several processes access and manipulate the same data concurrently and the outcome of the execution depends on the particular order in which the access takes place, is called a(n) \_\_\_\_.

- A. Shared Memory Segments
- B. Entry Section
- C. Race condition
- D. Process Synchronization

Ans: C. Race condition

**Câu 6** Which of the following state transitions is not possible ?

- A. blocked to running
- B. ready to running
- C. blocked to ready
- D. running to blocked

**Câu 7** Which process can affect or be affected by other processes executing in the system?

- A. cooperating process
- B. child process
- C. parent process
- D. init process

**Câu 8** A semaphore is a shared integer variable

- A. that can not drop below zero
- B. that can not be more than zero
- C. that can not drop below one
- D. that can not be more than one

Ans: A. that can not drop below zero

-----

## Set-5

**Câu 1** Operating System maintains the page table for

- A. each process
- B. each thread
- C. each instruction
- D. each address

ans: A. each process

**Câu 2** Because of virtual memory, the memory can be shared among

- A. processes
- B. threads
- C. instructions
- D. none of the mentioned

A. processes

**Câu 3** \_\_\_\_\_ is the concept in which a process is copied into main memory from the secondary memory according to the requirement.