

ENR 2. AIR TRAFFIC SERVICE AIRSPACE

ENR 2.1 FIR, UIR, TMA AND CTA

1.1 FLIGHT INFORMATION REGION (FIR)

Name Lateral limits Vertical limits Class of airspace	Unit Providing Service	Call sign Languages Hours of service	Frequencies(MHz) Purpose	Remarks
1	2	3	4	5
Incheon FIR 3800N 12400E - 3800N 12451E - along the Northern Limit Line and Military Demarcation Line to 3838N 12822E - 3838N 13339E - 3800N 13300E - 3730N 13300E - 3440N 12910E - 3230N 12730E - 3230N 12650E - 3000N 12525E - 3000N 12400E UNL GND Class A, B, C, D, E, G	Daegu ACC	Daegu Control English H24	132.80, 120.525, 290.60, 335.45 / West-sea High Sector 128.70, 118.925, 270.50, 263.60 / West-sea Low Sector 122.25, 125.925, 263.35, 263.85 / East-sea Sector 134.175, 123.65, 272.40, 233.60 / East-sea Low Sector 120.575, 119.375, 134.375, 254.70, 335.75 / Pohang Sector 125.375, 125.775, 124.575, 234.15, 317.35, 335.50 / Daegu Sector 128.175, 128.325, 335.50, 275.20 / South-sea Sector COMMON(West-sea High, West-sea Low, East-sea Low, East-sea, Pohang, Daegu, South-sea) : 122.75, 262.75 121.50, 243.00/EMERG	
	Incheon ACC	Incheon Control English H24	126.175, 134.375, 317.85, 335.55 / Gunsan Low Sector 132.15, 123.55, 263.15, 272.60 / Gunsan High Sector 120.725, 128.30, 263.90, 272.75 / Gwangju Low Sector 123.725, 124.50, 239.25, 275.40 / Gwangju High Sector 124.525, 132.425, 255.40, 348.10, 233.50 / Jeju North Sector 133.425, 134.15, 234.35, 234.65 / Jeju South High Sector 125.725, 132.825, 128.375, 232.95, 233.15 / Jeju South Low Sector COMMON(Gunsan Low, Gunsan High, Gwangju Low, Gwangju High, Jeju North, Jeju South High, Jeju South Low) : 132.20, 355.50 121.50, 243.00/EMERG	
	Daegu FIC	Daegu Information English H24	126.90, 135.725, 250.80, 258.50, 317.55, 121.50, 243.00/EMERG	
	Seoul Radio	Seoul Radio English H24	127.10 3004 kHz, 6532 kHz, 8903 kHz, 13300 kHz, 13303 kHz, 17904 kHz	

Change : Information of frequencies, CTA and Withdrawal of remarks(*)

1.2 UPPER INFORMATION REGION (UIR) - NIL

1.3 TERMINAL CONTROL AREA (TMA)

Name Lateral limits Vertical limits Class of airspace	Unit Providing Service	Call Sign Languages Area and conditions of use Hours of Service	Frequencies/ Purpose	Remarks
1	2	3	4	5
Seoul Terminal Control Area				Class B :
T 01 372110N 1253253E - 373910N 1260953E - 374310N 1264052E - 373810N 1265252E - 375810N 1273952E - 371619N 1273952E - 371510N 1272352E - 371810N 1271852E - 371810N 1270852E - 372110N 1265752E - 372025N 1264822E - 370855N 1263637E - 370831N 1263143E - 370538N 1262158E - 370517N 1254809E - 371610N 1254753E - 372110N 1253253E			5 NM(9.3 km) radius of 372745N 1262621E including areas which are extended northbound from 373156N 1261525E - 373721N 1262500E - 373241N 1262713E - 372852N 1262003E - 373156N 1261525E and southbound from 372247N 1262526E - 372654N 1263222E - 372339N 1263710E - 371815N 1262736E - 372247N 1262526E area	
FL 185 1 000 ft AGL ¹⁾				10 000 ft AMSL GND
Class B, D, E				
T 02 375810N 1273952E - 380010N 1275452E - 371010N 1275452E - 371010N 1274552E - 370640N 1273952E - 375810N 1273952E				5-10 NM(18.5 km) radius of 372745N 1262621E including areas which are extended northbound from 373454N 1261246E - 374019N 1262221E - 373721N 1262500E - 373156N 1261525E - 373454N 1261246E and southbound from 371815N 1262736E - 372339N 1263710E - 371917N 1264102E - 371353N 1263128E - 371815N 1262736E area
FL 185 FL 175				
Class D				
T 03 372025N 1264822E - 372110N 1265752E - 371810N 1270852E - 371810N 1271852E - 371510N 1272352E - 371510N 1270652E - 370939N 1264334E - 370855N 1263637E - 372025N 1264822E	Seoul APP	Seoul Approach English H24	119.05 119.10 119.75 124.70 120.80 121.35 121.40 123.25 123.80 124.20 124.80 125.15 293.30 305.70 353.20 363.80 121.50 243.00	10 000 ft AMSL 1 000 ft AGL
FL 185 4 500 ft AMSL				10-20 NM radius of 372745N 1262621E
Class B, D, E				
T 04 370517N 1254809E - 370538N 1262158E - 370831N 1263143E - 370939N 1264334E - 371333N 1265937E - 370531N 1270147E - 365810N 1262852E - 370050N 1261652E - 365652N 1254823E - 370517N 1254809E				10 000 ft AMSL 5 000 ft AGL
FL 185 6 500 ft AMSL				
Class D, E				
T 05 371333N 1265937E - 371510N 1270652E - 371510N 1272352E - 371619N 1273952E - 371039N 1273952E - 370531N 1270147E - 371333N 1265937E				Gimpo 5 NM radius of 373325N 1264751E
FL 185 7 500 ft AMSL				
Class D, E				
				10 000 ft AMSL 1 000 ft AGL
				10-20 NM radius of 373325N 1264751E
				10 000 ft AMSL 5 000 ft AGL

Name Lateral limits Vertical limits Class of airspace	Unit Providing Service	Call Sign Languages Area and conditions of use Hours of Service	Frequencies/ Purpose	Remarks
1	2	3	4	5
T 06 365810N 1262852E - 370531N 1270147E - 371039N 1273952E - 370230N 1273952E - 365246N 1263504E - 365810N 1262852E FL 185 9 500 ft AMSL Class D, E				Class D : Airspace from above 10 000 ft AMSL to FL 200 within Seoul TMA, excluding Class B. Seoul 5 NM radius of 372644N 1270647E 4 000 ft AGL GND
T 07 365246N 1263504E - 370230N 1273952E - 370210N 1273952E - 50 NM Arc South of Gimpo Airport - 364315N 1264613E - 365246N 1263504E FL 185 11 500 ft AMSL Class D				Icheon 5 NM radius of 371204N 1272819E 3 000 ft AGL GND
T 08 365850N 1262553E - 365810N 1262852E - 365246N 1263504E - 365140N 1262757E - 365850N 1262553E FL 185 11 500 ft AMSL Class D	Seoul APP	Seoul Approach English H24	119.05 119.10 119.75 124.70 120.80 121.35 121.40 123.25 123.80 124.20 124.80 125.15 293.30 305.70 353.20 363.80 121.50 243.00	Pyeongtaek 5 NM radius of 365736N 1270200E 3 000 ft AGL GND 1) 1 000 ft AMSL is applied over the territorial waters. Seoul Approach East for Incheon Airport East Flow Lateral Limits : 374035N 1261454E - 371217N 1264003E 370144N 1263723E - 364333N 1265430E 50 NM ARC south of Gimpo Airport 370210N 1273952E - 370230N 1273952E 375810N 1273952E - 373810N 1265252E 374310N 1264052E - 374216N 1263345E 374336N 1262933E - 374153N 1261628E 374035N 1261454E Vertical Limits : At or below FL 185 in Seoul Approach Terminal Control Area.
T 09 365851N 1260237E - 370050N 1261652E - 365850N 1262553E - 365140N 1262757E - 365246N 1263504E - 364315N 1264613E - 50 NM Arc South of Gimpo Airport - 365851N 1260237E FL 185 FL 145 Class D				Seoul Approach West for Incheon Airport West Flow Lateral Limits : 374035N 1261454E - 371217N 1264003E 370144N 1263723E - 364333N 1265430E 50 NM ARC south of Gimpo Airport 364537N 1262900E - 364800N 1262900E 370010N 1262530E - 370538N 1262158E 370518N 1254809E - 371610N 1254753E 372110N 1253253E - 373910N 1260953E 373947N 1261438E - 374028N 1261446E 374035N 1261454E Vertical Limits : At or below FL 185 in Seoul Approach Terminal Control Area.
S1(Incheon Airport Instrument Flight Procedures Protected Area) 374153N 1261628E - 374336N 1262933E - 374208N 1263410E - 373936N 1261436E - 374028N 1261446E - 374153N 1261628E 6 000 ft AMSL 1 600 ft AMSL Class B, E				Restriction Controlled IFR aircraft by Seoul Approach can only use this area. VFR aircraft do not use this area.

Change : Amended table.

Name Lateral limits Vertical limits Class of airspace	Unit Providing Service	Call Sign Languages Area and Condition of use Hours of Service	Frequencies/ Purpose	Remarks
1	2	3	4	5
OSAN Terminal Control Area				
T 11 370517N 1254809E - 370538N 1262158E - 370831N 1263143E - 370939N 1264334E - 371333N 1265937E - 370531N 1270147E - 365943N 1263542E - 370235N 1263325E - 370050N 1261652E - 365652N 1254823E - 370517N 1254809E 6 500 ft AMSL 1 000 ft AGL ¹⁾ Class D, E				Class D : Osan 5 NM radius of 370526N 1270147E 2 200 ft AMSL SFC Suwon 5 NM radius of 371422N 1270025E 4 000 ft AGL GND Icheon 5 NM radius of 371204N 1272819E 3 000 ft AGL GND Pyeongtaek 5 NM radius of 365736N 1270200E 3 000 ft AGL GND
T 03 372025N 1264822E - 372110N 1265752E - 371810N 1270852E - 371810N 1271852E - 371510N 1272352E - 371510N 1270652E - 370939N 1264334E - 370855N 1263637E - 372025N 1264822E 4 500 ft AMSL 1 000 ft AGL ¹⁾ Class D, E				
T 05 371333N 1265937E - 371510N 1270652E - 371510N 1272352E - 371619N 1273952E - 371039N 1273952E - 370531N 1270147E - 371333N 1265937E (Except R-17) 7 500 ft AMSL 1 000 ft AGL Class D, E	Osan APP	Osan APP English H24	127.90 363.10 121.50 243.00	
T 06 365810N 1262852E - 370531N 1270147E - 371039N 1273952E - 370230N 1273952E - 365246N 1263504E - 365810N 1262852E 9 500 ft AMSL 1 000 ft AGL Class D, E				
T 12 370050N 1261652E - 370235N 1263325E - 365943N 1263542E - 365810N 1262852E - 370050N 1261652E 6 500 ft AMSL 4 500 ft AMSL Class D, E				1) 1 000 ft AMSL is applied over the territorial waters.
T 13 365810N 1262852E - 365943N 1263542E - 365337N 1264032E - 365246N 1263504E - 365810N 1262852E 9 500 ft AMSL 4 500 ft AMSL Class D, E				

Name Lateral limits Vertical limits Class of airspace	Unit Providing Service	Call Sign Languages Area and Condition of use Hours of Service	Frequencies/ Purpose	Remarks
1	2	3	4	5
T 14 365246N 1263504E - 365337N 1264032E - 364427N 1264435E - 365246N 1263504E 11 500 ft AMSL 4 500 ft AMSL Class E				1) 1 000 ft AMSL is applied over the territorial waters.
T 15 365337N 1264032E - 370230N 1273952E - 370210N 1273952E - 50 NM Arc South of Gimpo Airport - 364315N 1264613E - 364427N 1264435E - 365337N 1264032E 11 500 ft AMSL 1 000 ft AGL ¹⁾ Class D, E				
T 16 364315N 1264613E - 50 NM Arc South of Gimpo Airport - 370210N 1273952E - 364010N 1270452E - 362311N 1270352E - 362310N 1265247E - 363458N 1265516E - 363804N 1265311E - 364315N 1264613E FL 145 1 000 ft AGL ¹⁾ Class D, E	Osan APP	Osan APP English H24	127.90 363.10 121.50 243.00	
T 17 370210N 1273952E - 365010N 1273952E - 362311N 1270352E - 364010N 1270452E - 370210N 1273952E FL 145 6 500 ft AMSL Class D, E				

Name Lateral limits Vertical limits Class of airspace	Unit Providing Service	Call Sign Languages Area and conditions of use Hours of Service	Frequencies/ Purpose	Remarks	
1	2	3	4	5	
Jungwon Terminal Control Area					
T 18 370640N 1273952E - 370710N 1275052E - 371010N 1275452E - 371410N 1280352E - 373110N 1281952E - 373310N 1283622E - 370710N 1284052E - 365710N 1284052E - 365010N 1280952E - 370640N 1273952E <hr/> FL 175 1 000 ft AGL Class C, E				Class C : Jungwon 5 NM radius of 370149N 1275309E <hr/> 5 000 ft AGL GND 5-10 NM radius of 370149N 1275309E <hr/> 5 000 ft AGL 1 000 ft AGL	
T 19 370640N 1273952E - 365010N 1280952E - 364458N 1275752E - 362911N 1275052E - 362911N 1280952E - 362311N 1280952E - 360711N 1274952E - 361211N 1273652E - 362311N 1270352E - 365010N 1273952E - 370640N 1273952E <hr/> FL 145 1 000 ft AGL Class D, E				with including areas which are extended southbound from 365733N 1274949E - 365805N 1275717E - 365421N 1275741E - 365349N 1275014E area that extends from the surface up to 5 000 ft AGL.	
T 20 364458N 1275752E - 365010N 1280952E - 362911N 1280952E - 362911N 1275052E - 364458N 1275752E <hr/> FL 145 5 500 ft AMSL Class D, E	Jungwon APP	Jungwon Approach English H24	132.55 306.70 121.50 243.00	Class D : Seongmu 5 NM radius of 363405N 1273000E Excluding the overlapping area with Cheongju Class D <hr/> 4 000 ft AGL GND	
T 17 370210N 1273952E - 365010N 1273952E - 362311N 1270352E - 364010N 1270452E - 370210N 1273952E <hr/> 6 500 ft AMSL 1 000 ft AGL Class D, E	[T 17]	[T 17]	[T 17] Cheongju GCA English H24	134.00 265.75	Cheongju 5 NM radius of 364259N 1272957E Including areas which are extended northeastbound from 364725N 1273250E - 364915N 1273539E - 364608N 1273847E - 364418N 1273557E and southwestbound from 364140N 1272357E - 363949N 1272108E - 363642N 1272415E - 363833N 1272705E <hr/> 5 000 ft AGL GND
T 21 370640N 1273952E - 371010N 1274552E - 371010N 1275452E - 370710N 1275052E - 370640N 1273952E <hr/> 3 500 ft AMSL 1 000 ft AGL Class C, E					
T 22 365010N 1280952E - 365710N 1284052E - 364810N 1282752E - 364540N 1281752E - 365010N 1280952E <hr/> FL 175 9 500 ft AMSL Class E					

Name Lateral limits Vertical limits Class of airspace	Unit Providing Service	Call Sign Languages Area and conditions of use Hours of Service	Frequencies Purpose	Remarks
1	2	3	4	5
Jeju Terminal Control Area				
T 23 330012N 1255953E - 341511N 1255953E - 341512N 1271953E - 331612N 1271953E - 330012N 1265953E - To the beginning FL 165 1 000 ft AGL ¹⁾ Class B, D, E	Jeju APP	Jeju Approach English H24	120.425 121.20 124.05 317.70 279.80 121.50 243.00	RADAR unuse 150°-200° beyond 23 NM BLW FL 150 Class B : <i>Jeju</i> : Refer to ENR 2.2-1 Class D : <i>Jeongseok</i> 5 NM radius of 332354N 1264247E 3 000 ft AGL GND Hours of service : MON-FRI 2330-0830 except for holidays 1) - 1 000 ft AMSL is applied over the territorial waters. - 5 500 ft AMSL is applied over the high seas.
T 43 330012N 1254953E - 341511N 1254953E - 341511N 1255953E - 330012N 1255953E - To the beginning FL 165 6 000 ft AMSL Class E				
Gangneung Terminal Control Area				ATS routes are excluded.
T 24 380810N 1283152E - 381210N 1283552E - 381210N 1295051E - 370710N 1295051E - 370710N 1284052E - 380410N 1283052E - 380810N 1283152E FL 225 1 000 ft AGL ¹⁾ Class C, D, E	Gangneung APP	Gangneung Approach English H24	124.60 304.00 121.50 243.00	Class C : <i>Gangneung</i> 5 NM radius of 374514N 1285642E 5 000 ft AGL GND 5-10 NM radius of 374514N 1285642E 5 000 ft AGL 1 000 ft AGL Class D : <i>Yangyang</i> 5 NM radius of 380341N 1284009E 3 000 ft AGL GND <i>Sokcho</i> 5 NM radius of 380839N 1283610E 2 500 ft AGL SFC Excluding(the overlapping area of) P518 and Yangyang control zone 1) - 1 000 ft AMSL is applied over the territorial waters. - 5 500 ft AMSL is applied over the high seas.
T 25 381600N 1283300E - 382109N 1284500E - 382110N 1290000E - 381210N 1290000E - 381210N 1283552E - 381600N 1283300E FL 145 1 000 ft AGL ¹⁾ Class D, E				
Gimhae Terminal Control Area				ATS routes are excluded.
T 26 353011N 1282952E - 352847N 1283340E - 353012N 1284626E - 353011N 1290152E - 352511N 1290522E - 352511N 1294952E - 351411N 1294752E - 343011N 1285152E - 343011N 1282952E - 353011N 1282952E FL 225 1 000 ft AGL ¹⁾ Class C, D, E	Gimhae APP	Gimhae Approach English H24	119.20 125.50 134.40 135.70 225.10 230.10 253.80 363.80 121.50 243.00	Class C : <i>Gimhae</i> 5 NM radius of 351050N 1285617E 5 000 ft AGL GND 5-10 NM radius of 351050N 1285617E 5 000 ft AGL 1 000 ft AGL with including areas which are extended southbound from 350629N 1285918E - 350304N 1285944E - 350239N 1285453E - 350603N 1285427E area that extends from the surface up to 5 000 ft AGL. Class D : <i>Jiniae</i> 5 NM radius of 350841N 1284139E 3 000 ft AGL GND 1) - 1 000 ft AMSL is applied over the territorial waters. - 5 500 ft AMSL is applied over the high seas.

Change : Amended frequency(119.00 → 120.425).

Name Lateral limits Vertical limits Class of airspace	Unit Providing Service	Call Sign Languages Area and conditions of use Hours of Service	Frequencies/ Purpose	Remarks
1	2	3	4	5
Gunsan Terminal Control Area T 27 362311N 1263153E - 362310N 1254853E - 353011N 1254953E - 353011N 1262953E - 355447N 1263635E - 362311N 1263153E FL 225 1 000 ft AGL ¹⁾ Class C, E				Class C : Gunsan 5 NM radius of 355414N 1263657E 5 000 ft AGL GND 5-10 NM radius of 355414N 1263657E 5 000 ft AGL 1 000 ft AGL
T 28 362311N 1263153E - 362311N 1270352E - 361211N 1273652E - 354511N 1273652E - 354511N 1270952E - 353011N 1264953E - 353011N 1262953E - 355447N 1263635E - 362311N 1263153E FL 145 1 000 ft AGL ¹⁾ Class C, D, E	Gunsan APP	Gunsan Approach English H24	124.10 292.65 121.50 243.00	Class D : Nonsan 5 NM radius of 361610N 1270650E 2 000 ft AGL GND 1) 1 000 ft AMSL is applied over the territorial waters.
Gwangju Terminal Control Area T 29 353011N 1254953E - 353011N 1264953E - 354511N 1270952E - 354511N 1273652E - 353011N 1274952E - 341511N 1265953E - 341511N 1254953E - 353011N 1254953E FL 225 1 000 ft AGL ¹⁾ Class C, D, E				ATS routes are excluded. Class C : Gwangju 5 NM radius of 350735N 1264832E 5 000 ft AGL GND 5-10 NM radius of 350735N 1264832E 5 000 ft AGL 1 000 ft AGL
T 30 351311N 1273852E - 350911N 1271852E - 344411N 1271853E - 351311N 1273852E FL 225 13 500 ft AMSL Class E	Gwangju APP	Gwangju Approach English H24	130.00 228.90 121.50 243.00	Class D : Muan 5 NM radius of 345929N 1262258E including areas which are extended northbound from 350409N 1262045E - 350601N 1262044E - 350602N 1262507E - 350410N 1262508E and southbound from 345449N 1262511E - 345255N 1262512E - 345254N 1262050E - 345448N 1262049E 3 000 ft AGL GND Class D : Mokpo 5 NM radius of 344532N 1262252E 3 000 ft AGL GND 1) 1 000 ft AMSL is applied over the territorial waters.

Name Lateral limits Vertical limits Class of airspace	Unit Providing Service	Call Sign Languages Area and conditions of use Hours of Service	Frequencies/ Purpose	Remarks
1	2	3	4	5
Sacheon Terminal Control Area				ATS routes are excluded.
T 31 353011N 1274952E - 353011N 1282952E - 341512N 1282952E - 341511N 1265953E - 353011N 1274952E FL 195 1 000 ft AGL ¹⁾ Class C, D, E				Class C : Sacheon 5 NM radius of 350519N 1280413E 5 000 ft AGL GND 5-10 NM radius of 350519N 1280413E 5 000 ft AGL 1 000 ft AGL
T 30 350911N 1271852E - 351311N 1273852E - 344411N 1271853E - 350911N 1271852E 13 500 ft AMSL 1 000 ft AGL Class E	Sacheon APP	Sacheon Approach English H24	135.40 344.70 121.50 243.00	Class D : Yeosu 5 NM radius of 345032N 1273702E 3 000 ft AGL GND and including areas which are extended northbound 345402N 1273242E - 345617N 1273136E - 345747N 1273606E - 345533N 1273712E southbound 344532N 1273652E - 344317N 1273758E - 344447N 1274228E - 344702N 1274122E 3 000 ft AGL 1 000 ft AGL
				1) 1 000 ft AMSL is applied over the territorial waters.
Pohang Terminal Control Area				ATS routes are excluded.
T 32 362011N 1283952E - 362011N 1295052E - 355011N 1294952E - 360000N 1291500E - 360600N 1290500E - 362011N 1283952E 10 500 ft AMSL 1 000 ft AGL ¹⁾ Class C, E				Class C : Pohang 5 NM radius of 355916N 1292507E 5 000 ft AGL GND 5-10 NM radius of 355916N 1292507E 5 000 ft AGL 1 000 ft AGL
T 33 360000N 1291500E - 355011N 1294952E - 352511N 1294952E - 352511N 1290952E - 353900N 1291330E - 354500N 1291500E - 360000N 1291500E 10 500 ft AMSL 1 000 ft AGL ¹⁾ Class C, D, E	Pohang APP	Pohang Approach English H24	120.20 232.40 124.25 121.50 243.00	Class D : Ulsan 5 NM radius of 353536N 1292108E 3 000 ft AGL GND and including areas which are extended northbound 353936N 1291725E - 354153N 1291639E - 354256N 1292124E - 354032N 1292212E southbound 353054N 1291903E - 352829N 1291915E - 352845N 1292408E - 353110N 1292356E 3 000 ft AGL 1 000 ft AGL
T 34 360600N 1290500E - 360000N 1291500E - 354500N 1291500E - 353900N 1291330E - 354900N 1291000E - 355413N 1290452E - 360600N 1290500E 7 500 ft AMSL 1 000 ft AGL Class C, E				1) - 1 000 ft AMSL is applied over the territorial waters. - 5 500 ft AMSL is applied over the high seas.

Name Lateral limits Vertical limits Class of airspace	Unit Providing Service	Call Sign Languages Area and conditions of use Hours of Service	Frequencies/ Purpose	Remarks
1	2	3	4	5
T 42 370710N 1291604E - 370710N 1295051E - 362011N 1295052E - 362011N 1292607E - 363530N 1292607E - 365631N 1291604E - 370710N 1291604E 9 500 ft AMSL 1 000 ft AGL Class C, D, E	Pohang APP	Pohang Approach English H24	120.20 232.40 124.25 121.50 243.00	ATS routes are excluded. Class C : Pohang 5 NM radius of 355916N 1292507E 5 000 ft AGL GND 5-10 NM radius of 355916N 1292507E 5 000 ft AGL 1 000 ft AGL Class D : Uljin 5 NM radius of 364637N 1292742E 2 500 ft AGL AGL and including areas which are extended southbound 364139N 1292702E - 363920N 1292755E - 364031N 1293240E - 364250N 1293147E northbound 365136N 1292823E - 365354N 1292730E - 365243N 1292244E - 365024N 1292338E 2 500 ft AGL 1 000 ft AGL
Daegu Terminal Control Area				ATS routes are excluded.
T 35 362911N 1280952E - 362911N 1282352E - 362011N 1283952E - 360600N 1290500E - 355413N 1290452E - 354900N 1291000E - 353900N 1291330E - 352511N 1290952E - 352511N 1290522E - 353011N 1290152E - 353012N 1284626E - 352847N 1283340E - 353011N 1282952E - 353011N 1274952E - 354511N 1273652E - 361211N 1273652E - 360711N 1274952E - 362311N 1280952E - 362911N 1280952E FL 225 1 000 ft AGL Class C, E	Daegu APP	Daegu Approach English H24	135.90 346.30 121.50 243.00	Class C : Daegu 5 NM radius of 355339N 1283932E 5 000 ft AGL GND 5-10 NM radius of 355339N 1283932E 5 000 ft AGL 1 000 ft AGL with including areas which are extended southeastbound from 354924N 1284249E - 355243N 1284535E - 355030N 1284934E - 354712N 1284648E area that extends from the surface up to 5 000 ft AGL.
T 33 360000N 1291500E - 355011N 1294952E - 352511N 1294952E - 352511N 1290952E - 353900N 1291330E - 354500N 1291500E - 360000N 1291500E FL 225 10 500 ft AMSL Class E				
T 34 360600N 1290500E - 360000N 1291500E - 354500N 1291500E - 353900N 1291330E - 354900N 1291000E - 355413N 1290452E - 360600N 1290500E FL 225 7 500 ft AMSL Class E				

Change : Information of vertical limits and remarks for T42.

Name Lateral limits Vertical limits Class of airspace	Unit Providing Service	Call Sign Languages Area and conditions of use Hours of Service	Frequencies/ Purpose	Remarks
1	2	3	4	5
Yecheon Terminal Control Area				
T 36 370710N 1284052E - 370710N 1291604E - 365631N 1291604E - 363530N 1292607E - 362011N 1292607E - 362011N 1283952E - 362911N 1282352E - 362911N 1280952E - 365010N 1280952E - 364540N 1281752E - 364810N 1282752E - 365710N 1284052E - 370710N 1284052E FL 225 1 000 ft AGL ¹⁾ Class C, E				ATS routes are excluded. Class C : Yecheon 5 NM radius of 363754N 1282118E 5 000 ft AGL AGL 5-10 NM radius of 363754N 1282118E 5 000 ft AGL 1 000 ft AGL with including areas which are extended eastbound from 363958N 1282658E - 364000N 1283035E - 363559N 1283039E - 363557N 1282702E area that extends from the surface up to 5 000 ft AGL
T 42 370710N 1291604E - 370710N 1295051E - 362011N 1295052E - 362011N 1292607E - 363530N 1292607E - 365631N 1291604E - 370710N 1291604E FL 225 9 500 ft AMSL Class E	Yecheon APP	Yecheon Approach English H24	134.50 229.35 121.50 243.00	1) - 1 000 ft AMSL is applied over the territorial waters. - 5 500 ft AMSL is applied over the high seas.
T 22 365010N 1280952E - 365710N 1284052E - 364810N 1282752E - 364540N 1281752E - 365010N 1280952E 9 500 ft AMSL 1 000 ft AGL Class C, E				
T 20 364458N 1275752E - 365010N 1280952E - 362911N 1280952E - 362911N 1275052E - 364458N 1275752E 5 500 ft AMSL 1 000 ft AGL Class C, E				
Haemi Terminal Control Area				
T 37 365652N 1254823E - 370050N 1261652E - 365850N 1262553E - 365140N 1262757E - 365246N 1263504E - 364427N 1264435E - 363804N 1265311E - 363458N 1265516E - 362310N 1265247E - 362310N 1254853E - 365652N 1254823E FL 145 1 000 ft AGL ¹⁾ Class C, E	Haemi APP	Haemi Approach English H24	124.60 229.25 253.95 121.50 243.00	Refer to the next page

Name Lateral limits Vertical limits Class of airspace	Unit Providing Service	Call Sign Languages Area and conditions of use Hours of Service	Frequencies/ Purpose	Remarks
1	2	3	4	5
T 38 365850N 1262553E - 365810N 1262852E - 365246N 1263504E - 365140N 1262757E - 365850N 1262553E 11 500 ft AMSL 1 000 ft AGL ¹⁾ Class C, E				ATS routes are excluded. Class C : Seosan 5 NM radius of 364216N 1262910E Including areas which are extended northeastbound from 364716N 1262916E - 365117N 1263134E - 364937N 1263606E - 364536N 1263348E and southwestbound from 363716N 1262902E - 363315N 1262644E - 363455N 1262214E - 363856N 1262431E 5 000 ft AGL GND
T 39 370050N 1261652E - 370235N 1263325E - 365337N 1264032E - 365246N 1263504E - 365810N 1262852E - 365850N 1262553E - 370050N 1261652E 4 500 ft AMSL 1 000 ft AGL ¹⁾ Class E	Haemi APP	Haemi Approach English H24	124.60 229.25 253.95 121.50 243.00	5-10 NM radius of 364216N 1262910E 5 000 ft AGL 1 000 ft AGL
T 14 365246N 1263504E - 365337N 1264032E - 364427N 1264435E - 365246N 1263504E 4 500 ft AMSL 1 000 ft AGL Class E				1) 1 000 ft AMSL is applied over the territorial waters.
Wonju Terminal Control Area T 02 375810N 1273952E - 380010N 1275452E - 371010N 1275452E - 371010N 1274552E - 370640N 1273952E - 375810N 1273952E FL 175 1 000 ft AGL Class C, E				ATS routes are excluded.
T 40 370640N 1273952E - 371010N 1274552E - 371010N 1275452E - 370710N 1275052E - 370640N 1273952E FL 175 3 600 ft AGL Class E	Wonju APP	Wonju Approach English H24	135.725 234.40 130.2 121.50 243.00	Class C : Wonju 5 NM radius of 372617N 1275737E 5 000 ft AGL GND
T 41 380010N 1275452E - 380410N 1283052E - 373310N 1283622E - 373110N 1281952E - 371410N 1280352E - 371010N 1275452E - 380010N 1275452E FL 175 1 000 ft AGL Class C, D, E				5-10 NM radius of 372617N 1275737E 5 000 ft AGL 1 000 ft AGL

* Recommendation

The pilot flying through the extended area for Standard Instrument Approach of all airports in Class D Airspace within FIR must take special precautions not to prevent other aircraft movement.

Change : Information of remarks for Haemi TMA.

1.4 CONTROL AREA (CTA)

Name Lateral limits Vertical limits Class of airspace	Unit Providing Service	Call sign Languages Hours of service	Frequencies(MHz) /Purpose	Remarks
1	2	3	4	5
West-sea High Sector 380000N 1240000E - 380000N 1245100E - along the Northern Limit Line and Military Demarcation Line to 382020N 1273952E - 370210N 1273952E - 365816N 1273339E - 370710N 1271352E - 370502N 1265615E - 365650N 1254822E - 365431N 1253600E - 362000N 1253600E - 362000N 1240000E - 380000N 1240000E FL 600 FL 295 Class A, B, D, E	Daegu ACC	Daegu Control English H24	132.80, 290.60/ PRIMARY 120.525, 335.45/ SECONDARY 122.75, 262.75/ COMMON 121.50, 243.00/ EMERG	1) - 1 000 ft AMSL is applied over the territorial waters. - 5 500 ft AMSL is applied over the high seas. 2) FL 600-UNL : Class G(Advisory Airspace), refer to ENR 1.4-8
West-sea Low Sector 380000N 1240000E - 380000N 1245100E - along the Northern Limit Line and Military Demarcation Line to 382020N 1273952E - 370210N 1273952E - 365816N 1273339E - 370710N 1271352E - 370502N 1265615E - 365650N 1254822E - 365431N 1253600E - 362000N 1253600E - 362000N 1240000E - 380000N 1240000E FL 295 1 000 ft AGL ¹⁾ Class A, C, D, E	Daegu ACC	Daegu Control English H24	128.70, 270.50/ PRIMARY 118.925, 263.60/ SECONDARY 122.75, 262.75/ COMMON 121.50, 243.00/ EMERG	
East-sea Low Sector 382020N 1273952E - along the Northern Limit Line and Military Demarcation Line to 383800N 1282200E - 383800N 1295051E - 370710N 1295051E - 362011N 1295052E - 370710N 1284052E - 370710N 1275052E - 370710N 1275052E - 370640N 1273952E - 382020N 1273952E FL 295 1 000 ft AGL ¹⁾ Class A, C, D, E	Daegu ACC	Daegu Control English H24	134.175, 272.40/ PRIMARY 123.65, 233.60/ SECONDARY 122.75, 262.75/ COMMON 121.50, 243.00/ EMERG	
East-sea Sector ① 383800N 1295051E - 383800N 1333900E - 380000N 1330000E - 373000N 1330000E - 371846N 1324411E - 362224N 1312542E - 361030N 1311003E - 362011N 1295052E - 383800N 1295051E FL 600 1 000 ft AGL ¹⁾ ② 382020N 1273952E - along the Northern Limit Line and Military Demarcation Line to 383800N 1282200E - 383800N 1295051E - 370710N 1295051E - 362011N 1295052E - 370710N 1284052E - 370710N 1275052E - 370710N 1275052E - 370640N 1273952E - 382020N 1273952E FL 600 FL 295 Class A, D, E	Daegu ACC	Daegu Control English H24	122.250, 263.350/ PRIMARY 125.925, 263.85/ SECONDARY 122.75, 262.75/ COMMON 121.50, 243.00/ EMERG	

Change : Information of CTA.

OFFICE OF CIVIL AVIATION

AIRAC AIP AMDT 11/23
Effective : 1600UTC 29 NOV 2023

Name Lateral limits Vertical limits Class of airspace	Unit providing service	Call sign Languages Hours of service	Frequencies(MHz)/Purpose	Remarks
1	2	3	4	5
Daegu Sector 364419N 1271128E - 365018N 1272055E - 365816N 1273339E - 355413N 1290452E - 352442N 1290935E - 352442N 1301012E - 351232N 1295305E - 344719N 1291923E - 344323N 1291400E - 344000N 1291000E - 343011N 1290104E - 343011N 1282952E - 344555N 1282952E - 351237N 1282952E - 353011N 1274907E - 353104N 1274907E - 354511N 1273652E - 355149N 1273652E - 361211N 1273652E - 364419N 1271128E FL 600 1 000 ft AGL ¹⁾ Class A, C, D, E	Daegu ACC	Daegu Control English H24	125.375, 234.15/ PRIMARY 125.775, 124.575, 317.35 335.50/ SECONDARY 122.75, 262.75/ COMMON 121.50, 243.00/ EMERG	1) - 1 000 ft AMSL is applied over the territorial waters. - 5 500 ft AMSL is applied over the high seas. 2) FL 600-UNL : Class G(Advisory Airspace), refer to ENR 1.4-8
Pohang Sector 365816N 1273339E - 370210N 1273952E - 370640N 1273952E - 370710N 1275052E - 370710N 1284052E - 362011N 1295052E - 361030N 1311003E - 354926N 1304325E - 352442N 1301012E - 352442N 1290935E - 355413N 1290452E - 365816N 1273339E FL 600 1 000 ft AGL ¹⁾ Class A, C, D, E	Daegu ACC	Daegu Control English H24	120.575, 254.70/ PRIMARY 119.375, 119.325, 134.375, 254.7, 335.75/ SECONDARY 122.75, 262.75/ COMMON 121.50, 243.00/ EMERG	
South-sea Sector 353011N 1274952E - 351237N 1282952E - 343011N 1282952E - 343011N 1290104E - 334514N 1282706E - 333732N 1271953E - 335452N 1271953E - 341512N 1271953E - 350911N 1271852E - 351311N 1273852E - 353011N 1274952E FL 600 1 000 ft AGL ¹⁾ Class A, C, D, E	Daegu ACC	Daegu Control English H24	128.175, 335.50/ PRIMARY 128.325, 275.20/ SECONDARY 122.75, 262.75/ COMMON 121.50, 243.00/ EMERG	
Gunsan Low Sector 362000N 1240000E - 362000N 1253600E - 365431N 1253600E - 365650N 1254822E - 370502N 1265615E - 370710N 1271352E - 365816N 1273339E - 365018N 1272055E - 364419N 1271128E - 361211N 1273652E - 354511N 1273652E - 353011N 1274952E - 353011N 1263823E - 353011N 1240000E - 362000N 1240000E FL 255 1 000 ft AGL ¹⁾ Class A, C, D, E	Incheon ACC	Incheon Control English H24	126.175, 317.85/ PRIMARY 134.375, 335.55/ SECONDARY 132.20, 355.50/ COMMON 121.50, 243.00/ EMERG	
Gunsan High Sector 362000N 1240000E - 362000N 1253600E - 365431N 1253600E - 365650N 1254822E - 370502N 1265615E - 370710N 1271352E - 365816N 1273339E - 365018N 1272055E - 364419N 1271128E - 361211N 1273652E - 354511N 1273652E - 353011N 1274952E - 353011N 1263823E - 353011N 1240000E - 362000N 1240000E FL 600 FL 255 Class A, C, D, E	Incheon ACC	Incheon Control English H24	132.15, 263.15/ PRIMARY 123.55, 272.60/ SECONDARY 132.20, 355.50/ COMMON 121.50, 243.00/ EMERG	

Change : Information of CTA.

OFFICE OF CIVIL AVIATION

AIRAC AIP AMDT 11/23
Effective : 1600UTC 29 NOV 2023

Name Lateral limits Vertical limits Class of airspace	Unit providing service	Call sign Languages Hours of service	Frequencies(MHz)/Purpose	Remarks
1	2	3	4	5
Gwangju Low Sector 353011N 124000E - 353011N 1274952E - 351311N 1273852E - 350911N 1271852E - 341512N 1271953E - 340500N 1271953E - 335251N 1264357E - 335030N 1263402E - 335030N 124000E - 353011N 124000E FL 255 1 000 ft AGL ¹⁾ Class A, C, D, E	Incheon ACC	Incheon Control English H24	120.725, 263.90/ PRIMARY 128.30, 272.75/ SECONDARY 132.20, 355.50/ COMMON 121.50, 243.00/ EMERG	1) - 1 000 ft AMSL is applied over the territorial waters. - 5 500 ft AMSL is applied over the high seas. 2) FL 600-UNL : Class G(Advisory Airspace), refer to ENR 1.4-8
Gwangju High Sector 353011N 124000E - 353011N 1274952E - 351311N 1273852E - 350911N 1271852E - 341512N 1271953E - 340500N 1271953E - 335251N 1264357E - 335030N 1263402E - 335030N 124000E - 353011N 124000E FL 600 FL 255 Class A, C, D, E	Incheon ACC	Incheon Control English H24	123.725, 239.25/ PRIMARY 124.50, 275.40/ SECONDARY 132.20, 355.50/ COMMON 121.50, 243.00/ EMERG	
Jeju North Sector 335030N 124000E - 335030N 1263402E - 335251N 1264357E - 340500N 1271953E - 333732N 1271953E - 334514N 1282706E - 323000N 127300E - 323000N 126500E - 323223N 1261536E - 322848N 1255859E - 320229N 124000E - 335030N 124000E FL 600 1 000 ft AGL ¹⁾ Class A, B, D, E	Incheon ACC	Incheon Control English H24	124.525, 255.40/ PRIMARY 132.425, 233.50, 348.10/ SECONDARY 132.20, 355.50/ COMMON 121.50, 243.00/ EMERG	
Jeju South High Sector 320229N 124000E - 322848N 1255859E - 323223N 1261536E - 323000N 126500E - 300000N 125250E - 300000N 1251154E - 300000N 1245712E - 300000N 124000E - 313636N 124000E - 320229N 124000E FL 600 FL 335 Class A, D, E	Incheon ACC	Incheon Control English H24	133.425, 234.35/ PRIMARY 134.15, 234.65/ SECONDARY 132.20, 355.50/ COMMON 121.50, 243.00/ EMERG	
Jeju South Low Sector 320229N 124000E - 322848N 1255859E - 323223N 1261536E - 323000N 126500E - 300000N 125250E - 300000N 1251154E - 300000N 1245712E - 300000N 124000E - 313636N 124000E - 320229N 124000E FL 335 1 000 ft AGL ¹⁾ Class A, D, E	Incheon ACC	Incheon Control English H24	125.725, 232.95/ PRIMARY 132.825, 128.375, 233.15 / SECONDARY 132.20, 355.50/ COMMON 121.50, 243.00/ EMERG	

Change : Information of CTA and frequencies.

OFFICE OF CIVIL AVIATION

AIRAC AIP AMDT 11/23
Effective : 1600UTC 29 NOV 2023

INTENTIONALLY

LEFT

BLANK

1.5 CONTROL ZONE(CTR)

1.5.1 CONTROL ZONE(CTR) OF MILITARY BASE


Name Lateral limits Vertical limits Class of airspace	Unit Providing Service	Call sign Languages Hours of service	Frequencies(MHz)/ Purpose	Remarks (operator, etc.)
1	2	3	4	5
OSAN CONTROL ZONE A circle 5 NM radius centered at 370526N 1270147E (Excluding the area that overlap with the Suwon control zone) SFC - 2 200 ft AGL Class D	Osan Tower	Osan Tower English H24	132.125, 272.70/ATIS 122.10, 308.80/TWR 132.45, 253.70/GND 121.50, 243.00/EMERG	USAF
MOKPO CONTROL ZONE A circle 5 NM radius centered at 344532N 1262252E SFC - 3 000 ft AGL Class D	Mokpo Tower	Mokpo Tower English/Korean H24	134.4, 235.1/TWR 134.4, 235.1/GND 121.50, 243.00/EMERG	ROKN
JINHAE CONTROL ZONE A circle 5 NM radius centered at 350841N 1284139E SFC - 3 000 ft AGL Class D	Jinhae Tower	Jinhae Tower English/Korean H24	126.2, 236.6, 350.0/TWR 120.2, 275.8/GND 121.50, 243.00/EMERG	ROKN
PYEONGTAEK CONTROL ZONE A circle 5 NM radius centered at 365736N 1270200E SFC - 3 000 ft AGL Class D	Pyeongtaek Tower	Pyeongtaek Tower English H24	121.575/ATIS 122.5, 257.8/TWR 119.5, 227.9/GND 121.50, 243.00/EMERG	USArmy
NONSAN CONTROL ZONE A circle 5 NM radius centered at 361610N 1270650E SFC - 2 000 ft AGL Class D	Nonsan Tower	Nonsan Tower English/Korean 2300-0800Z on MON-FRI CLSD SAT, SUN and HOL	133.350/TWR 346.650/GND 121.50, 243.00/EMERG	ROKA
ICHEON CONTROL ZONE A circle 5 NM radius centered at 371204N 1272819E SFC - 3 000 ft AGL Class D	Icheon Tower	Icheon Tower English/Korean 2310-0830Z on MON-THU, 2310-0650Z on FRI, CLSD SAT, SUN and HOL	124.9, 346.7/TWR 127.8/GND 121.50, 243.00/EMERG	ROKA
SUWON CONTROL ZONE A circle 5 NM radius centered at 371422N 1270025E SFC - 4 000 ft AGL Class D	Suwon Tower	Suwon Tower English/Korean H24	126.425, 225.675/ATIS 126.2, 236.6, 244.4/TWR 275.8/GND 121.50, 243.00/EMERG	ROKAF ATIS OPS. 2100-1300Z
GANGNEUNG CONTROL ZONE A circle 5 NM radius centered at 374514N 1285642E SFC - 4 000 ft AGL Class C	Gangneung Tower	Gangneung Tower English/Korean H24	126.675, 226.175/ATIS 126.2, 236.6, 238.0/TWR 275.8/GND 121.50, 243.00/EMERG	ROKAF ATIS OPS. 2200-1200Z
HAEMI CONTROL ZONE A circle 5 NM radius centered at 364216N 1262910E SFC - 4 000 ft AGL Class C	Haemi Tower	Haemi Tower English/Korean H24	127.225 226.375/ATIS 126.2, 236.6, 284.3/TWR 275.8/GND 121.50, 243.00/EMERG	ROKAF ATIS OPR. 2100-1300Z
JUNGWON CONTROL ZONE A circle 5 NM radius centered at 370149N 1275309E SFC - 4 000 ft AGL Class C	Jungwon Tower	Jungwon Tower English/Korean H24	126.875, 226.275/ATIS 126.2, 230.15, 236.6/TWR 275.8/GND 121.50, 243.00/EMERG	ROKAF ATIS OPS. 2200-1300Z
SEONGMU CONTROL ZONE A circle 5 NM radius centered at 363405N 1273000E (Excluding the area that overlap with the Cheongju control zone) SFC - 4 000 ft AGL Class D	Seongmu Tower	Seongmu Tower English/Korean 2320-0820Z on MON-FRI CLSD SAT, SUN and HOL	131.3, 126.2, 236.6, 363.9/TWR 134.55/GND 121.50, 243.00/EMERG	ROKAF
YECHEON CONTROL ZONE A circle 5 NM radius centered at 363754N 1282118E SFC - 4 000 ft AGL Class C	Yecheon Tower	Yecheon Tower English/Korean H24	126.625, 226.075/ATIS 126.2, 236.6, 269.5/TWR 275.8/GND 121.50, 243.00/EMERG	ROKAF ATIS OPS. 2100-1300Z
SOKCHO CONTROL ZONE A circle 5 NM radius centered at 380839N 1283610E SFC - 2 500 ft AGL Excluding(the overlapping area of) P518 and Yangyang control zone Class D	Sokcho Tower	Sokcho Tower English/Korean 2300-0800Z on MON-FRI CLSD SAT, SUN and HOL	125.450, 346.775/TWR 36.60/GND 121.50, 243.00/EMERG	ROKA

Change : Information of lateral limits for Osan, Haemi and Seongmu CTR.

1.5.2 CONTROL ZONE(CTR) OF CIVIL, CIVIL/MILITARY AIRPORT

Name Lateral limits Vertical limits Class of airspace	Unit Providing Service	Call sign Languages Hours of service	Frequencies(MHz)/ Purpose	Remarks (operator, etc.)
1	2	3	4	5
INCHEON CONTROL ZONE				
GIMPO CONTROL ZONE				
JEJU CONTROL ZONE				
GIMHAE CONTROL ZONE				
CHEONGJU CONTROL ZONE				
YANGYANG CONTROL ZONE				
DAEGU CONTROL ZONE				
MUAN CONTROL ZONE				
GWANGJU CONTROL ZONE				
GUNSAN CONTROL ZONE				See part 3 AERODROMES(AD) for details.
YEOSU CONTROL ZONE				
WONJU CONTROL ZONE				
SACHEON CONTROL ZONE				
ULSAN CONTROL ZONE				
SEOUL CONTROL ZONE				
POHANG CONTROL ZONE				
ULJIN CONTROL ZONE				
JEONGSEOK CONTROL ZONE				

FIR and CTA - Index Chart



Terminal Control Area (TMA) - Index Chart

